



RFLPF Series – 2012(0805)- RoHS Compliance

MULTILAYER CERAMIC LOW PASS FILTER

Halogens Free Product

1.71~ 2.17GHz Band RF Applications

P/N: RFLPF2012100F18Q1C

*Contents in this sheet are subject to change without prior notice.

Approval sheet



FEATURES


- 1. Miniature footprint: 2.00 X 1.25 X 1.05 mm³.
- 2. Low Profile Thickness
- 3. Low Insertion loss
- 4. LTCC process

APPLICATIONS

- 1. 1.71~ 2.17GHz band RF applications
- 2. WCDMA, CDMA 2000


CONSTRUCTION

Top view




PIN	PIN Connection		Connection
1	GND	5	GND
2	NC	6	NC
3	GND	7	GND
4	OUTPUT Port	OUTPUT Port 8 INPUT Port	

DIMENSIONS




ELECTRICAL CHARACTERISTICS

RFLPF2012100F18Q1C	Specification			
Frequency Range	1710 ~ 2170 MHz			
Insertion Loss	1.3 dB max. at +25°C			
Insenion Loss	1.5 dB max. at -40°C ~ +85°C			
	15 dB min. @ 2400 ~2500 MHz			
	25 dB min. @ 3250 ~ 3350 MHz			
	25 dB min. @ 3420 ~ 3570 MHz			
	23 dB min. @ 3700 ~ 3820 MHz			
Attenuation	23 dB min. @ 3840 ~ 3960 MHz			
	23 dB min. @ 4100 ~ 4600 MHz			
	25 dB min. @ 4905 ~ 5845 MHz			
	23 dB min. @ 5850 ~ 6400 MHz			
	20 dB min. @ 6600 ~ 7350 MHz			
VSWR	1.56 max.			
Impedance	50 Ω			
Operation Temperature Range	-40°C ~ +85°C			
Moisture sensitivity levels	LEVEL 1 (Refer to : IPC/JEDEC J-STD-020)			
Typical Electrical Chart				
<u></u>				



SOLDER LAND PATTERN







Approval sheet

RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature $: 235 \pm 5^{\circ}C$	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time : 2 ± 0.5 sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder:Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature : $260 \pm 5^{\circ}C$	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time \div 30 \pm 0.5 sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	
metallization)		
IEC 60068-2-58		
Resistance to soldering heat	*Preheating temperature : $120~150^{\circ}$ C,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature : 270±5°C	descriptions in electrical characteristics under
	*Immersion time : 10±1 sec	the operational temperature range within -40
	Solder : So2Ag0 ECu for load free	~ 85°C.
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height:75 cm	No mechanical damage.
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
	*Times : 6 surfaces for each units ; 2 times	the operational temperature range within -40
	for each side.	~ 85°C.
Vibration	*Frequency:10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude : 1.5mm	Electrical specification shall satisfy the
	*Test times : 6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40
		~ 85°C.
Adhesive Strength		
of Termination	*Pressurizing force :	No remarkable damage or removal of the
JIS C 0051- 7.4.3	5N(≦0603);10N(>0603)	termination.
	*Test time : 10±1 sec	
Bending test	The middle part of substrate shall be	No mechanical damage.
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40
	shall be maintained for 5 ± 1 sec.	~ 85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	



Approval sheet

Temperature cycle JIS C 0025	 30±3 minutes at -40°C±3°C, 10~15 minutes at room temperature, 30±3 minutes at +85°C±3°C, 10~15 minutes at room temperature, Total 100 continuous cycles Measurement to be made after keeping at room temperature for 24±2 hrs 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
High temperature JIS C 0021	*Temperature : 85°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Humidity (steady conditions) JIS C 0022	 *Humidity : 90% to 95% R.H. *Temperature : 40±2°C *Time : 1000+24/-0 hrs. Measurement to be made after keeping at room temperature for 24±2 hrs % 500hrs measuring the first data then 1000hrs data 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,





Fig 2. Infrared soldering profile

ORDERING CODE

RF	LPF	201210	0	F	18Q1C
Walsin	Product Code	Dimension code	Unit of	Application	Specification
RF device	LPF :	Per 2 digits of Length, Width,	dimension	F : 1.71~ 2.17GHz	Design code
	Low Pass Filter	Thickness :	0 : 0.1 mm		
		e.g. :	1 :1.0 mm		
		201210 =			
		Length 20,			
		Width 12,			
		Thickness 10			


Minimum Ordering Quantity: 2000 pcs per reel. PACKAGING



Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	1.42 ± 0.10	$\textbf{2.25} \pm \textbf{0.10}$	1.55 + 0.10	$\textbf{0.95} \pm \textbf{0.10}$	$\textbf{8.0}\pm\textbf{0.10}$
Index	E	F	Po	P1	P2
Dimension (mm)	$\textbf{1.75} \pm \textbf{0.10}$	$\textbf{3.50} \pm \textbf{0.05}$	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10

Reel dimensions



Taping Quantity: 2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.
 - Temperature : -10 to +40°C
 - Humidity : 30 to 70% relative humidity
 - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
 - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
 - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
 - Products should be storage under the airtight packaged condition.