TAI-TECH

High Frequency Chip Inductor (Lead Free)

HCI1005LF-15NJ-MS8

REV	DATE	DESCRIPTION	APPROVED	CHECKED	DRAW
1.0	17/06/27	初版發行	楊祥忠	詹偉特	張嘉玲
備					
1717					

TAI-TECH

High Frequency Chip Inductor (Lead Free)

HCI1005LF-15NJ-MS8

1.Features


- 1. Monolithic inorganic material construction.
- 2. Closed magnetic circuit avoids crosstalk.
- 3. S.M.T. type.
- 4. Suitable for reflow soldering.
- 5. Shapes and dimensions follow E.I.A. spec.
- 6. Available in various sizes.
- 7. Excellent solder ability and heat resistance.
- 8. High SRF up to 6GHz and above.
- 9. 100% Lead(Pb) & Halogen-Free and RoHS compliant.

Halogen-free Pb-free





2. Dimensions




Chip Size						
Α	1.00±0.15					
В	0.50±0.15					
С	0.50±0.15					
D	0.25±0.10					
Inits: mm						

Units: mm

3. Part Numbering

HCI	1005	L	F	-	15N	J	-	MS8	
А	В	С	D		Е	F		G	
A: Series	6								
B: Dimer	nsion			L x W					
C: Categ	ory Code								
D: Mater	ial			Le	ad Free N	/lateria	al		
E: Induct	tance			15N=15 nH					
F: Induct	ance Tole	rance	•	J=±5%					
G: marki	ng								




4.Specification

Tai-Tech	Inductance	Test Frequency	Q	Rated Current	DCR (Ω)	SRF (MHz)	
Part Number	(nH)	(Hz)	min.	(mA) max	max.	min.	
HCI1005LF-15NJ-MS8	15±5%	100M / 50mV	8	300	0.50	2300	

• Rated current: based on temperature rise test

In compliance with EIA 595



www.tai-tech.com.tw

5. Reliability and Test Condition


Series No. Operating Temperature Transportation	HCI						
Transportation	-40 ~ $\pm105^{\circ}$ C (Including self-temperature rise)						
Storage Temperature	-40~+105℃ (on board)	For long Applicati	-		ns, please	see the	
Inductance (Ls)		Agilent42 Agilent E					
Q Factor	Refer to standard electrical characteristics list	Agilent42 Agilent16					
DC Resistance		Agilent 4	338				
Rated Current		DC Powe Over Rat some ris	ted Curr		ements, the	re will be	
Temperature Rise Test	Rated Current < 1AΔT 20°CMaxRated Current ≧ 1AΔT 40°CMax	 Applied the allowed DC current. Temperature measured by digital surfac thermometer. 					
Life test	Appearance: no damage. Impedance: within±15%of initial value.	times.(IF Reflow F Tempera Applied o Duration Measure for 24±2	PC/JED Profiles) ature: 10 current: : 1000± d at roo hrs.	EC J-STD 15±2°C rated curro 12hrs. om tempe	rature afte	sification r placing	
Load Humidity	Inductance: within±10%of initial value. Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	for 24±2 hrs. Preconditioning: Run through IR reflettimes.(IPC/JEDEC J-STD-020D Class Reflow Profiles) Humidity: 85±2%R.H. Temperature: 85±2°C. Duration: 1000hrs Min. with 100° current. Measured at room temperature after for 24±2 hrs. Preconditioning: Run through IR refle				sification % rated	
Thermal shock	Appearance: no damage. Impedance: within±15%of initial value. Inductance: within±10%of initial value. Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	times.(If Reflow P Condition Step1: -4 Step2: 29 Step3: + Number	PC/JEDI Profiles) n for 1 c 40±2°C 5±2°C 105±2°C of cycle cd at roo	EC J-STD ycle ≦0.5n 30±5r s: 500	-020D Clas min. nin	sification	
Vibration	Appearance : No damage. Impedance : within±15% of initial value Inductance : within±10% of initial value Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	times.(If Reflow P Oscillation minutes Equipment Total Am	PC/JED Profiles) on Frequent : Vil aplitude: Time : 1	EC J-STD uency: 10 bration che 1.52mm±1 2 hours(20		sification Iz for 20	
Bending	Appearance : No damage. Impedance : within±10% of initial value Inductance : within±10% of initial value Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	following >=0805in <0805in Bending >=0805in <0805in	dimens nch(201 ch(2012 depth: nch(2012 ch(2012	ions: 2mm):40x	m		
		Test co	ndition	:			
Shock	Appearance : No damage. Impedance : within±10% of initial value Inductance : within±10% of initial value	Туре	Peak Value (g's)	Normal duration (D) (ms)	Wave form	Velocity change (Vi)ft/sec	
	Q : Shall not exceed the specification value. RDC : within $\pm 15\%$ of initial value and shall not exceed the specification value	SMD Lead	50 50	11 11	Half-sine Half-sine	11.3 11.3	
Insulation Resistance	IR>1GΩ	Chip Ind			ndii-sine	11.3	

Item	Performance	Test Condition				
Solderability	More than 95% of the terminal electrode should be covered with solder.	ed with solder. Preheat: 150°C,60sec. Solder: Sn96.5%-Ag3%-Cu0.5% Solder temperature: 245±5°C Flux for lead free: Rosin. 9.5% Depth: completely cover the termination. Dip time: 4±1sec.				
		Number of heat of	cycles: 1			
Resistance to Soldering	Appearance : No damage. Impedance : within±15% of initial value		Time (s)	Temperature ramp/immersion and emersion rate		
Heat	Inductance : within±10% of initial value Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	260 ±5 (solder temp)	10 ±1	25mm/s ±6 mm/s		
		Depth: completel	ly cover ti	he termination		
Terminal strength	Appearance : No damage. Impedance : within±15% of initial value Inductance : within±10% of initial value Q : Shall not exceed the specification value. RDC : within ±15% of initial value and shall not exceed the specification value	Preconditioning: Run through IR reflow times.(IPC/JEDEC J-STD-020D Classific Reflow Profiles) Component mounted on a PCB apply a >0805inch(2012mm):1kg <=0805inch(2012mm):0.5kg to the side of a device being tested. This shall be applied for 60 +1 seconds. Also force shall be applied gradually as not to s the component being tested.				

6.Soldering and Mounting

6-1. Recommended PC Board Pattern

Chip Size							Pattern	
Series	Туре	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
НСІ	1005	1.00±0.15	0.50±0.15	0.50±0.15	0.25±0.10	0.50	0.40	0.60



PC board should be designed so that products can prevent damage from mechanical stress when warping the board.

6-2. Soldering

Mildly activated rosin fluxes are preferred. The terminations are suitable for re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools. Note.

If wave soldering is used ,there will be some risk.

Re-flow soldering temperatures below 240 degrees, there will be non-wetting risk

6-2.1 Lead Free Solder re-flow:

Recommended temperature profiles for lead free re-flow soldering in Figure 1. (Refered to J-STD-020C)

www.tai-tech.com.tw