ALUMINUM ELECTROLYTIC CAPACITORS SPECIFICATION SHEET

CUSTOMER PART No.		
Rubycon PART No.	YXF SERIES (Option code : FFC)	
DRAWING No.	REE – 116690	ISSUE No.
ISSUE DATE	4 December 2014	



1938-1, NISHIMINOWA, INA-SHI, NAGANO-KEN, JAPAN TEL No. 0265-72-7116 FAX No. 0265-73-3380

	YUICHI KOBAYASHI
DESIGN	y Jadan joshi
	TAKESHI KOBAYASHI
CHECK	F Hobayashi
	HIROKAZU KOUMURA
APPROVAL	H. Koumura

1.Scope.

This specification covers polarized aluminum electrolytic capacitors with non-solid electrolyte for use in electronic equipments .

2. Reference Standard

JIS C 5141 (1991) and JIS C 5102 (1994) methods for testing.

3. Operating Temperature Range

-40°C to +105°C

4. Performance Refer to Table-1

5. Style and Numbering System

(1) Style CE 04 (Radial Leaded)

(2) Numbering System Rated Series Nominal Tolerance Option Lead Case size Capacitance Forming Voltage **YXF FFC** Μ

6. Marking

Unless otherwise specified, capacitor shall be clearly marked the following items on its body.

Sleeve color: Black Lettering color: White

> (1) Trade mark Rubycon (2) Rated Voltage (3) Nominal Capacitance (Negative Polarity)

(4) Polarity

(5) Series (6) Date code

(7) Maximum Operating Temperature

105°C (8) PET Sleeve mark PET

7. Vent

On capacitors whose diameter is 6.3mm and greater, a safety vent shall be provided.

- 8. Notes on use of aluminum electrolytic capacitors
 - (1) Charge and discharge

Do not use for the circuit that repeats quick charge or discharge.

(2) External stress

Do not apply excessive force of pushing, pulling bending, and/or twisting to the main body, lead wire and terminals.

(3) Heat resistance at soldering process

In the soldering process of PC board with Capacitors mounted, secondary shrinkage or crack of sleeve may be observed when soldering temperature is too high and /or soldering time is too long.

If lead wire of other components or pattern of double sided PC board touches the capacitor, the similar failure may be also originated at pre-heating, heating at hardening process of adhesive and soldering process.

(4) Insulation and PC board mounting

Sleeve is for marking purpose only.

It is not recognized as insulation materials.

When double sided PC board is employed, note that it could cause a short circuit if lead wire of other components or pattern of double sided PC board touches capacitor. Please avoid circuit pattern runs underneath capacitor.

In addition, case and cathode terminal are not insulated.

(5) Adhesives and coating materials

Do not use the adhesives and coating materials that contain halogenated organic solvents or chloroprene as polymer.

Rubycon RUBYCON CORPORATION

(6) Storage

Keep at a normal temperature and humidity. During a long storage time, leakage current will be increased. To prevent heat rise or any trouble that high leakage current possibly causes, voltage treatment is recommended for the capacitors that have been stored for a long time.

<Storage Condition>

- *Āluminum electrolytic capacitors should not be stored in high temperatures or where there is a high level of humidity. The suitable storage condition is 5°C-35°C and less than 75% in relative humidity.
 - *Aluminum electrolytic capacitors should not be stored in damp conditions such as water, saltwater spray or oil spray.
- *Do not store alumínum electrolytic capacitors in an environment full of hazardous gas (hydrogen sulfidé, sulfurous acid gas, nitrous acid, chlorine gas, ammonia or bromine gas).
- *Aluminum electrolytic capacitors should not be stored under exposure to ozone, ultraviolet rays or radiation.

(7) Fumigation and halogenated flame retardant

- It may cause corrosion of internal electrodes, aluminum cases and terminal surface when the following conditions exist.
- *Fumigation of wooden pallets before shipment to disinfect vermin.
- *Existence of components or parts that contain halogenated flame retardant agent (bromine etc.) together with capacitors.
- *When halogenated detergents of antiseptics for preventing infection of epidemic diseases contact directly to capacitors.

(8) PC board cleaning after soldering

Please consult us when cleaning is subjected.

♦ Guide to application except the above are described in our catalog and EIAJ RCR-2367C.

EIAJ RCR-2367C: "Safety Application Guide for fixed aluminum electrolytic capacitors for use in electronic equipment." Published by Japan Electronics and Information Technology Industries Association.

◆Table-1 PERFORMANCE

	ITEMS	PERFORMANCE
1	Rated Voltage(WV) Surge Voltage (SV)	WV(V.DC) 6.3 10 16 25 35 50 63 100 SV(V.DC) 8 13 20 32 44 63 79 125
2	Nominal Capacitance (Tolerance)	<criteria> 1 to 15000μF(±20%) <condition> Measuring Frequency : 120Hz±20% Measuring Voltage : Not more than 0.5Vrms + 1.5 to 2.0V.DC Measuring Temperature : 20 ± 2 °C</condition></criteria>
3	Leakage Current	<condition> The rated voltage shall be applied between terminals of capacitor such that the terminal voltage will reach the rated voltage within one minute and the leakage current shall be measured at 2 minutes after the voltage has reached the rated voltage across a 1000 \pm10 Ω series protection resister. Then the current value shall not exceed value calculated from following formula. <critteria> I=0.01CV or 3μA whichever is greater where I: Leakage current in μA. C: Nominal capacitance in μF. V: Rated voltage in V.DC.</critteria></condition>
4	Dissipation Factor (tanδ:Tangent of loss angle)	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$

5 Terminal Strength

<Condition>

Tensile Strength of Terminals

The body of capacitor shall be fixed and the tensile force of following table shall be applied to the terminal in lead out direction of the terminal for 10 ± 1 seconds.

Bending Strength of Terminals

The body of capacitor shall be held in such a way that the regular lead-out axis of lead wire terminal becomes vertical. The weight of following table shall be suspended from the end of terminal. In this condition, after the body of sample is bent through 90 degrees, it shall be returned to the original position. Next the body shall be reversibly bent through 90 degrees and again returned to the original position.

Diameter of lead wire	Tensile force N{kgf}	Bending force N{kgf}
0.5mm and less	5{0.51}	2.5{0.25}
Over 0.5mm to 0.8mm incl	10{1.0}	5 {0.51}

<Criteria>

Notable changes shall not be found, as breakage or looseness in the terminal.

6 Temperature Coefficient and Drift

<Condition>

_	ondition>		
	STEP	Testing Temperature (°C)	Time
	1	20±2	Time to reach thermal equilibrium
	2	-40±3	//
	3	-25±3	//
	4	20±2	//
	5	105±2	2 hrs.
	6	20±2	Time to reach thermal equilibrium

Capacitance, D.F. and Impedance shall be measured at 120Hz.

<Criteria>

STEP 2,3	Impedance Ratio	The value of ratio to STEP 1 not more than value of following table.
STEP 5	Capacitance Change	Within ±25% of the value of STEP 1
	Dissipation Factor	Not more than the specified value
	Leakage Current	Not more than 8 times the specified value
STEP 6	Capacitance Change	Within ±10% of the value of STEP 1
	Dissipation Factor	Not more than the specified value
	Leakage Current	Not more than the specified value

WV(V.DC)	6.3	10	16	25	35	50	63	100
Z(-25°C)/Z(+20°C)	4	3	2	2	2	2	2	2
Z(-40°C)/Z(+20°C)	8	6	4	3	3	3	3	3

		protective resistor (with n	naximun	n ripple curr	ent) at 105±2°C fo		fter the test a
		Occasilla.	Life time				
		Case dia.	6.3 to	10WV	16 to 100WV		
		≤φ6.3	400	00 +72	5000 ⁺⁷² 0		
		ф8, ф10	600	00 +72	7000 +72		
		φ12.5≤	800	00 +72	10000 +72		
		<criteria></criteria>		1			
		Leakage Current		Not more	than the specified	d value	
		Capacitance Change		Within ±2	5% of the initial va	alue	
		Dissipation Factor		Not more	than 200% of the	specified value	
		Appearance		Notable cl	nanges shall not b	pe found, except sleeve	
3	Shelf Life Test	<condition> Capacitors shall be stored in standard con any doubt arises on the JIS C 5141,5.2.)</condition>	dition fo	r 1 to 2 hou	rs and the capaci		requirements
3	Shelf Life Test	Capacitors shall be sto returned in standard con any doubt arises on the	dition fo	r 1 to 2 hou	rs and the capaci	itor shall meet following r	requirements
3	Shelf Life Test	Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.)	dition fo	r 1 to 2 hou nt, the capa	rs and the capaci	itor shall meet following r bjected to voltage treatm	requirements
}	Shelf Life Test	Capacitors shall be sto returned in standard con any doubt arises on the JIS C 5141,5.2.)	dition for judgmer	r 1 to 2 hount, the capa	rs and the capaci citors shall be su	itor shall meet following r bjected to voltage treatm	requirements
3	Shelf Life Test	Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current</criteria>	dition for judgmer	r 1 to 2 hount, the capa Not more that Vithin ±25%	rs and the capaci citors shall be su an the specified va	itor shall meet following r ibjected to voltage treatmalue	requirements
3	Shelf Life Test	Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change</criteria>	dition for judgmer	r 1 to 2 hount, the capa Not more than Not more than Not more than	rs and the capacicitors shall be su an the specified va of the initial value	itor shall meet following ribjected to voltage treatmalue e ecified value	requirements
	Shelf Life Test Surge Voltage	Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be appled for 30±5 seconds in every second seconds.</condition></criteria>	dition for judgmer	r 1 to 2 hount, the capa Not more that Within ±25% Not more that Notable char surge voltag 5 minutes a ft under nore	an the specified van the initial value of the initial value on 200% of the specifies shall not be through a (100± t 15 to 35°C. Proc	itor shall meet following ribjected to voltage treatmalue e ecified value	n series
		Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be appled for 30±5 seconds in even the capacitors shall capacitors shall capacitates. Nominal Capacitates.</condition></criteria>	dition for judgmer	r 1 to 2 hount, the capa	an the specified van the initial value of the initial value on 200% of the specifies shall not be through a (100± t 15 to 35°C. Proc	itor shall meet following ribjected to voltage treatmalue e lecified value found ±50)/C _R [kΩ] resistor incedure shall be repeated to 2 hours before measure	n series
		Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be appled for 30±5 seconds in even Then the capacitors shall capacitates contained the contained the contained the contained the capacitors shall capacitates contained the capacitates capacitat</condition></criteria>	lied the sery 6±0. all be letance (μF	r 1 to 2 hount, the capa	an the specified van the initial value of the initial value on 200% of the spages shall not be through a (100± t 15 to 35°C. Proceed the specified value of the initial value of	itor shall meet following ribjected to voltage treatment in the state of the state	n series
		Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be appled for 30±5 seconds in every Then the capacitors shall capacitates contained and capacitates capacitates contained and capacitates cap</condition></criteria>	dition for judgmer	r 1 to 2 hount, the capa Not more that Vithin ±25% Not more that Notable chart surge voltage 5 minutes a fit under none (i)] Not more that Vithin ±15%	an the specified vant the specified vant the specified vant 200% of the specified shall not be specified at 15 to 35°C. Proceed the specified vant	itor shall meet following ribjected to voltage treatmalue e ecified value found ±50)/C _R [kΩ] resistor incedure shall be repeated to 2 hours before measurable	n series
		Capacitors shall be storeturned in standard con any doubt arises on the JIS C 5141,5.2.) <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be appled for 30±5 seconds in even the capacitors shall capacitates shall be appled for 30±6 seconds in even the capacitors shall capacitates are conditions. Criteria> Leakage Current Capacitance Change</condition></criteria>	lied the sery 6±0all be let ance (µF	r 1 to 2 hount, the capa Not more that Within ±25% Not more that Notable char Surge voltage 5 minutes a fit under none (i)] Not more that Within ±15% Not more that	an the specified various shall be such the specified various of the initial value of the initial not be specified at 15 to 35°C. Proceed to 15 to 35°C. Proceed	itor shall meet following ribjected to voltage treatmalue e lecified value found ±50)/C _R [kΩ] resistor incedure shall be repeated to 2 hours before measurable	n series

10	Vibration Test	Fix lead wire at a point not	n 3 AXIS for 2 hours each (total 6 hours) as below. more than 4mm from the body, use mounting device separately for and greater or with a length 25mm and longer.
		Vibration frequency range Peak to peak amplitude Sweep rate	: 10 to 55Hz : 1.5mm : 10 to 55 to 10Hz, In about 1min.
		<criteria> Capacitance (During test)</criteria>	Measured value shall be stable. (The time from one end to the other of the vibration frequency within last 30 minutes at last direction.)
		Capacitance Change	Within ±5% of the initial value
		Appearance	Notable changes shall not be found
11	Solderability	•	shall be immersed in flux (ethanol solution of the rosin, 25 wt% rosing be immersed in the solder bath (235±5°C) and held for 2±0.5 second peed.
			itial surface of dipped portion of the terminal shall be covered with
2	Resistance to Solder Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of ca Then the capacitors shall before measurement.</condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up t
2	Resistance to Solder Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria></criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up topacitor. Seleft under the normal temperature and normal humidity for 1 to 2 h
2	Resistance to Solder Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current</criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to pacitor. The left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
2	Resistance to Solder Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current Capacitance Change</criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to a pacitor. See left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
12	Resistance to Solder Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current</criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to pacitor. The left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
	Resistance to Solder Heat Resistance to Damp Heat (Steady State)	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be stored in Then the capacitors shall before measurement.</condition></criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up topacitor. be left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
	Resistance to Damp Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be stored in Then the capacitors shall before measurement. <criteria></criteria></condition></criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to a pacitor. Deleft under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
	Resistance to Damp Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor of to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be stored in Then the capacitors shall before measurement. <criteria> Leakage Current Capacitor shall be stored in Then the capacitors shall before measurement.</criteria></condition></criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to a pacitor. De left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee
12	Resistance to Damp Heat	At least 3/4 of circumferer solder. <condition> Terminals of the capacitor to 2.0mm from the body of cather the capacitors shall before measurement. <criteria> Leakage Current Capacitance Change Dissipation Factor Appearance <condition> Capacitor shall be stored in Then the capacitors shall before measurement. <criteria></criteria></condition></criteria></condition>	shall be immersed into solder bath at 260±5°C for 10±1 seconds up to pacitor. We left under the normal temperature and normal humidity for 1 to 2 has been been been been been been been bee

14 Maximum Permissible Ripple Current

- (1) The maximum permissible ripple current is the maximum A.C. current at 100kHz and can be
- applied at maximum operating temperature.

 (2) The combined value of D.C. voltage and the peak A.C. voltage shall not exceed the rated voltage and shall not be reverse voltage.

<Frequency Coefficient>


Frequency(Hz) Capacitance(µF)	120	1k	10k	100k≤
1 to 10	0.42	0.60	0.80	1.00
22 to 33	0.55	0.75	0.90	1.00
47 to 330	0.70	0.85	0.95	1.00
470 to 1000	0.75	0.90	0.98	1.00
2200 to 15000	0.80	0.95	1.00	1.00

< Temperature Coefficient >

Ambient Temperature(°C)	105	85	65≥
Coefficient	1.0	1.7	2.1

- ◊Temperature coefficient shows a limit of ripple current exceeding the rated ripple current that can be passed through a capacitor at each temperature when the life expectancy of a capacitor becomes to be nearly equal with the lifetime at the rated maximum operating temperature.
- ◊Use of aluminum electrolytic capacitor under ripple voltage with wide amplitude is equivalent to quick charge-discharge operation.
- When ripple voltage with the amplitude over 70Vp-p is expected for the products with rated voltage over 100V, please contact us.

9. Diagram of dimensions. :unit mm



♦Table-2

▼ Tabic Z							
φD	5	6.3	8	10	12.5	16	18
F	2.0	2.5	3.5	5.0	5.0	7.5	7.5
φd	0.5	0.5	0.6	0.6	0.6	0.8	0.8
α		L≤	16 : α=1	.5 L	≥20 : α=	2.0	

♦Table-3

1	Sleeve	P.E.T.
2	Case	Aluminum
3	Lead Wire	Tin plated

◆Table-4 Standard size, Maximum permissible ripple current and Impedance

Rated voltage 6.3V					
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)		
(μF)	$\phi DxL(mm)$	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz	
100	5X11	150	0.90	3.6	
220	6.3X11	250	0.40	1.6	
330	6.3X11	250	0.40	1.6	
470	8X11.5	400	0.25	1.0	
1000	10X12.5	580	0.16	0.65	
2200	12.5X20	1300	0.062	0.21	
3300	12.5X20	1300	0.062	0.21	
4700	16X25	1850	0.034	0.096	
6800	16X25	1850	0.034	0.096	
10000	16X31.5	2000	0.029	0.087	
15000	18X35.5	2200	0.025	0.058	

Rated voltage 10V				
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)	
(μF)	$\phi DxL(mm)$	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz
100	5X11	150	0.90	3.6
220	6.3X11	250	0.40	1.6
330	8X11.5	400	0.25	1.0
470	8X11.5	400	0.25	1.0
1000	10X16	770	0.12	0.46
2200	12.5X20	1300	0.062	0.21
3300	12.5X25	1650	0.048	0.16
4700	16X25	1850	0.034	0.096
6800	16X31.5	2000	0.029	0.087
10000	18X35.5	2200	0.025	0.058

Rated voltage 16V				
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)	
(μF)	$\phi DxL(mm)$	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz
47	5X11	150	0.90	3.6
100	6.3X11	250	0.40	1.6
220	8X11.5	400	0.25	1.0
330	8X11.5	400	0.25	1.0
470	10X12.5	580	0.16	0.65
1000	10X20	1050	0.078	0.30
2200	12.5X25	1650	0.048	0.16
3300	16X25	1850	0.034	0.096
4700	16X31.5	2000	0.029	0.087
6800	18X35.5	2200	0.025	0.058

Rated voltage 25V				
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)	
(μF)	φDxL(mm)	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz
33	5X11	150	0.90	3.6
47	5X11	150	0.90	3.6
100	6.3X11	250	0.40	1.6
220	8X11.5	400	0.25	1.0
330	10X12.5	580	0.16	0.65
470	10X16	770	0.12	0.46
1000	12.5X20	1300	0.062	0.21
2200	16X25	1850	0.034	0.096
3300	16X31.5	2000	0.029	0.087
4700	18X35.5	2200	0.025	0.058

Rated voltage 35V					
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)		
(μ F)	$\phi DxL(mm)$	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz	
33	5X11	150	0.90	3.6	
47	6.3X11	250	0.40	1.6	
100	8X11.5	400	0.25	1.0	
220	10X12.5	580	0.16	0.65	
330	10X16	770	0.12	0.46	
470	10X20	1050	0.078	0.30	
1000	12.5X25	1650	0.048	0.16	
2200	16X31.5	2000	0.029	0.087	
3300	18X35.5	2200	0.025	0.058	

Rated voltage 50V					
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)		
(μF)	φDxL(mm)	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz	
1	5X11	30	4.0	8.0	
2.2	5X11	43	2.5	6.0	
3.3	5X11	53	2.2	5.6	
4.7	5X11	88	1.9	5.0	
10	5X11	100	1.5	4.0	
22	5X11	150	0.90	3.6	
33	6.3X11	250	0.40	1.6	
47	6.3X11	250	0.40	1.6	
100	8X11.5	400	0.25	1.0	
220	10X16	770	0.12	0.46	
330	10X20	1050	0.078	0.30	
470	12.5X20	1300	0.062	0.21	
1000	16X25	1850	0.034	0.096	
2200	18X35.5	2200	0.025	0.058	

Rated voltage 63V				
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)	
(μF)	$\phi DxL(mm)$	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz
10	5X11	87	2.3	9.3
22	6.3X11	140	1.3	5.2
33	6.3X11	140	1.2	5.0
47	8X11.5	210	0.63	2.8
100	10X12.5	300	0.43	1.8
220	10X20	520	0.21	0.84
330	12.5X20	660	0.16	0.64
470	12.5X25	750	0.12	0.45
1000	16X31.5	1390	0.054	0.20

Rated voltage 100V					
Nominal capacitance	Size	Ripple Current	Impedance (ΩMAX)		
(μF)	φDxL(mm)	(mA r.m.s./105°C,100kHz)	20°C,100kHz	-10°C,100kHz	
1	5X11	20	4.5	15.0	
2.2	5X11	30	3.0	13.0	
3.3	5X11	40	2.7	11.0	
4.7	5X11	65	2.5	10.0	
10	6.3X11	140	1.2	5.0	
22	8X11.5	160	0.63	2.8	
33	10X12.5	230	0.43	1.8	
47	10X16	290	0.31	1.5	
100	12.5X20	430	0.16	0.64	
220	16X25	900	0.073	0.27	
330	16X25	900	0.073	0.27	