

# High Current Brick Fuse 5a dYfY'F Uhb [ '15!60A

# **DHC45 Series**










## **Descriptions**

- · High current brick fuse
- Surface mount deign to save space
- · Ceramic Sugare body with end cap design
- Designed to UL248-1/14
- Fully compatible with lead-free solder and high temperature profile associated with lead-free assembly



## **Applications**

- Power battery protection
- Test equipment
- Power supplies
- Game systems Industrial
- equipment Telecom
- system

#### **Electrical Characteristics**

Amp Rating	% of Amp Rating	Opening Time		
15~60A	1.0 ln	4 hour min.		
	3.5 ln	10s max.		

## **Specifications**

Part No.	Rated Current (A)	Rated Voltage (V)	Breaking Capacity DC <sup>1</sup>	Typ. Cold Resistance (mΩ)	Typical Voltage Drop (mV)	Pre-Arcing I <sup>2</sup> t (A <sup>2</sup> Sec) <sup>2</sup>
DHC45-15A	15	85V /dc <sup>3</sup> 72V /dc 63V /dc 60V /dc <sup>4</sup>	85Vdc @ 1000A 72Vdc @ 1000A 63Vdc @ 1000A 60Vdc @ 1500A	4.42	90	210
DHC45-20A	20			3.10	85	340
DHC45-25A	25			1.57	55	300
DHC45-30A	30			1.26	55	500
DHC45-35A	35			1.07	55	750
DHC45-40A	40			0.85	53	1200
DHC45-50A	50			0.65	45	2300
DHC45-60A	60			0.56	40	2800

<sup>1.</sup>DC Interrupting Rating (Measured at designated voltage, time constant of less than 50 microseconds, battery source)

1 Document Number:P0F0510130217001A www.prosemitech.com

<sup>2.</sup>Typical Pre-arcing I<sup>2</sup>t are measured at 10ln Current, DC battery bank, but not exceeding the interrupting rating, time constant of calibrated circuit less than 50 microseconds)

<sup>3.</sup>TUV Approval is 85/72/63Vdc,1000A, UL Approval is 72/63Vdc, 1000A

<sup>4.</sup>Self-certified for 60Vdc/1500A.





# **High Current Brick Fuse**

# **DHC45 Series**


#### **Dimension**

#### Unit: mm






#### Pad layout



Recommend trace thickness is 3oz, the minimum trace width is 15mm,  $15\sim35A$  Recommend trace thickness is 3oz the minimum trace width is 22mm,  $40\sim60A$  Recommend solder thickness is 0.15mm;

# **Soldering Parameters**



# **Soldering Characteristics**

## Reflow Soldering

• Temperature: 260°C

Time: 30 Seconds Maximum

#### **Manual Soldering (not recommended)**

• Temperature: 350°C


Time: 5 Seconds Maximum

#### **IR Reflow Profile**

Preheat Heat Temperature min (Tsmin) Temperature max(Tsmax) Time (Tsmin to Tsmax) (ts)	150°C 200°C 60 -120 seconds	
Average ramp-up rate (Tsmax to Tp)	3°C/second max.	
Liquidous temperature (TL) Time at liquidous (tL)	217°C 60 - 150 seconds	
Peak Package body temperature(Tp)	260°C	
Time within 5°C of actual peak Temperature (tp)	30 seconds	
Average ramp-down rate (Tp to Tsmax)	6°C/second max.	
Time 25 °C to peak temperature	8 minutes max.	



## **Time-Current Curves**






# **High Current Brick Fuse**

# **DHC45 Series**

# **Temperature Re-rating Curve**



- Normal Operating Temperature: 25°C± 2°C
- $_{\circ}$  Operating Temperature: -40°C to 125°C with proper correction factor applied.
- Chart of correction factor.

## **Packaging**

Quantity: 1, 000pcs 24mm wide tape on 330mm (13 inch) diameter reel -specification EIA Standard 481.

> © 2021 PROSEMI Inc. All Rights Reserved. Specifications and features are subject to change without notice. www.prosemitech.com

The PROSEMI logo, and all other PROSEMI trademarks are the property of PROSEMI Inc. All other trademarks are the property of their respective owners.