

STW0C1LX - 3030X

Applicable for automotive exterior light

3030X Series

STW0C1LX







Product Brief

Description

- This White Colored surface-mount LED comes in standard package dimension.
 Package Size: 3.0x3.0x0.65mm
- It has a substrate made up of a molded epoxy reflector sitting on top of a lead frame.
- The die is attached within the reflector cavity and the cavity is encapsulated by silicone.
- The package design coupled with careful selection of component materials allow these products to perform with high reliability.

Features and Benefits

- SMD epoxy package
- Low Thermal Resistance
- ESD Class 3B
- MSL 2 Level
- Viewing angle 120°
- RoHS compliant

Key Applications

Automotive Lighting

Rev1.1, April 15, 2019 www.seoulsemicon.com



Table of Contents

In	Index					
•	Product Brief	1				
•	Table of Contents	2				
•	Performance Characteristics	3				
•	Color Bin Structure	11				
•	Mechanical Dimensions	13				
	Product structure	14				
٠	Recommended Solder Pad	15				
•	Reflow Soldering Characteristics	16				
•	Emitter Tape & Reel Packaging	17				
•	Product Nomenclature (Labeling Information)	19				
•	Handling of Silicone Resin for LEDs	20				
•	Precaution for Use	21				
•	Company Information	24				

Rev1.1, April 15, 2019 2 www.seoulsemicon.com



Table 1. Electro Optical Characteristics, I_F = 200mA, T_a = 25°C, RH30%

Parameter	Symbol	Min	Тур	Max	Unit
Forward Voltage	V_F	2.75	3.10	3.50	V
Luminous Flux	$oldsymbol{\phi}_{V}$		62		lm
Colon Consulinator	CIE x		0.325		
Color Coordinates	CIE y		0.335		
Viewing Angle	20		120		deg. [°]
Electrical Thermal resistance	Rth JS el		5.2	7.6	K/W
Real Thermal resistance	Rth JS real		7.9	10.4	K/W

Notes:

- [1] Tolerance : VF : \pm 0.1V, LF : \pm 7%, X,Y : \pm 0.005
- [2] The luminous flux was measured at the peak of the spatial pattern which may not be aligned with the mechanical axis of the LED package.
- [3] Correlated Color is derived from the CIE 1931 Chromaticity diagram.
- [4] $\Theta_{\text{1/2}}$ is the off-axis where the luminous intensity is 1/2 of the peak intensity
- [5] Thermal resistance = Rth JS: Junction/solder point. Rth max is based on statistic values
- X Not applicable for reverse operation



Table 2. Absolute Maximum Ratings


Parameter	Symbol	Value	Unit
Forward Current (T _a =25°C)	I _F	300	mA
Operating Temperature	T_{opr}	-40 ~ +125	℃
Storage Temperature	T_{stg}	-40 ~ +125	℃
Junction Temperature	T _j	150	°C
ESD (HBM) (R=1.5kΩ, C= 100pF)		Class 3B (JESD22-A114-E)	-

Notes:

- (1) LED's properties might be different from suggested values like above and below tables if operation condition will be exceeded our parameter range. Care is to be taken that power dissipation does not exceed the absolute maximum rating of the product.
- (2) All measurements were made under the standardized environment of Seoul Semiconductor.




Fig 1. Color Spectrum, $I_F = 200$ mA, $T_a = 25$ °C



Note : red > 5%, UV $\leq 10^{-5}$ W/Im acc. to ECE regulation

Fig 2. Viewing Angle Distribution, $I_F = 200 \text{mA}$, $T_a = 25 ^{\circ}\text{C}$



Rev1.1, April 15, 2019 5 www.seoulsemicon.com



Fig 3. Forward Voltage vs. Forward Current, $T_a = 25^{\circ}C$




Fig 4. Forward Current vs. Relative Luminous Flux, $T_a = 25^{\circ}C$






Fig 5. Forward Current vs. Color Coordinate Shift, $T_a = 25^{\circ}C$






Fig 6. Junction Temperature vs. Forward Voltage Shift, $I_F = 200 \text{mA}$




Fig 7. Junction Temperature vs. Relative Luminous Flux, $I_F = 200 \text{mA}$






Fig 8. Junction Temperature vs. Color Coordinate Shift, I_F= 200mA







Fig 9. Maximum Forward Current vs. Temperature





Color Bin Structure

Table 3. Bin Code Description ($T_a = 25$ °C, $I_F = 200$ mA)


	Luminous Flux [Im] Color Coordinate			Forward Voltage [V]					
Part Number	Bin Code	Min.	Max.	Bin Code Min. Max.		Bin Code	Min.	Max.	
	R2	47.5	47.5 54.0		-	G	2.75	3.00	
	S1	54.0	62.0			Н	3.00	3.25	
STW0C1LX	TW0C1LX S2 62.0 71.0 Refer to 12 page.	ige.	I	3.25	3.50				
	T1	71.0	80.0						
	T2	80.0	90.0						

Available Rank



Color Bin Structure


Fig 10. Color Coordinate Diagram, $T_a = 25$ °C, $I_F = 200$ mA




RANK	x1	y1	x2	y2
IVANIX	х3	у3	x4	y4
64	0.3110	0.3196	0.3130	0.3058
S1	0.3183	0.3154	0.3169	0.3303
60	0.3169	0.3303	0.3183	0.3154
S2	0.3266	0.3306	0.3261	0.3468
60	0.3215	0.3386	0.3224	0.3230
S3	0.3310	0.3385	0.3310	0.3556
64	0.3261	0.3468	0.3266	0.3306
S4	0.3354	0.3465	0.3359	0.3644

Rev1.1, April 15, 2019 12 www.seoulsemicon.com

Mechanical Dimensions






Top View

Side View

Bottom View

-- - PKG Center


---- Optic Center



Circuit Diagram

- 1. All dimensions are in millimeters.
- 2. Scale: none
- 3. Undefined tolerance is ± 0.1 mm


Product Structure




Parts No.	Name	Description	Materials
1	Substrate	Metal	Copper Alloy (Gold Plated)
2	Chip Source	Chip	GaN
3	Wire	Metal	Gold Wire
4	Encapsulation	Silicone	
(5)	Body		Epoxy Molding Compound
6	ESD Protection Device	Si	-


Notes:

Recommended Solder Pad




Recommended PCB Solder Pad





Recommended Stencil Pattern




- PKG Center

Solder Resist

Solder Resist



Reflow Soldering Characteristics




Profile Feature	Sn-Pb Eutectic Assembly	Pb-Free Assembly
Average ramp-up rate (Tsmax to Tp)	3° C/second max.	3° C/second max.
Preheat - Temperature Min (Tsmin) - Temperature Max (Tsmax) - Time (Tsmin to Tsmax) (ts)	100 °C 150 °C 60-120 seconds	150 °C 200 °C 60-180 seconds
Time maintained above: - Temperature (TL) - Time (tL)	183 °C 60-150 seconds	217 °C 60-150 seconds
Peak Temperature (Tp)	215℃	260℃
Time within 5°C of actual Peak Temperature (tp)2	10-30 seconds	20-40 seconds
Ramp-down Rate	6 °C/second max.	6 °C/second max.
Time 25°C to Peak Temperature	6 minutes max.	8 minutes max.


Caution


- 1. Reflow soldering is recommended not to be done more than three times. In the case of more than 24 hours passed soldering after first, LEDs will be damaged.
- 2. Repairs should not be done after the LEDs have been soldered. When repair is unavoidable, suitable tools must be used.
- 3. When soldering, do not put stress on the LEDs during heating.
- 4. After soldering, do not warp the circuit board.

Rev1.1, April 15, 2019 16 www.seoulsemicon.com

Emitter Tape & Reel Packaging








(Tolerance: ± 0.2 , Unit: mm)

- (1) Quantity: 4,500pcs/Reel
- (2) Cumulative Tolerance : Cumulative Tolerance/10 pitches to be ± 0.2 mm
- (3) Adhesion Strength of Cover Tape
 Adhesion strength to be 0.1-0.7N when the cover tape is turned off from the carrier tape at the angle of 10° to the carrier tape.
- (4) Package: P/N, Manufacturing data Code No. and Quantity to be indicated on a damp proof Package.

Rev1.1, April 15, 2019 17 www.seoulsemicon.com



Emitter Tape & Reel Packaging



Product Nomenclature

 $\mathsf{RANK}: \mathsf{Z_1Z_1Z_2Z_2Z_3Z_3}$

QUANTITY: 4500

LOT NUMBER : $Y_{1}Y_{1}Y_{2}Y_{3}Y_{3}Y_{4}Y_{5}Y_{5}Y_{5} - Y_{6}Y_{6}Y_{6} - Y_{7}Y_{7}Y_{7} - Y_{8}Y_{8}Y_{8}Y_{8}Y_{8}Y_{8}Y_{8}$

SSC PART NUMBER : $x_1x_2x_3x_4x_5x_6x_7x_8x_9$



Table 4. Part Numbering System : $X_1X_2X_3X_4X_5X_6X_7X_8X_9$


Part Number Code	Description	Part Number	Value
X ₁ Company		S	
X ₂	X ₂ Top View LED series		
X ₃ X ₄ Color Specification		W0	
X ₅ Package series		С	
X ₆ X ₇ Characteristic code		1L	
X ₈ Product revision		X	

Lot Number Code	Description
Y ₁	Year
Y ₂	Month
Y ₃	Day
Y ₄	Production area
Y ₅	Mass order
Y ₆	Taping number
Y ₇	Reel number
Y ₈	Internal management number

Handling of Silicone Resin for LEDs

(1) During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound.





- (2) In general, LEDs should only be handled from the side. By the way, this also applies to LEDs without a silicone sealant, since the surface can also become scratched.
- (3) When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the surface of the resin must be prevented. This is assured by choosing a pick and place nozzle which is larger than the LED's reflector area.
- (4) Silicone differs from materials conventionally used for the manufacturing of LEDs. These conditions must be considered during the handling of such devices. Compared to standard encapsulants, silicone is generally softer, and the surface is more likely to attract dust. As mentioned previously, the increased sensitivity to dust requires special care during processing. In cases where a minimal level of dirt and dust particles cannot be guaranteed, a suitable cleaning solution must be applied to the surface after the soldering of components.
- (5) SSC suggests using isopropyl alcohol for cleaning. In case other solvents are used, it must be assured that these solvents do not dissolve the package or resin. Ultrasonic cleaning is not recommended. Ultrasonic cleaning may cause damage to the LED.
- (6) Please do not mold this product into another resin (epoxy, urethane, etc) and do not handle this product with acid or sulfur material in sealed space.
- (7) Avoid leaving fingerprints on silicone resin parts.

Precaution for Use

(1) Storage

To avoid the moisture penetration, we recommend storing LEDs in a dry box with a desiccant. The recommended storage temperature range is 5° C to 30° C and a maximum humidity of RH50%.

(2) Use Precaution after Opening the Packaging

Use proper SMD techniques when the LED is to be soldered dipped as separation of the lens may affect the light output efficiency.

Pay attention to the following:

- a. Recommend conditions after opening the package
 - Sealing / Temperature : 5 ~ 30°C Humidity : less than RH60%
- b. If the package has been opened more than 1 year (MSL 2) or the color of the desiccant changes, components should be dried for 10-24hr at $65\pm5^{\circ}$ C
- (3) Do not apply mechanical force or excess vibration during the cooling process to normal temperature after soldering.
- (4) Do not rapidly cool device after soldering.
- (5) Components should not be mounted on warped (non coplanar) portion of PCB.
- (6) Radioactive exposure is not considered for the products listed here in.
- (7) Gallium arsenide is used in some of the products listed in this publication. These products are dangerous if they are burned or shredded in the process of disposal. It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed of.
- (8) This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA (Isopropyl Alcohol) should be used.
- (9) When the LEDs are in operation the maximum current should be decided after measuring the package temperature.
- (10) LEDs must be stored in a clean environment. We recommend LEDs store in nitrogen-filled container.
- (11) The appearance and specifications of the product may be modified for improvement without notice
- (12) Long time exposure of sunlight or occasional UV exposure will cause lens discoloration.

Rev1.1, April 15, 2019 21 www.seoulsemicon.com

Precaution for Use

- (13) VOCs (Volatile organic compounds) emitted from materials used in the construction of fixtures can penetrate silicone encapsulants of LEDs and discolor when exposed to heat and photonic energy. The result can be a significant loss of light output from the fixture. Knowledge of the properties of the materials selected to be used in the construction of fixtures can help prevent these issues.
- (14) The slug is electrically isolated.
- (15) Attaching LEDs, do not use adhesives that outgas organic vapor.
- (16) The driving circuit must be designed to allow forward voltage only when it is ON or OFF. If the rev erse voltage is applied to LED, migration can be generated resulting in LED damage.
- (17) LEDs are sensitive to Electro-Static Discharge (ESD) and Electrical Over Stress (EOS). Below is a list of suggestions that Seoul Semiconductor purposes to minimize these effects.
- a. ESD (Electro Static Discharge)

Electrostatic discharge (ESD) is the defined as the release of static electricity when two objects come into contact. While most ESD events are considered harmless, it can be an expensive problem in many industrial environments during production and storage. The damage from ESD to an LEDs may cause the product to demonstrate unusual characteristics such as:

- Increase in reverse leakage current lowered turn-on voltage
- Abnormal emissions from the LED at low current

The following recommendations are suggested to help minimize the potential for an ESD event. One or more recommended work area suggestions:

- Ionizing fan setup
- ESD table/shelf mat made of conductive materials
- ESD safe storage containers

One or more personnel suggestion options:

- Antistatic wrist-strap
- Antistatic material shoes
- Antistatic clothes

Environmental controls:

- Humidity control (ESD gets worse in a dry environment)

Rev1.1, April 15, 2019 22 www.seoulsemicon.com



Precaution for Use

b. EOS (Electrical Over Stress)

Electrical Over-Stress (EOS) is defined as damage that may occur when an electronic device is subjected to a current or voltage that is beyond the maximum specification limits of the device. The effects from an EOS event can be noticed through product performance like:

- Changes to the performance of the LED package
 (If the damage is around the bond pad area and since the package is completely encapsulated the package may turn on but flicker show severe performance degradation.)
- Changes to the light output of the luminaire from component failure
- Components on the board not operating at determined drive power

Failure of performance from entire fixture due to changes in circuit voltage and current across total circuit causing trickle down failures. It is impossible to predict the failure mode of every LED exposed to electrical overstress as the failure modes have been investigated to vary, but there are some common signs that will indicate an EOS event has occurred:

- Damaged may be noticed to the bond wires (appearing similar to a blown fuse)
- Damage to the bond pads located on the emission surface of the LED package (shadowing can be noticed around the bond pads while viewing through a microscope)
- Anomalies noticed in the encapsulation and phosphor around the bond wires.
- This damage usually appears due to the thermal stress produced during the EOS event.
- c. To help minimize the damage from an EOS event Seoul Semiconductor recommends utilizing:
 - A surge protection circuit
 - An appropriately rated over voltage protection device
 - A current limiting device

Rev1.1, April 15, 2019 23 www.seoulsemicon.com

Company Information

Published by

Seoul Semiconductor © 2019 All Rights Reserved.

Company Information

Seoul Semiconductor (www.SeoulSemicon.com) manufacturers and packages a wide selection of light emitting diodes (LEDs) for the automotive, general illumination/lighting, Home appliance, signage and back lighting markets. The company is the world's fifth largest LED supplier, holding more than 10,000 patents globally, while offering a wide range of LED technology and production capacity in areas such as "nPola", "Acrich", the world's first commercially produced AC LED, and "Acrich MJT - Multi-Junction Technology" a proprietary family of high-voltage LEDs.

The company's broad product portfolio includes a wide array of package and device choices such as Acrich and Acirch2, high-brightness LEDs, mid-power LEDs, side-view LEDs, and through-hole type LEDs as well as custom modules, displays, and sensors.

Legal Disclaimer

Information in this document is provided in connection with Seoul Semiconductor products. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Seoul Semiconductor hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party. The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.

Rev1.1, April 15, 2019 24 www.seoulsemicon.com