



SPECIFICATION FOR APPROVAL

CUSTOMER:						
CUSTOMER P/N:						
DRAWING NO :	C3X2300687					
QUANTITY:	0	PCS.	DATE:	2023/05/25		
CHILISIN P/N :		AWP	C00453226	601M00		

Automotive Grade Inductor

Halogen Free RoHS Compliant REACH Compliant Lead Free Solders AEC-Q200

奇力新電子股份有限公司

Chilisin Electronics Corp No. 29, Alley 301, Tehhsin Rd., Hukou, Hsinchu 303, Taiwan TEL: +886-3-599-2646

FAX: +886-3- 599-9176 E-mail: sales@chilisin.com http://www.chilisin.com

奇力新電子(越南廠)有限公司

Chilisin Electronics (Vietnam) Limited No 143 - 145, Road No 10, VSIP Hai Phong, Lap Le Commune, Thuy Nguyen Dist, Haiphong City, Vietnam

Tel: 84-316 255 688 Fax: 84-316 255 689 E-mail: sales@chilisin.com

東莞奇力新電子(東莞廠)有限公司

Chilisin Electronics (Dongguan) Co., Ltd. No. 78, Puxing Rd., Yuliangwei Administration Area, Qingxi Town, Dongguan City, Guangdong, China

TEL: +86-769-8773-0251~3 FAX: +86-769-8773-0232 E-mail: cect@chilisin.com

奇力新電子(湖南廠)有限公司

HuNan Chilisin Electronics Technology Co., Ltd No. 8, Shaziao Liangshuijing Town, Yuanling County, Huaihua City, Hunan Province 419601,

China

Tel: 86-745-867-5882 E-mail: cect@chilisin.com


Drawn by Checked by Approved by Anna.Peng peter.lin Jimmy.Kuo





AEC-Q200

- 1 SCOPE: This specification applies to AWPC Series FILTER
- 2 PART NUMBERING:



3 RATING:

Operating Temperature: -55° C ~ 125° C

(Including self - temperature rise)

Storage Temperature: -40° C $\sim 125^{\circ}$ C

(The storage temperature range is for after the assembly)

4 MARKING

No	Marking

5 STANDARD TESTING CONDITION

	Unless otherwise specified	In case of doubt
Temperature	Ordinary Temperature(15 to 35℃)	20 to 30°C
Humidity	Ordinary Humidity(25 to 85% RH)	50 to 80 %RH








AEC-Q200

6 CONFIGURATION AND DIMENSIONS

NO Polarity Equivalent circuit







Dimensions in mm

TYPE	Α	В	С	D	Е
453226	4.5±0.2	3.2±0.2	2.6±0.25	0.7	0.75

7 ELECTRICAL CHARACTERISTICS:

Part No.	Z (Ω)	Test Freq. (MHz)	RDC(mΩ) Max	IDC (A)	Insulation Resistance (MΩ)Min.	Rated Voltage (Vdc)Max.	Tolerance (±%)
AWPC00453226600 = 00	60	100	30	3.0	10	50	20/25
AWPC00453226900□00	90	100	39	3.0	10	50	20/25
AWPC00453226231000	230	100	47	2.8	10	50	20/25
AWPC00453226331 00	330	100	58	2.5	10	50	20/25
AWPC00453226421000	420	100	60	2.2	10	50	20/25
AWPC00453226501 00	500	100	101	2.0	10	50	20/25
AWPC00453226601M00	600	100	82	2.0	10	50	20/25
AWPC00453226701 00	700	100	85	1.9	10	50	20/25
AWPC00453226801000	800	100	89	1.8	10	50	20/25
AWPC00453226901000	900	100	110	1.8	10	50	20/25
AWPC0045322610200	1000	100	113	1.5	10	50	20/25
AWPC0045322614200	1400	100	148	1.0	10	50	20/25
AWPC00453226202 = 00	2000	100	150	1.0	10	50	20/25

NOTE: tolerance M:±20%, Y:±25%

1.Operating temperature range -55°C ~ 125 $^{\circ}\text{C}$ (Including self - temperature rise)

2.Z Test Frequency: 100MHz,0.1V 3.RDC: SINGLE WIRE TEST VALUE


4.Irms for a 15°C temperature rise from 25°C ambient.





AEC-Q200

8 AWPC00453226 SERIES 8.1 CONSTRUCTION:



8.2 MATERIAL LIST:

ITEM	PART	DESCRIPTION
1	WIRE	COPPER 180
2	COVER SHEET	FERRITE
3	CORE	FERRITE
4	TERMINAL	Ag/Cu/Ni/Sn





AEC-Q200


1-1.IV	lechanical Perform	Specification	Test Method
1-1-1	Board Flex	The forces applied on the right	Test device shall be soldered on the substrate
	Board Flox	conditions must not damage	Substrate Dimension: 100x40x1.6mm
		the terminal electrode and the	Deflection: 2.0mm
		ferrite.	Keeping Time: 60 sec
		lerrite.	reeping rime. oo sec
			45 1 45 1
1-1-2	Terminal Strength	The chip must not damage the	Appendix 1 Note(AEC-Q200-005):Force of 2Lbs for 60
	· ·	terminal electrode and the	seconds.
		ferrite.	
1-1-3	Solderability	The electrodes shall be at	Pre-heating: 150°ℂ, 1min
	•	least 95% covered with new	Solder Composition: Sn/3.0Ag/0.5Cu
		solder coating.	Solder Temperature: 245±5°ℂ
		ű	Immersion Time: 4±1sec
1-1-4	Resistance to	Appearance:No damage	Pre-heating: 150°C, 1min
	Soldering Heat	Inductance change shall	Solder Composition: Sn/Ag3.0/Cu0.5
	, and the second	be within ±20%.	Solder Temperature: 260±5℃
			Immersion Time: 10±1sec
1-1-5	Resistance to	There must be no change in	Inductors must withstand 6 minutes of alcohol or water.
	Solvents	appearance or obliteration of	
		marking.	
116	Mechanical Shock	The forces applied on the right	Pulse shape : Half-sine waveform
1-1-0	Mechanical Shock	conditions must not damage	•
		the terminal electrode and the	Impact acceleration: 100 g Pulse duration: 6 ms
		ferrite.	Number of shocks: 18 shocks (3 shocks for each face)
			Orientation: Bottom, top, left, right, front and rear faces
1-1-7	Vibration	Appearance:No damage	Vibration waveform: Sine waveform
	· in it is i	Inductance change shall be	Vibration frequency: 10Hz~2000Hz
		within ±20%.	Vibration acceleration: 5q
		WIGHT 120 70.	Sweep rate: 0.764386otcave/minute
			Duration of test: 12 cycles each of 3 orientations
			1
			20 minutes for each cycle
1_2 E	l nvironmental Perfo	hrmance	Vibration axes: X, Y & Z
No	Item	Specification	Test Method
	High Temperature	Appearance:No damage (for	Temperature: 125±3°C
	Exposure (Storage)	microscope of CASTOR MZ-45	Time: 1000hrs
		20X)Inductance change shall	Measured after exposure in the room condition for 24hrs
1-2-2	Low Temperature	be within ±20%.	Temperature: -55±3°C
1-2-2	'	DE WIGHT 120 /0.	Time: 1000hrs
	Exposure (Storage)		Measured after exposure in the room condition for 24hrs
			Interestried after exposure in the room condition for 24ms
1-2-3	Biased Humidity	†	Temperature: 85±2°C

NO	iteiii	Specification	rest wethou
1-2-1	High Temperature	Appearance:No damage (for	Temperature: 125±3℃
	Exposure (Storage)	microscope of CASTOR MZ-45	Time: 1000hrs
		20X)Inductance change shall	Measured after exposure in the room condition for 24hrs
1-2-2	Low Temperature	be within ±20%.	Temperature: -55±3°C
	Exposure (Storage)		Time: 1000hrs
			Measured after exposure in the room condition for 24hrs
1-2-3	Biased Humidity	1	Temperature: 85±2°C
	,		Relative Humidity: 85%
			Time: 1000hrs
			Measured after exposure in the room condition for 24hrs
1-2-4	Temperature Cycling	Ĭ	Total cycles: 1000 cycles
			Temperature Cycling Test Conditions : -55 to +125 ℃
			Soak Mode Condition: 30 minutes
			Measured after exposure in the room condition for 24hrs
1-2-5	Operational Life		Temperature: 125±2℃
			Appliend Current : Rated Current
			Time: 1000± 24 hrs
			Measured after exposure in the room condition for 24hrs
1-2-6	ESD		Test mode : Contact Discharge
			Discharge level:±6KV, Discharge interval:1 second
			Polarity of the output voltage:Positive and negative
			Number of discharge: Discharge +/- for 1 time for the 2 test
			points.
			Test Mode: Air Discharge
			Discharge level: ±12KV, ±16KV, ±25KV
			Discharge interval: <5 seconds
			Polarity of the output voltage:Positive and negative
			Number of discharge: Discharge +/- for 1 time for the 1~2 test
			points.





AEC-Q200



Lead-Free(LF)標準溫度分析範圍

Refer to J-STD-020C

管制項目 Item.	升溫區 Ramp-up	預熱區 Pre-heating	迴焊區 Reflow	Reak Temp	冷卻區 Cooling
溫度範圍 Temp. scope	R. T. ~150°C	150°C ~200°C	225°C~230°C	260±5℃	Reak Temp. ~150°C
實際時間 Time result	_	60~180 sec	20~60 sec	5~10 sec	_

NOTE:

- $1.\,\mathrm{Re}\text{-flow}$ possible times : within 2 times
- $2.\,\mathrm{Nitrogen}$ adopted is recommended while in re-flow






AEC-Q200

10 PACKAGING:

10.1 PACKAGING-COVER TAPE


The force for tearing off cover tape is 10 to 130 grams in the arrow direction.



10.2 PACKAGING QUANTITY

TYPE	PCS/REEL
453226	2500

10.3 REEL DIMENSIONS



Dimensions in mm

TYPE	Α	В	С	D
453226	330	100	13	13.4






AEC-Q200


10 PACKAGING:

10.4 TAPE DIMENSIONS IN MM



TYPE	A0	B0	K0	D	Ξ	F	W	Р	P0	P2
453226	3.6	4.9	3.0	1.5	1.75	5.50	12	8	4	2

11 RECOMMENDED LAND PATTERN:



TYPE	F	G	Н	I
453226	0.6	3.4	3	5.9

12 NOTE:

- 1. Please make sure that your product has been evaluated and confirmed against your specifications when our product is mounted to your product.
- 2. Do not knock nor drop.
- 3. All the items and parameters in this product specification have been prescribed on the premise that our product is used for the purpose,under the condition and in the environment agreed upon between you and us. You are requested not to use our product deviating from such agreement.
- 4. The storage period is less than 12 months. Be sure to follow the storage conditions (Temperature: 5 to 40°C, Humidity: 10 to 75% RHor less).
 - If the storage period elapses, the soldering of the terminal electrodes may deteriorate.
- 5.Do not use or store in locations where there are conditions such as gas corrosion (salt, acid, alkali, etc.).





AEC-Q200

13 GRAPH: AWPC00453226601M00

