

# APPROVAL SHEET

## MULTILAYER CERAMIC CAPACITORS

Automotive Capacitors Series (MT)

Qualified to AEC-Q200

0201 to 1210 Sizes (10V to 1000V)

X8G, NP0 & X7R Dielectrics

Halogen Free & RoHS Compliance



\*Contents in this sheet are subject to change without prior notice.

## Multilayer Ceramic Capacitors

### 1. DESCRIPTION

MLCC consists of a conducting material and electrodes. To manufacture a chip-type SMT and achieve miniaturization, high density and high efficiency, ceramic condensers are used.

WTC's MT series MLCC is made by X8G, NP0 & X7R dielectrics and which provides product with high electrical precision, stability and reliability. Besides, MT series MLCC is tighten controlling in quality in line to assure quality performance in automotive applications.

### 2. FEATURES

- a. A wide selection of sizes is available (0201 to 1210).
- b. High capacitance in given case size.
- c. Capacitor with lead-free termination (pure Tin).
- d. The MT series meet AEC-Q200 requirement.

### 3. APPLICATIONS

- a. For Navigation & Information equipments.
- b. For entertainment equipments
- c. For comfortable equipments.
- d. For Automotive electronic equipment.

### 4. HOW TO ORDER

<b>MT</b>	<b>18</b>	<b>N</b>	<b>102</b>	<b>J</b>	<b>500</b>	<b>C</b>	<b>I</b>
<u>Series</u>	<u>Size</u>	<u>Dielectric</u>	<u>Capacitance</u>	<u>Tolerance</u>	<u>Rated voltage</u>	<u>Termination</u>	<u>Packaging style</u>
MT= Automotive safe concern (with AEC-Q200 qualification)	03=0201 (0603) 15=0402 (1005) 18=0603 (1608) 21=0805 (2012) 31=1206 (3216) 32=1210 (3225)	G=X8G N=NP0 (COG) B=X7R	Two significant digits followed by no. of zeros. And R is in place of decimal point. eg.: 0R5=0.5pF 1R0=1.0pF 102=10x10 <sup>2</sup> =1000pF	A=±0.05pF B=±0.1pF C=±0.25pF D=±0.5pF F=±1% G=±2% J=±5% K=±10% M=±20%	Two significant digits followed by no. of zeros. And R is in place of decimal point.  100=10 VDC 160=16 VDC 250=25 VDC 500=50 VDC 101=100 VDC 201=200 VDC 251=250 VDC 501=500 VDC 631=630 VDC 102=1000 VDC	C=Cu/Ni/Sn	T=7" reeled G=13" reeled

Multilayer Ceramic Capacitors

## 5. EXTERNAL DIMENSIONS

Size Inch (mm)	L (mm)	W (mm)	T (mm)/Symbol	Remark	M <sub>B</sub> (mm)
0201 (0603)	0.60±0.03	0.30±0.03	0.30±0.03	L	# 0.15±0.05
0402 (1005)	1.00±0.05	0.50±0.05	0.50±0.05	N	# 0.25 +0.05/-0.10
0603 (1608)	1.60±0.10	0.80±0.10	0.80±0.07	S	0.40±0.15
	1.60 +0.15/-0.10	0.80 +0.15/-0.10	0.80 +0.15/-0.10	X	
0805 (2012)	2.00±0.15	1.25±0.10	0.60±0.10	A	0.50±0.20
			0.80±0.10	B	
			1.25±0.10	D	
	2.00±0.20	1.25±0.20	1.25±0.20	I	#
1206 (3216)	3.20±0.15	1.60±0.15	0.80±0.10	B	0.60±0.20
			0.95±0.10	C	
			1.25±0.10	D	
			1.15±0.15	J	
	3.20±0.20	1.60±0.20	1.60±0.20	G	#
	3.20+0.3/-0.1 3.30+0.3/-0.1*	1.60+0.3/-0.1	1.60+0.30/-0.10	P	#
1210 (3225)	3.20±0.30	2.50±0.20	0.95±0.10	C	0.75±0.25
			1.25±0.10	D	
	3.20±0.40	2.50±0.30	1.60±0.20	G	0.75±0.25
			2.00±0.20	K	
			2.50±0.30	M	

# Reflow soldering only is recommended.

\* For 1206(100V)/Cap $\geq$ 1.2μF products.




Fig. 1 The outline of MLCC

## 6. GENERAL ELECTRICAL DATA\*

Dielectric	X8G	NPO	X7R
Size	0201, 0402, 0603, 0805, 1206, 1210		
Capacitance range*	0.1pF to 0.015uF	0.1pF to 0.047uF	100pF to 10μF
Capacitance tolerance**	Cap $\leq$ 5pF#1: A ( $\pm 0.05$ pF), B ( $\pm 0.1$ pF), C ( $\pm 0.25$ pF) 5pF $<$ Cap $<$ 10pF: B ( $\pm 0.1$ pF), C ( $\pm 0.25$ pF), D ( $\pm 0.5$ pF) Cap $\geq$ 10pF: F ( $\pm 1\%$ ), G ( $\pm 2\%$ ), J ( $\pm 5\%$ )		J ( $\pm 5\%$ ), K ( $\pm 10\%$ ), M ( $\pm 20\%$ )
Rated voltage (WVDC)		10V, 16V, 25V, 50V, 100V, 200V, 250, 500, 630, 1000	
Operating temperature	-55 to +150°C		-55 to +125°C
Capacitance characteristic	$\pm 30$ ppm/°C		$\pm 15\%$
Termination	Ni/Sn (lead-free termination)		

#1: X8G/NPO, 0.1pF product only provide B tolerance.

\* Measured at the condition of 30~70% related humidity.

X8G/NPO: Apply 1.0±0.2Vrms, 1.0MHz±10% for Cap $\leq$ 1000pF and 1.0±0.2Vrms, 1.0kHz±10% for Cap $>1000$ pF, 25°C at ambient temperature

X7R: Please refer to page 13 "Reliability test conditions and requirements" for detail.

\*\* Preconditioning for Class II MLCC: Perform a heat treatment at 150±10°C for 1 hour and then leave in ambient condition for 24±2 hours before measurement.

Multilayer Ceramic Capacitors

## 7. CAPACITANCE RANGE

### X8G Dielectric

DIELECTRIC	X8G												
SIZE	0402				0603				0805				
RATED VOLTAGE (VDC)	10	16	25	50	10	16	25	50	10	16	25	50	100
0.1pF (0R1)	N	N	N	N									
0.2pF (0R2)	N	N	N	N									
0.3pF (0R3)	N	N	N	N									
0.4pF (0R4)	N	N	N	N									
0.5pF (0R5)	N	N	N	N	S	S	S	S	A	A	A	A	A
1.0pF (1R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
1.2pF (1R2)	N	N	N	N	S	S	S	S	A	A	A	A	A
1.5pF (1R5)	N	N	N	N	S	S	S	S	A	A	A	A	A
1.8pF (1R8)	N	N	N	N	S	S	S	S	A	A	A	A	A
2.0pF (2R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
2.2pF (2R2)	N	N	N	N	S	S	S	S	A	A	A	A	A
2.7pF (2R7)	N	N	N	N	S	S	S	S	A	A	A	A	A
3.0pF (3R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
3.3pF (3R3)	N	N	N	N	S	S	S	S	A	A	A	A	A
3.9pF (3R9)	N	N	N	N	S	S	S	S	A	A	A	A	A
4.0pF (4R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
4.7pF (4R7)	N	N	N	N	S	S	S	S	A	A	A	A	A
5.0pF (5R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
5.6pF (5R6)	N	N	N	N	S	S	S	S	A	A	A	A	A
6.0pF (6R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
6.8pF (6R8)	N	N	N	N	S	S	S	S	A	A	A	A	A
7.0pF (7R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
8.0pF (8R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
8.2pF (8R2)	N	N	N	N	S	S	S	S	A	A	A	A	A
9.0pF (9R0)	N	N	N	N	S	S	S	S	A	A	A	A	A
10pF (100)	N	N	N	N	S	S	S	S	A	A	A	A	A
12pF (120)	N	N	N	N	S	S	S	S	A	A	A	A	A
15pF (150)	N	N	N	N	S	S	S	S	A	A	A	A	A
18pF (180)	N	N	N	N	S	S	S	S	A	A	A	A	A
22pF (220)	N	N	N	N	S	S	S	S	A	A	A	A	A
27pF (270)	N	N	N	N	S	S	S	S	A	A	A	A	A
33pF (330)	N	N	N	N	S	S	S	S	A	A	A	A	A
39pF (390)	N	N	N	N	S	S	S	S	A	A	A	A	A
47pF (470)	N	N	N	N	S	S	S	S	A	A	A	A	A
56pF (560)	N	N	N	N	S	S	S	S	A	A	A	A	A
68pF (680)	N	N	N	N	S	S	S	S	A	A	A	A	A
82pF (820)	N	N	N	N	S	S	S	S	A	A	A	A	A
100pF (101)	N	N	N	N	S	S	S	S	A	A	A	A	A
120pF (121)	N	N	N	N	S	S	S	S	A	A	A	A	A
150pF (151)	N	N	N	N	S	S	S	S	A	A	A	A	A
180pF (181)	N	N	N	N	S	S	S	S	A	A	A	A	A
220pF (221)	N	N	N	N	S	S	S	S	A	A	A	A	A
270pF (271)	N	N	N	N	S	S	S	S	A	A	A	A	A
330pF (331)	N	N	N	N	S	S	S	S	A	A	A	A	A
390pF (391)	N	N	N	N	S	S	S	S	B	B	B	B	B
470pF (471)	N	N	N	N	S	S	S	S	B	B	B	B	B
560pF (561)	N	N	N	N	S	S	S	S	B	B	B	B	B
680pF (681)	N	N	N	N	S	S	S	S	B	B	B	B	B
820pF (821)	N	N	N	N	S	S	S	S	B	B	B	B	B
1,000pF (102)	N	N	N	N	S	S	S	S	B	B	B	B	B
1,200pF (122)					X	X	X	X	B	B	B	B	B
1,500pF (152)					X	X	X	X	B	B	B	B	B
1,800pF (182)					X	X	X	X	B	B	B	B	B
2,200pF (222)					X	X	X	X	B	B	B	B	B
2,700pF (272)					X	X	X	X	D	D	D	D	D
3,300pF (332)					X	X	X	X	D	D	D	D	D
3,900pF (392)									D	D	D	D	D
4,700pF (472)									D	D	D	D	D
5,600pF (562)									D	D	D	D	D
6,800pF (682)									D	D	D	D	D
8,200pF (822)									D	D	D	D	D
0.010uF (103)									D	D	D	D	D

\* X8G: 0.1pF product only provide B tolerance.

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**X8G Dielectric**

Capacitance	DIELECTRIC	X8G								
	SIZE	1206				1210				
	RATED VOLTAGE (VDC)	10	16	25	50	10	16	25	50	100
	1.0pF (1R0)									
	1.2pF (1R2)	B	B	B	B					
	1.5pF (1R5)	B	B	B	B					
	1.8pF (1R8)	B	B	B	B					
	2.0pF (2R0)	B	B	B	B					
	2.2pF (2R2)	B	B	B	B					
	2.7pF (2R7)	B	B	B	B					
	3.0pF (3R0)	B	B	B	B					
	3.3pF (3R3)	B	B	B	B					
	3.9pF (3R9)	B	B	B	B					
	4.0pF (4R0)	B	B	B	B					
	4.7pF (4R7)	B	B	B	B					
	5.0pF (5R0)	B	B	B	B					
	5.6pF (5R6)	B	B	B	B					
	6.0pF (6R0)	B	B	B	B					
	6.8pF (6R8)	B	B	B	B					
	7.0pF (7R0)	B	B	B	B					
	8.0pF (8R0)	B	B	B	B					
	8.2pF (8R2)	B	B	B	B					
	9.0pF (9R0)	B	B	B	B					
	10pF (100)	B	B	B	B	C	C	C	C	C
	12pF (120)	B	B	B	B	C	C	C	C	C
	15pF (150)	B	B	B	B	C	C	C	C	C
	18pF (180)	B	B	B	B	C	C	C	C	C
	22pF (220)	B	B	B	B	C	C	C	C	C
	27pF (270)	B	B	B	B	C	C	C	C	C
	33pF (330)	B	B	B	B	C	C	C	C	C
	39pF (390)	B	B	B	B	C	C	C	C	C
	47pF (470)	B	B	B	B	C	C	C	C	C
	56pF (560)	B	B	B	B	C	C	C	C	C
	68pF (680)	B	B	B	B	C	C	C	C	C
	82pF (820)	B	B	B	B	C	C	C	C	C
	100pF (101)	B	B	B	B	C	C	C	C	C
	120pF (121)	B	B	B	B	C	C	C	C	C
	150pF (151)	B	B	B	B	C	C	C	C	C
	180pF (181)	B	B	B	B	C	C	C	C	C
	220pF (221)	B	B	B	B	C	C	C	C	C
	270pF (271)	B	B	B	B	C	C	C	C	C
	330pF (331)	B	B	B	B	C	C	C	C	C
	390pF (391)	B	B	B	B	C	C	C	C	C
	470pF (471)	B	B	B	B	C	C	C	C	C
	560pF (561)	B	B	B	B	C	C	C	C	C
	680pF (681)	B	B	B	B	C	C	C	C	C
	820pF (821)	B	B	B	B	C	C	C	C	C
	1,000pF (102)	B	B	B	B	C	C	C	C	C
	1,200pF (122)	B	B	B	B	C	C	C	C	C
	1,500pF (152)	B	B	B	B	C	C	C	C	C
	1,800pF (182)	B	B	B	B	C	C	C	C	C
	2,200pF (222)	B	B	B	B	C	C	C	C	C
	2,700pF (272)	B	B	B	B	C	C	C	C	C
	3,300pF (332)	B	B	B	B	C	C	C	C	C
	3,900pF (392)	B	B	B	B	C	C	C	C	C
	4,700pF (472)	B	B	B	B	C	C	C	C	C
	5,600pF (562)	B	B	B	B	C	C	C	C	C
	6,800pF (682)	C	C	C	C	C	C	C	C	C
	8,200pF (822)	D	D	D	D	C	C	C	C	C
	0.010μF (103)	D	D	D	D	C	C	C	C	C
	0.012μF (123)					D	D	D	D	D
	0.015μF (153)					D	D	D	D	D

- The letter in cell is expressed the symbol of product thickness.
- For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**NP0 Dielectric**

Capacitance	DIELECTRIC	NP0																
	SIZE	0201					0402					0603						
		10	16	25	50	100	10	16	25	50	100	10	16	25	50	100	200	250
	0.1pF (0R1)	L	L	L	L	L	N	N	N	N	N							
	0.2pF (0R2)	L	L	L	L	L	N	N	N	N	N							
	0.3pF (0R3)	L	L	L	L	L	N	N	N	N	N							
	0.4pF (0R4)	L	L	L	L	L	N	N	N	N	N							
	0.5pF (0R5)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	0.6pF (0R6)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	0.7pF (0R7)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	0.8pF (0R8)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	0.9pF (0R9)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	1.0pF (1R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	1.2pF (1R2)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	1.5pF (1R5)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	1.8pF (1R8)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	2.0pF (2R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	2.2pF (2R2)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	2.7pF (2R7)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	3.0pF (3R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	3.3pF (3R3)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	3.9pF (3R9)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	4.0pF (4R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	4.7pF (4R7)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	5.0pF (5R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	5.6pF (5R6)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	6.0pF (6R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	6.8pF (6R8)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	7.0pF (7R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	8.0pF (8R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	8.2pF (8R2)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	9.0pF (9R0)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	10pF (100)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	12pF (120)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	15pF (150)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	18pF (180)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	22pF (220)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	27pF (270)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	33pF (330)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	39pF (390)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	47pF (470)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	56pF (560)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	68pF (680)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	82pF (820)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	100pF (101)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	120pF (121)	L	L	L	L	L	N	N	N	N	N	S	S	S	S	S	S	S
	150pF (151)						N	N	N	N	N	S	S	S	S	S	S	S
	180pF (181)						N	N	N	N	N	S	S	S	S	S	S	S
	220pF (221)						N	N	N	N	N	S	S	S	S	S	S	S
	270pF (271)						N	N	N	N	N	S	S	S	S	S	X	X
	330pF (331)						N	N	N	N	N	S	S	S	S	S	X	X
	390pF (391)						N	N	N	N	N	S	S	S	S	S	X	X
	470pF (471)						N	N	N	N	N	S	S	S	S	S	X	X
	560pF (561)						N	N	N	N	N	S	S	S	S	S	X	X
	680pF (681)						N	N	N	N	N	S	S	S	S	S	X	X
	820pF (821)						N	N	N	N	N	S	S	S	S	S	X	X
	1,000pF (102)						N	N	N	N	N	S	S	S	S	S	X	X
	1,200pF (122)											X	X	X	X	X	X	X
	1,500pF (152)											X	X	X	X	X	X	X
	1,800pF (182)											X	X	X	X	X	X	X
	2,200pF (222)											X	X	X	X	X	X	X
	2,700pF (272)											X	X	X	X	X	X	X
	3,300pF (332)											X	X	X	X	X	X	X
	3,900pF (392)											X	X	X	X	X	X	X
	4,700pF (472)											X	X	X	X	X	X	X
	5,600pF (562)											X	X	X	X	X	X	X
	6,800pF (682)											X	X	X	X	X	X	X
	8,200pF (822)											X	X	X	X	X	X	X
	0.01μF (103)											X	X	X	X	X	X	X

\* NP0, 0.1pF product only provide B tolerance.

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**NP0 Dielectric**

Capacitance	DIELECTRIC	NP0								
	SIZE	0805								
	RATED VOLTAGE	10	16	25	50	100	200	250	500	630
	0.5pF (0R5)	A	A	A	A	A	A	A	A	A
	0.6pF (0R6)	A	A	A	A	A	A	A	A	A
	0.7pF (0R7)	A	A	A	A	A	A	A	A	A
	0.8pF (0R8)	A	A	A	A	A	A	A	A	A
	0.9pF (0R9)	A	A	A	A	A	A	A	A	A
	1.0pF (1R0)	A	A	A	A	A	A	A	A	A
	1.2pF (1R2)	A	A	A	A	A	A	A	A	A
	1.5pF (1R5)	A	A	A	A	A	A	A	A	A
	1.8pF (1R8)	A	A	A	A	A	A	A	A	A
	2.2pF (2R2)	A	A	A	A	A	A	A	A	A
	2.7pF (2R7)	A	A	A	A	A	A	A	A	A
	3.3pF (3R3)	A	A	A	A	A	A	A	A	A
	3.9pF (3R9)	A	A	A	A	A	A	A	A	A
	4.7pF (4R7)	A	A	A	A	A	A	A	A	A
	5.6pF (5R6)	A	A	A	A	A	A	A	A	A
	6.8pF (6R8)	A	A	A	A	A	A	A	A	A
	8.2pF (8R2)	A	A	A	A	A	A	A	A	A
	10pF (100)	A	A	A	A	A	A	A	A	A
	12pF (120)	A	A	A	A	A	A	A	A	A
	15pF (150)	A	A	A	A	A	A	A	A	A
	18pF (180)	A	A	A	A	A	A	A	A	A
	22pF (220)	A	A	A	A	A	A	A	A	A
	27pF (270)	A	A	A	A	A	A	A	A	A
	33pF (330)	A	A	A	A	A	A	A	A	A
	39pF (390)	A	A	A	A	A	A	A	A	A
	47pF (470)	A	A	A	A	A	A	A	A	A
	56pF (560)	A	A	A	A	A	A	A	A	A
	68pF (680)	A	A	A	A	A	A	A	A	A
	82pF (820)	A	A	A	A	A	A	B	B	B
	100pF (101)	A	A	A	A	B	B	B	B	B
	120pF (121)	A	A	A	B	D	B	D	D	D
	150pF (151)	A	A	A	A	D	D	D	D	D
	180pF (181)	A	A	A	A	D	D	D	D	D
	220pF (221)	A	A	A	A	D	D	D	D	D
	270pF (271)	A	A	A	A	D	D	D	D	D
	330pF (331)	A	A	A	A	D	D	D	D	D
	390pF (391)	B	B	B	B	D	D	D	D	D
	470pF (471)	B	B	B	B	D	D	I	I	I
	560pF (561)	B	B	B	B	D	D	I	I	I
	680pF (681)	B	B	B	B	D	D	I	I	I
	820pF (821)	B	B	B	B	D	D	I	I	I
	1,000pF (102)	B	B	B	B	D	D	I	I	I
	1,200pF (122)	B	B	B	B	D	D	I	I	I
	1,500pF (152)	B	B	B	B	D	D	I	I	I
	1,800pF (182)	B	B	B	B	D	D	I	I	I
	2,200pF (222)	B	B	B	B	D	D	I	I	I
	2,700pF (272)	D	D	D	D	I	I			
	3,300pF (332)	D	D	D	D	I	I			
	3,900pF (392)	D	D	D	D	I	I			
	4,700pF (472)	D	D	D	D	I	I			
	5,600pF (562)	D	D	D	D	D				
	6,800pF (682)	D	D	D	D	D				
	8,200pF (822)	D	D	D	D	D				
	0.01μF (103)	D	D	D	D	D				
	0.012μF (123)	D	D	D	D	D				
	0.015μF (153)	D	D	D	D	D				
	0.018μF (183)	D	D	D	D	D				
	0.022μF (223)	D	D	D	D	D				

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**NP0 Dielectric**

DIELECTRIC	NP0									
SIZE	1206									
RATED VOLTAGE	10	16	25	50	100	200	250	500	630	1000
Capacitance	1.0pF (1R0)									
	1.2pF (1R2)	B	B	B	B	B	B	B	B	
	1.5pF (1R5)	B	B	B	B	B	B	B	B	B
	1.8pF (1R8)	B	B	B	B	B	B	B	B	B
	2.2pF (2R2)	B	B	B	B	B	B	B	B	B
	2.7pF (2R7)	B	B	B	B	B	B	B	B	B
	3.3pF (3R3)	B	B	B	B	B	B	B	B	B
	3.9pF (3R9)	B	B	B	B	B	B	B	B	B
	4.7pF (4R7)	B	B	B	B	B	B	B	B	B
	5.6pF (5R6)	B	B	B	B	B	B	B	B	B
	6.8pF (6R8)	B	B	B	B	B	B	B	B	B
	8.2pF (8R2)	B	B	B	B	B	B	B	B	B
	10pF (100)	B	B	B	B	B	B	B	B	B
	12pF (120)	B	B	B	B	B	B	B	B	B
	15pF (150)	B	B	B	B	B	B	B	B	B
	18pF (180)	B	B	B	B	B	B	B	B	B
	22pF (220)	B	B	B	B	B	B	B	B	D
	27pF (270)	B	B	B	B	B	B	B	B	D
	33pF (330)	B	B	B	B	B	B	B	B	D
	39pF (390)	B	B	B	B	B	B	B	B	D
	47pF (470)	B	B	B	B	B	B	B	B	D
	56pF (560)	B	B	B	B	B	B	B	B	D
	68pF (680)	B	B	B	B	B	B	B	B	D
	82pF (820)	B	B	B	B	B	B	B	B	D
	100pF (101)	B	B	B	B	B	B	B	B	D
	120pF (121)	B	B	B	B	B	B	B	B	D
	150pF (151)	B	B	B	B	B	B	B	B	D
	180pF (181)	B	B	B	B	B	B	B	B	G
	220pF (221)	B	B	B	B	B	B	B	B	G
	270pF (271)	B	B	B	B	B	C	C	C	G
	330pF (331)	B	B	B	B	B	C	C	C	G
	390pF (391)	B	B	B	B	B	C	C	C	G
	470pF (471)	B	B	B	B	C	C	C	C	G
	560pF (561)	B	B	B	B	C	D	D	D	G
	680pF (681)	B	B	B	B	C	D	D	D	G
	820pF (821)	B	B	B	B	C	G	G	G	G
	1,000pF (102)	B	B	B	B	C	G	G	G	G
	1,200pF (122)	B	B	B	B	C	G	G	G	G
	1,500pF (152)	B	B	B	B	D	G	G	G	G
	1,800pF (182)	B	B	B	B	D	G	G	G	G
	2,200pF (222)	B	B	B	B	D	G	G	G	G
	2,700pF (272)	B	B	B	B	D	G	G	G	G
	3,300pF (332)	B	B	B	B	D	G	G	G	G
	3,900pF (392)	B	B	B	B	D	G	G	G	G
	4,700pF (472)	B	B	B	B	D	G	G	G	G
	5,600pF (562)	B	B	B	B	G	G			
	6,800pF (682)	C	C	C	C	G	G			
	8,200pF (822)	D	D	D	D	G	G			
	0.01μF (103)	D	D	D	D	G	G			

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**NP0 Dielectric**

DIELECTRIC	NP0									
SIZE	1210									
RATED VOLTAGE	10	16	25	50	100	200	250	500	630	1000
Capacitance	10pF (100)	C	C	C	C	C	C	C	C	C
	12pF (120)	C	C	C	C	C	C	C	C	C
	15pF (150)	C	C	C	C	C	C	C	C	C
	18pF (180)	C	C	C	C	C	C	C	C	C
	22pF (220)	C	C	C	C	C	C	C	C	C
	27pF (270)	C	C	C	C	C	C	C	C	C
	33pF (330)	C	C	C	C	C	C	C	C	C
	39pF (390)	C	C	C	C	C	C	C	C	C
	47pF (470)	C	C	C	C	C	C	C	C	C
	56pF (560)	C	C	C	C	C	C	C	C	C
	68pF (680)	C	C	C	C	C	C	C	C	C
	82pF (820)	C	C	C	C	C	C	C	C	C
	100pF (101)	C	C	C	C	C	C	C	C	D
	120pF (121)	C	C	C	C	C	C	C	C	D
	150pF (151)	C	C	C	C	C	C	C	C	D
	180pF (181)	C	C	C	C	C	C	C	C	D
	220pF (221)	C	C	C	C	C	C	C	C	G
	270pF (271)	C	C	C	C	C	C	C	C	G
	330pF (331)	C	C	C	C	C	C	C	C	G
	390pF (391)	C	C	C	C	C	C	C	C	G
	470pF (471)	C	C	C	C	C	C	C	C	G
	560pF (561)	C	C	C	C	C	C	C	C	G
	680pF (681)	C	C	C	C	C	C	C	C	G
	820pF (821)	C	C	C	C	C	C	C	C	G
	1,000pF (102)	C	C	C	C	D	D	D	D	G
	1,200pF (122)	C	C	C	C	D	D	D	D	K
	1,500pF (152)	C	C	C	C	D	D	D	D	K
	1,800pF (182)	C	C	C	C	D	D	D	D	K
	2,200pF (222)	C	C	C	C	D	D	D	D	K
	2,700pF (272)	C	C	C	C	D	D	D	D	K
	3,300pF (332)	C	C	C	C	D	D	D	D	K
	3,900pF (392)	C	C	C	C	D	D	D	D	K
	4,700pF (472)	C	C	C	C	G	G	G	G	K
	5,600pF (562)	C	C	C	C	G	G	G	G	K
	6,800pF (682)	C	C	C	C	G	G	G	G	K
	8,200pF (822)	C	C	C	C	G	G	G	G	K
	0.010μF (103)	C	C	C	C	G	G	K	K	M
	0.012μF (123)	D	D	D	D	K	K	M	M	M
	0.015μF (153)	D	D	D	D	K	K	M	M	M
	0.018μF (183)	K	K	K	K	K				
	0.022μF (223)	K	K	K	K	K				
	0.027μF (273)	K	K	K	K	K				
	0.033μF (333)	K	K	K	K	K				
	0.039μF (393)	K	K	K	K	K				
	0.047μF (473)	K	K	K	K	K				

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**X7R Dielectric**

DIELECTRIC		X7R											
SIZE		0201				0402				0603			
RATED VOLTAGE	10	16	25	50	10	16	25	50	10	16	25	50	100
Capacitance	100pF (101)	L	L	L	L	N	N	N	N	S	S	S	S
	120pF (121)	L	L	L	L	N	N	N	N	S	S	S	S
	150pF (151)	L	L	L	L	N	N	N	N	S	S	S	S
	180pF (181)	L	L	L	L	N	N	N	N	S	S	S	S
	220pF (221)	L	L	L	L	N	N	N	N	S	S	S	S
	270pF (271)	L	L	L	L	N	N	N	N	S	S	S	S
	330pF (331)	L	L	L	L	N	N	N	N	S	S	S	S
	390pF (391)	L	L	L	L	N	N	N	N	S	S	S	S
	470pF (471)	L	L	L	L	N	N	N	N	S	S	S	S
	560pF (561)	L	L	L	L	N	N	N	N	S	S	S	S
	680pF (681)	L	L	L	L	N	N	N	N	S	S	S	S
	820pF (821)	L	L	L	L	N	N	N	N	S	S	S	S
	1,000pF (102)	L	L	L	L	N	N	N	N	S	S	S	S
	1,200pF (122)	L	L	L		N	N	N	N	S	S	S	S
	1,500pF (152)	L	L	L		N	N	N	N	S	S	S	S
	1,800pF (182)	L	L	L		N	N	N	N	S	S	S	S
	2,200pF (222)	L	L	L		N	N	N	N	S	S	S	S
	2,700pF (272)	L	L	L		N	N	N	N	S	S	S	S
	3,300pF (332)	L	L	L		N	N	N	N	S	S	S	S
	3,900pF (392)	L	L	L		N	N	N	N	S	S	S	S
	4,700pF (472)	L	L	L		N	N	N	N	S	S	S	S
	5,600pF (562)	L	L	L		N	N	N	N	S	S	S	S
	6,800pF (682)	L				N	N	N	N	S	S	S	S
	8,200pF (822)	L				N	N	N	N	S	S	S	S
	0.010μF (103)	L				N	N	N	N	S	S	S	S
	0.012μF (123)					N	N	N		S	S	S	X
	0.015μF (153)					N	N	N		S	S	S	X
	0.018μF (183)					N	N	N		S	S	S	X
	0.022μF (223)					N	N	N		S	S	S	X
	0.027μF (273)					N	N	N		S	S	S	X
	0.033μF (333)					N	N	N		S	S	S	X
	0.039μF (393)					N	N	N		S	S	S	X
	0.047μF (473)					N	N	N		S	S	S	X
	0.056μF (563)					N	N	N		S	S	S	X
	0.068μF (683)					N	N	N		S	S	S	X
	0.082μF (823)					N	N	N		S	S	S	X
	0.10μF (104)					N	N	N		S	S	S	X
	0.12μF (124)									X	X	X	
	0.15μF (154)									X	X	X	X
	0.18μF (184)									X	X	X	
	0.22μF (224)									X	X	X	X
	0.33μF (334)									X	X	X	X

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

**X7R Dielectric**

DIELECTRIC		X7R																
SIZE		0805								1206								
RATED VOLTAGE (VDC)	10	16	25	50	100	200	250	500	630	10	16	25	50	100	200	250	500	630
Capacitance	100pF (101)	B	B	B	B	B	B	B	B						D	D	D	D
	120pF (121)	B	B	B	B	B	B	B	B						D	D	D	D
	150pF (151)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	180pF (181)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	220pF (221)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	270pF (271)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	330pF (331)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	390pF (391)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	470pF (471)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	560pF (561)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	680pF (681)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	820pF (821)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	1,000pF (102)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	1,200pF (122)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	1,500pF (152)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	1,800pF (182)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	2,200pF (222)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	2,700pF (272)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	3,300pF (332)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	3,900pF (392)	B	B	B	B	B	B	B	B	B	B	B	B	B	D	D	D	D
	4,700pF (472)	B	B	B	B	B	B	D	D	B	B	B	B	B	D	D	D	D
	5,600pF (562)	B	B	B	B	B	D	D	D	B	B	B	B	B	D	D	D	D
	6,800pF (682)	B	B	B	B	B	D	D	D	B	B	B	B	B	D	D	D	D
	8,200pF (822)	B	B	B	B	B	D	D	D	B	B	B	B	B	D	D	D	D
	0.010µF (103)	B	B	B	B	B	D	D	D	B	B	B	B	B	D	D	D	D
	0.012µF (123)	B	B	B	B	B	D	D		B	B	B	B	B	D	D	D	D
	0.015µF (153)	B	B	B	B	B	D	D		B	B	B	B	B	D	D	D	D
	0.018µF (183)	B	B	B	B	B	D	D		B	B	B	B	B	D	D	D	D
	0.022µF (223)	B	B	B	B	B	D	D		B	B	B	B	B	D	D	D	D
	0.027µF (273)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.033µF (333)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.039µF (393)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.047µF (473)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.056µF (563)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.068µF (683)	B	B	B	B	B	D			B	B	B	B	B	B	B	B	B
	0.082µF (823)	B	B	B	B	B	D			B	B	B	B	B	D			
	0.10µF (104)	B	B	B	B	B	D			B	B	B	B	B	D			
	0.12µF (124)	B	B	B	B	D				B	B	B	B	B	D			
	0.15µF (154)	D	D	D	D	D				C	C	C	C	G				
	0.18µF (184)	D	D	D	D	D				C	C	C	C	G				
	0.22µF (224)	D	D	D	D	D				C	C	C	C	G				
	0.27µF (274)	D	D	D	I					C	C	C	D					
	0.33µF (334)	D	D	D	I					C	C	C	D					
	0.39µF (394)	D	D	D	I					C	C	J	P					
	0.47µF (474)	D	D	D	I					J	J	J	P					
	0.56µF (564)	D	D	D						J	J	J	P					
	0.68µF (684)	D	D	D	I					J	J	J	P					
	0.82µF (824)	D	D	D						J	J	J	P					
	1.0µF (105)	D	D	D	I					J	J	J	P					
	2.2µF (225)													P	P			
	4.7µF (475)																	
	10µF (106)																	

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

Multilayer Ceramic Capacitors

X7R Dielectric

Capacitance	DIELECTRIC	X7R							
	SIZE	1210							
	RATED VOLTAGE (VDC)	10	16	25	50	100	250	500	1000
	100pF (101)						D	D	D
	120pF (121)						D	D	D
	150pF (151)						D	D	D
	180pF (181)						D	D	D
	220pF (221)						D	D	D
	270pF (271)						D	D	D
	330pF (331)						D	D	D
	390pF (391)						D	D	D
	470pF (471)						D	D	D
	560pF (561)						D	D	D
	680pF (681)						C	D	D
	820pF (821)						C	D	D
	1,000pF (102)	C	C	C	C	C	C	D	D
	1,200pF (122)	C	C	C	C	C	C	D	D
	1,500pF (152)	C	C	C	C	C	C	D	D
	1,800pF (182)	C	C	C	C	C	C	D	D
	2,200pF (222)	C	C	C	C	C	C	D	D
	2,700pF (272)	C	C	C	C	C	C	D	D
	3,300pF (332)	C	C	C	C	C	C	D	D
	3,900pF (392)	C	C	C	C	C	C	D	G
	4,700pF (472)	C	C	C	C	C	C	D	G
	5,600pF (562)	C	C	C	C	C	C	D	G
	6,800pF (682)	C	C	C	C	C	C	D	G
	8,200pF (822)	C	C	C	C	C	C	D	G
	0.010μF (103)	C	C	C	C	C	C	D	G
	0.012μF (123)	C	C	C	C	C	C	D	
	0.015μF (153)	C	C	C	C	C	C	D	
	0.018μF (183)	C	C	C	C	C	C	D	
	0.022μF (223)	C	C	C	C	C	C	D	
	0.027μF (273)	C	C	C	C	C	C		
	0.033μF (333)	C	C	C	C	C	C		
	0.039μF (393)	C	C	C	C	C	C		
	0.047μF (473)	C	C	C	C	C	D		
	0.056μF (563)	C	C	C	C	C			
	0.068μF (683)	C	C	C	C	C			
	0.082μF (823)	C	C	C	C	C			
	0.10μF (104)	C	C	C	C	C			
	0.12μF (124)	C	C	C	C				
	0.15μF (154)	C	C	C	C				
	0.18μF (184)	C	C	C	C				
	0.22μF (224)	C	C	C	C				
	0.27μF (274)	C	C	C	C				
	0.33μF (334)	C	C	C	D				
	0.39μF (394)	C	C	C	D				
	0.47μF (474)	C	C	C	D				
	0.56μF (564)	D	D	D	D				
	0.68μF (684)	D	D	D	D				
	0.82μF (824)	D	D	D	D				
	1.0μF (105)	D	D	D	D				
	1.5μF (155)	K							
	2.2μF (225)	K			M	M			
	4.7μF (475)				M	M			
	10μF (106)		M	M					

1. The letter in cell is expressed the symbol of product thickness.

2. For more information about products with special capacitance or other data, please contact WTC local representative.

## 8. PACKAGING STYLE AND QUANTITY

Size	Thickness (mm)/Symbol	Paper tape		Plastic tape	
		7" reel	13" reel	7" reel	13" reel
0201 (0603)	0.30±0.03	L	15k	70k	-
0402 (1005)	0.50±0.05	N	10k	50k	-
0603 (1608)	0.80±0.07	S	4k	15k	-
	0.80+0.15/-0.10	X	4k	15k	-
0805 (2012)	0.60±0.10	A	4k	15k	-
	0.80±0.10	B	4k	15k	-
	1.25±0.10	D	-	-	3k
	1.25±0.20	I	-	-	3k
1206 (3216)	0.80±0.10	B	4k	15k	-
	0.95±0.10	C	-	-	3k
	1.15±0.15	J	-	-	3k
	1.25±0.10	D	-	-	3k
	1.60±0.20	G	-	-	2k
	1.60+0.30/-0.10	P	-	-	2k
1210 (3225)	0.95±0.10	C	-	-	3k
	1.25±0.10	D	-	-	3k
	1.60±0.20	G	-	-	2k
	2.00±0.20	K	-	-	1k
	2.50±0.30	M	-	-	1k

Unit: pieces



Multilayer Ceramic Capacitors

## 9. RELIABILITY TEST CONDITIONS AND REQUIREMENTS

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																					
1.	Pre-and Post-Stress Electrical Test	---																																						
2.	High Temperature Exposure (Storage)  MIL-STD-202 Method 108	<ul style="list-style-type: none"> <li>* Test temp.: <math>150 \pm 3^\circ\text{C}</math></li> <li>* Unpowered.</li> <li>* Test time: <math>1000 + 24/-0</math> hrs.</li> <li>* Measurement to be made after keeping at room temp. for <math>24 \pm 2</math> hrs.</li> </ul>	<p>* No remarkable damage.          * Cap change : X8G/NPO: within <math>\pm 2.5\%</math> or <math>\pm 0.25\mu\text{F}</math> whichever is larger.          X7R: within <math>\pm 10\%</math>.</p> <p>* Q/D.F. value:          X8G/NPO: <math>\text{Cap} \geq 30\mu\text{F}, Q \geq 1000</math> ; <math>\text{Cap} &lt; 30\mu\text{F}, Q \geq 400 + 20\text{C}</math>.          X7R:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated vol.</th> <th>D.F. <math>\leq</math></th> <th>Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td rowspan="3">100V</td> <td><math>\leq 3\%</math></td> <td><math>\leq 6\% 1206 \geq 0.47\mu\text{F}</math>  <math>\leq 7.5\% 0603 \geq 0.068\mu\text{F}; 0805 &gt; 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}</math>  <math>\leq 20\% 0805 &gt; 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">50V</td> <td><math>\leq 3\%</math></td> <td><math>\leq 6\% 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}</math>  <math>\leq 10\% 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">35V</td> <td><math>\leq 20\%</math></td> <td><math>\leq 20\% 0402 \geq 0.012\mu\text{F}; 0603 &gt; 0.1\mu\text{F}; 0805/X7R &gt; 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">25V</td> <td><math>\leq 5\%</math></td> <td><math>\leq 10\% 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}</math>  <math>\leq 14\% 0603 \geq 0.33\mu\text{F}</math>  <math>\leq 15\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}</math>  <math>\leq 20\% 0402 \geq 0.33\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">16V</td> <td><math>\leq 5\%</math></td> <td><math>\leq 10\% 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}</math>  <math>\leq 15\% 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 &gt; 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">10V</td> <td><math>\leq 7.5\%</math></td> <td><math>\leq 15\% 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}</math>  <math>\leq 20\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">6.3V</td> <td><math>\leq 15\%</math></td> <td><math>\leq 30\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}</math></td> </tr> <tr> <td>4V</td> <td><math>\leq 20\%</math></td> <td>---</td> </tr> </tbody> </table> <p>* I.R.: <math>\geq 10\text{G}\Omega</math> or <math>R \times C \geq 500\text{Q}\cdot\text{F}</math> whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R; <math>1210 \geq 3.3\mu\text{F}</math></td> <td rowspan="7" style="vertical-align: middle; text-align: center;">1G<math>\Omega</math> or <math>R \times C \geq 10\text{ Q}\cdot\text{F}</math> whichever is smaller.</td> </tr> <tr> <td>50V: <math>0402 &gt; 0.01\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 1\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 4.7\mu\text{F}</math></td> </tr> <tr> <td>35V: <math>0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>25V: <math>0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 2.2\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>16V: <math>0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 47\mu\text{F}</math></td> </tr> <tr> <td>10V: <math>0201 \geq 47\text{nF}; 0402 \geq 0.47\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 47\mu\text{F}</math></td> </tr> <tr> <td>6.3V; 4V; Size <math>\geq 1812</math></td> </tr> </tbody> </table>	Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$	100V	$\leq 3\%$	$\leq 6\% 1206 \geq 0.47\mu\text{F}$ $\leq 7.5\% 0603 \geq 0.068\mu\text{F}; 0805 > 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}$ $\leq 20\% 0805 > 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}$	50V	$\leq 3\%$	$\leq 6\% 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}$ $\leq 10\% 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}$	35V	$\leq 20\%$	$\leq 20\% 0402 \geq 0.012\mu\text{F}; 0603 > 0.1\mu\text{F}; 0805/X7R > 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$	25V	$\leq 5\%$	$\leq 10\% 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 14\% 0603 \geq 0.33\mu\text{F}$ $\leq 15\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\% 0402 \geq 0.33\mu\text{F}$	16V	$\leq 5\%$	$\leq 10\% 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}$ $\leq 15\% 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 > 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$	10V	$\leq 7.5\%$	$\leq 15\% 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$	6.3V	$\leq 15\%$	$\leq 30\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}$	4V	$\leq 20\%$	---	Rated voltage	Insulation Resistance	100V: All X7R; $1210 \geq 3.3\mu\text{F}$	1G $\Omega$ or $R \times C \geq 10\text{ Q}\cdot\text{F}$ whichever is smaller.	50V: $0402 > 0.01\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 1\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 4.7\mu\text{F}$	35V: $0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$	25V: $0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 2.2\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 10\mu\text{F}$	16V: $0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 47\mu\text{F}$	10V: $0201 \geq 47\text{nF}; 0402 \geq 0.47\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 47\mu\text{F}$	6.3V; 4V; Size $\geq 1812$
Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$																																						
100V	$\leq 3\%$	$\leq 6\% 1206 \geq 0.47\mu\text{F}$ $\leq 7.5\% 0603 \geq 0.068\mu\text{F}; 0805 > 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}$ $\leq 20\% 0805 > 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}$																																						
	50V	$\leq 3\%$	$\leq 6\% 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}$ $\leq 10\% 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}$																																					
		35V	$\leq 20\%$	$\leq 20\% 0402 \geq 0.012\mu\text{F}; 0603 > 0.1\mu\text{F}; 0805/X7R > 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$																																				
25V			$\leq 5\%$	$\leq 10\% 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 14\% 0603 \geq 0.33\mu\text{F}$ $\leq 15\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\% 0402 \geq 0.33\mu\text{F}$																																				
	16V		$\leq 5\%$	$\leq 10\% 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}$ $\leq 15\% 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 > 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$																																				
		10V	$\leq 7.5\%$	$\leq 15\% 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$																																				
6.3V			$\leq 15\%$	$\leq 30\% 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}$																																				
	4V		$\leq 20\%$	---																																				
	Rated voltage	Insulation Resistance																																						
100V: All X7R; $1210 \geq 3.3\mu\text{F}$	1G $\Omega$ or $R \times C \geq 10\text{ Q}\cdot\text{F}$ whichever is smaller.																																							
50V: $0402 > 0.01\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 1\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 4.7\mu\text{F}$																																								
35V: $0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$																																								
25V: $0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 2.2\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 10\mu\text{F}$																																								
16V: $0201 \geq 0.1\mu\text{F}; 0402 \geq 0.22\mu\text{F}; 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 10\mu\text{F}; 1210 \geq 47\mu\text{F}$																																								
10V: $0201 \geq 47\text{nF}; 0402 \geq 0.47\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 47\mu\text{F}$																																								
6.3V; 4V; Size $\geq 1812$																																								

\* "Room condition" Temperature: 15 to  $35^\circ\text{C}$ , Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition			Requirements																																														
3.	Temperature Cycling JESD22 Method JA-104	<p>* Conduct 1000 cycles according to the temperatures and time.</p> <table border="1"> <thead> <tr> <th>Step</th><th>Temp. (°C)</th><th>Time (min.)</th></tr> </thead> <tbody> <tr> <td>1</td><td>Min. operating temp. +0/-3</td><td>5±1</td></tr> <tr> <td>2</td><td>Max. operating temp. +3/-0</td><td>5±1</td></tr> </tbody> </table> <p>* Before initial measurement (X7R only): Perform 150+0/-10°C for 1 hr and then set for 24±2 hrs at room temp.</p> <p>* Measurement to be made after keeping at room temp. for 24±2 hrs.</p>			Step	Temp. (°C)	Time (min.)	1	Min. operating temp. +0/-3	5±1	2	Max. operating temp. +3/-0	5±1	<p>* No remarkable damage.            * Cap change : X8G/NPO: within ±2.5% or 0.25pF whichever is larger.            X7R: within ±10.0%.</p> <p>* Q/D.F. value:            X8G/NPO: Cap≥30pF, Q≥1000 ; Cap&lt;30pF, Q≥400+20C.</p> <p>X7R:</p> <table border="1"> <thead> <tr> <th>Rated vol.</th><th>D.F. ≤</th><th>Exception of D.F. ≤</th></tr> </thead> <tbody> <tr> <td>≥ 100V</td><td>≤ 3%</td><td>≤ 6% 1206≥0.47μF ≤ 7.5% 0603≥0.068μF; 0805≥0.1μF; 1206≥1μF; 1210≥2.2μF ≤ 20% 0805&gt;0.22μF; 1210≥3.3μF</td></tr> <tr> <td>50V</td><td>≤ 3%</td><td>≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF ≤ 10% 0201≥0.01μF; 1210≥3.3μF ≤ 20% 0402≥0.012μF; 0603&gt;0.1μF; 0805/X7R&gt;0.47μF; 1206≥2.2μF; 1210≥10μF</td></tr> <tr> <td>35V</td><td>≤ 5%</td><td>≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF ≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF ≤ 14% 0603≥0.33μF ≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF</td></tr> <tr> <td>25V</td><td>≤ 5%</td><td>≤ 20% 0402≥0.33μF ≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF ≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603&gt;0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF</td></tr> <tr> <td>16V</td><td>≤ 5%</td><td>≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF ≤ 20% 0201≥0.1μF; 0402≥1μF</td></tr> <tr> <td>10V</td><td>≤ 7.5%</td><td>≤ 20% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF</td></tr> <tr> <td>6.3V</td><td>≤ 15%</td><td>≤ 30%</td></tr> <tr> <td>4V</td><td>≤ 20%</td><td>---</td></tr> </tbody> </table> <p>* I.R.: ≥10GΩ or Rx<sub>C</sub>≥500Ω·F whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1"> <thead> <tr> <th>Rated voltage</th><th>Insulation Resistance</th></tr> </thead> <tbody> <tr> <td>100V: All X7R; 1210≥3.3μF</td><td rowspan="7">1GΩ or Rx<sub>C</sub>≥10 Ω·F whichever is smaller.</td></tr> <tr> <td>50V: 0402&gt;0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF</td></tr> <tr> <td>35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF</td></tr> <tr> <td>25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF</td></tr> <tr> <td>16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF</td></tr> <tr> <td>10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF</td></tr> <tr> <td>6.3V; 4V; Size≥1812</td></tr> </tbody> </table>	Rated vol.	D.F. ≤	Exception of D.F. ≤	≥ 100V	≤ 3%	≤ 6% 1206≥0.47μF ≤ 7.5% 0603≥0.068μF; 0805≥0.1μF; 1206≥1μF; 1210≥2.2μF ≤ 20% 0805>0.22μF; 1210≥3.3μF	50V	≤ 3%	≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF ≤ 10% 0201≥0.01μF; 1210≥3.3μF ≤ 20% 0402≥0.012μF; 0603>0.1μF; 0805/X7R>0.47μF; 1206≥2.2μF; 1210≥10μF	35V	≤ 5%	≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF ≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF ≤ 14% 0603≥0.33μF ≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF	25V	≤ 5%	≤ 20% 0402≥0.33μF ≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF ≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603>0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF	16V	≤ 5%	≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF ≤ 20% 0201≥0.1μF; 0402≥1μF	10V	≤ 7.5%	≤ 20% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF	6.3V	≤ 15%	≤ 30%	4V	≤ 20%	---	Rated voltage	Insulation Resistance	100V: All X7R; 1210≥3.3μF	1GΩ or Rx <sub>C</sub> ≥10 Ω·F whichever is smaller.	50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF	35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF	25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF	16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF	10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF	6.3V; 4V; Size≥1812
Step	Temp. (°C)	Time (min.)																																																	
1	Min. operating temp. +0/-3	5±1																																																	
2	Max. operating temp. +3/-0	5±1																																																	
Rated vol.	D.F. ≤	Exception of D.F. ≤																																																	
≥ 100V	≤ 3%	≤ 6% 1206≥0.47μF ≤ 7.5% 0603≥0.068μF; 0805≥0.1μF; 1206≥1μF; 1210≥2.2μF ≤ 20% 0805>0.22μF; 1210≥3.3μF																																																	
50V	≤ 3%	≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF ≤ 10% 0201≥0.01μF; 1210≥3.3μF ≤ 20% 0402≥0.012μF; 0603>0.1μF; 0805/X7R>0.47μF; 1206≥2.2μF; 1210≥10μF																																																	
35V	≤ 5%	≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF ≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF ≤ 14% 0603≥0.33μF ≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF																																																	
25V	≤ 5%	≤ 20% 0402≥0.33μF ≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF ≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603>0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF																																																	
16V	≤ 5%	≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF ≤ 20% 0201≥0.1μF; 0402≥1μF																																																	
10V	≤ 7.5%	≤ 20% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF																																																	
6.3V	≤ 15%	≤ 30%																																																	
4V	≤ 20%	---																																																	
Rated voltage	Insulation Resistance																																																		
100V: All X7R; 1210≥3.3μF	1GΩ or Rx <sub>C</sub> ≥10 Ω·F whichever is smaller.																																																		
50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF																																																			
35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF																																																			
25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF																																																			
16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF																																																			
10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF																																																			
6.3V; 4V; Size≥1812																																																			

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																						
4.	Destructive Physical Analysis EIA-469	Per EIA-469	No defects or abnormalities																																						
5.	Moisture Resistance MIL-STD-202 Method 106	<ul style="list-style-type: none"> <li>* Test temp.: 25~65°C</li> <li>* Humidity: 80~100% RH</li> <li>* Test time: 10 cycles, t=24hrs/cycle.</li> <li>* Measurement to be made after keeping at room temp. for 24±2 hrs.</li> </ul>	<p>* No remarkable damage.            * Cap change : X8G/NPO: within ±3.0% or 0.30pF whichever is larger            X7R: within ±12.5%.</p> <p>* Q/D.F. value:            X8G/NPO: More than 30pF Q≥350 : 10pF≤C&lt;30pF, Q≥275+2.5C            Less than 10pF Q≥200+10C</p> <p>X7R:</p> <table border="1"> <thead> <tr> <th>Rated vol.</th> <th>D.F. ≤</th> <th>Exception of D.F. ≤</th> </tr> </thead> <tbody> <tr> <td>≥ 100V</td> <td>≤ 3%</td> <td> <ul style="list-style-type: none"> <li>≤ 6% 1206 ≥ 0.47μF</li> <li>≤ 7.5% 0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</li> <li>≤ 20% 0805 ≥ 0.22μF; 1210 ≥ 3.3μF</li> </ul> </td> </tr> <tr> <td>50V</td> <td>≤ 3%</td> <td> <ul style="list-style-type: none"> <li>≤ 6% 0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 1210 ≥ 3.3μF</li> <li>≤ 20% 0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> </ul> </td> </tr> <tr> <td>35V</td> <td>≤ 5%</td> <td> <ul style="list-style-type: none"> <li>≤ 20% 0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</li> <li>≤ 14% 0603 ≥ 0.33μF</li> </ul> </td> </tr> <tr> <td>25V</td> <td>≤ 5%</td> <td> <ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF;</li> <li>≤ 20% 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> <li>≤ 10% 0402 ≥ 0.33μF</li> </ul> </td> </tr> <tr> <td>16V</td> <td>≤ 5%</td> <td> <ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.022μF; 0402 ≥ 0.033μF;</li> <li>≤ 20% 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> </ul> </td> </tr> <tr> <td>10V</td> <td>≤ 7.5%</td> <td> <ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.012μF; 0402 ≥ 0.15μF;</li> <li>≤ 20% 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</li> </ul> </td> </tr> <tr> <td>6.3V</td> <td>≤ 15%</td> <td> <ul style="list-style-type: none"> <li>≤ 30% 0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF;</li> <li>≤ 20% 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</li> </ul> </td> </tr> <tr> <td>4V</td> <td>≤ 20%</td> <td>---</td> </tr> </tbody> </table> <p>* I.R.: ≥10GΩ or Rx<sub>C</sub>≥500Ω·F whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R; 1210≥3.3μF</td> <td rowspan="6">1GΩ or Rx<sub>C</sub>≥10 Ω·F whichever is smaller.</td> </tr> <tr> <td>50V: 0402&gt;0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF</td> </tr> <tr> <td>35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF</td> </tr> <tr> <td>25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF</td> </tr> <tr> <td>16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF</td> </tr> <tr> <td>10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF</td> </tr> <tr> <td>6.3V; 4V; Size:1812</td> <td></td> </tr> </tbody> </table>	Rated vol.	D.F. ≤	Exception of D.F. ≤	≥ 100V	≤ 3%	<ul style="list-style-type: none"> <li>≤ 6% 1206 ≥ 0.47μF</li> <li>≤ 7.5% 0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</li> <li>≤ 20% 0805 ≥ 0.22μF; 1210 ≥ 3.3μF</li> </ul>	50V	≤ 3%	<ul style="list-style-type: none"> <li>≤ 6% 0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 1210 ≥ 3.3μF</li> <li>≤ 20% 0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> </ul>	35V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 20% 0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</li> <li>≤ 14% 0603 ≥ 0.33μF</li> </ul>	25V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF;</li> <li>≤ 20% 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> <li>≤ 10% 0402 ≥ 0.33μF</li> </ul>	16V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.022μF; 0402 ≥ 0.033μF;</li> <li>≤ 20% 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> </ul>	10V	≤ 7.5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.012μF; 0402 ≥ 0.15μF;</li> <li>≤ 20% 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</li> </ul>	6.3V	≤ 15%	<ul style="list-style-type: none"> <li>≤ 30% 0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF;</li> <li>≤ 20% 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</li> </ul>	4V	≤ 20%	---	Rated voltage	Insulation Resistance	100V: All X7R; 1210≥3.3μF	1GΩ or Rx <sub>C</sub> ≥10 Ω·F whichever is smaller.	50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF	35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF	25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF	16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF	10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF	6.3V; 4V; Size:1812	
Rated vol.	D.F. ≤	Exception of D.F. ≤																																							
≥ 100V	≤ 3%	<ul style="list-style-type: none"> <li>≤ 6% 1206 ≥ 0.47μF</li> <li>≤ 7.5% 0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</li> <li>≤ 20% 0805 ≥ 0.22μF; 1210 ≥ 3.3μF</li> </ul>																																							
50V	≤ 3%	<ul style="list-style-type: none"> <li>≤ 6% 0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 1210 ≥ 3.3μF</li> <li>≤ 20% 0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> </ul>																																							
35V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 20% 0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</li> <li>≤ 10% 0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</li> <li>≤ 14% 0603 ≥ 0.33μF</li> </ul>																																							
25V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF;</li> <li>≤ 20% 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> <li>≤ 10% 0402 ≥ 0.33μF</li> </ul>																																							
16V	≤ 5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.022μF; 0402 ≥ 0.033μF;</li> <li>≤ 20% 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</li> </ul>																																							
10V	≤ 7.5%	<ul style="list-style-type: none"> <li>≤ 15% 0201 ≥ 0.012μF; 0402 ≥ 0.15μF;</li> <li>≤ 20% 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</li> </ul>																																							
6.3V	≤ 15%	<ul style="list-style-type: none"> <li>≤ 30% 0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF;</li> <li>≤ 20% 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</li> </ul>																																							
4V	≤ 20%	---																																							
Rated voltage	Insulation Resistance																																								
100V: All X7R; 1210≥3.3μF	1GΩ or Rx <sub>C</sub> ≥10 Ω·F whichever is smaller.																																								
50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF																																									
35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF																																									
25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF																																									
16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF																																									
10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF																																									
6.3V; 4V; Size:1812																																									

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																
6.	Biased Humidity MIL-STD-202 Method 103	<ul style="list-style-type: none"> <li>* Test temp.: 85±3°C</li> <li>* Humidity: 85%RH</li> <li>* Test time: 1000+24/-0 hrs.</li> <li>* To apply voltage : rated voltage (Max.500V) and 1.3~1.5Vdc. (add 100k ohm resistor)</li> <li>* Before initial measurement (Class II only) : To apply test voltage for 1hr at test temp. and then set for 24±2 hrs at room temp.</li> <li>* Measurement to be made after keeping at room temp. for 24±2 hrs.</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap change: X8G/NPO: within ±3.0% or 0.30pF whichever is larger. X7R: within ±12.5%</li> <li>* Q/D.F. value: X8G/NPO: C≥30pF , Q≥200 ; C&lt;30pF , Q≥100+10/3C X7R:</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated vol.</th> <th>D.F. ≤</th> <th>Exception of D.F. ≤</th> </tr> </thead> <tbody> <tr> <td>≥ 100V</td> <td>≤ 3%</td> <td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 6%</td><td>1206 ≥ 0.47μF</td></tr> <tr><td>≤ 7.5%</td><td>0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td></tr> <tr><td>≤ 20%</td><td>0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 6%</td><td>0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>35V</td><td>≤ 5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table></td></tr></table></td></tr></tbody> </table>	Rated vol.	D.F. ≤	Exception of D.F. ≤	≥ 100V	≤ 3%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 6%</td><td>1206 ≥ 0.47μF</td></tr> <tr><td>≤ 7.5%</td><td>0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td></tr> <tr><td>≤ 20%</td><td>0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 6%</td><td>0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>35V</td><td>≤ 5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table></td></tr></table>	≤ 6%	1206 ≥ 0.47μF	≤ 7.5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF	≤ 20%	0805 > 0.22μF; 1210 ≥ 3.3μF	≤ 6%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF	≤ 10%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF	≤ 20%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805/X7R > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	35V	≤ 5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table>	≤ 20%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	≤ 10%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF	≤ 14%	0603 ≥ 0.33μF	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤ 20%	0402 ≥ 0.33μF	≤ 10%	0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF	≤ 15%	0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	10V	≤ 7.5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table>	≤ 15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤ 20%	0201 ≥ 0.1μF; 0402 ≥ 1μF	6.3V	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF	4V	≤ 20%	---
Rated vol.	D.F. ≤	Exception of D.F. ≤																																																	
≥ 100V	≤ 3%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 6%</td><td>1206 ≥ 0.47μF</td></tr> <tr><td>≤ 7.5%</td><td>0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td></tr> <tr><td>≤ 20%</td><td>0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 6%</td><td>0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805/X7R &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>35V</td><td>≤ 5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table></td></tr></table>	≤ 6%	1206 ≥ 0.47μF	≤ 7.5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF	≤ 20%	0805 > 0.22μF; 1210 ≥ 3.3μF	≤ 6%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF	≤ 10%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF	≤ 20%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805/X7R > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	35V	≤ 5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table>	≤ 20%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	≤ 10%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF	≤ 14%	0603 ≥ 0.33μF	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤ 20%	0402 ≥ 0.33μF	≤ 10%	0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF	≤ 15%	0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	10V	≤ 7.5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table>	≤ 15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤ 20%	0201 ≥ 0.1μF; 0402 ≥ 1μF	6.3V	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF	4V	≤ 20%	---							
≤ 6%	1206 ≥ 0.47μF																																																		
≤ 7.5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF																																																		
≤ 20%	0805 > 0.22μF; 1210 ≥ 3.3μF																																																		
≤ 6%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF																																																		
≤ 10%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF																																																		
≤ 20%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805/X7R > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																		
35V	≤ 5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 20%</td><td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 10%</td><td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td></tr> <tr><td>≤ 14%</td><td>0603 ≥ 0.33μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0402 ≥ 0.33μF</td></tr> <tr><td>≤ 10%</td><td>0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td></tr> <tr><td>≤ 15%</td><td>0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td></tr> <tr><td>10V</td><td>≤ 7.5%</td><td> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table> </td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td></tr> <tr><td>4V</td><td>≤ 20%</td><td>---</td></tr> </table>	≤ 20%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	≤ 10%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF	≤ 14%	0603 ≥ 0.33μF	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤ 20%	0402 ≥ 0.33μF	≤ 10%	0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF	≤ 15%	0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	10V	≤ 7.5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table>	≤ 15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤ 20%	0201 ≥ 0.1μF; 0402 ≥ 1μF	6.3V	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF	4V	≤ 20%	---																						
≤ 20%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																		
≤ 10%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF																																																		
≤ 14%	0603 ≥ 0.33μF																																																		
≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																		
≤ 20%	0402 ≥ 0.33μF																																																		
≤ 10%	0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF																																																		
≤ 15%	0201 ≥ 0.022μF; 0402 ≥ 0.033μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																		
10V	≤ 7.5%	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>≤ 15%</td><td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td></tr> <tr><td>≤ 20%</td><td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td></tr> </table>	≤ 15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤ 20%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																													
≤ 15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF																																																		
≤ 20%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																		
6.3V	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF																																																	
4V	≤ 20%	---																																																	

  |  |

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																					
7.	Operational Life MIL-STD-202 Method 108	<ul style="list-style-type: none"> <li>* Test temp.: Maximum Operating Temperature <math>\pm 3^\circ\text{C}</math></li> <li>* To apply voltage:           <ul style="list-style-type: none"> <li>(1) <math>10V \leq Ur \leq 250V</math>: 200% of rated voltage.</li> <li>(2) 150% of rated voltage:               <ul style="list-style-type: none"> <li>a) 500V</li> <li>b) <math>\leq 6.3V</math> or <math>C \geq 10\mu\text{F}</math></li> <li>c) <math>0603/X7R/50V/\text{Cap.} &gt; 0.1\mu\text{F}</math> <math>0603/X7R \leq 25V/\text{Cap.} \geq 1.0\mu\text{F}</math></li> <li>d) <math>0805/X7R/50V/\text{Cap.} \geq 0.68\mu\text{F}</math></li> <li>e) <math>1206/X7R/100V/\text{Cap.} \geq 1.0\mu\text{F}</math></li> <li>f) <math>1210/X7R/50V \&amp; 100V/\text{Cap.} \geq 2.2\mu\text{F}</math></li> </ul> </li> <li>(3) <math>630V \leq Ur \leq 1000V</math>: 120% of rated voltage.</li> </ul> </li> <li>* Test time: <math>1000 + 24/-0</math> hrs.</li> <li>* Before initial measurement (X7R only):       <ul style="list-style-type: none"> <li>Apply test voltage for 1 hr at <math>125^\circ\text{C}</math>.</li> <li>Remove and let set for <math>24 \pm 2</math> hrs at room temp.</li> </ul> </li> <li>* Measurement to be made after keeping at room temp. for <math>24 \pm 2</math> hrs.</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap change: X8G/NPO: within <math>\pm 3.0\%</math> or <math>\pm 0.3\text{pF}</math> whichever is larger X7R: within <math>\pm 12.5\%</math>.</li> <li>* Q/D.F. value: X8G/NPO: More than <math>30\text{pF}</math>, <math>Q \geq 350</math>; <math>10\text{pF} \leq C &lt; 30\text{pF}</math>, <math>Q \geq 275 + 2.5C</math> Less than <math>10\text{pF}</math>, <math>Q \geq 200 + 10C</math></li> <li>X7R:  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #ADD8E6;">Rated vol.</th> <th style="background-color: #ADD8E6;">D.F. <math>\leq</math></th> <th style="background-color: #ADD8E6;">Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td rowspan="3"><math>\geq 100V</math></td> <td><math>\leq 3\%</math></td> <td><math>\leq 6\%: 1206 \geq 0.47\mu\text{F}</math> <math>\leq 7.5\%: 0603 \geq 0.068\mu\text{F}; 0805 &gt; 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}</math> <math>\leq 20\%: 0805 &gt; 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>50V</math></td> <td><math>\leq 3\%</math></td> <td><math>\leq 6\%: 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}</math> <math>\leq 10\%: 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}</math> <math>\leq 20\%: 0402 \geq 0.012\mu\text{F}; 0603 &gt; 0.1\mu\text{F}; 0805/X7R &gt; 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 5\%</math></td> <td><math>\leq 20\%: 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}</math> <math>\leq 10\%: 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}</math> <math>\leq 14\%: 0603 \geq 0.33\mu\text{F}</math> <math>\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}</math> <math>\leq 20\%: 0402 \geq 0.33\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>35V</math></td> <td><math>\leq 5\%</math></td> <td><math>\leq 10\%: 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}</math> <math>\leq 15\%: 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 &gt; 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}</math> <math>\leq 20\%: 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>16V</math></td> <td><math>\leq 5\%</math></td> <td><math>\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}</math> <math>\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>10V</math></td> <td><math>\leq 7.5\%</math></td> <td><math>\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}</math> <math>\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>6.3V</math></td> <td><math>\leq 15\%</math></td> <td><math>\leq 30\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}</math></td> </tr> <tr> <td rowspan="3"><math>4V</math></td> <td><math>\leq 20\%</math></td> <td>---</td> </tr> </tbody> </table> </li> <li>* I.R.: <math>\geq 1\text{G}\Omega</math> or <math>R_{XC} \geq 50\Omega\cdot\text{F}</math> whichever is smaller.</li> </ul> <p>Class II (X7R)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #ADD8E6;">Rated voltage</th> <th style="background-color: #ADD8E6;">Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R; 1210 <math>\geq 3.3\mu\text{F}</math></td> <td rowspan="6" style="vertical-align: middle; text-align: center;"><math>1\text{G}\Omega</math> or <math>R_{XC} \geq 10\Omega\cdot\text{F}</math> whichever is smaller.</td> </tr> <tr> <td>50V: 0402 <math>&gt; 0.01\mu\text{F}</math>; 0603 <math>\geq 1\mu\text{F}</math>; 0805 <math>\geq 1\mu\text{F}</math>; 1206 <math>\geq 4.7\mu\text{F}</math>; 1210 <math>\geq 4.7\mu\text{F}</math></td> </tr> <tr> <td>35V: 0603 <math>\geq 1\mu\text{F}</math>; 0805 <math>\geq 2.2\mu\text{F}</math>; 1206 <math>\geq 2.2\mu\text{F}</math>; 1210 <math>\geq 10\mu\text{F}</math></td> </tr> <tr> <td>25V: 0201 <math>\geq 0.1\mu\text{F}</math>; 0402 <math>\geq 0.22\mu\text{F}</math>; 0603 <math>\geq 2.2\mu\text{F}</math>; 0805 <math>\geq 2.2\mu\text{F}</math>; 1206 <math>\geq 10\mu\text{F}</math>; 1210 <math>\geq 10\mu\text{F}</math></td> </tr> <tr> <td>16V: 0201 <math>\geq 0.1\mu\text{F}</math>; 0402 <math>\geq 0.22\mu\text{F}</math>; 0603 <math>\geq 1\mu\text{F}</math>; 0805 <math>\geq 2.2\mu\text{F}</math>; 1206 <math>\geq 10\mu\text{F}</math>; 1210 <math>\geq 47\mu\text{F}</math></td> </tr> <tr> <td>10V: 0201 <math>\geq 47\mu\text{F}</math>; 0402 <math>\geq 0.47\mu\text{F}</math>; 0603 <math>\geq 0.47\mu\text{F}</math>; 0805 <math>\geq 2.2\mu\text{F}</math>; 1206 <math>\geq 4.7\mu\text{F}</math>; 1210 <math>\geq 47\mu\text{F}</math></td> </tr> <tr> <td>6.3V; 4V; Size <math>\geq 1812</math></td> <td></td> </tr> </tbody> </table>	Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$	$\geq 100V$	$\leq 3\%$	$\leq 6\%: 1206 \geq 0.47\mu\text{F}$ $\leq 7.5\%: 0603 \geq 0.068\mu\text{F}; 0805 > 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}$ $\leq 20\%: 0805 > 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}$	$50V$	$\leq 3\%$	$\leq 6\%: 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}$ $\leq 10\%: 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}$ $\leq 20\%: 0402 \geq 0.012\mu\text{F}; 0603 > 0.1\mu\text{F}; 0805/X7R > 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$	$\leq 5\%$	$\leq 20\%: 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 10\%: 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 14\%: 0603 \geq 0.33\mu\text{F}$ $\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\%: 0402 \geq 0.33\mu\text{F}$	$35V$	$\leq 5\%$	$\leq 10\%: 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}$ $\leq 15\%: 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 > 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\%: 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}$	$16V$	$\leq 5\%$	$\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$ $\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}$	$10V$	$\leq 7.5\%$	$\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}$ $\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$	$6.3V$	$\leq 15\%$	$\leq 30\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}$	$4V$	$\leq 20\%$	---	Rated voltage	Insulation Resistance	100V: All X7R; 1210 $\geq 3.3\mu\text{F}$	$1\text{G}\Omega$ or $R_{XC} \geq 10\Omega\cdot\text{F}$ whichever is smaller.	50V: 0402 $> 0.01\mu\text{F}$ ; 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 1\mu\text{F}$ ; 1206 $\geq 4.7\mu\text{F}$ ; 1210 $\geq 4.7\mu\text{F}$	35V: 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 2.2\mu\text{F}$ ; 1210 $\geq 10\mu\text{F}$	25V: 0201 $\geq 0.1\mu\text{F}$ ; 0402 $\geq 0.22\mu\text{F}$ ; 0603 $\geq 2.2\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 10\mu\text{F}$ ; 1210 $\geq 10\mu\text{F}$	16V: 0201 $\geq 0.1\mu\text{F}$ ; 0402 $\geq 0.22\mu\text{F}$ ; 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 10\mu\text{F}$ ; 1210 $\geq 47\mu\text{F}$	10V: 0201 $\geq 47\mu\text{F}$ ; 0402 $\geq 0.47\mu\text{F}$ ; 0603 $\geq 0.47\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 4.7\mu\text{F}$ ; 1210 $\geq 47\mu\text{F}$	6.3V; 4V; Size $\geq 1812$	
Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$																																						
$\geq 100V$	$\leq 3\%$	$\leq 6\%: 1206 \geq 0.47\mu\text{F}$ $\leq 7.5\%: 0603 \geq 0.068\mu\text{F}; 0805 > 0.1\mu\text{F}; 1206 \geq 1\mu\text{F}; 1210 \geq 2.2\mu\text{F}$ $\leq 20\%: 0805 > 0.22\mu\text{F}; 1210 \geq 3.3\mu\text{F}$																																						
	$50V$	$\leq 3\%$	$\leq 6\%: 0201(50V); 0603 \geq 0.047\mu\text{F}; 0805 \geq 0.18\mu\text{F}; 1206 \geq 0.47\mu\text{F}$ $\leq 10\%: 0201 \geq 0.01\mu\text{F}; 1210 \geq 3.3\mu\text{F}$ $\leq 20\%: 0402 \geq 0.012\mu\text{F}; 0603 > 0.1\mu\text{F}; 0805/X7R > 0.47\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$																																					
		$\leq 5\%$	$\leq 20\%: 0603 \geq 1\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 10\%: 0201 \geq 0.01\mu\text{F}; 0805 \geq 1\mu\text{F}; 1210 \geq 10\mu\text{F}$ $\leq 14\%: 0603 \geq 0.33\mu\text{F}$ $\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 0.056\mu\text{F}; 0603 \geq 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\%: 0402 \geq 0.33\mu\text{F}$																																					
$35V$		$\leq 5\%$	$\leq 10\%: 0603 \geq 0.15\mu\text{F}; 0805 \geq 0.68\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 4.7\mu\text{F}$ $\leq 15\%: 0201 \geq 0.022\mu\text{F}; 0402 \geq 0.033\mu\text{F}; 0603 > 0.47\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 4.7\mu\text{F}; 1210 \geq 22\mu\text{F}$ $\leq 20\%: 0201 \geq 0.012\mu\text{F}; 0402 \geq 0.15\mu\text{F}; 0603 \geq 0.33\mu\text{F}; 0805 \geq 2.2\mu\text{F}; 1206 \geq 2.2\mu\text{F}; 1210 \geq 22\mu\text{F}$																																					
	$16V$	$\leq 5\%$	$\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$ $\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}$																																					
		$10V$	$\leq 7.5\%$	$\leq 15\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}$ $\leq 20\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}$																																				
$6.3V$			$\leq 15\%$	$\leq 30\%: 0201 \geq 0.1\mu\text{F}; 0402 \geq 1\mu\text{F}; 0603 \geq 10\mu\text{F}; 0805 \geq 4.7\mu\text{F}; 1206 \geq 47\mu\text{F}; 1210 \geq 100\mu\text{F}$																																				
	$4V$		$\leq 20\%$	---																																				
		Rated voltage	Insulation Resistance																																					
100V: All X7R; 1210 $\geq 3.3\mu\text{F}$		$1\text{G}\Omega$ or $R_{XC} \geq 10\Omega\cdot\text{F}$ whichever is smaller.																																						
50V: 0402 $> 0.01\mu\text{F}$ ; 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 1\mu\text{F}$ ; 1206 $\geq 4.7\mu\text{F}$ ; 1210 $\geq 4.7\mu\text{F}$																																								
35V: 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 2.2\mu\text{F}$ ; 1210 $\geq 10\mu\text{F}$																																								
25V: 0201 $\geq 0.1\mu\text{F}$ ; 0402 $\geq 0.22\mu\text{F}$ ; 0603 $\geq 2.2\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 10\mu\text{F}$ ; 1210 $\geq 10\mu\text{F}$																																								
16V: 0201 $\geq 0.1\mu\text{F}$ ; 0402 $\geq 0.22\mu\text{F}$ ; 0603 $\geq 1\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 10\mu\text{F}$ ; 1210 $\geq 47\mu\text{F}$																																								
10V: 0201 $\geq 47\mu\text{F}$ ; 0402 $\geq 0.47\mu\text{F}$ ; 0603 $\geq 0.47\mu\text{F}$ ; 0805 $\geq 2.2\mu\text{F}$ ; 1206 $\geq 4.7\mu\text{F}$ ; 1210 $\geq 47\mu\text{F}$																																								
6.3V; 4V; Size $\geq 1812$																																								
8.	External Visual MIL-STD-883 Method 2009	Visual inspection	No remarkable defect.																																					
9.	Physical Dimension JESD22 Method JB-100	Using by calipers	Within the specified dimensions																																					

\* "Room condition" Temperature: 15 to  $35^\circ\text{C}$ , Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																			
10.	Resistance to Solvents  MIL-STD-202 Method 215	* Temperature: 25±5°C * Time: 3+0.5/-0 min. * Solvent: Iso-propyl alcohol.	* No remarkable damage. * Cap.: within the specified tolerance. * Q/D.F. value: X8G/NPO: Cap≥30pF, Q≥1000 ; Cap<30pF, Q≥400+20C. X7R: <table border="1"> <thead> <tr> <th>Rated vol.</th> <th>D.F. ≤</th> <th>Exception of D.F. ≤</th> </tr> </thead> <tbody> <tr> <td rowspan="3">100V</td> <td>≤3%</td> <td>1206 ≥ 0.47μF</td> </tr> <tr> <td>≤2.5%</td> <td>0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td> </tr> <tr> <td>≤5%</td> <td>0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td rowspan="3">50V</td> <td>≤3%</td> <td>0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td> </tr> <tr> <td>≤2.5%</td> <td>0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td>≤5%</td> <td>0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805 &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td rowspan="3">35V</td> <td>≤3.5%</td> <td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td> </tr> <tr> <td>≤7%</td> <td>0603 ≥ 0.33μF</td> </tr> <tr> <td rowspan="3">25V</td> <td>≤3.5%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤10%</td> <td>0402 ≥ 0.33μF</td> </tr> <tr> <td>≤12.5%</td> <td>0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td> </tr> <tr> <td rowspan="3">16V</td> <td>≤3.5%</td> <td>0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤10%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td> </tr> <tr> <td rowspan="3">10V</td> <td>≤5%</td> <td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤15%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td> </tr> <tr> <td>≤20%</td> <td>0402 ≥ 2.2μF</td> </tr> <tr> <td>4V</td> <td>≤15%</td> <td>---</td> </tr> </tbody> </table> * I.R.: $\geq 10\text{G}\Omega$ or $R_x C \geq 500\Omega\cdot\text{F}$ whichever is smaller. Class II (X7R)	Rated vol.	D.F. ≤	Exception of D.F. ≤	100V	≤3%	1206 ≥ 0.47μF	≤2.5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF	≤5%	0805 > 0.22μF; 1210 ≥ 3.3μF	50V	≤3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF	≤2.5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF	≤5%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	35V	≤3.5%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	≤5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF	≤7%	0603 ≥ 0.33μF	25V	≤3.5%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤10%	0402 ≥ 0.33μF	≤12.5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF	16V	≤3.5%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤5%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤10%	0201 ≥ 0.1μF; 0402 ≥ 1μF	10V	≤5%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤15%	0201 ≥ 0.1μF; 0402 ≥ 1μF	≤20%	0402 ≥ 2.2μF	4V	≤15%	---			
Rated vol.	D.F. ≤	Exception of D.F. ≤																																																				
100V	≤3%	1206 ≥ 0.47μF																																																				
	≤2.5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF																																																				
	≤5%	0805 > 0.22μF; 1210 ≥ 3.3μF																																																				
50V	≤3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF																																																				
	≤2.5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF																																																				
	≤5%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																				
35V	≤3.5%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																				
	≤5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF																																																				
	≤7%	0603 ≥ 0.33μF																																																				
25V	≤3.5%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																				
	≤10%	0402 ≥ 0.33μF																																																				
	≤12.5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF																																																				
16V	≤3.5%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																				
	≤5%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF																																																				
	≤10%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																				
10V	≤5%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF																																																				
	≤15%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																				
	≤20%	0402 ≥ 2.2μF																																																				
4V	≤15%	---																																																				
			Rated voltage 100V: All X7R 50V: 0402≥0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF 35V: 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF 25V: 0402≥1μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF 16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF 10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF 6.3V; 4V; Size≥1812	Insulation Resistance 10GΩ or $R_x C \geq 100\Omega\cdot\text{F}$ whichever is smaller.																																																		
			Rated voltage 100V: 1210≥3.3μF 50V: 0402≥0.1μF; 0603≥2.2μF; 0805≥10μF; 1206≥10μF 35V: 0603≥1μF; 25V: 0201≥0.1μF; 0402≥2.2μF; 0603≥10μF; 0805≥10μF; 1206≥22μF 16V: 0603≥10μF; 0402≥1μF; 0201≥0.22μF 10V: 0201>0.1μF; 0402≥1μF; 0603≥10μF; 0805≥47μF 6.3V: 0201≥0.1μF; 0402≥1μF; 0603>4.7μF; 0805≥47μF; 1206≥10μF 4V: 0603≥22μF; 0805≥47μF; 1206≥100μF	Insulation Resistance $R_x C \geq 50\Omega\cdot\text{F}$																																																		

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																																																											
11.	Mechanical Shock MIL-STD-202 Method 213	<ul style="list-style-type: none"> <li>* Peak value: 1500g's.</li> <li>* Wave: 1/2 sine.</li> <li>* Velocity: 15.4 ft/sec</li> <li>* Three shocks in each direction should be applied along 3 mutually perpendicular axes of the test specimen (18 shocks)</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap.: within the specified tolerance.</li> <li>* Q/D.F. value: X8G/NPO: Cap<math>\geq</math>30pF, Q<math>\geq</math>1000 ; Cap&lt;30pF, Q<math>\geq</math>400+20C.</li> </ul> <p>X7R:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated Vol.</th> <th>D.F. <math>\leq</math></th> <th>Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td></td> <td><math>\leq 3\%</math></td> <td>1206 <math>\geq</math> 0.47<math>\mu</math>F</td> </tr> <tr> <td>100V</td> <td><math>\leq 2.5\%</math></td> <td> <ul style="list-style-type: none"> <li>0603 <math>\geq</math> 0.068<math>\mu</math>F; 0805 <math>&gt;</math> 0.1<math>\mu</math>F; 1206 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 2.2<math>\mu</math>F</li> <li>0805 <math>&gt;</math> 0.22<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 5\%</math></td> <td>0201(50V); 0603 <math>\geq</math> 0.047<math>\mu</math>F; 0805 <math>\geq</math> 0.18<math>\mu</math>F; 1206 <math>\geq</math> 0.47<math>\mu</math>F</td> </tr> <tr> <td></td> <td><math>\leq 10\%</math></td> <td>0201 <math>\geq</math> 0.01<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</td> </tr> <tr> <td>50V</td> <td><math>\leq 2.5\%</math></td> <td> <ul style="list-style-type: none"> <li>0402 <math>\geq</math> 0.012<math>\mu</math>F; 0603 <math>&gt;</math> 0.1<math>\mu</math>F; 0805 <math>&gt;</math> 0.47<math>\mu</math>F;</li> <li>1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 3\%</math></td> <td>0603 <math>\geq</math> 1<math>\mu</math>F; 0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</td> </tr> <tr> <td></td> <td><math>\leq 5\%</math></td> <td>0201 <math>\geq</math> 0.01<math>\mu</math>F; 0805 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</td> </tr> <tr> <td></td> <td><math>\leq 7\%</math></td> <td>0603 <math>\geq</math> 0.33<math>\mu</math>F</td> </tr> <tr> <td>25V</td> <td><math>\leq 3.5\%</math></td> <td> <ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 0.056<math>\mu</math>F; 0603 <math>\geq</math> 0.47<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 10\%</math></td> <td>0402 <math>\geq</math> 0.33<math>\mu</math>F</td> </tr> <tr> <td>16V</td> <td><math>\leq 3.5\%</math></td> <td> <ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.01<math>\mu</math>F; 0402 <math>\geq</math> 0.033<math>\mu</math>F; 0603 <math>\geq</math> 0.15<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 0.68<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 4.7<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 10\%</math></td> <td>0201 <math>\geq</math> 0.022<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>\geq</math> 0.47<math>\mu</math>F;</td> </tr> <tr> <td></td> <td><math>\leq 15\%</math></td> <td>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</td> </tr> <tr> <td>10V</td> <td><math>\leq 5\%</math></td> <td> <ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.012<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>\geq</math> 0.33<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 10\%</math></td> <td>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F</td> </tr> <tr> <td>6.3V</td> <td><math>\leq 10\%</math></td> <td> <ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F; 0603 <math>\geq</math> 10<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 4.7<math>\mu</math>F; 1206 <math>\geq</math> 47<math>\mu</math>F; 1210 <math>\geq</math> 100<math>\mu</math>F</li> </ul> </td> </tr> <tr> <td></td> <td><math>\leq 20\%</math></td> <td>0402 <math>\geq</math> 2.2<math>\mu</math>F</td> </tr> <tr> <td>4V</td> <td><math>\leq 15\%</math></td> <td>--</td> </tr> </tbody> </table> <p>* I.R.: <math>\geq</math> 10G<math>\Omega</math> or <math>RxC \geq 500\Omega \cdot F</math> whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R</td> <td></td> </tr> <tr> <td>50V: 0402<math>&gt;</math>0.01<math>\mu</math>F; 0603<math>\geq</math>1<math>\mu</math>F; 0805<math>\geq</math>1<math>\mu</math>F; 1206<math>\geq</math>4.7<math>\mu</math>F; 1210<math>\geq</math>4.7<math>\mu</math>F</td> <td></td> </tr> <tr> <td>35V: 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>2.2<math>\mu</math>F; 1210<math>\geq</math>10<math>\mu</math>F</td> <td></td> </tr> <tr> <td>25V: 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>2.2<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F; 1210<math>\geq</math>10<math>\mu</math>F</td> <td>10G<math>\Omega</math> or <math>RxC \geq 100 \Omega \cdot F</math> whichever is smaller.</td> </tr> <tr> <td>16V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>0.22<math>\mu</math>F; 0603<math>\geq</math>1<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F; 1210<math>\geq</math>47<math>\mu</math>F</td> <td></td> </tr> <tr> <td>10V: 0201<math>\geq</math>47nF; 0402<math>\geq</math>0.47<math>\mu</math>F; 0603<math>\geq</math>0.47<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>4.7<math>\mu</math>F; 1210<math>\geq</math>47<math>\mu</math>F</td> <td></td> </tr> <tr> <td>6.3V; 4V; Size<math>\geq</math>1812</td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: 1210<math>\geq</math>3.3<math>\mu</math>F</td> <td></td> </tr> <tr> <td>50V: 0402<math>\geq</math>0.1<math>\mu</math>F; 0603<math>\geq</math>2.2<math>\mu</math>F; 0805<math>\geq</math>10<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F</td> <td></td> </tr> <tr> <td>35V: 0603<math>\geq</math>1<math>\mu</math>F;</td> <td></td> </tr> <tr> <td>25V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>2.2<math>\mu</math>F; 0603<math>\geq</math>10<math>\mu</math>F; 0805<math>\geq</math>10<math>\mu</math>F; 1206<math>\geq</math>22<math>\mu</math>F</td> <td><math>RxC \geq 50 \Omega \cdot F</math></td> </tr> <tr> <td>16V: 0603<math>\geq</math>10<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0201<math>\geq</math>0.22<math>\mu</math>F</td> <td></td> </tr> <tr> <td>10V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>10<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F</td> <td></td> </tr> <tr> <td>6.3V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>4.7<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F</td> <td></td> </tr> <tr> <td>4V: 0603<math>\geq</math>22<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F; 1206<math>\geq</math>100<math>\mu</math>F</td> <td></td> </tr> </tbody> </table>	Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$		$\leq 3\%$	1206 $\geq$ 0.47 $\mu$ F	100V	$\leq 2.5\%$	<ul style="list-style-type: none"> <li>0603 <math>\geq</math> 0.068<math>\mu</math>F; 0805 <math>&gt;</math> 0.1<math>\mu</math>F; 1206 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 2.2<math>\mu</math>F</li> <li>0805 <math>&gt;</math> 0.22<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</li> </ul>		$\leq 5\%$	0201(50V); 0603 $\geq$ 0.047 $\mu$ F; 0805 $\geq$ 0.18 $\mu$ F; 1206 $\geq$ 0.47 $\mu$ F		$\leq 10\%$	0201 $\geq$ 0.01 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F	50V	$\leq 2.5\%$	<ul style="list-style-type: none"> <li>0402 <math>\geq</math> 0.012<math>\mu</math>F; 0603 <math>&gt;</math> 0.1<math>\mu</math>F; 0805 <math>&gt;</math> 0.47<math>\mu</math>F;</li> <li>1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</li> </ul>		$\leq 3\%$	0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F		$\leq 5\%$	0201 $\geq$ 0.01 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1210 $\geq$ 10 $\mu$ F		$\leq 7\%$	0603 $\geq$ 0.33 $\mu$ F	25V	$\leq 3.5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 0.056<math>\mu</math>F; 0603 <math>\geq</math> 0.47<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul>		$\leq 10\%$	0402 $\geq$ 0.33 $\mu$ F	16V	$\leq 3.5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.01<math>\mu</math>F; 0402 <math>\geq</math> 0.033<math>\mu</math>F; 0603 <math>\geq</math> 0.15<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 0.68<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 4.7<math>\mu</math>F</li> </ul>		$\leq 10\%$	0201 $\geq$ 0.022 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F;		$\leq 15\%$	0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F	10V	$\leq 5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.012<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>\geq</math> 0.33<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul>		$\leq 10\%$	0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F	6.3V	$\leq 10\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F; 0603 <math>\geq</math> 10<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 4.7<math>\mu</math>F; 1206 <math>\geq</math> 47<math>\mu</math>F; 1210 <math>\geq</math> 100<math>\mu</math>F</li> </ul>		$\leq 20\%$	0402 $\geq$ 2.2 $\mu$ F	4V	$\leq 15\%$	--	Rated voltage	Insulation Resistance	100V: All X7R		50V: 0402 $>$ 0.01 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F		35V: 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F		25V: 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 10 $\mu$ F	10G $\Omega$ or $RxC \geq 100 \Omega \cdot F$ whichever is smaller.	16V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.22 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 47 $\mu$ F		10V: 0201 $\geq$ 47nF; 0402 $\geq$ 0.47 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 47 $\mu$ F		6.3V; 4V; Size $\geq$ 1812		Rated voltage	Insulation Resistance	100V: 1210 $\geq$ 3.3 $\mu$ F		50V: 0402 $\geq$ 0.1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 10 $\mu$ F		35V: 0603 $\geq$ 1 $\mu$ F;		25V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 2.2 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 22 $\mu$ F	$RxC \geq 50 \Omega \cdot F$	16V: 0603 $\geq$ 10 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0201 $\geq$ 0.22 $\mu$ F		10V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 47 $\mu$ F		6.3V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 4.7 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 10 $\mu$ F		4V: 0603 $\geq$ 22 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 100 $\mu$ F	
Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$																																																																																												
	$\leq 3\%$	1206 $\geq$ 0.47 $\mu$ F																																																																																												
100V	$\leq 2.5\%$	<ul style="list-style-type: none"> <li>0603 <math>\geq</math> 0.068<math>\mu</math>F; 0805 <math>&gt;</math> 0.1<math>\mu</math>F; 1206 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 2.2<math>\mu</math>F</li> <li>0805 <math>&gt;</math> 0.22<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 5\%$	0201(50V); 0603 $\geq$ 0.047 $\mu$ F; 0805 $\geq$ 0.18 $\mu$ F; 1206 $\geq$ 0.47 $\mu$ F																																																																																												
	$\leq 10\%$	0201 $\geq$ 0.01 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F																																																																																												
50V	$\leq 2.5\%$	<ul style="list-style-type: none"> <li>0402 <math>\geq</math> 0.012<math>\mu</math>F; 0603 <math>&gt;</math> 0.1<math>\mu</math>F; 0805 <math>&gt;</math> 0.47<math>\mu</math>F;</li> <li>1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 3\%$	0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																																																												
	$\leq 5\%$	0201 $\geq$ 0.01 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																																																												
	$\leq 7\%$	0603 $\geq$ 0.33 $\mu$ F																																																																																												
25V	$\leq 3.5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 0.056<math>\mu</math>F; 0603 <math>\geq</math> 0.47<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 10\%$	0402 $\geq$ 0.33 $\mu$ F																																																																																												
16V	$\leq 3.5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.01<math>\mu</math>F; 0402 <math>\geq</math> 0.033<math>\mu</math>F; 0603 <math>\geq</math> 0.15<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 0.68<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 4.7<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 10\%$	0201 $\geq$ 0.022 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F;																																																																																												
	$\leq 15\%$	0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F																																																																																												
10V	$\leq 5\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.012<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>\geq</math> 0.33<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 10\%$	0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F																																																																																												
6.3V	$\leq 10\%$	<ul style="list-style-type: none"> <li>0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F; 0603 <math>\geq</math> 10<math>\mu</math>F;</li> <li>0805 <math>\geq</math> 4.7<math>\mu</math>F; 1206 <math>\geq</math> 47<math>\mu</math>F; 1210 <math>\geq</math> 100<math>\mu</math>F</li> </ul>																																																																																												
	$\leq 20\%$	0402 $\geq$ 2.2 $\mu$ F																																																																																												
4V	$\leq 15\%$	--																																																																																												
Rated voltage	Insulation Resistance																																																																																													
100V: All X7R																																																																																														
50V: 0402 $>$ 0.01 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F																																																																																														
35V: 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																																																														
25V: 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 10 $\mu$ F	10G $\Omega$ or $RxC \geq 100 \Omega \cdot F$ whichever is smaller.																																																																																													
16V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.22 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 47 $\mu$ F																																																																																														
10V: 0201 $\geq$ 47nF; 0402 $\geq$ 0.47 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 47 $\mu$ F																																																																																														
6.3V; 4V; Size $\geq$ 1812																																																																																														
Rated voltage	Insulation Resistance																																																																																													
100V: 1210 $\geq$ 3.3 $\mu$ F																																																																																														
50V: 0402 $\geq$ 0.1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 10 $\mu$ F																																																																																														
35V: 0603 $\geq$ 1 $\mu$ F;																																																																																														
25V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 2.2 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 22 $\mu$ F	$RxC \geq 50 \Omega \cdot F$																																																																																													
16V: 0603 $\geq$ 10 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0201 $\geq$ 0.22 $\mu$ F																																																																																														
10V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 47 $\mu$ F																																																																																														
6.3V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 4.7 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 10 $\mu$ F																																																																																														
4V: 0603 $\geq$ 22 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 100 $\mu$ F																																																																																														




\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																														
12.	Vibration MIL-STD-202 Method 204	<ul style="list-style-type: none"> <li>* Vibration frequency: 10~2000 Hz/min.</li> <li>(5g's for 20 min)</li> <li>* Total amplitude: 1.5mm</li> <li>* 12 cycles each of 3 orientations (36 times)</li> </ul>	<p>* No remarkable damage.  * Cap.: within the specified tolerance.  * Q/D.F. value:  X8G/NPO:Cap<math>\geq</math>30pF, Q<math>\geq</math>1000 ; Cap&lt;30pF, Q<math>\geq</math>400+20C.</p> <p>X7R:</p> <table border="1"> <thead> <tr> <th>Rated Vol.</th> <th>D.F. <math>\leq</math></th> <th>Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td>100V</td> <td><math>\leq 3\%</math></td> <td>1206 <math>\geq</math> 0.47<math>\mu</math>F</td> </tr> <tr> <td>100V</td> <td><math>\leq 5\%</math></td> <td>0603 <math>\geq</math> 0.068<math>\mu</math>F; 0805 <math>&gt;</math> 0.1<math>\mu</math>F; 1206 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 2.2<math>\mu</math>F</td> </tr> <tr> <td>100V</td> <td><math>\leq 10\%</math></td> <td>0805 <math>&gt;</math> 0.22<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</td> </tr> <tr> <td>50V</td> <td><math>\leq 3\%</math></td> <td>0201(50V); 0603 <math>\geq</math> 0.047<math>\mu</math>F; 0805 <math>\geq</math> 0.18<math>\mu</math>F; 1206 <math>\geq</math> 0.47<math>\mu</math>F</td> </tr> <tr> <td>50V</td> <td><math>\leq 5\%</math></td> <td>0201 <math>\geq</math> 0.01<math>\mu</math>F; 1210 <math>\geq</math> 3.3<math>\mu</math>F</td> </tr> <tr> <td>50V</td> <td><math>\leq 10\%</math></td> <td>0402 <math>\geq</math> 0.012<math>\mu</math>F; 0603 <math>&gt;</math> 0.1<math>\mu</math>F; 0805 <math>&gt;</math> 0.47<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F</td> </tr> <tr> <td>35V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 10\%</math> 0603 <math>\geq</math> 1<math>\mu</math>F; 0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F <math>\leq 5\%</math> 0201 <math>\geq</math> 0.01<math>\mu</math>F; 0805 <math>\geq</math> 1<math>\mu</math>F; 1210 <math>\geq</math> 10<math>\mu</math>F <math>\leq 7\%</math> 0603 <math>\geq</math> 0.33<math>\mu</math>F</td> </tr> <tr> <td>25V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 10\%</math> 0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 0.056<math>\mu</math>F; 0603 <math>\geq</math> 0.47<math>\mu</math>F; 0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F <math>\leq 12.5\%</math> 0402 <math>\geq</math> 0.33<math>\mu</math>F</td> </tr> <tr> <td>16V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 5\%</math> 0201 <math>\geq</math> 0.01<math>\mu</math>F; 0402 <math>\geq</math> 0.033<math>\mu</math>F; 0603 <math>\geq</math> 0.15<math>\mu</math>F; 0805 <math>\geq</math> 0.68<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 4.7<math>\mu</math>F <math>\leq 10\%</math> 0201 <math>\geq</math> 0.022<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>&gt;</math> 0.47<math>\mu</math>F; 0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 4.7<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F</td> </tr> <tr> <td>10V</td> <td><math>\leq 5\%</math></td> <td><math>\leq 10\%</math> 0201 <math>\geq</math> 0.012<math>\mu</math>F; 0402 <math>\geq</math> 0.15<math>\mu</math>F; 0603 <math>\geq</math> 0.33<math>\mu</math>F; 0805 <math>\geq</math> 2.2<math>\mu</math>F; 1206 <math>\geq</math> 2.2<math>\mu</math>F; 1210 <math>\geq</math> 22<math>\mu</math>F <math>\leq 15\%</math> 0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F</td> </tr> <tr> <td>6.3V</td> <td><math>\leq 10\%</math></td> <td><math>\leq 15\%</math> 0201 <math>\geq</math> 0.1<math>\mu</math>F; 0402 <math>\geq</math> 1<math>\mu</math>F; 0603 <math>\geq</math> 10<math>\mu</math>F; 0805 <math>\geq</math> 4.7<math>\mu</math>F; 1206 <math>\geq</math> 47<math>\mu</math>F; 1210 <math>\geq</math> 100<math>\mu</math>F <math>\leq 20\%</math> 0402 <math>\geq</math> 2.2<math>\mu</math>F</td> </tr> <tr> <td>4V</td> <td><math>\leq 15\%</math></td> <td>---</td> </tr> </tbody> </table> <p>* I.R.: <math>\geq</math>10G<math>\Omega</math> or <math>RxC \geq 500\Omega \cdot F</math> whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R</td> <td></td> </tr> <tr> <td>50V: 0402<math>&gt;</math>0.01<math>\mu</math>F; 0603<math>\geq</math>1<math>\mu</math>F; 0805<math>\geq</math>1<math>\mu</math>F; 1206<math>\geq</math>4.7<math>\mu</math>F; 1210<math>\geq</math>4.7<math>\mu</math>F</td> <td rowspan="7">10G<math>\Omega</math> or <math>RxC \geq 100 \Omega \cdot F</math> whichever is smaller.</td> </tr> <tr> <td>35V: 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>2.2<math>\mu</math>F; 1210<math>\geq</math>10<math>\mu</math>F</td> </tr> <tr> <td>25V: 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>2.2<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F; 1210<math>\geq</math>10<math>\mu</math>F</td> </tr> <tr> <td>16V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>0.22<math>\mu</math>F; 0603<math>\geq</math>1<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F; 1210<math>\geq</math>47<math>\mu</math>F</td> </tr> <tr> <td>10V: 0201<math>\geq</math>47nF; 0402<math>\geq</math>0.47<math>\mu</math>F; 0603<math>\geq</math>0.47<math>\mu</math>F; 0805<math>\geq</math>2.2<math>\mu</math>F; 1206<math>\geq</math>4.7<math>\mu</math>F; 1210<math>\geq</math>47<math>\mu</math>F</td> </tr> <tr> <td>6.3V; 4V; Size<math>\geq</math>1812</td> <td></td> </tr> <tr> <td>100V: 1210<math>\geq</math>3.3<math>\mu</math>F</td> <td></td> </tr> </tbody> </table> <p>Rated voltage</p> <table border="1"> <thead> <tr> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: 0402<math>\geq</math>0.1<math>\mu</math>F; 0603<math>\geq</math>2.2<math>\mu</math>F; 0805<math>\geq</math>10<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F</td> <td rowspan="7"><math>RxC \geq 50 \Omega \cdot F</math></td> </tr> <tr> <td>35V: 0603<math>\geq</math>1<math>\mu</math>F;</td> </tr> <tr> <td>25V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>2.2<math>\mu</math>F; 0603<math>\geq</math>10<math>\mu</math>F; 0805<math>\geq</math>10<math>\mu</math>F; 1206<math>\geq</math>22<math>\mu</math>F</td> </tr> <tr> <td>16V: 0603<math>\geq</math>10<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0201<math>\geq</math>0.22<math>\mu</math>F</td> </tr> <tr> <td>10V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>10<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F</td> </tr> <tr> <td>6.3V: 0201<math>\geq</math>0.1<math>\mu</math>F; 0402<math>\geq</math>1<math>\mu</math>F; 0603<math>\geq</math>4.7<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F; 1206<math>\geq</math>10<math>\mu</math>F</td> </tr> <tr> <td>4V: 0603<math>\geq</math>22<math>\mu</math>F; 0805<math>\geq</math>47<math>\mu</math>F; 1206<math>\geq</math>100<math>\mu</math>F</td> </tr> </tbody> </table>	Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$	100V	$\leq 3\%$	1206 $\geq$ 0.47 $\mu$ F	100V	$\leq 5\%$	0603 $\geq$ 0.068 $\mu$ F; 0805 $>$ 0.1 $\mu$ F; 1206 $\geq$ 1 $\mu$ F; 1210 $\geq$ 2.2 $\mu$ F	100V	$\leq 10\%$	0805 $>$ 0.22 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F	50V	$\leq 3\%$	0201(50V); 0603 $\geq$ 0.047 $\mu$ F; 0805 $\geq$ 0.18 $\mu$ F; 1206 $\geq$ 0.47 $\mu$ F	50V	$\leq 5\%$	0201 $\geq$ 0.01 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F	50V	$\leq 10\%$	0402 $\geq$ 0.012 $\mu$ F; 0603 $>$ 0.1 $\mu$ F; 0805 $>$ 0.47 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F	35V	$\leq 3.5\%$	$\leq 10\%$ 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F $\leq 5\%$ 0201 $\geq$ 0.01 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1210 $\geq$ 10 $\mu$ F $\leq 7\%$ 0603 $\geq$ 0.33 $\mu$ F	25V	$\leq 3.5\%$	$\leq 10\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.056 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F $\leq 12.5\%$ 0402 $\geq$ 0.33 $\mu$ F	16V	$\leq 3.5\%$	$\leq 5\%$ 0201 $\geq$ 0.01 $\mu$ F; 0402 $\geq$ 0.033 $\mu$ F; 0603 $\geq$ 0.15 $\mu$ F; 0805 $\geq$ 0.68 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F $\leq 10\%$ 0201 $\geq$ 0.022 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $>$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F	10V	$\leq 5\%$	$\leq 10\%$ 0201 $\geq$ 0.012 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $\geq$ 0.33 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 22 $\mu$ F $\leq 15\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F	6.3V	$\leq 10\%$	$\leq 15\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 4.7 $\mu$ F; 1206 $\geq$ 47 $\mu$ F; 1210 $\geq$ 100 $\mu$ F $\leq 20\%$ 0402 $\geq$ 2.2 $\mu$ F	4V	$\leq 15\%$	---	Rated voltage	Insulation Resistance	100V: All X7R		50V: 0402 $>$ 0.01 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F	10G $\Omega$ or $RxC \geq 100 \Omega \cdot F$ whichever is smaller.	35V: 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F	25V: 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 10 $\mu$ F	16V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.22 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 47 $\mu$ F	10V: 0201 $\geq$ 47nF; 0402 $\geq$ 0.47 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 47 $\mu$ F	6.3V; 4V; Size $\geq$ 1812		100V: 1210 $\geq$ 3.3 $\mu$ F		Insulation Resistance	100V: 0402 $\geq$ 0.1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 10 $\mu$ F	$RxC \geq 50 \Omega \cdot F$	35V: 0603 $\geq$ 1 $\mu$ F;	25V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 2.2 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 22 $\mu$ F	16V: 0603 $\geq$ 10 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0201 $\geq$ 0.22 $\mu$ F	10V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 47 $\mu$ F	6.3V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 4.7 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 10 $\mu$ F	4V: 0603 $\geq$ 22 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 100 $\mu$ F
Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$																																																															
100V	$\leq 3\%$	1206 $\geq$ 0.47 $\mu$ F																																																															
100V	$\leq 5\%$	0603 $\geq$ 0.068 $\mu$ F; 0805 $>$ 0.1 $\mu$ F; 1206 $\geq$ 1 $\mu$ F; 1210 $\geq$ 2.2 $\mu$ F																																																															
100V	$\leq 10\%$	0805 $>$ 0.22 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F																																																															
50V	$\leq 3\%$	0201(50V); 0603 $\geq$ 0.047 $\mu$ F; 0805 $\geq$ 0.18 $\mu$ F; 1206 $\geq$ 0.47 $\mu$ F																																																															
50V	$\leq 5\%$	0201 $\geq$ 0.01 $\mu$ F; 1210 $\geq$ 3.3 $\mu$ F																																																															
50V	$\leq 10\%$	0402 $\geq$ 0.012 $\mu$ F; 0603 $>$ 0.1 $\mu$ F; 0805 $>$ 0.47 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																															
35V	$\leq 3.5\%$	$\leq 10\%$ 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F $\leq 5\%$ 0201 $\geq$ 0.01 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1210 $\geq$ 10 $\mu$ F $\leq 7\%$ 0603 $\geq$ 0.33 $\mu$ F																																																															
25V	$\leq 3.5\%$	$\leq 10\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.056 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F $\leq 12.5\%$ 0402 $\geq$ 0.33 $\mu$ F																																																															
16V	$\leq 3.5\%$	$\leq 5\%$ 0201 $\geq$ 0.01 $\mu$ F; 0402 $\geq$ 0.033 $\mu$ F; 0603 $\geq$ 0.15 $\mu$ F; 0805 $\geq$ 0.68 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F $\leq 10\%$ 0201 $\geq$ 0.022 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $>$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 22 $\mu$ F																																																															
10V	$\leq 5\%$	$\leq 10\%$ 0201 $\geq$ 0.012 $\mu$ F; 0402 $\geq$ 0.15 $\mu$ F; 0603 $\geq$ 0.33 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 22 $\mu$ F $\leq 15\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F																																																															
6.3V	$\leq 10\%$	$\leq 15\%$ 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 4.7 $\mu$ F; 1206 $\geq$ 47 $\mu$ F; 1210 $\geq$ 100 $\mu$ F $\leq 20\%$ 0402 $\geq$ 2.2 $\mu$ F																																																															
4V	$\leq 15\%$	---																																																															
Rated voltage	Insulation Resistance																																																																
100V: All X7R																																																																	
50V: 0402 $>$ 0.01 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 1 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 4.7 $\mu$ F	10G $\Omega$ or $RxC \geq 100 \Omega \cdot F$ whichever is smaller.																																																																
35V: 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 2.2 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																																	
25V: 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 10 $\mu$ F																																																																	
16V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 0.22 $\mu$ F; 0603 $\geq$ 1 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 10 $\mu$ F; 1210 $\geq$ 47 $\mu$ F																																																																	
10V: 0201 $\geq$ 47nF; 0402 $\geq$ 0.47 $\mu$ F; 0603 $\geq$ 0.47 $\mu$ F; 0805 $\geq$ 2.2 $\mu$ F; 1206 $\geq$ 4.7 $\mu$ F; 1210 $\geq$ 47 $\mu$ F																																																																	
6.3V; 4V; Size $\geq$ 1812																																																																	
100V: 1210 $\geq$ 3.3 $\mu$ F																																																																	
Insulation Resistance																																																																	
100V: 0402 $\geq$ 0.1 $\mu$ F; 0603 $\geq$ 2.2 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 10 $\mu$ F	$RxC \geq 50 \Omega \cdot F$																																																																
35V: 0603 $\geq$ 1 $\mu$ F;																																																																	
25V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 2.2 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 10 $\mu$ F; 1206 $\geq$ 22 $\mu$ F																																																																	
16V: 0603 $\geq$ 10 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0201 $\geq$ 0.22 $\mu$ F																																																																	
10V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 10 $\mu$ F; 0805 $\geq$ 47 $\mu$ F																																																																	
6.3V: 0201 $\geq$ 0.1 $\mu$ F; 0402 $\geq$ 1 $\mu$ F; 0603 $\geq$ 4.7 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 10 $\mu$ F																																																																	
4V: 0603 $\geq$ 22 $\mu$ F; 0805 $\geq$ 47 $\mu$ F; 1206 $\geq$ 100 $\mu$ F																																																																	

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																									
13.	Resistance to Soldering Heat  MIL-STD-202 Method 210	<ul style="list-style-type: none"> <li>* Solder temperature: <math>260 \pm 5^\circ\text{C}</math></li> <li>* Dipping time: <math>10 \pm 1</math> sec</li> <li>* Before initial measurement (X7R only): Perform <math>150+0/-10^\circ\text{C}</math> for 1 hr and then set for <math>24 \pm 2</math> hrs at room temp.</li> <li>* Measurement to be made after keeping at room temp. for <math>24 \pm 2</math> hrs.</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap change: X8G/NPO: within <math>\pm 2.5\%</math> or <math>0.25\mu\text{F}</math> whichever is larger X7R: within <math>\pm 7.5\%</math></li> <li>* Q/D.F. value: X8G/NPO: Cap <math>\geq 30\mu\text{F}</math>, Q <math>\geq 1000</math>; Cap <math>&lt; 30\mu\text{F}</math>, Q <math>\geq 400+20\%</math>.</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Rated vol.</th> <th style="text-align: left;">D.F. <math>\leq</math></th> <th style="text-align: left;">Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td rowspan="3">100V</td> <td rowspan="3"><math>\leq 2.5\%</math></td> <td><math>\leq 3\%</math>: <math>1206 \geq 0.47\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 5\%</math>: <math>0603 \geq 0.068\mu\text{F}</math>; <math>0805 &gt; 0.1\mu\text{F}</math>; <math>1206 \geq 1\mu\text{F}</math>; <math>1210 \geq 2.2\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 10\%</math>: <math>0805 &gt; 0.22\mu\text{F}</math>; <math>1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">50V</td> <td rowspan="3"><math>\leq 2.5\%</math></td> <td><math>\leq 3\%</math>: <math>0201(50V)</math>; <math>0603 \geq 0.047\mu\text{F}</math>; <math>0805 \geq 0.18\mu\text{F}</math>; <math>1206 \geq 0.47\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 5\%</math>: <math>0201 \geq 0.01\mu\text{F}</math>; <math>1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 10\%</math>: <math>0402 \geq 0.012\mu\text{F}</math>; <math>0603 &gt; 0.1\mu\text{F}</math>; <math>0805 &gt; 0.47\mu\text{F}</math>; <math>1206 \geq 2.2\mu\text{F}</math>; <math>1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td rowspan="5">35V</td> <td rowspan="5"><math>\leq 3.5\%</math></td> <td><math>\leq 10\%</math>: <math>0603 \geq 1\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 2.2\mu\text{F}</math>; <math>1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 5\%</math>: <math>0201 \geq 0.01\mu\text{F}</math>; <math>0805 \geq 1\mu\text{F}</math>; <math>1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 7\%</math>: <math>0603 \geq 0.33\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 10\%</math>: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 0.056\mu\text{F}</math>; <math>0603 \geq 0.47\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 4.7\mu\text{F}</math>; <math>1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 12.5\%</math>: <math>0402 \geq 0.33\mu\text{F}</math></td> </tr> <tr> <td rowspan="3">16V</td> <td rowspan="3"><math>\leq 3.5\%</math></td> <td><math>\leq 5\%</math>: <math>0201 \geq 0.01\mu\text{F}</math>; <math>0402 \geq 0.033\mu\text{F}</math>; <math>0603 \geq 0.15\mu\text{F}</math>; <math>0805 \geq 0.68\mu\text{F}</math>; <math>1206 \geq 2.2\mu\text{F}</math>; <math>1210 \geq 4.7\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 10\%</math>: <math>0201 \geq 0.022\mu\text{F}</math>; <math>0402 \geq 0.15\mu\text{F}</math>; <math>0603 &gt; 0.47\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 4.7\mu\text{F}</math>; <math>1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 15\%</math>: <math>0201 \geq 0.012\mu\text{F}</math>; <math>0402 \geq 0.15\mu\text{F}</math>; <math>0603 \geq 0.33\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 2.2\mu\text{F}</math>; <math>1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td rowspan="2">10V</td> <td rowspan="2"><math>\leq 5\%</math></td> <td><math>\leq 10\%</math>: <math>0201 \geq 0.022\mu\text{F}</math>; <math>0402 \geq 0.15\mu\text{F}</math>; <math>0603 &gt; 0.47\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 4.7\mu\text{F}</math>; <math>1210 \geq 22\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 15\%</math>: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 1\mu\text{F}</math></td> </tr> <tr> <td rowspan="2">6.3V</td> <td rowspan="2"><math>\leq 10\%</math></td> <td><math>\leq 15\%</math>: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 1\mu\text{F}</math>; <math>0603 &gt; 0.47\mu\text{F}</math>; <math>0805 \geq 4.7\mu\text{F}</math>; <math>1206 \geq 47\mu\text{F}</math>; <math>1210 \geq 100\mu\text{F}</math></td> </tr> <tr> <td><math>\leq 20\%</math>: <math>0402 \geq 2.2\mu\text{F}</math></td> </tr> <tr> <td>4V</td> <td><math>\leq 15\%</math></td> <td>---</td> </tr> </tbody> </table> <p>* I.R.: <math>\geq 10\text{G}\Omega</math> or <math>RxC \geq 500\Omega\cdot\text{F}</math> whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Rated voltage</th> <th style="text-align: left;">Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R</td> <td rowspan="6" style="vertical-align: middle; text-align: center;"> 10GΩ or RxC <math>\geq 100\Omega\cdot\text{F}</math> whichever is smaller.</td> </tr> <tr> <td>50V: <math>0402 &gt; 0.01\mu\text{F}</math>; <math>0603 \geq 1\mu\text{F}</math>; <math>0805 \geq 1\mu\text{F}</math>; <math>1206 \geq 4.7\mu\text{F}</math>; <math>1210 \geq 4.7\mu\text{F}</math></td> </tr> <tr> <td>35V: <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 2.2\mu\text{F}</math>; <math>1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>25V: <math>0402 \geq 1\mu\text{F}</math>; <math>0603 \geq 2.2\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 10\mu\text{F}</math>; <math>1210 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>16V: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 0.22\mu\text{F}</math>; <math>0603 \geq 1\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 10\mu\text{F}</math>; <math>1210 \geq 47\mu\text{F}</math></td> </tr> <tr> <td>10V: <math>0201 \geq 4.7\mu\text{F}</math>; <math>0402 \geq 0.47\mu\text{F}</math>; <math>0603 \geq 0.47\mu\text{F}</math>; <math>0805 \geq 2.2\mu\text{F}</math>; <math>1206 \geq 4.7\mu\text{F}</math>; <math>1210 \geq 47\mu\text{F}</math></td> </tr> <tr> <td>6.3V; 4V; Size <math>\geq 1812</math></td> <td rowspan="8" style="vertical-align: middle; text-align: center;">Rx <math>C \geq 50\Omega\cdot\text{F}</math>.</td> </tr> <tr> <th style="text-align: left;">Rated voltage</th> <th style="text-align: left;">Insulation Resistance</th> </tr> <tr> <td>100V: <math>1210 \geq 3.3\mu\text{F}</math></td> </tr> <tr> <td>50V: <math>0402 \geq 0.1\mu\text{F}</math>; <math>0603 \geq 2.2\mu\text{F}</math>; <math>0805 \geq 10\mu\text{F}</math>; <math>1206 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>35V: <math>0603 \geq 1\mu\text{F}</math></td> </tr> <tr> <td>25V: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 2.2\mu\text{F}</math>; <math>0603 \geq 10\mu\text{F}</math>; <math>0805 \geq 10\mu\text{F}</math>; <math>1206 \geq 22\mu\text{F}</math></td> </tr> <tr> <td>16V: <math>0603 \geq 10\mu\text{F}</math>; <math>0402 \geq 1\mu\text{F}</math>; <math>0201 \geq 0.22\mu\text{F}</math></td> </tr> <tr> <td>10V: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 1\mu\text{F}</math>; <math>0603 \geq 10\mu\text{F}</math>; <math>0805 \geq 47\mu\text{F}</math></td> </tr> <tr> <td>6.3V: <math>0201 \geq 0.1\mu\text{F}</math>; <math>0402 \geq 1\mu\text{F}</math>; <math>0603 \geq 4.7\mu\text{F}</math>; <math>0805 \geq 47\mu\text{F}</math>; <math>1206 \geq 10\mu\text{F}</math></td> </tr> <tr> <td>4V: <math>0603 \geq 22\mu\text{F}</math>; <math>0805 \geq 47\mu\text{F}</math>; <math>1206 \geq 100\mu\text{F}</math></td> </tr> </tbody> </table>	Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$	100V	$\leq 2.5\%$	$\leq 3\%$ : $1206 \geq 0.47\mu\text{F}$	$\leq 5\%$ : $0603 \geq 0.068\mu\text{F}$ ; $0805 > 0.1\mu\text{F}$ ; $1206 \geq 1\mu\text{F}$ ; $1210 \geq 2.2\mu\text{F}$	$\leq 10\%$ : $0805 > 0.22\mu\text{F}$ ; $1210 \geq 3.3\mu\text{F}$	50V	$\leq 2.5\%$	$\leq 3\%$ : $0201(50V)$ ; $0603 \geq 0.047\mu\text{F}$ ; $0805 \geq 0.18\mu\text{F}$ ; $1206 \geq 0.47\mu\text{F}$	$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $1210 \geq 3.3\mu\text{F}$	$\leq 10\%$ : $0402 \geq 0.012\mu\text{F}$ ; $0603 > 0.1\mu\text{F}$ ; $0805 > 0.47\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$	35V	$\leq 3.5\%$	$\leq 10\%$ : $0603 \geq 1\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$	$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $0805 \geq 1\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$	$\leq 7\%$ : $0603 \geq 0.33\mu\text{F}$	$\leq 10\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 0.056\mu\text{F}$ ; $0603 \geq 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$	$\leq 12.5\%$ : $0402 \geq 0.33\mu\text{F}$	16V	$\leq 3.5\%$	$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $0402 \geq 0.033\mu\text{F}$ ; $0603 \geq 0.15\mu\text{F}$ ; $0805 \geq 0.68\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 4.7\mu\text{F}$	$\leq 10\%$ : $0201 \geq 0.022\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$	$\leq 15\%$ : $0201 \geq 0.012\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 \geq 0.33\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$	10V	$\leq 5\%$	$\leq 10\%$ : $0201 \geq 0.022\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$	$\leq 15\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$	6.3V	$\leq 10\%$	$\leq 15\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 4.7\mu\text{F}$ ; $1206 \geq 47\mu\text{F}$ ; $1210 \geq 100\mu\text{F}$	$\leq 20\%$ : $0402 \geq 2.2\mu\text{F}$	4V	$\leq 15\%$	---	Rated voltage	Insulation Resistance	100V: All X7R	 10GΩ or RxC $\geq 100\Omega\cdot\text{F}$ whichever is smaller.	50V: $0402 > 0.01\mu\text{F}$ ; $0603 \geq 1\mu\text{F}$ ; $0805 \geq 1\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 4.7\mu\text{F}$	35V: $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$	25V: $0402 \geq 1\mu\text{F}$ ; $0603 \geq 2.2\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$	16V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 0.22\mu\text{F}$ ; $0603 \geq 1\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$ ; $1210 \geq 47\mu\text{F}$	10V: $0201 \geq 4.7\mu\text{F}$ ; $0402 \geq 0.47\mu\text{F}$ ; $0603 \geq 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 47\mu\text{F}$	6.3V; 4V; Size $\geq 1812$	Rx $C \geq 50\Omega\cdot\text{F}$ .	Rated voltage	Insulation Resistance	100V: $1210 \geq 3.3\mu\text{F}$	50V: $0402 \geq 0.1\mu\text{F}$ ; $0603 \geq 2.2\mu\text{F}$ ; $0805 \geq 10\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$	35V: $0603 \geq 1\mu\text{F}$	25V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 2.2\mu\text{F}$ ; $0603 \geq 10\mu\text{F}$ ; $0805 \geq 10\mu\text{F}$ ; $1206 \geq 22\mu\text{F}$	16V: $0603 \geq 10\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0201 \geq 0.22\mu\text{F}$	10V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 \geq 10\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$	6.3V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 \geq 4.7\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$	4V: $0603 \geq 22\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$ ; $1206 \geq 100\mu\text{F}$
Rated vol.	D.F. $\leq$	Exception of D.F. $\leq$																																																										
100V	$\leq 2.5\%$	$\leq 3\%$ : $1206 \geq 0.47\mu\text{F}$																																																										
		$\leq 5\%$ : $0603 \geq 0.068\mu\text{F}$ ; $0805 > 0.1\mu\text{F}$ ; $1206 \geq 1\mu\text{F}$ ; $1210 \geq 2.2\mu\text{F}$																																																										
		$\leq 10\%$ : $0805 > 0.22\mu\text{F}$ ; $1210 \geq 3.3\mu\text{F}$																																																										
50V	$\leq 2.5\%$	$\leq 3\%$ : $0201(50V)$ ; $0603 \geq 0.047\mu\text{F}$ ; $0805 \geq 0.18\mu\text{F}$ ; $1206 \geq 0.47\mu\text{F}$																																																										
		$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $1210 \geq 3.3\mu\text{F}$																																																										
		$\leq 10\%$ : $0402 \geq 0.012\mu\text{F}$ ; $0603 > 0.1\mu\text{F}$ ; $0805 > 0.47\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$																																																										
35V	$\leq 3.5\%$	$\leq 10\%$ : $0603 \geq 1\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$																																																										
		$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $0805 \geq 1\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$																																																										
		$\leq 7\%$ : $0603 \geq 0.33\mu\text{F}$																																																										
		$\leq 10\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 0.056\mu\text{F}$ ; $0603 \geq 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$																																																										
		$\leq 12.5\%$ : $0402 \geq 0.33\mu\text{F}$																																																										
16V	$\leq 3.5\%$	$\leq 5\%$ : $0201 \geq 0.01\mu\text{F}$ ; $0402 \geq 0.033\mu\text{F}$ ; $0603 \geq 0.15\mu\text{F}$ ; $0805 \geq 0.68\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 4.7\mu\text{F}$																																																										
		$\leq 10\%$ : $0201 \geq 0.022\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$																																																										
		$\leq 15\%$ : $0201 \geq 0.012\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 \geq 0.33\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$																																																										
10V	$\leq 5\%$	$\leq 10\%$ : $0201 \geq 0.022\mu\text{F}$ ; $0402 \geq 0.15\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 22\mu\text{F}$																																																										
		$\leq 15\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$																																																										
6.3V	$\leq 10\%$	$\leq 15\%$ : $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 > 0.47\mu\text{F}$ ; $0805 \geq 4.7\mu\text{F}$ ; $1206 \geq 47\mu\text{F}$ ; $1210 \geq 100\mu\text{F}$																																																										
		$\leq 20\%$ : $0402 \geq 2.2\mu\text{F}$																																																										
4V	$\leq 15\%$	---																																																										
Rated voltage	Insulation Resistance																																																											
100V: All X7R	 10GΩ or RxC $\geq 100\Omega\cdot\text{F}$ whichever is smaller.																																																											
50V: $0402 > 0.01\mu\text{F}$ ; $0603 \geq 1\mu\text{F}$ ; $0805 \geq 1\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 4.7\mu\text{F}$																																																												
35V: $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 2.2\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$																																																												
25V: $0402 \geq 1\mu\text{F}$ ; $0603 \geq 2.2\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$ ; $1210 \geq 10\mu\text{F}$																																																												
16V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 0.22\mu\text{F}$ ; $0603 \geq 1\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$ ; $1210 \geq 47\mu\text{F}$																																																												
10V: $0201 \geq 4.7\mu\text{F}$ ; $0402 \geq 0.47\mu\text{F}$ ; $0603 \geq 0.47\mu\text{F}$ ; $0805 \geq 2.2\mu\text{F}$ ; $1206 \geq 4.7\mu\text{F}$ ; $1210 \geq 47\mu\text{F}$																																																												
6.3V; 4V; Size $\geq 1812$	Rx $C \geq 50\Omega\cdot\text{F}$ .																																																											
Rated voltage		Insulation Resistance																																																										
100V: $1210 \geq 3.3\mu\text{F}$																																																												
50V: $0402 \geq 0.1\mu\text{F}$ ; $0603 \geq 2.2\mu\text{F}$ ; $0805 \geq 10\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$																																																												
35V: $0603 \geq 1\mu\text{F}$																																																												
25V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 2.2\mu\text{F}$ ; $0603 \geq 10\mu\text{F}$ ; $0805 \geq 10\mu\text{F}$ ; $1206 \geq 22\mu\text{F}$																																																												
16V: $0603 \geq 10\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0201 \geq 0.22\mu\text{F}$																																																												
10V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 \geq 10\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$																																																												
6.3V: $0201 \geq 0.1\mu\text{F}$ ; $0402 \geq 1\mu\text{F}$ ; $0603 \geq 4.7\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$ ; $1206 \geq 10\mu\text{F}$																																																												
4V: $0603 \geq 22\mu\text{F}$ ; $0805 \geq 47\mu\text{F}$ ; $1206 \geq 100\mu\text{F}$																																																												

\* "Room condition" Temperature: 15 to  $35^\circ\text{C}$ , Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition			Requirements																																																														
14	Thermal Shock MIL-STD-202 Method 107	<ul style="list-style-type: none"> <li>* Conduct 300 cycles according to the temperatures and time.</li> </ul> <table border="1" style="margin-top: 5px; border-collapse: collapse; width: 100%;"> <thead> <tr> <th>Step</th><th>Temp. (°C)</th><th>Time (min.)</th></tr> </thead> <tbody> <tr> <td>1</td><td>Min. operating temp. +0/-3</td><td>15±3</td></tr> <tr> <td>2</td><td>Max. operating temp. +3/-0</td><td>15±3</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>* Max. transfer time: 20 sec.</li> <li>* Before initial measurement (X7R only): Perform 150+0/-10°C for 1 hr and then set for 24±2 hrs at room temp.</li> <li>* Measurement to be made after keeping at room temp. for 24±2 hrs.</li> </ul>			Step	Temp. (°C)	Time (min.)	1	Min. operating temp. +0/-3	15±3	2	Max. operating temp. +3/-0	15±3	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap change : X8G/NPO: within ±2.5% or 0.25pF whichever is larger X7R: within ±10.0%</li> <li>* Q/D.F. value: X8G/NPO: Cap≥30pF, Q≥1000 ; Cap&lt;30pF, Q≥400+20C.</li> </ul> <p>X7R:</p> <table border="1" style="margin-top: 5px; border-collapse: collapse; width: 100%;"> <thead> <tr> <th>Rated vol.</th><th>D.F.≤</th><th>Exception of D.F.≤</th></tr> </thead> <tbody> <tr> <td rowspan="3">100V</td><td rowspan="3">≤ 3%</td><td>≤ 6% 1206≥0.47μF</td></tr> <tr><td>≤ 7.5% 0603≥0.068μF; 0805&gt;0.1μF; 1206≥1μF; 1210≥2.2μF</td></tr> <tr><td>≤ 20% 0805&gt;0.22μF; 1210≥3.3μF</td></tr> <tr> <td rowspan="5">50V</td><td rowspan="5">≤ 3%</td><td>≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF</td></tr> <tr><td>≤ 10% 0201≥0.01μF; 1210≥3.3μF</td></tr> <tr><td>≤ 20% 0402≥0.012μF; 0603&gt;0.1μF; 0805/X7R&gt;0.47μF; 1206≥2.2μF; 1210≥10μF</td></tr> <tr><td>35V</td><td>≤ 5%</td><td>≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF</td></tr> <tr><td></td><td></td><td>≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF</td></tr> <tr> <td rowspan="5">25V</td><td rowspan="5">≤ 5%</td><td>≤ 14% 0603≥0.33μF</td></tr> <tr><td>≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF</td></tr> <tr><td>≤ 20% 0402≥0.33μF</td></tr> <tr><td>16V</td><td>≤ 5%</td><td>≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF</td></tr> <tr><td></td><td></td><td>≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603&gt;0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF</td></tr> <tr> <td rowspan="3">10V</td><td rowspan="3">≤ 7.5%</td><td>≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF</td></tr> <tr><td>≤ 20%</td><td>≤ 20%</td><td>0201≥0.1μF; 0402≥1μF</td></tr> <tr><td>6.3V</td><td>≤ 15%</td><td>≤ 30% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF</td></tr> <tr> <td>4V</td><td>≤ 20%</td><td>--</td></tr> </tbody> </table> <p>* I.R.: <math>\geq 10\text{G}\Omega</math> or <math>\text{RC} \geq 500\Omega\cdot\text{F}</math> whichever is smaller.</p> <p>Class II (X7R)</p> <table border="1" style="margin-top: 5px; border-collapse: collapse; width: 100%;"> <thead> <tr> <th>Rated voltage</th><th>Insulation Resistance</th></tr> </thead> <tbody> <tr> <td>100V: All X7R; 1210≥3.3μF</td><td rowspan="6">1GΩ or <math>\text{RC} \geq 10\Omega\cdot\text{F}</math> whichever is smaller.</td></tr> <tr> <td>50V: 0402&gt;0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF</td></tr> <tr> <td>35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF</td></tr> <tr> <td>25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF</td></tr> <tr> <td>16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF</td></tr> <tr> <td>10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF</td></tr> <tr> <td>6.3V; 4V; Size≥1812</td><td></td></tr> </tbody> </table>	Rated vol.	D.F.≤	Exception of D.F.≤	100V	≤ 3%	≤ 6% 1206≥0.47μF	≤ 7.5% 0603≥0.068μF; 0805>0.1μF; 1206≥1μF; 1210≥2.2μF	≤ 20% 0805>0.22μF; 1210≥3.3μF	50V	≤ 3%	≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF	≤ 10% 0201≥0.01μF; 1210≥3.3μF	≤ 20% 0402≥0.012μF; 0603>0.1μF; 0805/X7R>0.47μF; 1206≥2.2μF; 1210≥10μF	35V	≤ 5%	≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF			≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF	25V	≤ 5%	≤ 14% 0603≥0.33μF	≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF	≤ 20% 0402≥0.33μF	16V	≤ 5%	≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF			≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603>0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF	10V	≤ 7.5%	≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF	≤ 20%	≤ 20%	0201≥0.1μF; 0402≥1μF	6.3V	≤ 15%	≤ 30% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF	4V	≤ 20%	--	Rated voltage	Insulation Resistance	100V: All X7R; 1210≥3.3μF	1GΩ or $\text{RC} \geq 10\Omega\cdot\text{F}$ whichever is smaller.	50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF	35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF	25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF	16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF	10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF	6.3V; 4V; Size≥1812	
Step	Temp. (°C)	Time (min.)																																																																	
1	Min. operating temp. +0/-3	15±3																																																																	
2	Max. operating temp. +3/-0	15±3																																																																	
Rated vol.	D.F.≤	Exception of D.F.≤																																																																	
100V	≤ 3%	≤ 6% 1206≥0.47μF																																																																	
		≤ 7.5% 0603≥0.068μF; 0805>0.1μF; 1206≥1μF; 1210≥2.2μF																																																																	
		≤ 20% 0805>0.22μF; 1210≥3.3μF																																																																	
50V	≤ 3%	≤ 6% 0201(50V); 0603≥0.047μF; 0805≥0.18μF; 1206≥0.47μF																																																																	
		≤ 10% 0201≥0.01μF; 1210≥3.3μF																																																																	
		≤ 20% 0402≥0.012μF; 0603>0.1μF; 0805/X7R>0.47μF; 1206≥2.2μF; 1210≥10μF																																																																	
		35V	≤ 5%	≤ 20% 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF																																																															
				≤ 10% 0201≥0.01μF; 0805≥1μF; 1210≥10μF																																																															
25V	≤ 5%	≤ 14% 0603≥0.33μF																																																																	
		≤ 15% 0201≥0.1μF; 0402≥0.056μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF																																																																	
		≤ 20% 0402≥0.33μF																																																																	
		16V	≤ 5%	≤ 10% 0603≥0.15μF; 0805≥0.68μF; 1206≥2.2μF; 1210≥4.7μF																																																															
				≤ 15% 0201≥0.022μF; 0402≥0.033μF; 0603>0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥22μF																																																															
10V	≤ 7.5%	≤ 15% 0201≥0.012μF; 0402≥0.15μF; 0603≥0.33μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥22μF																																																																	
		≤ 20%	≤ 20%	0201≥0.1μF; 0402≥1μF																																																															
		6.3V	≤ 15%	≤ 30% 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥4.7μF; 1206≥47μF; 1210≥100μF																																																															
4V	≤ 20%	--																																																																	
Rated voltage	Insulation Resistance																																																																		
100V: All X7R; 1210≥3.3μF	1GΩ or $\text{RC} \geq 10\Omega\cdot\text{F}$ whichever is smaller.																																																																		
50V: 0402>0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF																																																																			
35V: 0603≥1μF; 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF																																																																			
25V: 0201≥0.1μF; 0402≥0.22μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF																																																																			
16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥10μF; 1210≥47μF																																																																			
10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF																																																																			
6.3V; 4V; Size≥1812																																																																			

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																													
15.	ESD AEC-Q200-002	Per AEC-Q200-002	* No remarkable damage. * Cap.: within the specified tolerance. * Q/D.F. value: X8G/NPO: Cap $\geq$ 30pF, Q $\geq$ 1000 ; Cap<30pF, Q $\geq$ 400+20C. X7R: <table border="1"> <thead> <tr> <th>Rated Vol.</th> <th>D.F. <math>\leq</math></th> <th>Exception of D.F. <math>\leq</math></th> </tr> </thead> <tbody> <tr> <td>100V</td> <td><math>\leq 2.5\%</math></td> <td><math>\leq 3\% 1206 \geq 0.47\mu F</math> <math>\leq 5\% 0603 \geq 0.068\mu F; 0805 &gt; 0.1\mu F; 1206 \geq 1\mu F; 1210 \geq 2.2\mu F</math> <math>\leq 10\% 0805 &gt; 0.22\mu F; 1210 \geq 3.3\mu F</math></td> </tr> <tr> <td>50V</td> <td><math>\leq 2.5\%</math></td> <td><math>\leq 3\% 0201(50V); 0603 \geq 0.047\mu F; 0805 \geq 0.18\mu F; 1206 \geq 0.47\mu F</math> <math>\leq 5\% 0201 \geq 0.01\mu F; 1210 \geq 3.3\mu F</math> <math>\leq 10\% 0402 \geq 0.012\mu F; 0603 &gt; 0.1\mu F; 0805 &gt; 0.47\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F</math></td> </tr> <tr> <td>35V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 10\% 0603 \geq 1\mu F; 0805 &gt; 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F</math> <math>\leq 5\% 0201 \geq 0.01\mu F; 0805 \geq 1\mu F; 1210 \geq 10\mu F</math> <math>\leq 7\% 0603 \geq 0.33\mu F</math> <math>\leq 10\% 0201 \geq 0.1\mu F; 0402 \geq 0.056\mu F; 0603 \geq 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F</math> <math>\leq 12.5\% 0402 \geq 0.33\mu F</math></td> </tr> <tr> <td>25V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 5\% 0201 \geq 0.01\mu F; 0402 \geq 0.033\mu F; 0603 \geq 0.15\mu F; 0805 \geq 0.68\mu F; 1206 \geq 2.2\mu F; 1210 \geq 4.7\mu F</math> <math>\leq 10\% 0201 \geq 0.022\mu F; 0402 \geq 0.15\mu F; 0603 &gt; 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F</math></td> </tr> <tr> <td>16V</td> <td><math>\leq 3.5\%</math></td> <td><math>\leq 10\% 0201 \geq 0.012\mu F; 0402 \geq 0.15\mu F; 0603 \geq 0.33\mu F; 0805 \geq 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 22\mu F</math> <math>\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F</math></td> </tr> <tr> <td>10V</td> <td><math>\leq 5\%</math></td> <td><math>\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F; 0603 \geq 10\mu F; 0805 \geq 4.7\mu F; 1206 \geq 47\mu F; 1210 \geq 100\mu F</math> <math>\leq 20\% 0402 \geq 2.2\mu F</math></td> </tr> <tr> <td>6.3V</td> <td><math>\leq 10\%</math></td> <td></td> </tr> <tr> <td>4V</td> <td><math>\leq 15\%</math></td> <td></td> </tr> </tbody> </table>			Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$	100V	$\leq 2.5\%$	$\leq 3\% 1206 \geq 0.47\mu F$ $\leq 5\% 0603 \geq 0.068\mu F; 0805 > 0.1\mu F; 1206 \geq 1\mu F; 1210 \geq 2.2\mu F$ $\leq 10\% 0805 > 0.22\mu F; 1210 \geq 3.3\mu F$	50V	$\leq 2.5\%$	$\leq 3\% 0201(50V); 0603 \geq 0.047\mu F; 0805 \geq 0.18\mu F; 1206 \geq 0.47\mu F$ $\leq 5\% 0201 \geq 0.01\mu F; 1210 \geq 3.3\mu F$ $\leq 10\% 0402 \geq 0.012\mu F; 0603 > 0.1\mu F; 0805 > 0.47\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F$	35V	$\leq 3.5\%$	$\leq 10\% 0603 \geq 1\mu F; 0805 > 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F$ $\leq 5\% 0201 \geq 0.01\mu F; 0805 \geq 1\mu F; 1210 \geq 10\mu F$ $\leq 7\% 0603 \geq 0.33\mu F$ $\leq 10\% 0201 \geq 0.1\mu F; 0402 \geq 0.056\mu F; 0603 \geq 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F$ $\leq 12.5\% 0402 \geq 0.33\mu F$	25V	$\leq 3.5\%$	$\leq 5\% 0201 \geq 0.01\mu F; 0402 \geq 0.033\mu F; 0603 \geq 0.15\mu F; 0805 \geq 0.68\mu F; 1206 \geq 2.2\mu F; 1210 \geq 4.7\mu F$ $\leq 10\% 0201 \geq 0.022\mu F; 0402 \geq 0.15\mu F; 0603 > 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F$	16V	$\leq 3.5\%$	$\leq 10\% 0201 \geq 0.012\mu F; 0402 \geq 0.15\mu F; 0603 \geq 0.33\mu F; 0805 \geq 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 22\mu F$ $\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F$	10V	$\leq 5\%$	$\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F; 0603 \geq 10\mu F; 0805 \geq 4.7\mu F; 1206 \geq 47\mu F; 1210 \geq 100\mu F$ $\leq 20\% 0402 \geq 2.2\mu F$	6.3V	$\leq 10\%$		4V	$\leq 15\%$	
Rated Vol.	D.F. $\leq$	Exception of D.F. $\leq$																														
100V	$\leq 2.5\%$	$\leq 3\% 1206 \geq 0.47\mu F$ $\leq 5\% 0603 \geq 0.068\mu F; 0805 > 0.1\mu F; 1206 \geq 1\mu F; 1210 \geq 2.2\mu F$ $\leq 10\% 0805 > 0.22\mu F; 1210 \geq 3.3\mu F$																														
50V	$\leq 2.5\%$	$\leq 3\% 0201(50V); 0603 \geq 0.047\mu F; 0805 \geq 0.18\mu F; 1206 \geq 0.47\mu F$ $\leq 5\% 0201 \geq 0.01\mu F; 1210 \geq 3.3\mu F$ $\leq 10\% 0402 \geq 0.012\mu F; 0603 > 0.1\mu F; 0805 > 0.47\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F$																														
35V	$\leq 3.5\%$	$\leq 10\% 0603 \geq 1\mu F; 0805 > 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 10\mu F$ $\leq 5\% 0201 \geq 0.01\mu F; 0805 \geq 1\mu F; 1210 \geq 10\mu F$ $\leq 7\% 0603 \geq 0.33\mu F$ $\leq 10\% 0201 \geq 0.1\mu F; 0402 \geq 0.056\mu F; 0603 \geq 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F$ $\leq 12.5\% 0402 \geq 0.33\mu F$																														
25V	$\leq 3.5\%$	$\leq 5\% 0201 \geq 0.01\mu F; 0402 \geq 0.033\mu F; 0603 \geq 0.15\mu F; 0805 \geq 0.68\mu F; 1206 \geq 2.2\mu F; 1210 \geq 4.7\mu F$ $\leq 10\% 0201 \geq 0.022\mu F; 0402 \geq 0.15\mu F; 0603 > 0.47\mu F; 0805 \geq 2.2\mu F; 1206 \geq 4.7\mu F; 1210 \geq 22\mu F$																														
16V	$\leq 3.5\%$	$\leq 10\% 0201 \geq 0.012\mu F; 0402 \geq 0.15\mu F; 0603 \geq 0.33\mu F; 0805 \geq 2.2\mu F; 1206 \geq 2.2\mu F; 1210 \geq 22\mu F$ $\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F$																														
10V	$\leq 5\%$	$\leq 15\% 0201 \geq 0.1\mu F; 0402 \geq 1\mu F; 0603 \geq 10\mu F; 0805 \geq 4.7\mu F; 1206 \geq 47\mu F; 1210 \geq 100\mu F$ $\leq 20\% 0402 \geq 2.2\mu F$																														
6.3V	$\leq 10\%$																															
4V	$\leq 15\%$																															
16.	Solderability J-STD-002 JESD22-B102E	* Condition A Un-mounted chips 4hrs / 155°C dry then completely immersed for 5±0.5 sec in solder bath at 235±5°C. * Condition B Un-mounted chips steam 8 hrs then completely immersed for 10±1sec in solder bath at 215+5/-0°C. * Condition C Un-mounted chips steam 8 hrs then completely immersed for 10±1 sec. in solder bath at 260+0/-5°C.	All terminations shall exhibit a continuous solder coating free from defects from a minimum of 95% of the critical surface area of any individual termination.																													

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors

No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																																																		
17.	Electrical Characterization	<ul style="list-style-type: none"> <li>* Capacitance</li> <li>* Q/ D.F. (Dissipation Factor)</li> <li>*Test temp.: Room Temperature.</li> <li>Class I: (X8G/NPO)</li> <li>Cap≤1000pF 1.0±0.2Vrms, 1MHz±10%</li> <li>Cap&gt;1000pF 1.0±0.2Vrms, 1KHz±10%</li> <li>Class II: (X7R)</li> <li>Cap ≤10μF, 1.0±0.2Vrms · 1KHz±10%</li> <li>Cap &gt;10μF, 0.5±0.2Vrms · 120Hz±20%</li> </ul>	<ul style="list-style-type: none"> <li>* Capacitance within the specified tolerance.</li> <li>* Q/D.F. value:</li> </ul> <p>X8G/NPO: Cap≥30pF, Q≥1000 ; Cap&lt;30pF, Q≥400+20C.</p> <p>X7R:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated vol.</th> <th>D.F. ≤</th> <th colspan="2">Exception of D.F. ≤</th> </tr> </thead> <tbody> <tr> <td rowspan="3">≥100V</td> <td rowspan="3">≤2.5%</td> <td>≤3%</td> <td>1206 ≥ 0.47μF</td> </tr> <tr> <td>≤5%</td> <td>0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td> </tr> <tr> <td>≤10%</td> <td>0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td rowspan="3">50V</td> <td rowspan="3">≤2.5%</td> <td>≤3%</td> <td>0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td>≤10%</td> <td>0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805 &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td rowspan="3">35V</td> <td rowspan="3">≤3.5%</td> <td>≤10%</td> <td>0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td> </tr> <tr> <td>≤7%</td> <td>0603 ≥ 0.33μF</td> </tr> <tr> <td rowspan="3">25V</td> <td rowspan="3">≤3.5%</td> <td>≤10%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤12.5%</td> <td>0402 ≥ 0.33μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td> </tr> <tr> <td rowspan="3">16V</td> <td rowspan="3">≤3.5%</td> <td>≤10%</td> <td>0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤15%</td> <td>0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td> </tr> <tr> <td>≤5%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td> </tr> <tr> <td rowspan="3">10V</td> <td rowspan="3">≤5%</td> <td>≤10%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td> </tr> <tr> <td>≤15%</td> <td>0201 ≥ 0.1μF; 0402 ≥ 1μF</td> </tr> <tr> <td>≤20%</td> <td>0402 ≥ 2.2μF</td> </tr> <tr> <td>4V</td> <td>≤15%</td> <td>---</td> <td>---</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>* Insulation Resistance</li> <li>* Test temp.: Room Temperature.</li> <li>* Test voltage: <ul style="list-style-type: none"> <li>≤100V: To apply rated voltage for max. 120 sec.</li> <li>≥200V: To apply rated voltage (Max.500V) for 60 sec.</li> </ul> </li> </ul>	Rated vol.	D.F. ≤	Exception of D.F. ≤		≥100V	≤2.5%	≤3%	1206 ≥ 0.47μF	≤5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF	≤10%	0805 > 0.22μF; 1210 ≥ 3.3μF	50V	≤2.5%	≤3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF	≤5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF	≤10%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	35V	≤3.5%	≤10%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	≤5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF	≤7%	0603 ≥ 0.33μF	25V	≤3.5%	≤10%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤12.5%	0402 ≥ 0.33μF	≤5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF	16V	≤3.5%	≤10%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	≤15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF	≤5%	0201 ≥ 0.1μF; 0402 ≥ 1μF	10V	≤5%	≤10%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF	≤15%	0201 ≥ 0.1μF; 0402 ≥ 1μF	≤20%	0402 ≥ 2.2μF	4V	≤15%	---	---	<ul style="list-style-type: none"> <li>* IR. ≥10GΩ or Rx<sub>C</sub>≥500Ω·F whichever is smaller.</li> </ul> <p>Class II (X7R)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: All X7R</td> <td rowspan="7" style="vertical-align: middle; text-align: center;">10GΩ or Rx<sub>C</sub>≥100 Ω·F whichever is smaller.</td> </tr> <tr> <td>50V: 0402≥0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF</td> </tr> <tr> <td>35V: 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF</td> </tr> <tr> <td>25V: 0402≥1μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF</td> </tr> <tr> <td>16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥47μF; 1210≥47μF</td> </tr> <tr> <td>10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF</td> </tr> <tr> <td>6.3V; 4V; Size≥1812</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rated voltage</th> <th>Insulation Resistance</th> </tr> </thead> <tbody> <tr> <td>100V: 1210≥3.3μF</td> <td rowspan="7" style="vertical-align: middle; text-align: center;">Rx<sub>C</sub>≥50 Ω·F.</td> </tr> <tr> <td>50V: 0402≥0.1μF; 0603≥2.2μF; 0805≥10μF; 1206≥10μF</td> </tr> <tr> <td>35V: 0603≥1μF;</td> </tr> <tr> <td>25V: 0201≥0.1μF; 0402≥2.2μF; 0603≥10μF; 0805≥10μF; 1206≥22μF</td> </tr> <tr> <td>16V: 0603≥10μF; 0402≥1μF; 0201≥0.22μF</td> </tr> <tr> <td>10V: 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥47μF</td> </tr> <tr> <td>6.3V: 0201≥0.1μF; 0402≥1μF; 0603≥4.7μF; 0805≥47μF; 1206≥10μF</td> </tr> <tr> <td>4V: 0603≥22μF; 0805≥47μF; 1206≥100μF</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>* Dielectric Strength</li> <li>To apply voltage: <ul style="list-style-type: none"> <li>≤100                      ≥2.5 times VDC</li> <li>200V~300V                ≥2 times VDC</li> <li>400V~450V                ≥1.2 times VDC</li> <li>500V~999V                ≥1.5 times VDC</li> <li>1000V~3000V             ≥1.2 times VDC</li> <li>, duration 1~5 sec,</li> <li>charge and discharge current less than 50mA.</li> </ul> </li> <li>* Temperature Coefficient (with no electrical load)</li> <li>Operation temperature: Min. operating temp. to Max. operating temp. at 25°C</li> </ul>	Rated voltage	Insulation Resistance	100V: All X7R	10GΩ or Rx <sub>C</sub> ≥100 Ω·F whichever is smaller.	50V: 0402≥0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF	35V: 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF	25V: 0402≥1μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF	16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥47μF; 1210≥47μF	10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF	6.3V; 4V; Size≥1812	Rated voltage	Insulation Resistance	100V: 1210≥3.3μF	Rx <sub>C</sub> ≥50 Ω·F.	50V: 0402≥0.1μF; 0603≥2.2μF; 0805≥10μF; 1206≥10μF	35V: 0603≥1μF;	25V: 0201≥0.1μF; 0402≥2.2μF; 0603≥10μF; 0805≥10μF; 1206≥22μF	16V: 0603≥10μF; 0402≥1μF; 0201≥0.22μF	10V: 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥47μF	6.3V: 0201≥0.1μF; 0402≥1μF; 0603≥4.7μF; 0805≥47μF; 1206≥10μF	4V: 0603≥22μF; 0805≥47μF; 1206≥100μF	<ul style="list-style-type: none"> <li>* Dielectric strength</li> <li>No evidence of damage or flash over during test.</li> </ul> <ul style="list-style-type: none"> <li>* Temperature Coefficient</li> </ul> <p>Capacitance Change: X8G/NPO: Within ±30ppm/°C</p> <p>X7R: Within ±15%</p>			
Rated vol.	D.F. ≤	Exception of D.F. ≤																																																																																			
≥100V	≤2.5%	≤3%	1206 ≥ 0.47μF																																																																																		
		≤5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF																																																																																		
		≤10%	0805 > 0.22μF; 1210 ≥ 3.3μF																																																																																		
50V	≤2.5%	≤3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF																																																																																		
		≤5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF																																																																																		
		≤10%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																																																		
35V	≤3.5%	≤10%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																																																		
		≤5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF																																																																																		
		≤7%	0603 ≥ 0.33μF																																																																																		
25V	≤3.5%	≤10%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																																																		
		≤12.5%	0402 ≥ 0.33μF																																																																																		
		≤5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF																																																																																		
16V	≤3.5%	≤10%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																																																		
		≤15%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF																																																																																		
		≤5%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																																																		
10V	≤5%	≤10%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF																																																																																		
		≤15%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																																																		
		≤20%	0402 ≥ 2.2μF																																																																																		
4V	≤15%	---	---																																																																																		
Rated voltage	Insulation Resistance																																																																																				
100V: All X7R	10GΩ or Rx <sub>C</sub> ≥100 Ω·F whichever is smaller.																																																																																				
50V: 0402≥0.01μF; 0603≥1μF; 0805≥1μF; 1206≥4.7μF; 1210≥4.7μF																																																																																					
35V: 0805≥2.2μF; 1206≥2.2μF; 1210≥10μF																																																																																					
25V: 0402≥1μF; 0603≥2.2μF; 0805≥2.2μF; 1206≥10μF; 1210≥10μF																																																																																					
16V: 0201≥0.1μF; 0402≥0.22μF; 0603≥1μF; 0805≥2.2μF; 1206≥47μF; 1210≥47μF																																																																																					
10V: 0201≥47nF; 0402≥0.47μF; 0603≥0.47μF; 0805≥2.2μF; 1206≥4.7μF; 1210≥47μF																																																																																					
6.3V; 4V; Size≥1812																																																																																					
Rated voltage	Insulation Resistance																																																																																				
100V: 1210≥3.3μF	Rx <sub>C</sub> ≥50 Ω·F.																																																																																				
50V: 0402≥0.1μF; 0603≥2.2μF; 0805≥10μF; 1206≥10μF																																																																																					
35V: 0603≥1μF;																																																																																					
25V: 0201≥0.1μF; 0402≥2.2μF; 0603≥10μF; 0805≥10μF; 1206≥22μF																																																																																					
16V: 0603≥10μF; 0402≥1μF; 0201≥0.22μF																																																																																					
10V: 0201≥0.1μF; 0402≥1μF; 0603≥10μF; 0805≥47μF																																																																																					
6.3V: 0201≥0.1μF; 0402≥1μF; 0603≥4.7μF; 0805≥47μF; 1206≥10μF																																																																																					
4V: 0603≥22μF; 0805≥47μF; 1206≥100μF																																																																																					

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.

Multilayer Ceramic Capacitors



No.	AEC-Q200 Test Item	AEC-Q200 Test Condition	Requirements																																																																												
18.	Board Flex AEC-Q200-005	<ul style="list-style-type: none"> <li>* The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm per second until the deflection becomes 3mm (2mm for X7R) and then the pressure shall be maintained for 60±1 sec.</li> <li>* Measurement to be made after keeping at room temp. for 24±2 hrs.</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage.</li> <li>* Cap change : X8G/NPO: within ±5% or 0.5pF whichever is larger X7R: within ±12.5%</li> </ul> <p>(This capacitance change means the change of capacitance under specified flexure of substrate from the capacitance measured before the test.)</p>																																																																												
19.	Terminal Strength AEC-Q200-006	<ul style="list-style-type: none"> <li>* Pressurizing force : 2N (0201 &amp; 0402), 10N(0603), 18N(≥0805).</li> <li>* Test time: 60±1 sec.</li> </ul>	<ul style="list-style-type: none"> <li>* No remarkable damage or removal of the terminations.</li> <li>* Capacitance within the specified tolerance.</li> <li>* Q/D.F. value: X8G/NPO: Cap≥30pF, Q≥1000 ; Cap&lt;30pF, Q≥400+20C. X7R:</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Rated vol.</th> <th style="text-align: center;">D.F. ≤</th> <th colspan="2" style="text-align: center;">Exception of D.F. ≤</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">≥100V</td> <td style="text-align: center;">≤ 2.5%</td> <td style="text-align: center;">≤ 3%</td> <td style="text-align: center;">1206 ≥ 0.47μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 5%</td> <td style="text-align: center;">0603 ≥ 0.068μF; 0805 &gt; 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0805 &gt; 0.22μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td style="text-align: center;">50V</td> <td style="text-align: center;">≤ 2.5%</td> <td style="text-align: center;">≤ 3%</td> <td style="text-align: center;">0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 5%</td> <td style="text-align: center;">0201 ≥ 0.01μF; 1210 ≥ 3.3μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0402 ≥ 0.012μF; 0603 &gt; 0.1μF; 0805 &gt; 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td style="text-align: center;">35V</td> <td style="text-align: center;">≤ 3.5%</td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 5%</td> <td style="text-align: center;">0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 7%</td> <td style="text-align: center;">0603 ≥ 0.33μF</td> </tr> <tr> <td style="text-align: center;">25V</td> <td style="text-align: center;">≤ 3.5%</td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 12.5%</td> <td style="text-align: center;">0402 ≥ 0.33μF</td> </tr> <tr> <td style="text-align: center;">16V</td> <td style="text-align: center;">≤ 3.5%</td> <td style="text-align: center;">≤ 5%</td> <td style="text-align: center;">0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 &gt; 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF</td> </tr> <tr> <td style="text-align: center;">10V</td> <td style="text-align: center;">≤ 5%</td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 15%</td> <td style="text-align: center;">0201 ≥ 0.1μF; 0402 ≥ 1μF</td> </tr> <tr> <td style="text-align: center;">6.3V</td> <td style="text-align: center;">≤ 10%</td> <td style="text-align: center;">≤ 15%</td> <td style="text-align: center;">0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">≤ 20%</td> <td style="text-align: center;">0402 ≥ 2.2μF</td> </tr> <tr> <td style="text-align: center;">4V</td> <td style="text-align: center;">≤ 15%</td> <td style="text-align: center;">---</td> <td style="text-align: center;">---</td> </tr> </tbody> </table>	Rated vol.	D.F. ≤	Exception of D.F. ≤		≥100V	≤ 2.5%	≤ 3%	1206 ≥ 0.47μF			≤ 5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF			≤ 10%	0805 > 0.22μF; 1210 ≥ 3.3μF	50V	≤ 2.5%	≤ 3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF			≤ 5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF			≤ 10%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF	35V	≤ 3.5%	≤ 10%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF			≤ 5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF			≤ 7%	0603 ≥ 0.33μF	25V	≤ 3.5%	≤ 10%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF			≤ 12.5%	0402 ≥ 0.33μF	16V	≤ 3.5%	≤ 5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF			≤ 10%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF	10V	≤ 5%	≤ 10%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF			≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF	6.3V	≤ 10%	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF			≤ 20%	0402 ≥ 2.2μF	4V	≤ 15%	---	---
Rated vol.	D.F. ≤	Exception of D.F. ≤																																																																													
≥100V	≤ 2.5%	≤ 3%	1206 ≥ 0.47μF																																																																												
		≤ 5%	0603 ≥ 0.068μF; 0805 > 0.1μF; 1206 ≥ 1μF; 1210 ≥ 2.2μF																																																																												
		≤ 10%	0805 > 0.22μF; 1210 ≥ 3.3μF																																																																												
50V	≤ 2.5%	≤ 3%	0201(50V); 0603 ≥ 0.047μF; 0805 ≥ 0.18μF; 1206 ≥ 0.47μF																																																																												
		≤ 5%	0201 ≥ 0.01μF; 1210 ≥ 3.3μF																																																																												
		≤ 10%	0402 ≥ 0.012μF; 0603 > 0.1μF; 0805 > 0.47μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																																												
35V	≤ 3.5%	≤ 10%	0603 ≥ 1μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 10μF																																																																												
		≤ 5%	0201 ≥ 0.01μF; 0805 ≥ 1μF; 1210 ≥ 10μF																																																																												
		≤ 7%	0603 ≥ 0.33μF																																																																												
25V	≤ 3.5%	≤ 10%	0201 ≥ 0.1μF; 0402 ≥ 0.056μF; 0603 ≥ 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																																												
		≤ 12.5%	0402 ≥ 0.33μF																																																																												
16V	≤ 3.5%	≤ 5%	0201 ≥ 0.01μF; 0402 ≥ 0.033μF; 0603 ≥ 0.15μF; 0805 ≥ 0.68μF; 1206 ≥ 2.2μF; 1210 ≥ 4.7μF																																																																												
		≤ 10%	0201 ≥ 0.022μF; 0402 ≥ 0.15μF; 0603 > 0.47μF; 0805 ≥ 2.2μF; 1206 ≥ 4.7μF; 1210 ≥ 22μF																																																																												
10V	≤ 5%	≤ 10%	0201 ≥ 0.012μF; 0402 ≥ 0.15μF; 0603 ≥ 0.33μF; 0805 ≥ 2.2μF; 1206 ≥ 2.2μF; 1210 ≥ 22μF																																																																												
		≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF																																																																												
6.3V	≤ 10%	≤ 15%	0201 ≥ 0.1μF; 0402 ≥ 1μF; 0603 ≥ 10μF; 0805 ≥ 4.7μF; 1206 ≥ 47μF; 1210 ≥ 100μF																																																																												
		≤ 20%	0402 ≥ 2.2μF																																																																												
4V	≤ 15%	---	---																																																																												
20	Beam Load Test AEC-Q200-003	<ul style="list-style-type: none"> <li>* Break strength test</li> <li>* Beam speed: 2.5±0.25 mm/sec</li> </ul>	<p>The chip endure following force</p> <ul style="list-style-type: none"> <li>* Chip length ≤2.5mm: Thickness &gt;0.5mm (20N), ≤0.5mm (8N)</li> <li>* Chip length ≥3.2mm: Thickness ≥1.25mm (54.5N), &lt;1.25mm (15N)</li> </ul>																																																																												

\* "Room condition" Temperature: 15 to 35°C, Relative humidity: 25 to 75%, Atmospheric pressure: 86 to 106kPa.


Multilayer Ceramic Capacitors

**APPENDIXES**

**□ Tape & reel dimensions**




Size	0201	0402	0603	0805			1206			1210		
Thickness	L	N,E	S,H,X	A,H	B,T	D,I	B,T	C,J,D	G,P	T	C,D,G,K	M
<b>A<sub>0</sub></b>	0.40 +/-0.10	0.70 +/-0.20	1.05 +/-0.30	1.50 +/-0.20	1.50 +/-0.20	< 1.80	1.90 +/-0.50	< 2.00	<2.30	< 3.05	< 3.05	< 3.20
<b>B<sub>0</sub></b>	0.70 +/-0.10	1.20 +/-0.20	1.80 +/-0.30	2.30 +/-0.20	2.30 +/-0.20	< 2.70	3.50 +/-0.50	< 3.70	< 4.00	< 3.80	< 3.80	< 4.00
<b>T</b>	$\leq 0.55$	$\leq 0.80$	$\leq 1.20$	$\leq 1.15$	$\leq 1.20$		$\leq 1.20$ +/-0.1	$0.23$ +/-0.1	$0.23$ +/-0.1	$0.23$ +/-0.1	$0.23$ +/-0.1	$0.23$ +/-0.1
<b>K<sub>0</sub></b>	-	-	-	-	-	< 2.50	-	< 2.50	< 2.50	< 1.50	< 2.50	< 3.20
<b>W</b>	8.00 +/-0.30	8.00 +/-0.30	8.00 +/-0.30	8.00 +/-0.30	8.00 +/-0.30	8.00 +/-0.30						
<b>P<sub>0</sub></b>	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10						
<b>10xP<sub>0</sub></b>	40.00 +/-0.10	40.00 +/-0.10	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20	40.00 +/-0.20
<b>P<sub>1</sub></b>	2.00 +/-0.05	2.00 +/-0.05	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10	4.00 +/-0.10
<b>P<sub>2</sub></b>	2.00 +/-0.05	2.00 +/-0.05	2.00 +/-0.05	2.00 +/-0.05	2.00 +/-0.05	2.00 +/-0.05						
<b>D<sub>0</sub></b>	1.50 +0.1/-0	1.50 +0.1/-0	1.50 +0.1/-0	1.50 +0.1/-0	1.50 +0.1/-0	1.50 +0.1/-0						
<b>D<sub>1</sub></b>	-	-	-	-	-	1.00 +/-0.10	-	1.00 +/-0.10	1.00 +/-0.10	1.00 +/-0.10	1.00 +/-0.10	1.00 +/-0.10
<b>E</b>	1.75 +/-0.10	1.75 +/-0.10	1.75 +/-0.10	1.75 +/-0.10	1.75 +/-0.10	1.75 +/-0.10						
<b>F</b>	3.50 +/-0.05	3.50 +/-0.05	3.50 +/-0.05	3.50 +/-0.05	3.50 +/-0.05	3.50 +/-0.05						




Size	0201, 0402, 0603, 0805, 1206, 1210		
Reel size	7"	10"	13"
<b>C</b>	13.0±0.5	13.0±0.5	13.0±0.5
<b>W<sub>1</sub></b>	10.0±1.5	10.0±1.5	10.0±1.5
<b>A</b>	178.0±2.0	250.0±2.0	330.0±2.0
<b>N</b>	60.0±1.0/-0	50 min	50 min

**□ Peeling force (EIA-481)**

Peel-off force should be in the range of 10 grams to 100 grams at a peel-off speed of 300±10 mm/min.



□ Example of customer label



\*Customized label is available upon request

- a. Customer name
- b. WTC order series and item number
- c. Customer P/O
- d. Customer P/N
- e. Description of product
- f. Quantity
- g. Bar code including quantity & WTC P/N or customer
- h. WTC P/N
- i. Shipping date
- j. Order bar code including series and item numbers
- k. Serial number of label

□ Constructions

No.	Name	X8G, NP0	X7R
①	Ceramic material	CaZrO <sub>3</sub> based	BaTiO <sub>3</sub> based
②	Inner electrode	Ni	
③	Inner layer	Cu	
	Middle layer	Ni	
	Outer layer	Sn (Matt)	




Fig. 5 The construction of MLCC

□ Storage and handling conditions

- (1) To store products at 5 to 40°C ambient temperature and 20 to 70%. related humidity conditions; MSL Level 1.
- (2) The product is recommended to be used within one year after shipment. Check solderability in case of shelf life extension is needed.

Cautions:

- a. The corrosive gas reacts on the terminal electrodes of capacitors, and results in the poor solderability. Do not store the capacitors in the ambience of corrosive gas (e.g., hydrogen sulfide, sulfur dioxide, chlorine, ammonia gas etc.)
- b. In corrosive atmosphere, solderability might be degraded, and silver migration might occur to cause low reliability.
- c. Due to the dewing by rapid humidity change, or the photochemical change of the terminal electrode by direct sunlight, the solderability and electrical performance may deteriorate. Do not store capacitors under direct sunlight or dewing condition. To store products on the shelf and avoid exposure to moisture.

Multilayer Ceramic Capacitors

Recommended soldering conditions

The lead-free termination MLCCs are not only to be used on SMT against lead-free solder paste, but also suitable against lead-containing solder paste. If the optimized solder joint is requested, increasing soldering time, temperature and concentration of N<sub>2</sub> within oven are recommended.




Fig. 6 Recommended reflow soldering profile for SMT process with SnAgCu series solder paste.




Fig. 7 Recommended wave soldering profile for SMT process with SnAgCu series solder.

