Preliminary

SPECIFICATIONS

Customer								
Product Name			W	/ire Wound SMD Power Inductor				
Sunlord Part N	lumber			WPN2	201610UF	Series	6	
Customer Part	Number							
⊠New Release (This SPEC is tota (ROHS Compliant	ıl 11 pages.)	_			S	SPEC N	lo.: <mark>WPN</mark>	104170
	Approve	d By	Che	cked By	Issued	I By		
Shenzhodress: Sunlord Indo 0086-755-29832660 or Customer approved	ustrial Park, Fax: 0	Dafuyu 086-755-	an Ind	ustrial Zone 29 E-Ma Date:	, Baoan, Sh il: sunlord@s	nenzhen	, China	5181

【Version change history】

Rev.	Effective Date	Changed Contents	Change Reasons	Approved By
01	1	New release	1	Qintian Hou

1 Scope

This specification applies to the WPN201610UF Series of wire wound SMD power inductor.

2 Product Description and Identification (Part Number)

1) Description:

WPN201610UF Series of Wire wound SMD power inductor.

2) Product Identification (Part Number)

<u>WPN</u>	<u>201610</u>	<u>UF</u>			I	
1	2	3	4	(5)	6	7

① Type					
\A/DNI	Wire wound SMD power				
WPN	inductor				

③ Feature type						
UF	Internal Code					

(5)	Ind	uctance Tolerance
	N	±30%
	M	±20%

@	© Packing						
	Т	Tape Carrier Package					

② External Dimensions(L×W×H) [mm]						
201	1610	2.0 X1.6X 1.0				

4	Nominal	Inductance				
Example		Example				
R47		0.47uH				
1R0		1.0uH				
100		10uH				


7	⑦ Special Process code					
□□□ Special Process code						
* Standard product is blank						


b

b

3 Shape and Dimensions

Dimensions and recommended PCB pattern for reflow soldering, please see Fig.3-1, Fig.3-2 and Table 3-1.





[Table 3-1] (Unit: mm)

Series	А	В	С	D	E	F	а	b	С
WPN201610UF	2.0±0.2	1.6±0.2	1.0 Max.	1.6±0.2	0.60±0.2	0.80±0.2	0.70Тур.	0.70Тур.	1.70Typ.

4 Electrical Characteristics

Please refer to Item 6.

- 1) Operating and storage temperature range (individual chip without packing): -40 °C ~ +125 °C (Including Self-heating)

5 Test and Measurement Procedures

5.1 Test Conditions


- 5.1.1 Unless otherwise specified, the standard atmospheric conditions for measurement/test as:
 - a. Ambient Temperature: 20±15°C
 - b. Relative Humidity: 65±20%
 - c. Air Pressure: 86kPa to 106kPa
- 5.1.2 If any doubt on the results, measurements/tests should be made within the following limits:
 - a. Ambient Temperature: 20±2℃
 - p. Relative Humidity: 65±5%
 - c. Air Pressure: 86kPa to 106kPa

5.2 Visual Examination

Inspection Equipment: Visual.

5.3 Electrical Test

- 5.3.1 Inductance (L)
 - a. Refer to Item 12. Test equipment: WK3260B LCR meter or equivalent.
 - b. Test Frequency and Voltage: refers to Item 12.
- 5.3.2 Direct Current Resistance (DCR)
 - a. Refer to Item 12.
 - b. Test equipment: HIOKI 3540 or equivalent.
- 5.3.3Saturation Current (Isat)
 - a. Refer to Item 12.
 - b. Test equipment: WK3260B LCR meter or equivalent.
- 5.3.4 Temperature rise current (Irms)
 - a. Refer to Item 12.
 - b. Test equipment (see Fig. 4.3.4-1, Fig. 4.3.4-2): Electric Power, Electric current meter, Thermometer.
 - c. Measurement method
 - 1. Set test current to be 0 mA.
 - 2. Measure initial temperature of choke surface.
 - 3. Gradually increase current and measure choke temperature for corresponding current.
 - 4. Definition of Temperature rise current: DC current that causes the temperature rise ($\triangle T$) from ambient temperature






Fig. 5.3.4-1

- 5.3.5Self-resonant frequency(SRF)
 - a. Refer to Item 6.
 - b. Test equipment: Agilent E4991A+16197or equivalent

6 Electrical Characteristics

Customer P/N	Part Number	Inductance	Min. Self-resonant		DC Resistance		ation rent	Heat F	Ü	
F/IN		1MHz,1V	frequency	Max.	Тур.	Max.	Тур.	Max.	Тур.	
	Units	μΗ	MHz	Ω	Ω	Α	Α	Α	Α	Marking
	Symbol	L	SRF	DO	CR	ls	at	Irn	าร	-
	WPN201610UFR47MT	0.47±20%	110	0.025	0.022	5.50	6.00	4.80	5.50	•
	WPN201610UF1R0MT	1.00±20%	63	0.047	0.040	4.00	4.50	3.65	4.20	•
	WPN201610UF1R5MT	1.50±20%	34	0.083	0.073	3.00	3.40	2.75	3.15	•
	WPN201610UF2R2MT	2.20±20%	28	0.100	0.093	2.70	3.00	2.45	2.80	•

Note: **1 : Rated current: Isat (max.) or Irms (max.), whichever is smaller;

※2 : Saturation Current: Max. Value, DC current at which the inductance drops less than 30% from its value without current;
Typ. Value, DC current at which the inductance drops 30% from its value without current;


3: Irms: DC current that causes the temperature rise (ΔT) from 20°C ambient.


For Max. Value, $\Delta T \le 40^{\circ}C$; for Typ. Value, ΔT is approximate $40^{\circ}C$.


The part temperature (ambient + temp. rise) should not exceed 125 °C under worst case operating conditions. Circuit design, component placement, PCB trace size and thickness, airflow and other cooling provisions all affect the part temperature. Part temperature should be verified in the end application.


※4 : Absolute maximum voltage: DC 25V

Typical Electrical Characteristics:










7 Structure

The structure of WPN201610UF Series product, please refer to Fig.7-1 and Table 7-1.



No. Components		Material				
1	Core	Soft magnetic Metal				
2	Wire	Polyurethane system enameled copper wire				
3	Magnetic Glue	Epoxy resin and magnetic powder				
4	Electrodes	FeNiCu/Ag or Ag/Ni/Sn				

[Table 7-1]

8 Product Marking

Please refer to Fig. 8-1.

The content of marking please refers to Item 6.





Fig. 8-1

9 Reliability Test

Items	Requirements	Test Methods and Remarks
9.1 Terminal Strength	No removal or split of the termination or other defects shall occur. Fig.9.1-1 X direct	 Solder the inductor to the testing jig (glass epoxy board shown in Fig.9.1-1) using eutectic solder. Then apply a force in the direction of the arrow. 10N force. Keep time: 5s
9.2 Resistance to Flexure	No visible mechanical damage. R230 R230 Fig.9.2-1	Solder the chip to the test jig (glass epoxy board) using eutectic solder. Then apply a force in the direction shown as Fig.9.2-1. Flexure: 2mm Pressurizing Speed: 0.5mm/sec Keep time: 30±1s Test board size: 100X40X1.0 Land dimension: Please see Fig. 3-1
9.3 Vibration	No visible mechanical damage. Inductance change: Within ±10%	 Solder the chip to the testing jig (glass epoxy board shown as the following figure) using eutectic solder. The chip shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz. The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours).
9.4 Temperature coefficient	Inductance change: Within ±20%	 Temperature: -40 °C ~+ 125 °C With a reference value of +20 °C, change rate shall be calculated
9.5 Solderability	90% or more of electrode area shall be coated by new solder.	 The test samples shall be dipped in flux, and then immersed in molten solder. Solder temperature: 245±5℃ Duration: 5±1 sec. Solder: Sn/3.0Ag/0.5Cu Flux: 25% resin and 75% ethanol in weight Immersion depth: all sides of mounting terminal shall be immersed
9.6 Resistance to Soldering Heat	No visible mechanical damage. Inductance change: Within ±10%	1 Re-flowing Profile: Please refer to Fig. 9.6-1. 2 Test board thickness: 1.0mm 3 Test board material: glass epoxy resin 4 The chip shall be stabilized at normal condition for 1~2 hours before measuring 260°C Peak 260°C max Max Ramp Up Rate=3°C/sec. Max Ramp Down Rate=6°C/sec 200°C 150°C Time 25°C to Peak =8 min max Fig. 9.6-1




10 Packaging, Storage and Transportation

10.1 Tape and Reel Packaging Dimensions

10.1.1 Taping Dimensions (Unit: mm)

Please refer to Fig. 10.1.1 and Table 10.1.1.



[Table10.1.1]

Series	A ₀	B ₀	W	E	F	P ₀	P ₁	P ₂	D ₀	Т	K ₀
WPN201610UF	1.90±0.05	2.20±0.05	8.0±0.1	1.75±0.1	3.5±0.05	4.0±0.1	4.0±0.1	2.0±0.05	1.5+0.1/-0.0	0.25±0.02	1.20±0.05

10.1.2 Direction of rolling





Fig. 10.1.2

10.1.3 Reel Dimensions (Unit: mm)

Please refer to Fig. 10.1.3.



10.1.4 Top tape strength

Peel-off strength: 10~100gf.

Peel-off angle: 165°~180°, refers to Fig.10.1.4.

Peel-off speed: 300mm/min.

10.1.5 The number of components

A tape & reel package contains 2000 inductors.

10.1.6 The allowable number of empty chip cavities

Maximum two (2) chip cavities missing product may exist in a reel but they may not be consecutive two cavities.




Fig. 10.1.4

10.2 Packing Documents and Marking

10.2.1 Packing Documents

Packing documents include the following:

- 1) Packaging list
- 2) Certificate of compliance (COC)


10.2.2 Packing QTY.


- 1) Inner Box: 10 reel in each box.
- 2) Outer Box:4 or 8 inner boxes in each outer case.
- 3) 40 or 80 reels in each outer case.

10.2.3 Marking

1)Marking label information on reels includes (see Fig.10.2.3-1、 Fig.10.2.3-2A/2B):

- a) Sunlord P/N.
- b) Quantity per reel
- c) Lot number
- d) Inspection No.
- e) Inspection stamp
- f) MFG address as 'Made In China'





P/N: XXXXXXXXXXXXX Qty: XXXXXXXX Lot No: XXXXXXXXXXXXXXX Inspe No: XXXXXXXXXX XX XXX Sunlord Made in China

Fig.10.2.3-2B

Fig.10.2.3-2A

- 2)Marking label information on inner box
 - a). Inner box please refers to Fig.10.2.3-3 and Table 10.2.3-1
 - Marking Label on inner box(see Fig.10.2.3-4)
- 3)Marking on outer case (see Fig.10.2.3-5~7):

Out case size pleases reefers to Table 10.2.3-2.

- Manufacturer: Sunlord ID:
 - "Shenzhen Sunlord Electronics Co., Ltd."
- b). Packing label include the following:
 - i) Customer
 - ii) Manufacturer
 - iii) Date code
 - iv) C/No.

Example; "1/10" means that this case is the 1st one

Of total 10 cases

- v) P/O No.
- Customer Part No. vi)
- Sunlord Part No. vii)
- viii) Quantity.
- i) Inspection Stamp.




Fig.10.2.3-3

Packaging type	A(mm)	B(mm)	C(mm)	
Inner box	180	120	180	

[Table 10.2.3-1]

Packaging type	L(mm)	W(mm)	H(mm)
Type1	505	378	200
Type2	380	260	200

[Table 10.2.3-2]




Fig. 10.2.3-4




Fig.10.2.3-5




Fig.10.2.3-6

11 Visual inspection standard of product

File No: Effective date:		Applied to Wire Wound SMD Power Inductor Series				
		.,				
No.	Defect Item	Graphic	Rejection identification	Acceptance		
1	Core defect	→ L → L →	The defect length/width (I or w) more than L/6 or W/6, NG.	AQL=0.65		
2	Core crack		Visual cracks, NG.	AQL=0.65		
3	Starvation	≥	Resin starved length, <i>I</i> more than L/2, NG. ① IF <i>W</i> > 2mm, resin starved width, <i>w</i> , more than W/2, NG. ② IF <i>W</i> ≤ 2mm, resin starved width, <i>w</i> , don't control.	AQL=0.65		
4	Excessive glue		The length, width or height of product beyond specified value, NG.	AQL=0.65		

12 Recommended Soldering Technologies

12.1Re-flowing Profile:


- △ Preheat condition: 150 ~200 °C/60~120sec.
- \triangle Allowed time above 217°C: 60~90sec.
- △ Max temp: 260°C
- △ Max time at max temp: 5sec.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- △ Allowed Reflow time: 2x max
 - Please refer to Fig. 12.1-1.

[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]

12.2 Iron Soldering Profile:

- △ Iron soldering power: Max. 30W
- △ Pre-heating: 150 °C/60sec.
- \triangle Soldering time: 3sec. Max.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- △ Max.1 times for iron soldering Please refer to **Fig. 12.2-1**.

[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]






Fig. 12.2-1.

13 Precautions

13.1 Surface mounting

- Mounting and soldering condition should be checked beforehand.
- Applicable soldering process to this product is reflow soldering only.
- Recommended conditions for repair by soldering iron:
 Preheat the circuit board with product to repair at 150°C for about 1 minute.
 Put soldering iron on the land-pattern.

Soldering iron's temperature: 350°C maximum/Duration: 3 seconds maximum/1 time for each terminal.

The soldering iron should not directly touch the inductor.

Product once removes from the circuit board may not be used again.

13.2 Handing

- Keep the products away from all magnets and magnetic objects.
- Be careful not to subject the products to excessive mechanical shocks.
- Please avoid applying impact to the products after mounted on pc board.
- Avoid ultrasonic cleaning.

13.3 Storage

- To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.
- Recommended conditions: -10 °C ~40 °C, 70 %RH (Max.)
- Even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, product should be used with one year from the time of delivery.
- In case of storage over 6 months, solderability shall be checked before actual usage.

13.4 Regarding Regulations

- Any Class- I or Class-II ozone-depleting substance (ODS) listed in the Clean Air Act in US for regulation is not included in the products or applied to the products at any stage of whose manufacturing processes.
- Certain brominated flame retardants (PBBs,PBDEs) are not used at all.
- The products of this specification are not subject to the Export Trade Control Order in China or the Export Administration Regulations in US.

13.5 Guarantee

- The guaranteed operating conditions of the products are in accordance with the conditions specified in this specification.
- Please note that Sunlord takes no responsibility for any failure and/or abnormality which is caused by use under other than the aforesaid operating conditions.

14 Supplier Information

14.1 Supplier:

Shenzhen Sunlord Electronics Co., Ltd.

14.2 Manufacturer:

Shenzhen Sunlord Electronics Co., Ltd.

14.3 Manufacturing Address:

Sunlord Industrial Park, Dafuyuan Industrial Zone, Guanlan, Shenzhen, China Zip: 518110