

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GA242QR7E2102MW01	1000pF	250	X7R	4520M/1808	1.50	+/-20%	200V and over/ under Japanese Law
GA242QR7E2471MW01	470pF	250	X7R	4520M/1808	1.50	+/-20%	200V and over/ under Japanese Law
GA243DR7E2472MW01	4700pF	250	X7R	4532M/1812	2.00	+/-20%	200V and over/ under Japanese Law
GA243DR7E2473MW01	47000pF	250	X7R	4532M/1812	2.00	+/-20%	200V and over/ under Japanese Law
GA243QR7E2103MW01	10000pF	250	X7R	4532M/1812	1.50	+/-20%	200V and over/ under Japanese Law
GA243QR7E2222MW01	2200pF	250	X7R	4532M/1812	1.50	+/-20%	200V and over/ under Japanese Law
GA243QR7E2223MW01	22000pF	250	X7R	4532M/1812	1.50	+/-20%	200V and over/ under Japanese Law
GA243QR7E2332MW01	3300pF	250	X7R	4532M/1812	1.50	+/-20%	200V and over/ under Japanese Law
GA255DR7E2104MW01	0.1uF	250	X7R	5750M/2220	2.00	+/-20%	200V and over/ under Japanese Law
GA342DR7GF102KW02	1000pF	250	X7R	4520M/1808	2.20	+/-10%	Safety Standard Certified
GA342DR7GF221KW02	220pF	250	X7R	4520M/1808	2.20	+/-10%	Safety Standard Certified
GA342DR7GF331KW02	330pF	250	X7R	4520M/1808	2.20	+/-10%	Safety Standard Certified
GA342QR7GD101KW01	100pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD102KW01	1000pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD151KW01	150pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD152KW01	1500pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD221KW01	220pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD331KW01	330pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD471KW01	470pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GD681KW01	680pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GF101KW01	100pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GF151KW01	150pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GF471KW01	470pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA342QR7GF681KW01	680pF	250	X7R	4520M/1808	1.50	+/-10%	Safety Standard Certified
GA343DR7GD472KW01	4700pF	250	X7R	4532M/1812	2.00	+/-10%	Safety Standard Certified
GA343QR7GD182KW01	1800pF	250	X7R	4532M/1812	1.50	+/-10%	Safety Standard Certified
GA343QR7GD222KW01	2200pF	250	X7R	4532M/1812	1.50	+/-10%	Safety Standard Certified
GA352QR7GF101KW31	100pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF102KW01	1000pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF151KW31	150pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF152KW01	1500pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF221KW31	220pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF331KW31	330pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF471KW01	470pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA352QR7GF681KW01	680pF	250	X7R	5728M/2211	1.50	+/-10%	Safety Standard Certified
GA355DR7GB223KW01	22000pF	250	X7R	5750M/2220	2.00	+/-10%	Safety Standard Certified
GA355DR7GF472KW01	4700pF	250	X7R	5750M/2220	2.00	+/-10%	Safety Standard Certified
GA355ER7GB333KW01	33000pF	250	X7R	5750M/2220	2.50	+/-10%	Safety Standard Certified
GA355ER7GB473KW01	47000pF	250	X7R	5750M/2220	2.50	+/-10%	Safety Standard Certified
GA355QR7GB103KW01	10000pF	250	X7R	5750M/2220	1.50	+/-10%	Safety Standard Certified
GA355QR7GB153KW01	15000pF	250	X7R	5750M/2220	1.50	+/-10%	Safety Standard Certified
GA355QR7GF182KW01	1800pF	250	X7R	5750M/2220	1.50	+/-10%	Safety Standard Certified
GA355QR7GF222KW01	2200pF	250	X7R	5750M/2220	1.50	+/-10%	Safety Standard Certified
GA355QR7GF332KW01	3300pF	250	X7R	5750M/2220	1.50	+/-10%	Safety Standard Certified
GA355XR7GB563KW06	56000pF	250	X7R	5750M/2220	2.90	+/-10%	Safety Standard Certified
GJ431CC81E105KA01 +A	1uF	25	X6S	3216M/1206	1.80	+/-10%	Audio signal low distortion
GJ821BR71H105KA12 +A	1uF	50	X7R	2012M/0805	1.35	+/-10%	Acoustic noise reduction
GJ831R9R61H225KA12 +A	2.2uF	50	X5R	3216M/1206	0.95	+/-10%	Acoustic noise reduction
GJ831CC81E105KA01 +A	1uF	25	X6S	3216M/1206	1.80	+/-10%	Acoustic noise reduction
GJ831CR61E106KE83 +A	10uF	25	X5R	3216M/1206	1.90	+/-10%	Acoustic noise reduction
GJ831CR71H475KA12 +A	4.7uF	50	X7R	3216M/1206	1.80	+/-10%	Acoustic noise reduction
GJ832ER7YA106KA12 +A	10uF	35	X7R	3225M/1210	2.70	+/-10%	Acoustic noise reduction
GJM0225C1C100GB01 +A	10pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C100JB01 +A	10pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C110GB01 +A	11pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C110JB01 +A	11pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C120GB01 +A	12pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C120JB01 +A	12pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C130GB01 +A	13pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C130JB01 +A	13pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C150GB01 +A	15pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C150JB01 +A	15pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C160GB01 +A	16pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C160JB01 +A	16pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C180GB01 +A	18pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C180JB01 +A	18pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C1R0BB01 +A	1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R0CB01 +A	1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R0WB01 +A	1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R1BB01 +A	1.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R1CB01 +A	1.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R1WB01 +A	1.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R2BB01 +A	1.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R2CB01 +A	1.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R2WB01 +A	1.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R3BB01 +A	1.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R3CB01 +A	1.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R3WB01 +A	1.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1C1R4BB01 +A	1.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R4CB01 +A	1.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R4WB01 +A	1.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R5BB01 +A	1.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R5CB01 +A	1.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R5WB01 +A	1.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R6BB01 +A	1.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R6CB01 +A	1.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R6WB01 +A	1.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R7BB01 +A	1.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R7CB01 +A	1.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R7WB01 +A	1.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R8BB01 +A	1.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R8CB01 +A	1.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R8WB01 +A	1.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C1R9BB01 +A	1.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C1R9CB01 +A	1.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C1R9WB01 +A	1.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C200GB01 +A	20pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C200JB01 +A	20pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C220GB01 +A	22pF	16	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1C220JB01 +A	22pF	16	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1C2R0BB01 +A	2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R0CB01 +A	2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R0WB01 +A	2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R1BB01 +A	2.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R1CB01 +A	2.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R1WB01 +A	2.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R2BB01 +A	2.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R2CB01 +A	2.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R2WB01 +A	2.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R3BB01 +A	2.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R3CB01 +A	2.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R3WB01 +A	2.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R4BB01 +A	2.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R4CB01 +A	2.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R4WB01 +A	2.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R5BB01 +A	2.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R5CB01 +A	2.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R5WB01 +A	2.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R6BB01 +A	2.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R6CB01 +A	2.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R6WB01 +A	2.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R7BB01 +A	2.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R7CB01 +A	2.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R7WB01 +A	2.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R8BB01 +A	2.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R8CB01 +A	2.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R8WB01 +A	2.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C2R9BB01 +A	2.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C2R9CB01 +A	2.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C2R9WB01 +A	2.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R0BB01 +A	3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R0CB01 +A	3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R0WB01 +A	3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R1BB01 +A	3.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R1CB01 +A	3.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R1WB01 +A	3.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R2BB01 +A	3.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R2CB01 +A	3.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R2WB01 +A	3.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R3BB01 +A	3.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R3CB01 +A	3.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R3WB01 +A	3.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R4BB01 +A	3.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R4CB01 +A	3.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R4WB01 +A	3.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R5BB01 +A	3.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R5CB01 +A	3.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R5WB01 +A	3.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R6BB01 +A	3.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R6CB01 +A	3.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R6WB01 +A	3.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R7BB01 +A	3.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R7CB01 +A	3.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R7WB01 +A	3.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R8BB01 +A	3.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R8CB01 +A	3.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1C3R8WB01 +A	3.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C3R9BB01 +A	3.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C3R9CB01 +A	3.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C3R9WB01 +A	3.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R0BB01 +A	4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R0CB01 +A	4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R0WB01 +A	4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R1BB01 +A	4.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R1CB01 +A	4.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R1WB01 +A	4.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R2BB01 +A	4.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R2CB01 +A	4.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R2WB01 +A	4.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R3BB01 +A	4.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R3CB01 +A	4.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R3WB01 +A	4.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R4BB01 +A	4.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R4CB01 +A	4.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R4WB01 +A	4.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R5BB01 +A	4.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R5CB01 +A	4.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R5WB01 +A	4.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R6BB01 +A	4.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R6CB01 +A	4.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R6WB01 +A	4.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R7BB01 +A	4.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R7CB01 +A	4.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R7WB01 +A	4.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R8BB01 +A	4.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R8CB01 +A	4.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R8WB01 +A	4.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C4R9BB01 +A	4.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C4R9CB01 +A	4.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C4R9WB01 +A	4.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R0BB01 +A	5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R0CB01 +A	5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R0WB01 +A	5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R1BB01 +A	5.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R1CB01 +A	5.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R1DB01 +A	5.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R1WB01 +A	5.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R2BB01 +A	5.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R2CB01 +A	5.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R2DB01 +A	5.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R2WB01 +A	5.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R3BB01 +A	5.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R3CB01 +A	5.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R3DB01 +A	5.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R3WB01 +A	5.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R4BB01 +A	5.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R4CB01 +A	5.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R4DB01 +A	5.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R4WB01 +A	5.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R5BB01 +A	5.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R5CB01 +A	5.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R5DB01 +A	5.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R5WB01 +A	5.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R6BB01 +A	5.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R6CB01 +A	5.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R6DB01 +A	5.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R6WB01 +A	5.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R7BB01 +A	5.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R7CB01 +A	5.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R7DB01 +A	5.7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R7WB01 +A	5.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R8BB01 +A	5.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R8CB01 +A	5.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R8DB01 +A	5.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R8WB01 +A	5.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C5R9BB01 +A	5.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C5R9CB01 +A	5.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C5R9DB01 +A	5.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C5R9WB01 +A	5.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R0BB01 +A	6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R0CB01 +A	6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R0DB01 +A	6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R0WB01 +A	6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R1BB01 +A	6.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1C6R1CB01 +A	6.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R1DB01 +A	6.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R1WB01 +A	6.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R2BB01 +A	6.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R2CB01 +A	6.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R2DB01 +A	6.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R2WB01 +A	6.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R3BB01 +A	6.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R3CB01 +A	6.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R3DB01 +A	6.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R3WB01 +A	6.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R4BB01 +A	6.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R4CB01 +A	6.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R4DB01 +A	6.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R4WB01 +A	6.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R5BB01 +A	6.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R5CB01 +A	6.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R5DB01 +A	6.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R5WB01 +A	6.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R6BB01 +A	6.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R6CB01 +A	6.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R6DB01 +A	6.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R6WB01 +A	6.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R7BB01 +A	6.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R7CB01 +A	6.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R7DB01 +A	6.7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R7WB01 +A	6.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R8BB01 +A	6.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R8CB01 +A	6.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R8DB01 +A	6.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R8WB01 +A	6.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C6R9BB01 +A	6.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C6R9CB01 +A	6.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C6R9DB01 +A	6.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C6R9WB01 +A	6.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R0BB01 +A	7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R0CB01 +A	7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R0DB01 +A	7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R0WB01 +A	7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R1BB01 +A	7.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R1CB01 +A	7.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R1DB01 +A	7.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R1WB01 +A	7.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R2BB01 +A	7.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R2CB01 +A	7.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R2DB01 +A	7.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R2WB01 +A	7.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R3BB01 +A	7.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R3CB01 +A	7.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R3DB01 +A	7.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R3WB01 +A	7.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R4BB01 +A	7.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R4CB01 +A	7.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R4DB01 +A	7.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R4WB01 +A	7.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R5BB01 +A	7.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R5CB01 +A	7.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R5DB01 +A	7.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R5WB01 +A	7.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R6BB01 +A	7.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R6CB01 +A	7.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R6DB01 +A	7.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R6WB01 +A	7.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R7BB01 +A	7.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R7CB01 +A	7.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R7DB01 +A	7.7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R7WB01 +A	7.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R8BB01 +A	7.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R8CB01 +A	7.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R8DB01 +A	7.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R8WB01 +A	7.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C7R9BB01 +A	7.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C7R9CB01 +A	7.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C7R9DB01 +A	7.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C7R9WB01 +A	7.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R0BB01 +A	8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R0CB01 +A	8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R0DB01 +A	8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1C8R0WB01 +A	8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R1BB01 +A	8.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R1CB01 +A	8.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R1DB01 +A	8.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R1WB01 +A	8.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R2BB01 +A	8.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R2CB01 +A	8.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R2DB01 +A	8.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R2WB01 +A	8.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R3BB01 +A	8.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R3CB01 +A	8.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R3DB01 +A	8.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R3WB01 +A	8.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R4BB01 +A	8.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R4CB01 +A	8.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R4DB01 +A	8.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R4WB01 +A	8.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R5BB01 +A	8.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R5CB01 +A	8.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R5DB01 +A	8.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R5WB01 +A	8.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R6BB01 +A	8.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R6CB01 +A	8.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R6DB01 +A	8.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R6WB01 +A	8.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R7BB01 +A	8.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R7CB01 +A	8.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R7DB01 +A	8.7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R7WB01 +A	8.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R8BB01 +A	8.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R8CB01 +A	8.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R8DB01 +A	8.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R8WB01 +A	8.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C8R9BB01 +A	8.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C8R9CB01 +A	8.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C8R9DB01 +A	8.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C8R9WB01 +A	8.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R0BB01 +A	9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R0CB01 +A	9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R0DB01 +A	9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R0WB01 +A	9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R1BB01 +A	9.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R1CB01 +A	9.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R1DB01 +A	9.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R1WB01 +A	9.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R2BB01 +A	9.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R2CB01 +A	9.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R2DB01 +A	9.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R2WB01 +A	9.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R3BB01 +A	9.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R3CB01 +A	9.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R3DB01 +A	9.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R3WB01 +A	9.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R4BB01 +A	9.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R4CB01 +A	9.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R4DB01 +A	9.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R4WB01 +A	9.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R5BB01 +A	9.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R5CB01 +A	9.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R5DB01 +A	9.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R5WB01 +A	9.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R6BB01 +A	9.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R6CB01 +A	9.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R6DB01 +A	9.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R6WB01 +A	9.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R7BB01 +A	9.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R7CB01 +A	9.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R7DB01 +A	9.7pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R7WB01 +A	9.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R8BB01 +A	9.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R8CB01 +A	9.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R8DB01 +A	9.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R8WB01 +A	9.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1C9R9BB01 +A	9.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1C9R9CB01 +A	9.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1C9R9DB01 +A	9.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1C9R9WB01 +A	9.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR20BB01 +A	0.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1CR20WB01 +A	0.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR30BB01 +A	0.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR30WB01 +A	0.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR40BB01 +A	0.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR40WB01 +A	0.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR50BB01 +A	0.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR50WB01 +A	0.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR60BB01 +A	0.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR60WB01 +A	0.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR70BB01 +A	0.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR70WB01 +A	0.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR80BB01 +A	0.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR80WB01 +A	0.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1CR90BB01 +A	0.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1CR90WB01 +A	0.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E100FB01 +A	10pF	25	COG	0402M/01005	0.22	+/-1%	High-Q
GJM0225C1E100GB01 +A	10pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E100JB01 +A	10pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E110GB01 +A	11pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E110JB01 +A	11pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E120GB01 +A	12pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E120JB01 +A	12pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E130GB01 +A	13pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E130JB01 +A	13pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E150GB01 +A	15pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E150JB01 +A	15pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E160GB01 +A	16pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E160JB01 +A	16pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E180GB01 +A	18pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E180JB01 +A	18pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E1R0BB01 +A	1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R0CB01 +A	1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R0WB01 +A	1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R1BB01 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R1CB01 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R1WB01 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R2BB01 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R2CB01 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R2WB01 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R3BB01 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R3CB01 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R3WB01 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R4BB01 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R4CB01 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R4WB01 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R5BB01 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R5CB01 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R5WB01 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R6BB01 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R6CB01 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R6WB01 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R7BB01 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R7CB01 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R7WB01 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R8BB01 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R8CB01 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R8WB01 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E1R9BB01 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E1R9CB01 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E1R9WB01 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E200GB01 +A	20pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E200JB01 +A	20pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E220GB01 +A	22pF	25	COG	0402M/01005	0.22	+/-2%	High-Q
GJM0225C1E220JB01 +A	22pF	25	COG	0402M/01005	0.22	+/-5%	High-Q
GJM0225C1E2R0BB01 +A	2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R0CB01 +A	2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R0WB01 +A	2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R1BB01 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R1CB01 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R1WB01 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R2BB01 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R2CB01 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R2WB01 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R3BB01 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R3CB01 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R3WB01 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R4BB01 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R4CB01 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1E2R4WB01 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R5BB01 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R5CB01 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R5WB01 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R6BB01 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R6CB01 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R6WB01 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R7BB01 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R7CB01 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R7WB01 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R8BB01 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R8CB01 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R8WB01 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E2R9BB01 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E2R9CB01 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E2R9WB01 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R0BB01 +A	3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R0CB01 +A	3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R0WB01 +A	3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R1BB01 +A	3.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R1CB01 +A	3.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R1WB01 +A	3.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R2BB01 +A	3.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R2CB01 +A	3.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R2WB01 +A	3.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R3BB01 +A	3.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R3CB01 +A	3.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R3WB01 +A	3.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R4BB01 +A	3.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R4CB01 +A	3.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R4WB01 +A	3.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R5BB01 +A	3.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R5CB01 +A	3.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R5WB01 +A	3.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R6BB01 +A	3.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R6CB01 +A	3.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R6WB01 +A	3.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R7BB01 +A	3.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R7CB01 +A	3.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R7WB01 +A	3.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R8BB01 +A	3.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R8CB01 +A	3.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R8WB01 +A	3.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E3R9BB01 +A	3.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E3R9CB01 +A	3.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E3R9WB01 +A	3.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R0BB01 +A	4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R0CB01 +A	4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R0WB01 +A	4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R1BB01 +A	4.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R1CB01 +A	4.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R1WB01 +A	4.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R2BB01 +A	4.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R2CB01 +A	4.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R2WB01 +A	4.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R3BB01 +A	4.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R3CB01 +A	4.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R3WB01 +A	4.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R4BB01 +A	4.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R4CB01 +A	4.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R4WB01 +A	4.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R5BB01 +A	4.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R5CB01 +A	4.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R5WB01 +A	4.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R6BB01 +A	4.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R6CB01 +A	4.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R6WB01 +A	4.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R7BB01 +A	4.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R7CB01 +A	4.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R7WB01 +A	4.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R8BB01 +A	4.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R8CB01 +A	4.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R8WB01 +A	4.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E4R9BB01 +A	4.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E4R9CB01 +A	4.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E4R9WB01 +A	4.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R0BB01 +A	5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R0CB01 +A	5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1E5R0WB01 +A	5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R1BB01 +A	5.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R1CB01 +A	5.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R1DB01 +A	5.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R1WB01 +A	5.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R2BB01 +A	5.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R2CB01 +A	5.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R2DB01 +A	5.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R2WB01 +A	5.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R3BB01 +A	5.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R3CB01 +A	5.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R3DB01 +A	5.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R3WB01 +A	5.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R4BB01 +A	5.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R4CB01 +A	5.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R4DB01 +A	5.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R4WB01 +A	5.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R5BB01 +A	5.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R5CB01 +A	5.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R5DB01 +A	5.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R5WB01 +A	5.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R6BB01 +A	5.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R6CB01 +A	5.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R6DB01 +A	5.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R6WB01 +A	5.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R7BB01 +A	5.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R7CB01 +A	5.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R7DB01 +A	5.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R7WB01 +A	5.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R8BB01 +A	5.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R8CB01 +A	5.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R8DB01 +A	5.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R8WB01 +A	5.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E5R9BB01 +A	5.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E5R9CB01 +A	5.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E5R9DB01 +A	5.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E5R9WB01 +A	5.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R0BB01 +A	6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R0CB01 +A	6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R0DB01 +A	6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R0WB01 +A	6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R1BB01 +A	6.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R1CB01 +A	6.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R1DB01 +A	6.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R1WB01 +A	6.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R2BB01 +A	6.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R2CB01 +A	6.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R2DB01 +A	6.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R2WB01 +A	6.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R3BB01 +A	6.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R3CB01 +A	6.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R3DB01 +A	6.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R3WB01 +A	6.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R4BB01 +A	6.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R4CB01 +A	6.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R4DB01 +A	6.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R4WB01 +A	6.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R5BB01 +A	6.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R5CB01 +A	6.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R5DB01 +A	6.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R5WB01 +A	6.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R6BB01 +A	6.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R6CB01 +A	6.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R6DB01 +A	6.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R6WB01 +A	6.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R7BB01 +A	6.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R7CB01 +A	6.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R7DB01 +A	6.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R7WB01 +A	6.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R8BB01 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R8CB01 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R8DB01 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R8WB01 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E6R9BB01 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E6R9CB01 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E6R9DB01 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E6R9WB01 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R0BB01 +A	7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1E7R0CB01 +A	7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R0DB01 +A	7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R0WB01 +A	7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R1BB01 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R1CB01 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R1DB01 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R1WB01 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R2BB01 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R2CB01 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R2DB01 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R2WB01 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R3BB01 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R3CB01 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R3DB01 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R3WB01 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R4BB01 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R4CB01 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R4DB01 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R4WB01 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R5BB01 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R5CB01 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R5DB01 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R5WB01 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R6BB01 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R6CB01 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R6DB01 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R6WB01 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R7BB01 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R7CB01 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R7DB01 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R7WB01 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R8BB01 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R8CB01 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R8DB01 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R8WB01 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E7R9BB01 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E7R9CB01 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E7R9DB01 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E7R9WB01 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R0BB01 +A	8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R0CB01 +A	8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R0DB01 +A	8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R0WB01 +A	8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R1BB01 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R1CB01 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R1DB01 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R1WB01 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R2BB01 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R2CB01 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R2DB01 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R2WB01 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R3BB01 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R3CB01 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R3DB01 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R3WB01 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R4BB01 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R4CB01 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R4DB01 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R4WB01 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R5BB01 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R5CB01 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R5DB01 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R5WB01 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R6BB01 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R6CB01 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R6DB01 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R6WB01 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R7BB01 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R7CB01 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R7DB01 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R7WB01 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R8BB01 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R8CB01 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R8DB01 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E8R8WB01 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E8R9BB01 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E8R9CB01 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E8R9DB01 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0225C1E8R9WB01 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R0BB01 +A	9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R0CB01 +A	9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R0DB01 +A	9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R0WB01 +A	9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R1BB01 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R1CB01 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R1DB01 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R1WB01 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R2BB01 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R2CB01 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R2DB01 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R2WB01 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R3BB01 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R3CB01 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R3DB01 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R3WB01 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R4BB01 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R4CB01 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R4DB01 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R4WB01 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R5BB01 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R5CB01 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R5DB01 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R5WB01 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R6BB01 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R6CB01 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R6DB01 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R6WB01 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R7BB01 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R7CB01 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R7DB01 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R7WB01 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R8BB01 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R8CB01 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R8DB01 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R8WB01 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1E9R9BB01 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1E9R9CB01 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0225C1E9R9DB01 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0225C1E9R9WB01 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER20BB01 +A	0.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER20WB01 +A	0.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER30BB01 +A	0.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER30WB01 +A	0.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER40BB01 +A	0.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER40WB01 +A	0.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER50BB01 +A	0.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER50WB01 +A	0.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER60BB01 +A	0.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER60WB01 +A	0.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER70BB01 +A	0.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER70WB01 +A	0.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER80BB01 +A	0.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER80WB01 +A	0.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0225C1ER90BB01 +A	0.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0225C1ER90WB01 +A	0.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0335C0J220GB01 +A	22pF	6.3	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C0J220JB01 +A	22pF	6.3	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C0J240GB01 +A	24pF	6.3	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C0J240JB01 +A	24pF	6.3	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C0J270GB01 +A	27pF	6.3	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C0J270JB01 +A	27pF	6.3	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C0J300GB01 +A	30pF	6.3	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C0J300JB01 +A	30pF	6.3	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C0J330GB01 +A	33pF	6.3	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C0J330JB01 +A	33pF	6.3	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E100GB01 +A	10pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E100JB01 +A	10pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E110GB01 +A	11pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E110JB01 +A	11pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E120GB01 +A	12pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E120JB01 +A	12pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E130GB01 +A	13pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E130JB01 +A	13pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E150GB01 +A	15pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E150JB01 +A	15pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E160GB01 +A	16pF	25	COG	0603M/0201	0.33	+/-2%	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C1E160JB01 +A	16pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E180GB01 +A	18pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E180JB01 +A	18pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E1R0BB01 +A	1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R0CB01 +A	1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R0WB01 +A	1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R1BB01 +A	1.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R1CB01 +A	1.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R1WB01 +A	1.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R2BB01 +A	1.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R2CB01 +A	1.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R2WB01 +A	1.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R3BB01 +A	1.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R3CB01 +A	1.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R3WB01 +A	1.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R4BB01 +A	1.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R4CB01 +A	1.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R4WB01 +A	1.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R5BB01 +A	1.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R5CB01 +A	1.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R5WB01 +A	1.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R6BB01 +A	1.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R6CB01 +A	1.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R6WB01 +A	1.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R7BB01 +A	1.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R7CB01 +A	1.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R7WB01 +A	1.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R8BB01 +A	1.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R8CB01 +A	1.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R8WB01 +A	1.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E1R9BB01 +A	1.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E1R9CB01 +A	1.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E1R9WB01 +A	1.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E200GB01 +A	20pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E200JB01 +A	20pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E220GB01 +A	22pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E220JB01 +A	22pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E240GB01 +A	24pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E240JB01 +A	24pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E270GB01 +A	27pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E270JB01 +A	27pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E2R0BB01 +A	2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R0CB01 +A	2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R0WB01 +A	2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R1BB01 +A	2.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R1CB01 +A	2.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R1WB01 +A	2.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R2BB01 +A	2.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R2CB01 +A	2.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R2WB01 +A	2.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R3BB01 +A	2.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R3CB01 +A	2.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R3WB01 +A	2.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R4BB01 +A	2.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R4CB01 +A	2.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R4WB01 +A	2.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R5BB01 +A	2.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R5CB01 +A	2.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R5WB01 +A	2.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R6BB01 +A	2.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R6CB01 +A	2.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R6WB01 +A	2.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R7BB01 +A	2.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R7CB01 +A	2.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R7WB01 +A	2.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R8BB01 +A	2.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R8CB01 +A	2.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R8WB01 +A	2.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E2R9BB01 +A	2.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E2R9CB01 +A	2.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E2R9WB01 +A	2.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E300GB01 +A	30pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E300JB01 +A	30pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E330GB01 +A	33pF	25	COG	0603M/0201	0.33	+/-2%	High-Q
GJM0335C1E330JB01 +A	33pF	25	COG	0603M/0201	0.33	+/-5%	High-Q
GJM0335C1E3R0BB01 +A	3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R0CB01 +A	3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R0WB01 +A	3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C1E3R1BB01 +A	3.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R1CB01 +A	3.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R1WB01 +A	3.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R2BB01 +A	3.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R2CB01 +A	3.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R2WB01 +A	3.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R3BB01 +A	3.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R3CB01 +A	3.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R3WB01 +A	3.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R4BB01 +A	3.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R4CB01 +A	3.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R4WB01 +A	3.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R5BB01 +A	3.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R5CB01 +A	3.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R5WB01 +A	3.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R6BB01 +A	3.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R6CB01 +A	3.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R6WB01 +A	3.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R7BB01 +A	3.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R7CB01 +A	3.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R7WB01 +A	3.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R8BB01 +A	3.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R8CB01 +A	3.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R8WB01 +A	3.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E3R9BB01 +A	3.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E3R9CB01 +A	3.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E3R9WB01 +A	3.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R0BB01 +A	4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R0CB01 +A	4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R0WB01 +A	4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R1BB01 +A	4.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R1CB01 +A	4.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R1WB01 +A	4.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R2BB01 +A	4.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R2CB01 +A	4.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R2WB01 +A	4.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R3BB01 +A	4.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R3CB01 +A	4.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R3WB01 +A	4.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R4BB01 +A	4.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R4CB01 +A	4.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R4WB01 +A	4.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R5BB01 +A	4.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R5CB01 +A	4.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R5WB01 +A	4.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R6BB01 +A	4.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R6CB01 +A	4.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R6WB01 +A	4.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R7BB01 +A	4.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R7CB01 +A	4.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R7WB01 +A	4.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R8BB01 +A	4.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R8CB01 +A	4.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R8WB01 +A	4.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E4R9BB01 +A	4.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E4R9CB01 +A	4.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E4R9WB01 +A	4.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R0BB01 +A	5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R0CB01 +A	5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R0WB01 +A	5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R1BB01 +A	5.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R1CB01 +A	5.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R1DB01 +A	5.1pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R1WB01 +A	5.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R2BB01 +A	5.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R2CB01 +A	5.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R2DB01 +A	5.2pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R2WB01 +A	5.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R3BB01 +A	5.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R3CB01 +A	5.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R3DB01 +A	5.3pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R3WB01 +A	5.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R4BB01 +A	5.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R4CB01 +A	5.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R4DB01 +A	5.4pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R4WB01 +A	5.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R5BB01 +A	5.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R5CB01 +A	5.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C1E5R5DB01 +A	5.5pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R5WB01 +A	5.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R6BB01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R6CB01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R6DB01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R6WB01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R7BB01 +A	5.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R7CB01 +A	5.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R7DB01 +A	5.7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R7WB01 +A	5.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R8BB01 +A	5.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R8CB01 +A	5.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R8DB01 +A	5.8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R8WB01 +A	5.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E5R9BB01 +A	5.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E5R9CB01 +A	5.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E5R9DB01 +A	5.9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E5R9WB01 +A	5.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R0BB01 +A	6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R0CB01 +A	6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R0DB01 +A	6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R0WB01 +A	6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R1BB01 +A	6.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R1CB01 +A	6.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R1DB01 +A	6.1pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R1WB01 +A	6.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R2BB01 +A	6.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R2CB01 +A	6.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R2DB01 +A	6.2pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R2WB01 +A	6.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R3BB01 +A	6.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R3CB01 +A	6.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R3DB01 +A	6.3pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R3WB01 +A	6.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R4BB01 +A	6.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R4CB01 +A	6.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R4DB01 +A	6.4pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R4WB01 +A	6.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R5BB01 +A	6.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R5CB01 +A	6.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R5DB01 +A	6.5pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R5WB01 +A	6.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R6BB01 +A	6.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R6CB01 +A	6.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R6DB01 +A	6.6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R6WB01 +A	6.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R7BB01 +A	6.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R7CB01 +A	6.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R7DB01 +A	6.7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R7WB01 +A	6.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R8BB01 +A	6.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R8CB01 +A	6.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R8DB01 +A	6.8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R8WB01 +A	6.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E6R9BB01 +A	6.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E6R9CB01 +A	6.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E6R9DB01 +A	6.9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E6R9WB01 +A	6.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R0BB01 +A	7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R0CB01 +A	7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R0DB01 +A	7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R0WB01 +A	7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R1BB01 +A	7.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R1CB01 +A	7.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R1DB01 +A	7.1pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R1WB01 +A	7.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R2BB01 +A	7.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R2CB01 +A	7.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R2DB01 +A	7.2pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R2WB01 +A	7.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R3BB01 +A	7.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R3CB01 +A	7.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R3DB01 +A	7.3pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R3WB01 +A	7.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R4BB01 +A	7.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R4CB01 +A	7.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R4DB01 +A	7.4pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R4WB01 +A	7.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C1E7R5BB01 +A	7.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R5CB01 +A	7.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R5DB01 +A	7.5pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R5WB01 +A	7.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R6BB01 +A	7.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R6CB01 +A	7.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R6DB01 +A	7.6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R6WB01 +A	7.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R7BB01 +A	7.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R7CB01 +A	7.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R7DB01 +A	7.7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R7WB01 +A	7.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R8BB01 +A	7.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R8CB01 +A	7.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R8DB01 +A	7.8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R8WB01 +A	7.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E7R9BB01 +A	7.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E7R9CB01 +A	7.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E7R9DB01 +A	7.9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E7R9WB01 +A	7.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R0BB01 +A	8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R0CB01 +A	8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R0DB01 +A	8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R0WB01 +A	8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R1BB01 +A	8.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R1CB01 +A	8.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R1DB01 +A	8.1pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R1WB01 +A	8.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R2BB01 +A	8.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R2CB01 +A	8.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R2DB01 +A	8.2pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R2WB01 +A	8.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R3BB01 +A	8.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R3CB01 +A	8.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R3DB01 +A	8.3pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R3WB01 +A	8.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R4BB01 +A	8.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R4CB01 +A	8.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R4DB01 +A	8.4pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R4WB01 +A	8.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R5BB01 +A	8.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R5CB01 +A	8.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R5DB01 +A	8.5pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R5WB01 +A	8.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R6BB01 +A	8.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R6CB01 +A	8.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R6DB01 +A	8.6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R6WB01 +A	8.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R7BB01 +A	8.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R7CB01 +A	8.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R7DB01 +A	8.7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R7WB01 +A	8.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R8BB01 +A	8.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R8CB01 +A	8.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R8DB01 +A	8.8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R8WB01 +A	8.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E8R9BB01 +A	8.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E8R9CB01 +A	8.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E8R9DB01 +A	8.9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E8R9WB01 +A	8.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R0BB01 +A	9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R0CB01 +A	9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R0DB01 +A	9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R0WB01 +A	9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R1BB01 +A	9.1pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R1CB01 +A	9.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R1DB01 +A	9.1pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R1WB01 +A	9.1pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R2BB01 +A	9.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R2CB01 +A	9.2pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R2DB01 +A	9.2pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R2WB01 +A	9.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R3BB01 +A	9.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R3CB01 +A	9.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R3DB01 +A	9.3pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R3WB01 +A	9.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R4BB01 +A	9.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R4CB01 +A	9.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C1E9R4DB01 +A	9.4pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R4WB01 +A	9.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R5BB01 +A	9.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R5CB01 +A	9.5pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R5DB01 +A	9.5pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R5WB01 +A	9.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R6BB01 +A	9.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R6CB01 +A	9.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R6DB01 +A	9.6pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R6WB01 +A	9.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R7BB01 +A	9.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R7CB01 +A	9.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R7DB01 +A	9.7pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R7WB01 +A	9.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R8BB01 +A	9.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R8CB01 +A	9.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R8DB01 +A	9.8pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R8WB01 +A	9.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1E9R9BB01 +A	9.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1E9R9CB01 +A	9.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C1E9R9DB01 +A	9.9pF	25	COG	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0335C1E9R9WB01 +A	9.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER20BB01 +A	0.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER20WB01 +A	0.2pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER30BB01 +A	0.3pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER30WB01 +A	0.3pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER40BB01 +A	0.4pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER40WB01 +A	0.4pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER50BB01 +A	0.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER50WB01 +A	0.5pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER60BB01 +A	0.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER60WB01 +A	0.6pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER70BB01 +A	0.7pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER70WB01 +A	0.7pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER80BB01 +A	0.8pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER80WB01 +A	0.8pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1ER90BB01 +A	0.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1ER90WB01 +A	0.9pF	25	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR20BB01 +A	0.2pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR20WB01 +A	0.2pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR30BB01 +A	0.3pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR30WB01 +A	0.3pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR40BB01 +A	0.4pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR40WB01 +A	0.4pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR50BB01 +A	0.5pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR50WB01 +A	0.5pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR60BB01 +A	0.6pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR60WB01 +A	0.6pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR70BB01 +A	0.7pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR70WB01 +A	0.7pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR80BB01 +A	0.8pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR80WB01 +A	0.8pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C1HR90BB01 +A	0.9pF	50	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C1HR90WB01 +A	0.9pF	50	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R0BB01 +A	1pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R0CB01 +A	1pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R0WB01 +A	1pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R1BB01 +A	1.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R1CB01 +A	1.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R1WB01 +A	1.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R2BB01 +A	1.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R2CB01 +A	1.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R2WB01 +A	1.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R3BB01 +A	1.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R3CB01 +A	1.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R3WB01 +A	1.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R4BB01 +A	1.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R4CB01 +A	1.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R4WB01 +A	1.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R5BB01 +A	1.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R5CB01 +A	1.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R5WB01 +A	1.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R6BB01 +A	1.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R6CB01 +A	1.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R6WB01 +A	1.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R7BB01 +A	1.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R7CB01 +A	1.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R7WB01 +A	1.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C2A1R8BB01 +A	1.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R8CB01 +A	1.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R8WB01 +A	1.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A1R9BB01 +A	1.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A1R9CB01 +A	1.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A1R9WB01 +A	1.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R0BB01 +A	2pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R0CB01 +A	2pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R0WB01 +A	2pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R1BB01 +A	2.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R1CB01 +A	2.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R1WB01 +A	2.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R2BB01 +A	2.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R2CB01 +A	2.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R2WB01 +A	2.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R3BB01 +A	2.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R3CB01 +A	2.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R3WB01 +A	2.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R4BB01 +A	2.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R4CB01 +A	2.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R4WB01 +A	2.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R5BB01 +A	2.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R5CB01 +A	2.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R5WB01 +A	2.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R6BB01 +A	2.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R6CB01 +A	2.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R6WB01 +A	2.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R7BB01 +A	2.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R7CB01 +A	2.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R7WB01 +A	2.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R8BB01 +A	2.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R8CB01 +A	2.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R8WB01 +A	2.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A2R9BB01 +A	2.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A2R9CB01 +A	2.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A2R9WB01 +A	2.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R0BB01 +A	3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R0CB01 +A	3pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R0WB01 +A	3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R1BB01 +A	3.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R1CB01 +A	3.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R1WB01 +A	3.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R2BB01 +A	3.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R2CB01 +A	3.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R2WB01 +A	3.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R3BB01 +A	3.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R3CB01 +A	3.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R3WB01 +A	3.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R4BB01 +A	3.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R4CB01 +A	3.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R4WB01 +A	3.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R5BB01 +A	3.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R5CB01 +A	3.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R5WB01 +A	3.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R6BB01 +A	3.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R6CB01 +A	3.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R6WB01 +A	3.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R7BB01 +A	3.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R7CB01 +A	3.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R7WB01 +A	3.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R8BB01 +A	3.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R8CB01 +A	3.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R8WB01 +A	3.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A3R9BB01 +A	3.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A3R9CB01 +A	3.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A3R9WB01 +A	3.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R0BB01 +A	4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R0CB01 +A	4pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R0WB01 +A	4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R1BB01 +A	4.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R1CB01 +A	4.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R1WB01 +A	4.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R2BB01 +A	4.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R2CB01 +A	4.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R2WB01 +A	4.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R3BB01 +A	4.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R3CB01 +A	4.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R3WB01 +A	4.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0335C2A4R4BB01 +A	4.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R4CB01 +A	4.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R4WB01 +A	4.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R5BB01 +A	4.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R5CB01 +A	4.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R5WB01 +A	4.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R6BB01 +A	4.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R6CB01 +A	4.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R6WB01 +A	4.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R7BB01 +A	4.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R7CB01 +A	4.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R7WB01 +A	4.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R8BB01 +A	4.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R8CB01 +A	4.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R8WB01 +A	4.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A4R9BB01 +A	4.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A4R9CB01 +A	4.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A4R9WB01 +A	4.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2A5R0BB01 +A	5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2A5R0CB01 +A	5pF	100	COG	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0335C2A5R0WB01 +A	5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR30BB01 +A	0.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR30WB01 +A	0.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR40BB01 +A	0.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR40WB01 +A	0.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR50BB01 +A	0.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR50WB01 +A	0.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR60BB01 +A	0.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR60WB01 +A	0.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR70BB01 +A	0.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR70WB01 +A	0.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR80BB01 +A	0.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR80WB01 +A	0.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0335C2AR90BB01 +A	0.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0335C2AR90WB01 +A	0.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	High-Q
GJM1555C1H100FB01 +A	10pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H100GB01 +A	10pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H100JB01 +A	10pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H110GB01 +A	11pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H110JB01 +A	11pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H120FB01 +A	12pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H120GB01 +A	12pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H120JB01 +A	12pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H130GB01 +A	13pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H130JB01 +A	13pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H150FB01 +A	15pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H150GB01 +A	15pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H150JB01 +A	15pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H160GB01 +A	16pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H160JB01 +A	16pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H180FB01 +A	18pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H180GB01 +A	18pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H180JB01 +A	18pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R0BB01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R0CB01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R0WB01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R1BB01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R1CB01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R1JB01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R1WB01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R2BB01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R2CB01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R2JB01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R2WB01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R3BB01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R3CB01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R3JB01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R3WB01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R4BB01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R4CB01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R4WB01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R5BB01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R5CB01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R5JB01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R5WB01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R6BB01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R6CB01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R6JB01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-5%	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1555C1H1R6WB01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R7BB01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R7CB01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R7WB01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R8BB01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R8CB01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R8JB01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H1R8WB01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H1R9BB01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H1R9CB01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H1R9WB01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H200GB01 +A	20pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H200JB01 +A	20pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H220FB01 +A	22pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H220GB01 +A	22pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H220JB01 +A	22pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H240FB01 +A	24pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H240GB01 +A	24pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H240JB01 +A	24pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H270FB01 +A	27pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H270GB01 +A	27pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H270JB01 +A	27pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H2R0BB01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R0CB01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R0GB01 +A	2pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H2R0WB01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R1BB01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R1CB01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R1WB01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R2BB01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R2CB01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R2GB01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H2R2WB01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R3BB01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R3CB01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R3WB01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R4BB01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R4CB01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R4GB01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H2R4WB01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R5BB01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R5CB01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R5WB01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R6BB01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R6CB01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R6WB01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R7BB01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R7CB01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R7GB01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H2R7WB01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R8BB01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R8CB01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R8WB01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H2R9BB01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H2R9CB01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H2R9WB01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H300FB01 +A	30pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H300GB01 +A	30pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H300JB01 +A	30pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H330FB01 +A	33pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H330GB01 +A	33pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H330JB01 +A	33pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H360FB01 +A	36pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H360GB01 +A	36pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H360JB01 +A	36pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H390FB01 +A	39pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H390GB01 +A	39pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H390JB01 +A	39pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H3R0BB01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R0CB01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R0GB01 +A	3pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H3R0WB01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R1BB01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R1CB01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R1WB01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R2BB01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R2CB01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R2WB01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1555C1H3R3BB01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R3CB01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R3GB01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H3R3WB01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R4BB01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R4CB01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R4WB01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R5BB01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R5CB01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R5WB01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R6BB01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R6CB01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R6GB01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H3R6WB01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R7BB01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R7CB01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R7WB01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R8BB01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R8CB01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R8WB01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H3R9BB01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H3R9CB01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H3R9GB01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H3R9WB01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H430FB01 +A	43pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H430GB01 +A	43pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H430JB01 +A	43pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H470FB01 +A	47pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H470GB01 +A	47pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H470JB01 +A	47pF	50	COG	1005M/0402	0.55	+/-5%	High-Q
GJM1555C1H4R0BB01 +A	4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R0CB01 +A	4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R0WB01 +A	4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R1BB01 +A	4.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R1CB01 +A	4.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R1WB01 +A	4.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R2BB01 +A	4.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R2CB01 +A	4.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R2WB01 +A	4.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R3BB01 +A	4.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R3CB01 +A	4.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R3GB01 +A	4.3pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H4R3WB01 +A	4.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R4BB01 +A	4.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R4CB01 +A	4.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R4WB01 +A	4.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R5BB01 +A	4.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R5CB01 +A	4.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R5WB01 +A	4.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R6BB01 +A	4.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R6CB01 +A	4.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R6WB01 +A	4.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R7BB01 +A	4.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R7CB01 +A	4.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R7GB01 +A	4.7pF	50	COG	1005M/0402	0.55	+/-2%	High-Q
GJM1555C1H4R7WB01 +A	4.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R8BB01 +A	4.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R8CB01 +A	4.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R8WB01 +A	4.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H4R9BB01 +A	4.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H4R9CB01 +A	4.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H4R9WB01 +A	4.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R0BB01 +A	5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R0CB01 +A	5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R0WB01 +A	5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R1BB01 +A	5.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R1CB01 +A	5.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R1DB01 +A	5.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R1FB01 +A	5.1pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H5R1WB01 +A	5.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R2BB01 +A	5.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R2CB01 +A	5.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R2DB01 +A	5.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R2WB01 +A	5.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R3BB01 +A	5.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R3CB01 +A	5.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R3DB01 +A	5.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R3WB01 +A	5.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1555C1H5R4BB01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R4CB01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R4DB01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R4WB01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R5BB01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R5CB01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R5DB01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R5WB01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R6BB01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R6CB01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R6DB01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R6FB01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H5R6WB01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R7BB01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R7CB01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R7DB01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R7WB01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R8BB01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R8CB01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R8DB01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R8WB01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H5R9BB01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H5R9CB01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H5R9DB01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H5R9WB01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R0BB01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R0CB01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R0DB01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R0WB01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R1BB01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R1CB01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R1DB01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R1WB01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R2BB01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R2CB01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R2DB01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R2WB01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H6R3BB01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R3CB01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R3DB01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R3WB01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R4BB01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R4CB01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R4DB01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R4WB01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R5BB01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R5CB01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R5DB01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R5WB01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R6BB01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R6CB01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R6DB01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R6WB01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R7BB01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R7CB01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R7DB01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R7WB01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R8BB01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R8CB01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R8DB01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R8WB01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H6R8WB01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H6R9BB01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H6R9CB01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H6R9DB01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H6R9WB01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R0BB01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R0CB01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R0DB01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R0WB01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R1BB01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R1CB01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R1DB01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R1WB01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R2BB01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R2CB01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R2DB01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1555C1H7R2WB01 +A	7.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R3BB01 +A	7.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R3CB01 +A	7.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R3DB01 +A	7.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R3WB01 +A	7.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R4BB01 +A	7.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R4CB01 +A	7.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R4DB01 +A	7.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R4WB01 +A	7.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R5BB01 +A	7.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R5CB01 +A	7.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R5DB01 +A	7.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R5FB01 +A	7.5pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H7R5WB01 +A	7.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R6BB01 +A	7.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R6DB01 +A	7.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R6WB01 +A	7.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R7BB01 +A	7.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R7DB01 +A	7.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R7WB01 +A	7.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R8BB01 +A	7.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R8CB01 +A	7.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R8DB01 +A	7.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R8WB01 +A	7.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H7R9BB01 +A	7.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H7R9CB01 +A	7.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H7R9DB01 +A	7.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H7R9WB01 +A	7.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R0BB01 +A	8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R0CB01 +A	8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R0DB01 +A	8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R0WB01 +A	8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R1BB01 +A	8.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R1CB01 +A	8.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R1DB01 +A	8.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R1WB01 +A	8.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R2BB01 +A	8.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R2CB01 +A	8.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R2DB01 +A	8.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R2FB01 +A	8.2pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H8R2WB01 +A	8.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R3BB01 +A	8.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R3CB01 +A	8.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R3DB01 +A	8.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R3WB01 +A	8.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R4BB01 +A	8.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R4CB01 +A	8.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R4DB01 +A	8.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R4WB01 +A	8.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R5BB01 +A	8.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R5CB01 +A	8.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R5DB01 +A	8.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R5WB01 +A	8.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R6BB01 +A	8.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R6CB01 +A	8.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R6DB01 +A	8.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R6WB01 +A	8.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R7BB01 +A	8.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R7CB01 +A	8.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R7DB01 +A	8.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R7WB01 +A	8.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R8BB01 +A	8.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R8CB01 +A	8.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R8DB01 +A	8.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R8WB01 +A	8.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H8R9BB01 +A	8.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H8R9CB01 +A	8.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H8R9DB01 +A	8.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H8R9WB01 +A	8.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R0BB01 +A	9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R0CB01 +A	9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R0DB01 +A	9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R0WB01 +A	9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R1BB01 +A	9.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R1CB01 +A	9.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R1DB01 +A	9.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1555C1H9R1FB01 +A	9.1pF	50	COG	1005M/0402	0.55	+/-1%	High-Q
GJM1555C1H9R1WB01 +A	9.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R2BB01 +A	9.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R2CB01 +A	9.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R2DB01 +A	9.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R2WB01 +A	9.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R3BB01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R3CB01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R3DB01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R3WB01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R4BB01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R4CB01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R4DB01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R4WB01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R5BB01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R5CB01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R5DB01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R5WB01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R6BB01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R6CB01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R6DB01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R6WB01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R7BB01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R7CB01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R7DB01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R7WB01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R8BB01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R8CB01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R8DB01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R8WB01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1H9R9BB01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1H9R9CB01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1555C1H9R9DB01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1555C1H9R9WB01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR10BB01 +A	0.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR10WB01 +A	0.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR20BB01 +A	0.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR20WB01 +A	0.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR30BB01 +A	0.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR30WB01 +A	0.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR40BB01 +A	0.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR40WB01 +A	0.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR50BB01 +A	0.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR50WB01 +A	0.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR60BB01 +A	0.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR60WB01 +A	0.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR70BB01 +A	0.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR70WB01 +A	0.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR80BB01 +A	0.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR80WB01 +A	0.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1555C1HR90BB01 +A	0.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1555C1HR90WB01 +A	0.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	High-Q
GQM1555C2A360GB01 +A	36pF	100	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2A360JB01 +A	36pF	100	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2A390GB01 +A	39pF	100	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2A390JB01 +A	39pF	100	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2A430GB01 +A	43pF	100	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2A430JB01 +A	43pF	100	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2A470GB01 +A	47pF	100	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2A470JB01 +A	47pF	100	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D100FB01 +A	10pF	200	COG	1005M/0402	0.55	+/-1%	High Frequency
GQM1555C2D100GB01 +A	10pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D100JB01 +A	10pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D110GB01 +A	11pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D110JB01 +A	11pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D120GB01 +A	12pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D120JB01 +A	12pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D130GB01 +A	13pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D130JB01 +A	13pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D150GB01 +A	15pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D150JB01 +A	15pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D160GB01 +A	16pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D160JB01 +A	16pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D180GB01 +A	18pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D180JB01 +A	18pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D1R0BB01 +A	1pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R0CB01 +A	1pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R1BB01 +A	1.1pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1555C2D1R1CB01 +A	1.1pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R2BB01 +A	1.2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R2CB01 +A	1.2pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R3BB01 +A	1.3pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R3CB01 +A	1.3pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R5BB01 +A	1.5pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R5CB01 +A	1.5pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R6BB01 +A	1.6pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R6CB01 +A	1.6pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D1R8BB01 +A	1.8pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D1R8CB01 +A	1.8pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D200GB01 +A	20pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D200JB01 +A	20pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D220GB01 +A	22pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D220JB01 +A	22pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D240GB01 +A	24pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D240JB01 +A	24pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D270GB01 +A	27pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D270JB01 +A	27pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D2R0BB01 +A	2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D2R0CB01 +A	2pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D2R2BB01 +A	2.2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D2R2CB01 +A	2.2pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D2R4BB01 +A	2.4pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D2R4CB01 +A	2.4pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D2R7BB01 +A	2.7pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D2R7CB01 +A	2.7pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D300GB01 +A	30pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D300JB01 +A	30pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D330GB01 +A	33pF	200	COG	1005M/0402	0.55	+/-2%	High Frequency
GQM1555C2D330JB01 +A	33pF	200	COG	1005M/0402	0.55	+/-5%	High Frequency
GQM1555C2D3R0BB01 +A	3pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D3R0CB01 +A	3pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D3R0WB01 +A	3pF	200	COG	1005M/0402	0.55	+/-0.05pF	High Frequency
GQM1555C2D3R3BB01 +A	3.3pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D3R3CB01 +A	3.3pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D3R6BB01 +A	3.6pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D3R6CB01 +A	3.6pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D3R9BB01 +A	3.9pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D3R9CB01 +A	3.9pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D4R0BB01 +A	4pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D4R0CB01 +A	4pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D4R3BB01 +A	4.3pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D4R3CB01 +A	4.3pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D4R7BB01 +A	4.7pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D4R7CB01 +A	4.7pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D5R0BB01 +A	5pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D5R0CB01 +A	5pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D5R1BB01 +A	5.1pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D5R1CB01 +A	5.1pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D5R6BB01 +A	5.6pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D5R6CB01 +A	5.6pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D6R0BB01 +A	6pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D6R0CB01 +A	6pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D6R2BB01 +A	6.2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D6R2CB01 +A	6.2pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D6R8BB01 +A	6.8pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D6R8CB01 +A	6.8pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D7R0BB01 +A	7pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D7R0CB01 +A	7pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D7R5BB01 +A	7.5pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D7R5CB01 +A	7.5pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D8R0BB01 +A	8pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D8R0CB01 +A	8pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D8R2BB01 +A	8.2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D8R2CB01 +A	8.2pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D9R0BB01 +A	9pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D9R0CB01 +A	9pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2D9R1BB01 +A	9.1pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2D9R1CB01 +A	9.1pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR10BB01 +A	0.1pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR20BB01 +A	0.2pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR30BB01 +A	0.3pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR30CB01 +A	0.3pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR40BB01 +A	0.4pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR40CB01 +A	0.4pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR50BB01 +A	0.5pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR50CB01 +A	0.5pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1555C2DR60BB01 +A	0.6pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR60CB01 +A	0.6pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR70BB01 +A	0.7pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR70CB01 +A	0.7pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR75BB01 +A	0.75pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR75CB01 +A	0.75pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR80BB01 +A	0.8pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR80CB01 +A	0.8pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1555C2DR90BB01 +A	0.9pF	200	COG	1005M/0402	0.55	+/-0.1pF	High Frequency
GQM1555C2DR90CB01 +A	0.9pF	200	COG	1005M/0402	0.55	+/-0.25pF	High Frequency
GQM1875C2E100GB12 +A	10pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E100JB12 +A	10pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E101FB12 +A	100pF	250	COG	1608M/0603	0.80	+/-1%	High Frequency
GQM1875C2E101GB12 +A	100pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E101JB12 +A	100pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E110GB12 +A	11pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E110JB12 +A	11pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E120GB12 +A	12pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E120JB12 +A	12pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E130GB12 +A	13pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E130JB12 +A	13pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E150GB12 +A	15pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E150JB12 +A	15pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E160GB12 +A	16pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E160JB12 +A	16pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E180GB12 +A	18pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E180JB12 +A	18pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E1R0BB12 +A	1pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R0CB12 +A	1pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R1BB12 +A	1.1pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R1CB12 +A	1.1pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R2BB12 +A	1.2pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R2CB12 +A	1.2pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R3BB12 +A	1.3pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R3CB12 +A	1.3pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R5BB12 +A	1.5pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R5CB12 +A	1.5pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R6BB12 +A	1.6pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R6CB12 +A	1.6pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E1R8BB12 +A	1.8pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E1R8CB12 +A	1.8pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E200GB12 +A	20pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E200JB12 +A	20pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E220GB12 +A	22pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E220JB12 +A	22pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E240GB12 +A	24pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E240JB12 +A	24pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E270GB12 +A	27pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E270JB12 +A	27pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E2R0BB12 +A	2pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E2R0CB12 +A	2pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E2R2BB12 +A	2.2pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E2R2CB12 +A	2.2pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E2R4BB12 +A	2.4pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E2R4CB12 +A	2.4pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E2R7BB12 +A	2.7pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E2R7CB12 +A	2.7pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E300GB12 +A	30pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E300JB12 +A	30pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E330GB12 +A	33pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E330JB12 +A	33pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E360GB12 +A	36pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E360JB12 +A	36pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E390GB12 +A	39pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E390JB12 +A	39pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E3R0BB12 +A	3pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E3R0CB12 +A	3pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E3R3BB12 +A	3.3pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E3R3CB12 +A	3.3pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E3R6BB12 +A	3.6pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E3R6CB12 +A	3.6pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E3R9BB12 +A	3.9pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E3R9CB12 +A	3.9pF	250	COG	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E430GB12 +A	43pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E430JB12 +A	43pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E470GB12 +A	47pF	250	COG	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E470JB12 +A	47pF	250	COG	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E4R0BB12 +A	4pF	250	COG	1608M/0603	0.80	+/-0.1pF	High Frequency



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1875C2E4R0CB12 +A	4pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E4R3BB12 +A	4.3pF	250	C0G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E4R3CB12 +A	4.3pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E4R7BB12 +A	4.7pF	250	C0G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E4R7CB12 +A	4.7pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E560FB12 +A	56pF	250	C0G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875C2E560GB12 +A	56pF	250	C0G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E560JB12 +A	56pF	250	C0G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E5R0BB12 +A	5pF	250	C0G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875C2E5R0CB12 +A	5pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E5R1CB12 +A	5.1pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E5R1DB12 +A	5.1pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E5R6CB12 +A	5.6pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E5R6DB12 +A	5.6pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E680FB12 +A	68pF	250	C0G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875C2E680GB12 +A	68pF	250	C0G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E680JB12 +A	68pF	250	C0G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E6R0CB12 +A	6pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E6R0DB12 +A	6pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E6R2CB12 +A	6.2pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E6R2DB12 +A	6.2pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E6R8CB12 +A	6.8pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E6R8DB12 +A	6.8pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E7R0CB12 +A	7pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E7R0DB12 +A	7pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E7R5CB12 +A	7.5pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E7R5DB12 +A	7.5pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E820FB12 +A	82pF	250	C0G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875C2E820GB12 +A	82pF	250	C0G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875C2E820JB12 +A	82pF	250	C0G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875C2E8R0CB12 +A	8pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E8R0DB12 +A	8pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E8R2CB12 +A	8.2pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E8R2DB12 +A	8.2pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E9R0CB12 +A	9pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E9R0DB12 +A	9pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875C2E9R1CB12 +A	9.1pF	250	C0G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875C2E9R1DB12 +A	9.1pF	250	C0G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E100GB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E100JB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E100RB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-2.5%	High Frequency
GQM1875G2E110FB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E110GB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E110JB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E120FB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E120GB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E120JB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E130FB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E130GB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E130JB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E150FB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E150GB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E150JB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E160FB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E160GB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E160JB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E180FB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E180GB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E180JB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E1R0BB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R0CB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R0DB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R0WB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R1BB12 +A	1.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R1CB12 +A	1.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R1DB12 +A	1.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R1WB12 +A	1.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R2BB12 +A	1.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R2CB12 +A	1.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R2DB12 +A	1.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R2WB12 +A	1.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R3BB12 +A	1.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R3CB12 +A	1.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R3DB12 +A	1.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R3WB12 +A	1.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R5BB12 +A	1.5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R5CB12 +A	1.5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R5DB12 +A	1.5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1875G2E1R5WB12	+1.5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R6BB12	+1.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R6CB12	+1.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R6DB12	+1.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R6WB12	+1.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R8BB12	+1.8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R8CB12	+1.8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R8DB12	+1.8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R8WB12	+1.8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E200GB12	+20pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E200JB12	+A20pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E220FB12	+A22pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E220GB12	+22pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E220JB12	+A22pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E240FB12	+A24pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E240GB12	+A24pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E240JB12	+A24pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E270FB12	+A27pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E270GB12	+27pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E270JB12	+A27pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E2R0BB12	+2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R0CB12	+2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R0DB12	+2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R0WB12	+2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E2R2BB12	+2.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R2CB12	+2.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R4BB12	+2.4pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R4CB12	+2.4pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R4DB12	+2.4pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R4WB12	+2.4pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E2R7BB12	+2.7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R7CB12	+2.7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R7DB12	+2.7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R7WB12	+2.7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E300FB12	+A30pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E300GB12	+30pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E300JB12	+A30pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E3R0BB12	+3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R0CB12	+3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R3BB12	+3.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R3CB12	+3.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R3DB12	+3.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R3WB12	+3.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E3R6BB12	+3.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R6CB12	+3.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R6DB12	+3.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R6WB12	+3.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E3R9BB12	+3.9pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R9CB12	+3.9pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R9DB12	+3.9pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R9WB12	+3.9pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E4R0BB12	+4pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R0CB12	+4pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R3BB12	+4.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R3CB12	+4.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R3DB12	+4.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E4R3WB12	+4.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E4R7BB12	+4.7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R7CB12	+4.7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R7DB12	+4.7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E4R7WB12	+4.7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R0BB12	+5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R0CB12	+5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E5R0DB12	+5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R0WB12	+5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R1BB12	+5.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R1CB12	+5.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E5R1DB12	+5.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R1WB12	+5.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R6BB12	+5.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R6CB12	+5.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E5R6DB12	+5.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R6WB12	+5.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R0BB12	+6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E6R0CB12	+6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R0DB12	+6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R0WB12	+6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R2BB12	+6.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1875G2E6R2CB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R2DB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R2WB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R8BB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E6R8CB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R8DB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R8WB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E7R0BB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E7R0CB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E7R0DB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E7R0WB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E7R5BB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E7R5CB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E7R5DB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E7R5WB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E8R0BB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E8R0CB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E8R0DB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E8R0WB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E8R2BB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E8R2CB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E8R2DB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E8R2WB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E9R0BB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E9R0CB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E9R0DB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E9R0WB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E9R1BB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E9R1CB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E9R1DB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E9R1WB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1885C1H100GB01 +A	10pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H100JB01 +A	10pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H101GB01 +A	100pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H101JB01 +A	100pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H110GB01 +A	11pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H110JB01 +A	11pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H120GB01 +A	12pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H120JB01 +A	12pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H130GB01 +A	13pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H130JB01 +A	13pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H150GB01 +A	15pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H150JB01 +A	15pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H160GB01 +A	16pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H160JB01 +A	16pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H180GB01 +A	18pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H180JB01 +A	18pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H200GB01 +A	20pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H200JB01 +A	20pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H220GB01 +A	22pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H220JB01 +A	22pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H240GB01 +A	24pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H240JB01 +A	24pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H270GB01 +A	27pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H270JB01 +A	27pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H300GB01 +A	30pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H300JB01 +A	30pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H330GB01 +A	33pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H330JB01 +A	33pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H360GB01 +A	36pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H360JB01 +A	36pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H390GB01 +A	39pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H390JB01 +A	39pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H430GB01 +A	43pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H430JB01 +A	43pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H470GB01 +A	47pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H470JB01 +A	47pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H510GB01 +A	51pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H510JB01 +A	51pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H560GB01 +A	56pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H560JB01 +A	56pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H620GB01 +A	62pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H620JB01 +A	62pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H680GB01 +A	68pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H680JB01 +A	68pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H750GB01 +A	75pF	50	C0G	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H750JB01 +A	75pF	50	C0G	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H7R0CB01 +A	7pF	50	C0G	1608M/0603	0.90	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1885C1H7R0DB01	+7pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C1H7R5CB01	+7.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C1H7R5DB01	+7.5pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C1H820CB01	+82pF	50	COG	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H820JB01	+82pF	50	COG	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H8R0CB01	+8pF	50	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C1H8R0DB01	+8pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C1H8R2CB01	+8.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C1H8R2DB01	+8.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C1H910CB01	+91pF	50	COG	1608M/0603	0.90	+/-2%	High Frequency
GQM1885C1H910JB01	+91pF	50	COG	1608M/0603	0.90	+/-5%	High Frequency
GQM1885C1H9R0CB01	+9pF	50	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C1H9R0DB01	+9pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C1H9R1CB01	+9.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C1H9R1DB01	+9.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C2A1R0BB01	+1pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R0CB01	+1pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R1BB01	+1.1pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R1CB01	+1.1pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R2BB01	+1.2pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R2CB01	+1.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R3BB01	+1.3pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R3CB01	+1.3pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R5BB01	+1.5pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R5CB01	+1.5pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R6BB01	+1.6pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R6CB01	+1.6pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A1R8BB01	+1.8pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A1R8CB01	+1.8pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A2R0BB01	+2pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A2R0CB01	+2pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A2R2BB01	+2.2pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A2R2CB01	+2.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A2R4BB01	+2.4pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A2R4CB01	+2.4pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A2R7BB01	+2.7pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A2R7CB01	+2.7pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A3R0BB01	+3pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A3R0CB01	+3pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A3R3BB01	+3.3pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A3R3CB01	+3.3pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A3R6BB01	+3.6pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A3R6CB01	+3.6pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A3R9BB01	+3.9pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A3R9CB01	+3.9pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A4R0BB01	+4pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A4R0CB01	+4pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A4R3BB01	+4.3pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A4R3CB01	+4.3pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A4R7BB01	+4.7pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A4R7CB01	+4.7pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A5R0BB01	+5pF	100	COG	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1885C2A5R0CB01	+5pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A5R1CB01	+5.1pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A5R1DB01	+5.1pF	100	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C2A5R6CB01	+5.6pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A5R6DB01	+5.6pF	100	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C2A6R0CB01	+6pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A6R0DB01	+6pF	100	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C2A6R2CB01	+6.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A6R2DB01	+6.2pF	100	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1885C2A6R8CB01	+6.8pF	100	COG	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1885C2A6R8DB01	+6.8pF	100	COG	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM2195C1H101CB01	+100pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H101JB01	+100pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H200CB01	+20pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H200JB01	+20pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H220CB01	+22pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H220JB01	+22pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H240CB01	+24pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H240JB01	+24pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H270CB01	+27pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H270JB01	+27pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H300CB01	+30pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H300JB01	+30pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H330CB01	+33pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H330JB01	+33pF	50	COG	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H360CB01	+36pF	50	COG	2012M/0805	0.95	+/-2%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195C1H360JB01 +A	36pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H390GB01 +A	39pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H390JB01 +A	39pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H430GB01 +A	43pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H430JB01 +A	43pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H470GB01 +A	47pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H470JB01 +A	47pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H510GB01 +A	51pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H510JB01 +A	51pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H560GB01 +A	56pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H560JB01 +A	56pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H620GB01 +A	62pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H620JB01 +A	62pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H680GB01 +A	68pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H680JB01 +A	68pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H750GB01 +A	75pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H750JB01 +A	75pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H820GB01 +A	82pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H820JB01 +A	82pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C1H910GB01 +A	91pF	50	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C1H910JB01 +A	91pF	50	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A100GB01 +A	10pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A100JB01 +A	10pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A110GB01 +A	11pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A110JB01 +A	11pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A120GB01 +A	12pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A120JB01 +A	12pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A130GB01 +A	13pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A130JB01 +A	13pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A150GB01 +A	15pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A150JB01 +A	15pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A160GB01 +A	16pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A160JB01 +A	16pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A180GB01 +A	18pF	100	C0G	2012M/0805	0.95	+/-2%	High Frequency
GQM2195C2A180JB01 +A	18pF	100	C0G	2012M/0805	0.95	+/-5%	High Frequency
GQM2195C2A1R0BB01 +A	1pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R0CB01 +A	1pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R1BB01 +A	1.1pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R1CB01 +A	1.1pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R2BB01 +A	1.2pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R2CB01 +A	1.2pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R3BB01 +A	1.3pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R3CB01 +A	1.3pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R5BB01 +A	1.5pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R5CB01 +A	1.5pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R6BB01 +A	1.6pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R6CB01 +A	1.6pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A1R8BB01 +A	1.8pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A1R8CB01 +A	1.8pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A2R0BB01 +A	2pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A2R0CB01 +A	2pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A2R2BB01 +A	2.2pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A2R2CB01 +A	2.2pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A2R4BB01 +A	2.4pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A2R4CB01 +A	2.4pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A2R7BB01 +A	2.7pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A2R7CB01 +A	2.7pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A3R0BB01 +A	3pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A3R0CB01 +A	3pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A3R3BB01 +A	3.3pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A3R3CB01 +A	3.3pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A3R6BB01 +A	3.6pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A3R6CB01 +A	3.6pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A3R9BB01 +A	3.9pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A3R9CB01 +A	3.9pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A4R0BB01 +A	4pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A4R0CB01 +A	4pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A4R3BB01 +A	4.3pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A4R3CB01 +A	4.3pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A4R7BB01 +A	4.7pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A4R7CB01 +A	4.7pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A5R0BB01 +A	5pF	100	C0G	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2195C2A5R0CB01 +A	5pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A5R1CB01 +A	5.1pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A5R1DB01 +A	5.1pF	100	C0G	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A5R6CB01 +A	5.6pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A5R6DB01 +A	5.6pF	100	C0G	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A6R0CB01 +A	6pF	100	C0G	2012M/0805	0.95	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195C2A6R0DB01 +A	6pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A6R2CB01 +A	6.2pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A6R2DB01 +A	6.2pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A6R8CB01 +A	6.8pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A6R8DB01 +A	6.8pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A7R0CB01 +A	7pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A7R0DB01 +A	7pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A7R5CB01 +A	7.5pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A7R5DB01 +A	7.5pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A8R0CB01 +A	8pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A8R0DB01 +A	8pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A8R2CB01 +A	8.2pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A8R2DB01 +A	8.2pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A9R0CB01 +A	9pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A9R0DB01 +A	9pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2A9R1CB01 +A	9.1pF	100	COG	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195C2A9R1DB01 +A	9.1pF	100	COG	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2195C2E100GB12 +A	10pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E100JB12 +A	10pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E101GB12 +A	100pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E101JB12 +A	100pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E110GB12 +A	11pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E110JB12 +A	11pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E120GB12 +A	12pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E120JB12 +A	12pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E130GB12 +A	13pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E130JB12 +A	13pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E150GB12 +A	15pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E150JB12 +A	15pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E160GB12 +A	16pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E160JB12 +A	16pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E180GB12 +A	18pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E180JB12 +A	18pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E1R0BB12 +A	1pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R0CB12 +A	1pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R1BB12 +A	1.1pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R1CB12 +A	1.1pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R2BB12 +A	1.2pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R2CB12 +A	1.2pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R3BB12 +A	1.3pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R3CB12 +A	1.3pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R5BB12 +A	1.5pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R5CB12 +A	1.5pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R6BB12 +A	1.6pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R6CB12 +A	1.6pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E1R8BB12 +A	1.8pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E1R8CB12 +A	1.8pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E200GB12 +A	20pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E200JB12 +A	20pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E220GB12 +A	22pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E220JB12 +A	22pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E240GB12 +A	24pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E240JB12 +A	24pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E270GB12 +A	27pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E270JB12 +A	27pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E2R0BB12 +A	2pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E2R0CB12 +A	2pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E2R2BB12 +A	2.2pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E2R2CB12 +A	2.2pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E2R4BB12 +A	2.4pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E2R4CB12 +A	2.4pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E2R7BB12 +A	2.7pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E2R7CB12 +A	2.7pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E300GB12 +A	30pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E300JB12 +A	30pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E330GB12 +A	33pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E330JB12 +A	33pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E360GB12 +A	36pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E360JB12 +A	36pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E390GB12 +A	39pF	250	COG	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E390JB12 +A	39pF	250	COG	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E3R0BB12 +A	3pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E3R0CB12 +A	3pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E3R3BB12 +A	3.3pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E3R3CB12 +A	3.3pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E3R6BB12 +A	3.6pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E3R6CB12 +A	3.6pF	250	COG	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E3R9BB12 +A	3.9pF	250	COG	2012M/0805	1.00	+/-0.1pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195C2E3R9CB12 +A	3.9pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E430GB12 +A	43pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E430JB12 +A	43pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E470GB12 +A	47pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E470JB12 +A	47pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E4R0BB12 +A	4pF	250	C0G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E4R0CB12 +A	4pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E4R3BB12 +A	4.3pF	250	C0G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E4R3CB12 +A	4.3pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E4R7BB12 +A	4.7pF	250	C0G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E4R7CB12 +A	4.7pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E510GB12 +A	51pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E510JB12 +A	51pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E560GB12 +A	56pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E560JB12 +A	56pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E5R0BB12 +A	5pF	250	C0G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195C2E5R0CB12 +A	5pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E5R1CB12 +A	5.1pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E5R1DB12 +A	5.1pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E5R6CB12 +A	5.6pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E5R6DB12 +A	5.6pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E620GB12 +A	62pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E620JB12 +A	62pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E680GB12 +A	68pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E680JB12 +A	68pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E6R0CB12 +A	6pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E6R0DB12 +A	6pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E6R2CB12 +A	6.2pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E6R2DB12 +A	6.2pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E6R8CB12 +A	6.8pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E6R8DB12 +A	6.8pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E750GB12 +A	75pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E750JB12 +A	75pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E7R0CB12 +A	7pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E7R0DB12 +A	7pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E7R5CB12 +A	7.5pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E7R5DB12 +A	7.5pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E820GB12 +A	82pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E820JB12 +A	82pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E8R0CB12 +A	8pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E8R0DB12 +A	8pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E8R2CB12 +A	8.2pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E8R2DB12 +A	8.2pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E910GB12 +A	91pF	250	C0G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195C2E910JB12 +A	91pF	250	C0G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195C2E9R0CB12 +A	9pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E9R0DB12 +A	9pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195C2E9R1CB12 +A	9.1pF	250	C0G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195C2E9R1DB12 +A	9.1pF	250	C0G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E100FB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E100GB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E100JB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E100RB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-2.5%	High Frequency
GQM2195G2E110FB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E110GB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E110JB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E120FB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E120GB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E120JB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E130FB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E130GB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E130JB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E150FB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E150GB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E150JB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E160FB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E160GB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E160JB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E180FB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E180GB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E180JB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E1R0BB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R0CB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R0DB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R0WB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R1BB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R1CB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R1DB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2E1R1WB12	+1.1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R2BB12	+1.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R2CB12	+1.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R2DB12	+1.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R2WB12	+1.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R3BB12	+1.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R3CB12	+1.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R3DB12	+1.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R3WB12	+1.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R5BB12	+1.5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R5CB12	+1.5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R5DB12	+1.5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R5WB12	+1.5pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R6BB12	+1.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R6CB12	+1.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R6DB12	+1.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R6WB12	+1.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R8BB12	+1.8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R8CB12	+1.8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R8DB12	+1.8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R8WB12	+1.8pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E200FB12	+A20pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E200GB12	+A20pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E200JB12	+A20pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E220FB12	+A22pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E220GB12	+A22pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E220JB12	+A22pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E240FB12	+A24pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E240GB12	+A24pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E240JB12	+A24pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E270FB12	+A27pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E270GB12	+A27pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E270JB12	+A27pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E2R0BB12	+2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R0CB12	+2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R0DB12	+2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R0WB12	+2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R2BB12	+2.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R2CB12	+2.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R2DB12	+2.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R2WB12	+2.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R4BB12	+2.4pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R4CB12	+2.4pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R4DB12	+2.4pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R4WB12	+2.4pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R7BB12	+2.7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R7CB12	+2.7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R7DB12	+2.7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R7WB12	+2.7pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E300FB12	+A30pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E300GB12	+A30pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E300JB12	+A30pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E330FB12	+A33pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E330GB12	+A33pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E330JB12	+A33pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E360FB12	+A36pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E360GB12	+A36pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E360JB12	+A36pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E390FB12	+A39pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E390GB12	+A39pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E390JB12	+A39pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E3R0BB12	+3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R0CB12	+3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R0DB12	+3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R0WB12	+3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R3BB12	+3.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R3CB12	+3.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R3DB12	+3.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R3WB12	+3.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R6BB12	+3.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R6CB12	+3.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R6DB12	+3.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R6WB12	+3.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R9BB12	+3.9pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R9CB12	+3.9pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R9DB12	+3.9pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R9WB12	+3.9pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E430FB12	+A43pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2E430GB12 +A	43pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E430JB12 +A	43pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E470FB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E470CB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E470JB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E4R0BB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R0CB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R0DB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R0WB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E4R3BB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R3CB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R3DB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R3WB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E4R7BB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R7CB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R7DB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R7WB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E510FB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E510GB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E510JB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E560FB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E560GB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E560JB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E5R0BB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R0CB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R0DB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R0WB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E5R1BB12 +A	5.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R1CB12 +A	5.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R1DB12 +A	5.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R1WB12 +A	5.1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E5R6BB12 +A	5.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R6CB12 +A	5.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R6DB12 +A	5.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R6WB12 +A	5.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E620FB12 +A	62pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E620GB12 +A	62pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E620JB12 +A	62pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E680FB12 +A	68pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E680GB12 +A	68pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E680JB12 +A	68pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E6R0BB12 +A	6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R0CB12 +A	6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R0DB12 +A	6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R0WB12 +A	6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E6R2BB12 +A	6.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R2CB12 +A	6.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R2DB12 +A	6.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R2WB12 +A	6.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E6R8BB12 +A	6.8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R8CB12 +A	6.8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R8DB12 +A	6.8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R8WB12 +A	6.8pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E750FB12 +A	75pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E750GB12 +A	75pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E750JB12 +A	75pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E7R0BB12 +A	7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E7R0CB12 +A	7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E7R0DB12 +A	7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E7R5BB12 +A	7.5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E7R5CB12 +A	7.5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E7R5DB12 +A	7.5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E820FB12 +A	82pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E820GB12 +A	82pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E820JB12 +A	82pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E8R0BB12 +A	8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E8R0CB12 +A	8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E8R0DB12 +A	8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E8R2BB12 +A	8.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E8R2CB12 +A	8.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E8R2DB12 +A	8.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E9R0BB12 +A	9pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E9R0CB12 +A	9pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E9R0DB12 +A	9pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E9R1BB12 +A	9.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E9R1CB12 +A	9.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E9R1DB12 +A	9.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H100GB12 +A	10pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2H100JB12 +A	10pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H110GB12 +A	11pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H110JB12 +A	11pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H120CB12 +A	12pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H120JB12 +A	12pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H130GB12 +A	13pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H130JB12 +A	13pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H150CB12 +A	15pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H150JB12 +A	15pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H160GB12 +A	16pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H160JB12 +A	16pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H180CB12 +A	18pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H180JB12 +A	18pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H1R0BB12 +A	1pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R0CB12 +A	1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R1BB12 +A	1.1pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R1CB12 +A	1.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R2BB12 +A	1.2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R2CB12 +A	1.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R3BB12 +A	1.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R3CB12 +A	1.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R5BB12 +A	1.5pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R5CB12 +A	1.5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R6BB12 +A	1.6pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R6CB12 +A	1.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R8BB12 +A	1.8pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R8CB12 +A	1.8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H200GB12 +A	20pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H200JB12 +A	20pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H220GB12 +A	22pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H220JB12 +A	22pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H2R0BB12 +A	2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R0CB12 +A	2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R2BB12 +A	2.2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R2CB12 +A	2.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R4BB12 +A	2.4pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R4CB12 +A	2.4pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R7BB12 +A	2.7pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R7CB12 +A	2.7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R0BB12 +A	3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R0CB12 +A	3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R3BB12 +A	3.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R3CB12 +A	3.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R6BB12 +A	3.6pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R6CB12 +A	3.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R9BB12 +A	3.9pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R9CB12 +A	3.9pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R0BB12 +A	4pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R0CB12 +A	4pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R3BB12 +A	4.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R3CB12 +A	4.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R7BB12 +A	4.7pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R7CB12 +A	4.7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R0BB12 +A	5pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H5R0CB12 +A	5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R1CB12 +A	5.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R1DB12 +A	5.1pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H5R6CB12 +A	5.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R6DB12 +A	5.6pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R0CB12 +A	6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R0DB12 +A	6pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R2CB12 +A	6.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R2DB12 +A	6.2pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R8CB12 +A	6.8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R8DB12 +A	6.8pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H7R0CB12 +A	7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H7R0DB12 +A	7pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H7R5CB12 +A	7.5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H7R5DB12 +A	7.5pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H8R0CB12 +A	8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H8R0DB12 +A	8pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H8R2CB12 +A	8.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H8R2DB12 +A	8.2pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H9R0CB12 +A	9pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H9R0DB12 +A	9pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H9R1CB12 +A	9.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H9R1DB12 +A	9.1pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM22M5C2H100GB01 +A	10pF	500	COG	2828M/1111	1.35	+/-2%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM22M5C2H100JB01 +A	10pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H101GB01 +	100pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H101JB01 +A	100pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H110GB01 +	11pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H110JB01 +A	11pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H120GB01 +	12pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H120JB01 +A	12pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H130GB01 +	13pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H130JB01 +A	13pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H150GB01 +	15pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H150JB01 +A	15pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H160GB01 +	16pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H160JB01 +A	16pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H180GB01 +	18pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H180JB01 +A	18pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H1R0BB01 +	1pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R0CB01 +	1pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R1BB01 +	1.1pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R1CB01 +	1.1pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R2BB01 +	1.2pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R2CB01 +	1.2pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R3BB01 +	1.3pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R3CB01 +	1.3pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R5BB01 +	1.5pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R5CB01 +	1.5pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R6BB01 +	1.6pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R6CB01 +	1.6pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H1R8BB01 +	1.8pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H1R8CB01 +	1.8pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H200GB01 +	20pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H200JB01 +A	20pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H220GB01 +	22pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H220JB01 +A	22pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H240GB01 +	24pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H240JB01 +A	24pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H270GB01 +	27pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H270JB01 +A	27pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H2R0BB01 +	2pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H2R0CB01 +	2pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H2R2BB01 +	2.2pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H2R2CB01 +	2.2pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H2R4BB01 +	2.4pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H2R4CB01 +	2.4pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H2R7BB01 +	2.7pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H2R7CB01 +	2.7pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H300GB01 +	30pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H300JB01 +A	30pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H330GB01 +	33pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H330JB01 +A	33pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H360GB01 +	36pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H360JB01 +A	36pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H390GB01 +	39pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H390JB01 +A	39pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H3R0BB01 +	3pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H3R0CB01 +	3pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H3R3BB01 +	3.3pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H3R3CB01 +	3.3pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H3R6BB01 +	3.6pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H3R6CB01 +	3.6pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H3R9BB01 +	3.9pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H3R9CB01 +	3.9pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H430GB01 +	43pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H430JB01 +A	43pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H470GB01 +	47pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H470JB01 +A	47pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H4R0BB01 +	4pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H4R0CB01 +	4pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H4R3BB01 +	4.3pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H4R3CB01 +	4.3pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H4R7BB01 +	4.7pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H4R7CB01 +	4.7pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H510GB01 +	51pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H510JB01 +A	51pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H560GB01 +	56pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H560JB01 +A	56pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H5R0BB01 +	5pF	500	C0G	2828M/1111	1.35	+/-0.1pF	High Frequency
GQM22M5C2H5R0CB01 +	5pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H5R1CB01 +	5.1pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM22M5C2H5R1DB01	+5.1pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H5R6CB01	+5.6pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H5R6DB01	+5.6pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H620GB01	+62pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H620JB01	+62pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H680GB01	+68pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H680JB01	+68pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H6R0CB01	+6pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H6R0DB01	+6pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H6R2CB01	+6.2pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H6R2DB01	+6.2pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H6R8CB01	+6.8pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H6R8DB01	+6.8pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H750GB01	+75pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H750JB01	+75pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H7R0CB01	+7pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H7R0DB01	+7pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H7R5CB01	+7.5pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H7R5DB01	+7.5pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H820GB01	+82pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H820JB01	+82pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H8R0CB01	+8pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H8R0DB01	+8pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H8R2CB01	+8.2pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H8R2DB01	+8.2pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H910GB01	+91pF	500	C0G	2828M/1111	1.35	+/-2%	High Frequency
GQM22M5C2H910JB01	+91pF	500	C0G	2828M/1111	1.35	+/-5%	High Frequency
GQM22M5C2H9R0CB01	+9pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H9R0DB01	+9pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GQM22M5C2H9R1CB01	+9.1pF	500	C0G	2828M/1111	1.35	+/-0.25pF	High Frequency
GQM22M5C2H9R1DB01	+9.1pF	500	C0G	2828M/1111	1.35	+/-0.5pF	High Frequency
GR321AD72E103KW01	10000pF	250	X7T	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GR321AD72E153KW01	15000pF	250	X7T	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GR321BD72E223KW03	22000pF	250	X7T	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GR331AD72E333KW01	33000pF	250	X7T	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GR331AD72W103KW01	10000pF	450	X7T	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GR331AD72W153KW01	15000pF	450	X7T	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GR331BD72E473KW01	47000pF	250	X7T	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GR331BD72J103KW01	10000pF	630	X7T	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GR331BD72W223KW01	22000pF	450	X7T	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GR331BD72W333KW01	33000pF	450	X7T	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GR331CD72E683KW03	68000pF	250	X7T	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GR331CD72J153KW03	15000pF	630	X7T	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GR331CD72W473KW03	47000pF	450	X7T	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GR332DD72E154KW01	0.15uF	250	X7T	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GR332DD72J333KW01	33000pF	630	X7T	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GR332DD72J473KW01	47000pF	630	X7T	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GR332DD72W104KW01	0.1uF	450	X7T	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GR332DD72W683KW01	68000pF	450	X7T	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GR332QD72E104KW01	0.1uF	250	X7T	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GR332QD72J223KW01	22000pF	630	X7T	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GR343DD72E334KW01	0.33uF	250	X7T	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GR343DD72J683KW01	68000pF	630	X7T	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GR343DD72W154KW01	0.15uF	450	X7T	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GR343QD72E224KW01	0.22uF	250	X7T	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GR355DD72E474KW01	0.47uF	250	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72E684KW01	0.68uF	250	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72J104KW01	0.1uF	630	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72J154KW01	0.15uF	630	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72W224KW01	0.22uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72W334KW01	0.33uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355DD72W474KW01	0.47uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GR355XD72E105KW05	1uF	250	X7T	5750M/2220	2.70	+/-10%	200V and over/ General Purpose
GR355XD72J224KW05	0.22uF	630	X7T	5750M/2220	2.70	+/-10%	200V and over/ General Purpose
GR431A7U2J102JWC2	1000pF	630	U2J	3216M/1206	1.00	+/-5%	200V and over/ Information Devices
GR431A7U2J122JWC2	1200pF	630	U2J	3216M/1206	1.00	+/-5%	200V and over/ Information Devices
GR431A7U2J152JWC2	1500pF	630	U2J	3216M/1206	1.00	+/-5%	200V and over/ Information Devices
GR431A7U2J182JWC2	1800pF	630	U2J	3216M/1206	1.00	+/-5%	200V and over/ Information Devices
GR431A7U2J222JWC2	2200pF	630	U2J	3216M/1206	1.00	+/-5%	200V and over/ Information Devices
GR431B7U2J272JWC2	2700pF	630	U2J	3216M/1206	1.25	+/-5%	200V and over/ Information Devices
GR431B7U2J332JWC2	3300pF	630	U2J	3216M/1206	1.25	+/-5%	200V and over/ Information Devices
GR431C7U2J392JWC1	3900pF	630	U2J	3216M/1206	1.80	+/-5%	200V and over/ Information Devices
GR431C7U2J472JWC1	4700pF	630	U2J	3216M/1206	1.80	+/-5%	200V and over/ Information Devices
GR432B7U2J562JWC2	5600pF	630	U2J	3225M/1210	1.25	+/-5%	200V and over/ Information Devices
GR432D7U2J103JWC2	10000pF	630	U2J	3225M/1210	2.00	+/-5%	200V and over/ Information Devices
GR432D7U2J822JWC2	8200pF	630	U2J	3225M/1210	2.00	+/-5%	200V and over/ Information Devices
GR432E7U2J123JWC1	12000pF	630	U2J	3225M/1210	2.70	+/-5%	200V and over/ Information Devices
GR432E7U2J153JWC1	15000pF	630	U2J	3225M/1210	2.70	+/-5%	200V and over/ Information Devices

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GR432QU2J682JWC2	6800pF	630	U2J	3225M/1210	1.50	+/-5%	200V and over/ Information Devices
GR442QR73D101KW01	100pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D102KW01	1000pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D121KW01	120pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D122KW01	1200pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D151KW01	150pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D152KW01	1500pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D181KW01	180pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D221KW01	220pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D271KW01	270pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D331KW01	330pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D391KW01	390pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D471KW01	470pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D561KW01	560pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D681KW01	680pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR442QR73D821KW01	820pF	2000	X7R	4520M/1808	1.50	+/-10%	200V and over/ Information Devices
GR443DR73D472KW01	4700pF	2000	X7R	4532M/1812	2.00	+/-10%	200V and over/ Information Devices
GR443QR73D102KW01	1000pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR443QR73D182KW01	1800pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR443QR73D222KW01	2200pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR443QR73D272KW01	2700pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR443QR73D332KW01	3300pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR443QR73D392KW01	3900pF	2000	X7R	4532M/1812	1.50	+/-10%	200V and over/ Information Devices
GR455DR73D103KW01	10000pF	2000	X7R	5750M/2220	2.00	+/-10%	200V and over/ Information Devices
GR721AW0BB103KW01	10000pF	350	X7T	2012M/0805	1.00	+/-10%	200V and over/ Camera Flash Units
GR721AW0BB153KW01	15000pF	350	X7T	2012M/0805	1.00	+/-10%	200V and over/ Camera Flash Units
GR721BW0BB223KW03	22000pF	350	X7T	2012M/0805	1.45	+/-10%	200V and over/ Camera Flash Units
GR721BW0BB273KW03	27000pF	350	X7T	2012M/0805	1.45	+/-10%	200V and over/ Camera Flash Units
GR731AW0BB103KW01	10000pF	350	X7T	3216M/1206	1.00	+/-10%	200V and over/ Camera Flash Units
GR731AW0BB153KW01	15000pF	350	X7T	3216M/1206	1.00	+/-10%	200V and over/ Camera Flash Units
GR731AW0BB223KW01	22000pF	350	X7T	3216M/1206	1.00	+/-10%	200V and over/ Camera Flash Units
GR731AW0BB273KW01	27000pF	350	X7T	3216M/1206	1.00	+/-10%	200V and over/ Camera Flash Units
GR731AW0BB333KW01	33000pF	350	X7T	3216M/1206	1.00	+/-10%	200V and over/ Camera Flash Units
GR731BW0BB223KW01	22000pF	350	X7T	3216M/1206	1.25	+/-10%	200V and over/ Camera Flash Units
GR731BW0BB333KW01	33000pF	350	X7T	3216M/1206	1.25	+/-10%	200V and over/ Camera Flash Units
GR731CW0BB473KW03	47000pF	350	X7T	3216M/1206	1.80	+/-10%	200V and over/ Camera Flash Units
GRJ155R60J106ME11 +A	10uF	6.3	X5R	1005M/0402	0.70	+/-20%	Resin external electrode
GRJ188C70J475KE11 +A	4.7uF	6.3	X7S	1608M/0603	1.00	+/-10%	Resin external electrode
GRJ188C70J475ME11 +A	4.7uF	6.3	X7S	1608M/0603	1.00	+/-20%	Resin external electrode
GRJ188R60J106ME11 +A	10uF	6.3	X5R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R60J475KE11 +A	4.7uF	6.3	X5R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R60J475ME11 +A	4.7uF	6.3	X5R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R61A106ME11 +A	10uF	10	X5R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R61A475KE11 +A	4.7uF	10	X5R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R61A475ME11 +A	4.7uF	10	X5R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R61C105KE11 +A	1uF	16	X5R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R61C105ME11 +A	1uF	16	X5R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R6YA105KE11 +A	1uF	35	X5R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R70J225KE11 +A	2.2uF	6.3	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R70J225ME11 +A	2.2uF	6.3	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71C474KE11 +A	0.47uF	16	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71C474ME11 +A	0.47uF	16	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71E105KE11 +A	1uF	25	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71E105ME11 +A	1uF	25	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71E224KE11 +A	0.22uF	25	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71E224ME11 +A	0.22uF	25	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71E473KE11 +A	47000pF	25	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71E473ME11 +A	47000pF	25	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H102KE11 +A	1000pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H102ME11 +A	1000pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H103KE11 +A	10000pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H103ME11 +A	10000pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H104KE11 +A	0.1uF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H104ME11 +A	0.1uF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H222KE11 +A	2200pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H222ME11 +A	2200pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H223KE11 +A	22000pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H223ME11 +A	22000pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H224KE11 +A	0.22uF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H224ME11 +A	0.22uF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H472KE11 +A	4700pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H472ME11 +A	4700pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R71H473KE11 +A	47000pF	50	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R71H473ME11 +A	47000pF	50	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R72A102KE11 +A	1000pF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A102ME11 +A	1000pF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R72A103KE11 +A	10000pF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A103ME11 +A	10000pF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRJ188R72A104KE11 +A	0.1uF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A104ME11 +A	0.1uF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R72A222KE11 +A	2200pF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A222ME11 +A	2200pF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R72A223KE11 +A	22000pF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A223ME11 +A	22000pF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ188R72A472KE11 +A	4700pF	100	X7R	1608M/0603	0.90	+/-10%	Resin external electrode
GRJ188R72A472ME11 +A	4700pF	100	X7R	1608M/0603	0.90	+/-20%	Resin external electrode
GRJ216R71H102KE01 +A	1000pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H102ME01 +A	1000pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R71H103KE01 +A	10000pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H103ME01 +A	10000pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R71H222KE01 +A	2200pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H222ME01 +A	2200pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R71H223KE01 +A	22000pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H223ME01 +A	22000pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R71H471KE01 +A	470pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H471ME01 +A	470pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R71H472KE01 +A	4700pF	50	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R71H472ME01 +A	4700pF	50	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R72A102KE01 +A	1000pF	100	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R72A102ME01 +A	1000pF	100	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R72A103KE01 +A	10000pF	100	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R72A103ME01 +A	10000pF	100	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R72A222KE01 +A	2200pF	100	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R72A222ME01 +A	2200pF	100	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R72A223KE01 +A	22000pF	100	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R72A223ME01 +A	22000pF	100	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ216R72A472KE01 +A	4700pF	100	X7R	2012M/0805	0.70	+/-10%	Resin external electrode
GRJ216R72A472ME01 +A	4700pF	100	X7R	2012M/0805	0.70	+/-20%	Resin external electrode
GRJ219R72A221KE01 +A	220pF	100	X7R	2012M/0805	0.95	+/-10%	Resin external electrode
GRJ219R72A221ME01 +A	220pF	100	X7R	2012M/0805	0.95	+/-20%	Resin external electrode
GRJ219R72A471KE01 +A	470pF	100	X7R	2012M/0805	0.95	+/-10%	Resin external electrode
GRJ219R72A471ME01 +A	470pF	100	X7R	2012M/0805	0.95	+/-20%	Resin external electrode
GRJ21AR72E102KWJ1	1000pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21AR72E152KWJ1	1500pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21AR72E222KWJ1	2200pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21AR72E332KWJ1	3300pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21AR72E472KWJ1	4700pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21AR72E682KWJ1	6800pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRJ21BC72A105KE11 +A	1uF	100	X7S	2012M/0805	1.50	+/-10%	Resin external electrode
GRJ21BC72A105ME11 +A	1uF	100	X7S	2012M/0805	1.50	+/-20%	Resin external electrode
GRJ21BR61E106KE01 +A	10uF	25	X5R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71A106KE01 +A	10uF	10	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71A106ME01 +A	10uF	10	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71C475KE01 +A	4.7uF	16	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71C475ME01 +A	4.7uF	16	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71E105KE11 +A	1uF	25	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71E105ME11 +A	1uF	25	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71E225KE01 +A	2.2uF	25	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71E225ME01 +A	2.2uF	25	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H105KE01 +A	1uF	50	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H105ME01 +A	1uF	50	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H224KE01 +A	0.22uF	50	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H224ME01 +A	0.22uF	50	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H473KE01 +A	47000pF	50	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H473ME01 +A	47000pF	50	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR71H474KE01 +A	0.47uF	50	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR71H474ME01 +A	0.47uF	50	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR72A473KE01 +A	47000pF	100	X7R	2012M/0805	1.45	+/-10%	Resin external electrode
GRJ21BR72A473ME01 +A	47000pF	100	X7R	2012M/0805	1.45	+/-20%	Resin external electrode
GRJ21BR72E103KWJ3	10000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRJ21BR72E153KWJ3	15000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRJ21BR72E223KWJ3	22000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRJ319R71H104KE11 +A	0.1uF	50	X7R	3216M/1206	0.95	+/-10%	Resin external electrode
GRJ319R71H104ME11 +A	0.1uF	50	X7R	3216M/1206	0.95	+/-20%	Resin external electrode
GRJ319R72A104KE11 +A	0.1uF	100	X7R	3216M/1206	0.95	+/-10%	Resin external electrode
GRJ319R72A104ME11 +A	0.1uF	100	X7R	3216M/1206	0.95	+/-20%	Resin external electrode
GRJ31BR72E153KWJ1	15000pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72E223KWJ1	22000pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72E683KWJ1	68000pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J102KWJ1	1000pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J103KWJ1	10000pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J152KWJ1	1500pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J222KWJ1	2200pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J332KWJ1	3300pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J472KWJ1	4700pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR72J682KWJ1	6800pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRJ31BR73A102KWJ1	1000pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A152KWJ1	1500pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A222KWJ1	2200pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A332KWJ1	3300pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A471KWJ1	470pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A472KWJ1	4700pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31BR73A681KWJ1	680pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRJ31CC71E106KE11 +A	10uF	25	X7S	3216M/1206	2.00	+/-10%	Resin external electrode
GRJ31CC71E106ME11 +A	10uF	25	X7S	3216M/1206	2.00	+/-20%	Resin external electrode
GRJ31CC72A475KE01 +A	4.7uF	100	X7S	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CC72A475ME01 +A	4.7uF	100	X7S	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CC8YA106KE01 +A	10uF	35	X6S	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CC8YA106ME01 +A	10uF	35	X6S	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR61E106KE11 +A	10uF	25	X5R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR70J226KE12 +A	22uF	6.3	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR70J226ME12 +A	22uF	6.3	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71A106KE11 +A	10uF	10	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71A106ME11 +A	10uF	10	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71A226KE12 +A	22uF	10	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71A226ME12 +A	22uF	10	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71C106KE11 +A	10uF	16	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71C106ME11 +A	10uF	16	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71C475KE11 +A	4.7uF	16	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71C475ME11 +A	4.7uF	16	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71E106KE11 +A	10uF	25	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71E106ME11 +A	10uF	25	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71H105KE11 +A	1uF	50	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71H105ME11 +A	1uF	50	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71H225KE11 +A	2.2uF	50	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71H225ME11 +A	2.2uF	50	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR71H475KE11 +A	4.7uF	50	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR71H475ME11 +A	4.7uF	50	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR72A105KE11 +A	1uF	100	X7R	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CR72A105ME11 +A	1uF	100	X7R	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31CR72E104KWJ3	0.1uF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR72E333KWJ3	33000pF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR72E473KWJ3	47000pF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR72J153KWJ3	15000pF	630	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR72J223KWJ3	22000pF	630	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR73A103KWJ3	10000pF	1000	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CR73A682KWJ3	6800pF	1000	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRJ31CZ72A475KE01 +A	4.7uF	100	X7R(Murata)	3216M/1206	1.90	+/-10%	Resin external electrode
GRJ31CZ72A475ME01 +A	4.7uF	100	X7R(Murata)	3216M/1206	1.90	+/-20%	Resin external electrode
GRJ31MR71C225KE11 +A	2.2uF	16	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71C225ME11 +A	2.2uF	16	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71E225KE11 +A	2.2uF	25	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71E225ME11 +A	2.2uF	25	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H104KE01 +A	0.1uF	50	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H104ME01 +A	0.1uF	50	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H105KE01 +A	1uF	50	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H105ME01 +A	1uF	50	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H224KE01 +A	0.22uF	50	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H224ME01 +A	0.22uF	50	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR71H474KE01 +A	0.47uF	50	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR71H474ME01 +A	0.47uF	50	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ31MR72A224KE01 +A	0.22uF	100	X7R	3216M/1206	1.35	+/-10%	Resin external electrode
GRJ31MR72A224ME01 +A	0.22uF	100	X7R	3216M/1206	1.35	+/-20%	Resin external electrode
GRJ32DC72A475KE11 +A	4.7uF	100	X7S	3225M/1210	2.30	+/-10%	Resin external electrode
GRJ32DC72A475ME11 +A	4.7uF	100	X7S	3225M/1210	2.30	+/-20%	Resin external electrode
GRJ32DR72A225KE11 +A	2.2uF	100	X7R	3225M/1210	2.30	+/-10%	Resin external electrode
GRJ32DR72A225ME11 +A	2.2uF	100	X7R	3225M/1210	2.30	+/-20%	Resin external electrode
GRJ32DR72E104KWJ1	0.1uF	250	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32DR72E224KWJ1	0.22uF	250	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32DR72J333KWJ1	33000pF	630	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32DR72J473KWJ1	47000pF	630	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32DR73A153KWJ1	15000pF	1000	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32DR73A223KWJ1	22000pF	1000	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRJ32EC71E226KE11 +A	22uF	25	X7S	3225M/1210	2.85	+/-10%	Resin external electrode
GRJ32EC71H106KE11 +A	10uF	50	X7S	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32EC71H106ME11 +A	10uF	50	X7S	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER70J476KE11 +A	47uF	6.3	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER70J476ME11 +A	47uF	6.3	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71A226KE11 +A	22uF	10	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71A226ME11 +A	22uF	10	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71A476KE11 +A	47uF	10	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71A476ME11 +A	47uF	10	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71C226KE11 +A	22uF	16	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71C226ME11 +A	22uF	16	X7R	3225M/1210	2.80	+/-20%	Resin external electrode

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRJ32ER71E106KE11 +A	10uF	25	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71E106ME11 +A	10uF	25	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71H106KE11 +A	10uF	50	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71H106ME11 +A	10uF	50	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71H475KE11 +A	4.7uF	50	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71H475ME11 +A	4.7uF	50	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32ER71K475KE11 +A	4.7uF	80	X7R	3225M/1210	2.80	+/-10%	Resin external electrode
GRJ32ER71K475ME11 +A	4.7uF	80	X7R	3225M/1210	2.80	+/-20%	Resin external electrode
GRJ32QR72E154KWJ1	0.15uF	250	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRJ32QR72E683KWJ1	68000pF	250	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRJ32QR72J223KWJ1	22000pF	630	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRJ32QR73A103KWJ1	10000pF	1000	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRJ32QR73A682KWJ1	6800pF	1000	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRJ43DR72E224KWJ1	0.22uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43DR72E334KWJ1	0.33uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43DR72E474KWJ1	0.47uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43DR72J104KWJ1	0.1uF	630	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43DR73A333KWJ1	33000pF	1000	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43DR73A473KWJ1	47000pF	1000	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRJ43QR72E154KWJ1	0.15uF	250	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GRJ43QR72J683KWJ1	68000pF	630	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GRJ55DR72E105KWJ1	1uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR72E334KWJ1	0.33uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR72E474KWJ1	0.47uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR72E684KWJ1	0.68uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR72J154KWJ1	0.15uF	630	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR72J224KWJ1	0.22uF	630	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR73A104KWJ1	0.1uF	1000	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRJ55DR73A683KWJ1	68000pF	1000	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM0115C1C100GE01 +A	10pF	16	COG	0201M/08004	0.14	+/-2%	Ultra-small
GRM0115C1C100JE01 +A	10pF	16	COG	0201M/08004	0.14	+/-5%	Ultra-small
GRM0115C1C1R0BE01 +A	1pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R0CE01 +A	1pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R1BE01 +A	1.1pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R1CE01 +A	1.1pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R2BE01 +A	1.2pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R2CE01 +A	1.2pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R3BE01 +A	1.3pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R3CE01 +A	1.3pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R4BE01 +A	1.4pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R4CE01 +A	1.4pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R5BE01 +A	1.5pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R5CE01 +A	1.5pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R6BE01 +A	1.6pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R6CE01 +A	1.6pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R7BE01 +A	1.7pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R7CE01 +A	1.7pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R8BE01 +A	1.8pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R8CE01 +A	1.8pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C1R9BE01 +A	1.9pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C1R9CE01 +A	1.9pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R0BE01 +A	2pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R0CE01 +A	2pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R1BE01 +A	2.1pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R1CE01 +A	2.1pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R2BE01 +A	2.2pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R2CE01 +A	2.2pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R3BE01 +A	2.3pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R3CE01 +A	2.3pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R4BE01 +A	2.4pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R4CE01 +A	2.4pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R5BE01 +A	2.5pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R5CE01 +A	2.5pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R6BE01 +A	2.6pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R6CE01 +A	2.6pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R7BE01 +A	2.7pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R7CE01 +A	2.7pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R8BE01 +A	2.8pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R8CE01 +A	2.8pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C2R9BE01 +A	2.9pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C2R9CE01 +A	2.9pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C3R0BE01 +A	3pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C3R0CE01 +A	3pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C3R1BE01 +A	3.1pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C3R1CE01 +A	3.1pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C3R2BE01 +A	3.2pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C3R2CE01 +A	3.2pF	16	COG	0201M/08004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C3R3BE01 +A	3.3pF	16	COG	0201M/08004	0.14	+/-0.1pF	Ultra-small





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0115C1C7R2CE01 +A	7.2pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R3BE01 +A	7.3pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R3CE01 +A	7.3pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R4BE01 +A	7.4pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R4CE01 +A	7.4pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R5BE01 +A	7.5pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R5CE01 +A	7.5pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R6BE01 +A	7.6pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R6CE01 +A	7.6pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R7BE01 +A	7.7pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R7CE01 +A	7.7pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R8BE01 +A	7.8pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R8CE01 +A	7.8pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C7R9BE01 +A	7.9pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C7R9CE01 +A	7.9pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R0BE01 +A	8pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R0CE01 +A	8pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R1BE01 +A	8.1pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R1CE01 +A	8.1pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R2BE01 +A	8.2pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R2CE01 +A	8.2pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R3BE01 +A	8.3pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R3CE01 +A	8.3pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R4BE01 +A	8.4pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R4CE01 +A	8.4pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R5BE01 +A	8.5pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R5CE01 +A	8.5pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R6BE01 +A	8.6pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R6CE01 +A	8.6pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R7BE01 +A	8.7pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R7CE01 +A	8.7pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R8BE01 +A	8.8pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R8CE01 +A	8.8pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C8R9BE01 +A	8.9pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C8R9CE01 +A	8.9pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R0BE01 +A	9pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R0CE01 +A	9pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R1BE01 +A	9.1pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R1CE01 +A	9.1pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R2BE01 +A	9.2pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R2CE01 +A	9.2pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R3BE01 +A	9.3pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R3CE01 +A	9.3pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R4BE01 +A	9.4pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R4CE01 +A	9.4pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R5BE01 +A	9.5pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R5CE01 +A	9.5pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R6BE01 +A	9.6pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R6CE01 +A	9.6pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R7BE01 +A	9.7pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R7CE01 +A	9.7pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R8BE01 +A	9.8pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R8CE01 +A	9.8pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1C9R9BE01 +A	9.9pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1C9R9CE01 +A	9.9pF	16	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1CR20BE01 +A	0.2pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR30BE01 +A	0.3pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR40BE01 +A	0.4pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR50BE01 +A	0.5pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR60BE01 +A	0.6pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR70BE01 +A	0.7pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR80BE01 +A	0.8pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1CR90BE01 +A	0.9pF	16	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E100GE01 +A	10pF	25	C0G	0201M/008004	0.14	+/-2%	Ultra-small
GRM0115C1E100JE01 +A	10pF	25	C0G	0201M/008004	0.14	+/-5%	Ultra-small
GRM0115C1E1R0BE01 +A	1pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E1R0CE01 +A	1pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E1R0WE01 +A	1pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E1R1BE01 +A	1.1pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E1R1CE01 +A	1.1pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E1R1WE01 +A	1.1pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E1R2BE01 +A	1.2pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E1R2CE01 +A	1.2pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E1R2WE01 +A	1.2pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E1R3BE01 +A	1.3pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E1R3CE01 +A	1.3pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E1R3WE01 +A	1.3pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E1R4BE01 +A	1.4pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0115C1E6R2DE01 +A	6.2pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R2WE01 +A	6.2pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R3BE01 +A	6.3pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R3CE01 +A	6.3pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R3DE01 +A	6.3pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R3WE01 +A	6.3pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R4BE01 +A	6.4pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R4CE01 +A	6.4pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R4DE01 +A	6.4pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R4WE01 +A	6.4pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R5BE01 +A	6.5pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R5CE01 +A	6.5pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R5DE01 +A	6.5pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R5WE01 +A	6.5pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R6BE01 +A	6.6pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R6CE01 +A	6.6pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R6DE01 +A	6.6pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R6WE01 +A	6.6pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R7BE01 +A	6.7pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R7CE01 +A	6.7pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R7DE01 +A	6.7pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R7WE01 +A	6.7pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R8BE01 +A	6.8pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R8CE01 +A	6.8pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R8DE01 +A	6.8pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R8WE01 +A	6.8pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E6R9BE01 +A	6.9pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E6R9CE01 +A	6.9pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E6R9DE01 +A	6.9pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E6R9WE01 +A	6.9pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R0BE01 +A	7pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R0CE01 +A	7pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R0DE01 +A	7pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R0WE01 +A	7pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R1BE01 +A	7.1pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R1CE01 +A	7.1pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R1DE01 +A	7.1pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R1WE01 +A	7.1pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R2BE01 +A	7.2pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R2CE01 +A	7.2pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R2DE01 +A	7.2pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R2WE01 +A	7.2pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R3BE01 +A	7.3pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R3CE01 +A	7.3pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R3DE01 +A	7.3pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R3WE01 +A	7.3pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R4BE01 +A	7.4pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R4CE01 +A	7.4pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R4DE01 +A	7.4pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R4WE01 +A	7.4pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R5BE01 +A	7.5pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R5CE01 +A	7.5pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R5DE01 +A	7.5pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R5WE01 +A	7.5pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R6BE01 +A	7.6pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R6CE01 +A	7.6pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R6DE01 +A	7.6pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R6WE01 +A	7.6pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R7BE01 +A	7.7pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R7CE01 +A	7.7pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R7DE01 +A	7.7pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R7WE01 +A	7.7pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R8BE01 +A	7.8pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R8CE01 +A	7.8pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R8DE01 +A	7.8pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R8WE01 +A	7.8pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E7R9BE01 +A	7.9pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E7R9CE01 +A	7.9pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E7R9DE01 +A	7.9pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E7R9WE01 +A	7.9pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R0BE01 +A	8pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R0CE01 +A	8pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R0DE01 +A	8pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R0WE01 +A	8pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R1BE01 +A	8.1pF	25	COG	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R1CE01 +A	8.1pF	25	COG	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R1DE01 +A	8.1pF	25	COG	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R1WE01 +A	8.1pF	25	COG	0201M/008004	0.14	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0115C1E8R2BE01 +A	8.2pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R2CE01 +A	8.2pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R2DE01 +A	8.2pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R2WE01 +A	8.2pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R3BE01 +A	8.3pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R3CE01 +A	8.3pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R3DE01 +A	8.3pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R3WE01 +A	8.3pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R4BE01 +A	8.4pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R4CE01 +A	8.4pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R4DE01 +A	8.4pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R4WE01 +A	8.4pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R5BE01 +A	8.5pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R5CE01 +A	8.5pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R5DE01 +A	8.5pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R5WE01 +A	8.5pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R6BE01 +A	8.6pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R6CE01 +A	8.6pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R6DE01 +A	8.6pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R6WE01 +A	8.6pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R7BE01 +A	8.7pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R7CE01 +A	8.7pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R7DE01 +A	8.7pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R7WE01 +A	8.7pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R8BE01 +A	8.8pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R8CE01 +A	8.8pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R8DE01 +A	8.8pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R8WE01 +A	8.8pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E8R9BE01 +A	8.9pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E8R9CE01 +A	8.9pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E8R9DE01 +A	8.9pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E8R9WE01 +A	8.9pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R0BE01 +A	9pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R0CE01 +A	9pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R0DE01 +A	9pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R0WE01 +A	9pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R1BE01 +A	9.1pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R1CE01 +A	9.1pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R1DE01 +A	9.1pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R1WE01 +A	9.1pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R2BE01 +A	9.2pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R2CE01 +A	9.2pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R2DE01 +A	9.2pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R2WE01 +A	9.2pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R3BE01 +A	9.3pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R3CE01 +A	9.3pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R3DE01 +A	9.3pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R3WE01 +A	9.3pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R4BE01 +A	9.4pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R4CE01 +A	9.4pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R4DE01 +A	9.4pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R4WE01 +A	9.4pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R5BE01 +A	9.5pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R5CE01 +A	9.5pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R5DE01 +A	9.5pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R5WE01 +A	9.5pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R6BE01 +A	9.6pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R6CE01 +A	9.6pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R6DE01 +A	9.6pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R6WE01 +A	9.6pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R7BE01 +A	9.7pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R7CE01 +A	9.7pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R7DE01 +A	9.7pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R7WE01 +A	9.7pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R8BE01 +A	9.8pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R8CE01 +A	9.8pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R8DE01 +A	9.8pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R8WE01 +A	9.8pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1E9R9BE01 +A	9.9pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1E9R9CE01 +A	9.9pF	25	C0G	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0115C1E9R9DE01 +A	9.9pF	25	C0G	0201M/008004	0.14	+/-0.5pF	Ultra-small
GRM0115C1E9R9WE01 +A	9.9pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER20BE01 +A	0.2pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER20WE01 +A	0.2pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER30BE01 +A	0.3pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER30WE01 +A	0.3pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER40BE01 +A	0.4pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER40WE01 +A	0.4pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0115C1ER50BE01 +A	0.5pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER50WE01 +	0.5pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER60BE01 +A	0.6pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER60WE01 +	0.6pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER70BE01 +A	0.7pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER70WE01 +	0.7pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER80BE01 +A	0.8pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER80WE01 +	0.8pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0115C1ER90BE01 +A	0.9pF	25	C0G	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0115C1ER90WE01 +	0.9pF	25	C0G	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM011R60G103KE01 +A	10000pF	4.0	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60G332KE01 +A	3300pF	4.0	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60G472KE01 +A	4700pF	4.0	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60G682KE01 +A	6800pF	4.0	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J102KE01 +A	1000pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J102ME01 +A	1000pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J103KE01 +A	1000pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J103ME01 +A	1000pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J152KE01 +A	1500pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J152ME01 +A	1500pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J222KE01 +A	2200pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J222ME01 +A	2200pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J332KE01 +A	3300pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J332ME01 +A	3300pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J472KE01 +A	4700pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J472ME01 +A	4700pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R60J682KE01 +A	6800pF	6.3	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R60J682ME01 +A	6800pF	6.3	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A101KE01 +A	100pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A101ME01 +A	100pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A151KE01 +A	150pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A151ME01 +A	150pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A221KE01 +A	220pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A221ME01 +A	220pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A331KE01 +A	330pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A331ME01 +A	330pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A471KE01 +A	470pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A471ME01 +A	470pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM011R61A681KE01 +A	680pF	10	X5R	0201M/008004	0.14	+/-10%	Ultra-small
GRM011R61A681ME01 +A	680pF	10	X5R	0201M/008004	0.14	+/-20%	Ultra-small
GRM0225C0J101GA02 +A	100pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J101GD05 +A	100pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J101JA02 +A	100pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J101JD05 +A	100pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J111GA02 +A	110pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J111JA02 +A	110pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J121GA02 +A	120pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J121JA02 +A	120pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J151GA02 +A	150pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J151JA02 +A	150pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J181GA02 +A	180pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J181JA02 +A	180pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J221GA02 +A	220pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J221JA02 +A	220pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J560GA02 +A	56pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J560GD05 +A	56pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J560JA02 +A	56pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J560JD05 +A	56pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J680GA02 +A	68pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J680GD05 +A	68pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J680JA02 +A	68pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J680JD05 +A	68pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J820GA02 +A	82pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J820GD05 +A	82pF	6.3	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C0J820JA02 +A	82pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C0J820JD05 +A	82pF	6.3	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A101GA02 +A	100pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A101GD05 +A	100pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A101JA02 +A	100pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A101JD05 +A	100pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A221GA02 +A	220pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A221JA02 +A	220pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A560GA02 +A	56pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A560GD05 +A	56pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A560JA02 +A	56pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A560JD05 +A	56pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A680GA02 +A	68pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A680GD05 +A	68pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1A680JA02 +A	68pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A680JD05 +A	68pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A820GA02 +A	82pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A820GD05 +A	82pF	10	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A820JA02 +A	82pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1A820JD05 +A	82pF	10	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C100GA03 +A	10pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C100GD05 +A	10pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C100JA03 +A	10pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C100JD05 +A	10pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C101GA02 +A	100pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C101JA02 +A	100pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C101JDAE +A	100pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C110GA03 +A	11pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C110JA03 +A	11pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C111GA02 +A	110pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C111JA02 +A	110pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C120GA03 +A	12pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C120GD05 +A	12pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C120JD05 +A	12pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C120JDAE +A	12pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C121GA02 +A	120pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C121JA02 +A	120pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C130GA03 +A	13pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C130JA03 +A	13pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C150GA03 +A	15pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C150GD05 +A	15pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C150JA03 +A	15pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C150JD05 +A	15pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C151GA02 +A	150pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C151JA02 +A	150pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C160GA03 +A	16pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C160GD05 +A	16pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C160JA03 +A	16pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C160JD05 +A	16pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C180GA02 +A	18pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C180GD05 +A	18pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C180JA02 +A	18pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C180JD05 +A	18pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C181GA02 +A	180pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C181JA02 +A	180pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C1R0BA03 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R0BD05 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R0CA03 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R0CD05 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R0WA03 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R0WD05 +A	1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R1BA03 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R1BD05 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R1CA03 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R1CD05 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R1WA03 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R1WD05 +A	1.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R2BA03 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R2BD05 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R2CA03 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R2CD05 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R2WA03 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R2WD05 +A	1.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R3BA03 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R3BD05 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R3CA03 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R3CD05 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R3WA03 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R3WD05 +A	1.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R4BA03 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R4BD05 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R4CA03 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R4CD05 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R4WA03 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R4WD05 +A	1.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R5BA03 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R5BD05 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R5CA03 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R5CD05 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R5WA03 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R5WD05 +A	1.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R6BA03 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C1R6BD05 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R6CA03 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R6CD05 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R6WA03 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R6WD05 +A	1.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R7BA03 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R7BD05 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R7CA03 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R7CD05 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R7WA03 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R7WD05 +A	1.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R8BA03 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R8BD05 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R8CA03 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R8CD05 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R8WA03 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R8WD05 +A	1.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R9BA03 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R9BD05 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C1R9CA03 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R9CD05 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C1R9WA03 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C1R9WD05 +A	1.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C200GA02 +A	20pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C200JA02 +A	20pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C200JD05 +A	20pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C220GA02 +A	22pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C220GD05 +A	22pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C220JA02 +A	22pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C220JD05 +A	22pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C221GA02 +A	220pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C221JA02 +A	220pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C240GA02 +A	24pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C240JA02 +A	24pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C270GA02 +A	27pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C270GD05 +A	27pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C270JA02 +A	27pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C270JD05 +A	27pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C2R0BA03 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R0BD05 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R0CA03 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R0CD05 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R0WA03 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R0WD05 +A	2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R1BA03 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R1BD05 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R1CA03 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R1CD05 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R1WA03 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R1WD05 +A	2.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R2BA03 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R2BD05 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R2CA03 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R2CD05 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R2WA03 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R2WD05 +A	2.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R3BA03 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R3BD05 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R3CA03 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R3CD05 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R3WA03 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R3WD05 +A	2.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R4BA03 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R4BD05 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R4CA03 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R4CD05 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R4WA03 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R4WD05 +A	2.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R5BA03 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R5BD05 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R5CA03 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R5CD05 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R5WA03 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R5WD05 +A	2.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R6BA03 +A	2.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R6BD05 +A	2.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R6CA03 +A	2.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R6CD05 +A	2.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C2R6WA03	+2.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R6WD05	+2.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R7BA03	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R7BD05	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R7CA03	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R7CD05	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R7WA03	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R7WD05	+2.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R8BA03	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R8BD05	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R8CA03	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R8CD05	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R8WA03	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R8WD05	+2.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R9BA03	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R9BD05	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C2R9CA03	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R9CD05	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C2R9WA03	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C2R9WD05	+2.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C300GA02	+30pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C300JA02	+30pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C330GA02	+33pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C330GD05	+33pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C330JA02	+33pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C330JD05	+33pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C360GA02	+36pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C360JA02	+36pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C390GA02	+39pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C390GD05	+39pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C390JA02	+39pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C390JD05	+39pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C3R0BA03	+3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R0BD05	+3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R0CA03	+3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R0CD05	+3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R0WA03	+3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R0WD05	+3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R1BA03	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R1BD05	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R1CA03	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R1CD05	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R1WA03	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R1WD05	+3.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R2BA03	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R2BD05	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R2CA03	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R2CD05	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R2WA03	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R2WD05	+3.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R3BA03	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R3BD05	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R3CA03	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R3CD05	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R3WA03	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R3WD05	+3.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R4BA03	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R4BD05	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R4CA03	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R4CD05	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R4WA03	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R4WD05	+3.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R5BA03	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R5BD05	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R5CA03	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R5CD05	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R5WA03	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R5WD05	+3.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R6BA03	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R6BD05	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R6CA03	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R6CD05	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R6WA03	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R6WD05	+3.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R7BA03	+3.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R7BD05	+3.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R7CA03	+3.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R7CD05	+3.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C3R7WA03	+3.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R7WD05	+3.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R8BA03	+3.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R8BD05	+3.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R8CA03	+3.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R8CD05	+3.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R8WA03	+3.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R8WD05	+3.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R9BA03	+3.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R9BD05	+3.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C3R9CA03	+3.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R9CD05	+3.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C3R9WA03	+3.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C3R9WD05	+3.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C430GA02	+43pF	16	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C430JA02	+43pF	16	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C470GA02	+47pF	16	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C470GD05	+47pF	16	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C470JA02	+47pF	16	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C470JD05	+47pF	16	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C4R0BA03	+4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R0BD05	+4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R0CA03	+4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R0CD05	+4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R0WA03	+4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R0WD05	+4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R1BA03	+4.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R1BD05	+4.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R1CA03	+4.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R1CD05	+4.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R1WA03	+4.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R1WD05	+4.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R2BA03	+4.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R2BD05	+4.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R2CA03	+4.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R2CD05	+4.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R2WA03	+4.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R2WD05	+4.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R3BA03	+4.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R3BD05	+4.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R3CA03	+4.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R3CD05	+4.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R3WA03	+4.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R3WD05	+4.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R4BA03	+4.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R4BD05	+4.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R4CA03	+4.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R4CD05	+4.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R4WA03	+4.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R4WD05	+4.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R5BA03	+4.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R5BD05	+4.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R5CA03	+4.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R5CD05	+4.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R5WA03	+4.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R5WD05	+4.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R6BA03	+4.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R6BD05	+4.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R6CA03	+4.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R6CD05	+4.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R6WA03	+4.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R6WD05	+4.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R7BA03	+4.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R7BD05	+4.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R7CA03	+4.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R7CD05	+4.7pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R7WA03	+4.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R7WD05	+4.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R8BA03	+4.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R8BD05	+4.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R8CA03	+4.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R8CD05	+4.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R8WA03	+4.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R8WD05	+4.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R9BA03	+4.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R9BD05	+4.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C4R9CA03	+4.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C4R9CD05	+4.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C4R9WA03	+4.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C4R9WD05	+4.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C510GA02	+51pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C510JA02	+A51pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C560GA02	+A56pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C560JA02	+A56pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C560JDAE	+A56pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C5R0BA03	+A5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R0BD05	+A5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R0CA03	+A5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R0CD05	+A5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R0WA03	+A5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R0WD05	+A5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R1BA03	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R1BD05	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R1CA03	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R1CD05	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R1DA03	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R1DD05	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R1WA03	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R1WD05	+A5.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R2BA03	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R2BD05	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R2CA03	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R2CD05	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R2DA03	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R2DD05	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R2WA03	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R2WD05	+A5.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R3BA03	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R3BD05	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R3CA03	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R3CD05	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R3DA03	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R3DD05	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R3WA03	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R3WD05	+A5.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R4BA03	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R4BD05	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R4CA03	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R4CD05	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R4DA03	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R4DD05	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R4WA03	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R4WD05	+A5.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R5BA03	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R5BD05	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R5CA03	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R5CD05	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R5DA03	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R5DD05	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R5WA03	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R5WD05	+A5.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R6BA03	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R6BD05	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R6CA03	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R6CD05	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R6DA03	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R6DD05	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R6WA03	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R6WD05	+A5.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R7BA03	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R7BD05	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R7CA03	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R7CD05	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R7DA03	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R7DD05	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R7WA03	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R7WD05	+A5.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R8BA03	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R8BD05	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R8CA03	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R8CD05	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R8DA03	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R8DD05	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R8WA03	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R8WD05	+A5.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R9BA03	+A5.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C5R9BD05	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C5R9CA03	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R9CD05	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C5R9DA03	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R9DD05	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C5R9WA03	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C5R9WD05	+/-5.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C620GA02	+/-62pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C620JA02	+/-62pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C680GA02	+/-68pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C680JA02	+/-68pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C680JDAE	+/-68pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C6R0BA03	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R0BD05	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R0CA03	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R0CD05	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R0DA03	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R0DD05	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R0WA03	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R0WD05	+/-6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R1BA03	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R1BD05	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R1CA03	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R1CD05	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R1DA03	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R1DD05	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R1WA03	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R1WD05	+/-6.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R2BA03	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R2BD05	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R2CA03	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R2CD05	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R2DA03	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R2DD05	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R2WA03	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R2WD05	+/-6.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R3BA03	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R3BD05	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R3CA03	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R3CD05	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R3DA03	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R3DD05	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R3WA03	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R3WD05	+/-6.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R4BA03	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R4BD05	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R4CA03	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R4CD05	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R4DA03	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R4DD05	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R4WA03	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R4WD05	+/-6.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R5BA03	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R5BD05	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R5CA03	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R5CD05	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R5DA03	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R5DD05	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R5WA03	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R5WD05	+/-6.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R6BA03	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R6BD05	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R6CA03	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R6CD05	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R6DA03	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R6DD05	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R6WA03	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R6WD05	+/-6.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R7BA03	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R7BD05	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R7CA03	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R7CD05	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R7DA03	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R7DD05	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R7WA03	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R7WD05	+/-6.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R8BA03	+/-6.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R8BD05	+/-6.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C6R8CA03 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R8CD05 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R8DA03 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R8DD05 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R8WA03 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R8WD05 +A	6.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R9BA03 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R9BD05 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C6R9CA03 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R9CD05 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C6R9DA03 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R9DD05 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C6R9WA03 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C6R9WD05 +A	6.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C750GA02 +A	75pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C750JA02 +A	75pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C7R0BA03 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R0BD05 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R0CA03 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R0CD05 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R0DA03 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R0DD05 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R0WA03 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R0WD05 +A	7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R1BA03 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R1BD05 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R1CA03 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R1CD05 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R1DA03 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R1DD05 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R1WA03 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R1WD05 +A	7.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R2BA03 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R2BD05 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R2CA03 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R2CD05 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R2DA03 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R2DD05 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R2WA03 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R2WD05 +A	7.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R3BA03 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R3BD05 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R3CA03 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R3CD05 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R3DA03 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R3DD05 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R3WA03 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R3WD05 +A	7.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R4BA03 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R4BD05 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R4CA03 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R4CD05 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R4DA03 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R4DD05 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R4WA03 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R4WD05 +A	7.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R5BA03 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R5BD05 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R5CA03 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R5CD05 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R5DA03 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R5DD05 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R5WA03 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R5WD05 +A	7.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R6BA03 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R6BD05 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R6CA03 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R6CD05 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R6DA03 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R6DD05 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R6WA03 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R6WD05 +A	7.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R7BA03 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R7BD05 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R7CA03 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R7CD05 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R7DA03 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R7DD05 +A	7.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C7R7WA03	+7.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R7WD05	+7.7pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R8BA03	+7.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R8BD05	+7.8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R8CA03	+7.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R8CD05	+7.8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R8DA03	+7.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R8DD05	+7.8pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R8WA03	+7.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R8WD05	+7.8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R9BA03	+7.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R9BD05	+7.9pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C7R9CA03	+7.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R9CD05	+7.9pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C7R9DA03	+7.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R9DD05	+7.9pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C7R9WA03	+7.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C7R9WD05	+7.9pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C820GA02	+82pF	16	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C820JA02	+82pF	16	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C820JDAE	+82pF	16	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C8R0BA03	+8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R0BD05	+8pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R0CA03	+8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R0CD05	+8pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R0DA03	+8pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R0DD05	+8pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R0WA03	+8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R0WD05	+8pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R1BA03	+8.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R1BD05	+8.1pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R1CA03	+8.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R1CD05	+8.1pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R1DA03	+8.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R1DD05	+8.1pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R1WA03	+8.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R1WD05	+8.1pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R2BA03	+8.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R2BD05	+8.2pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R2CA03	+8.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R2CD05	+8.2pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R2DA03	+8.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R2DD05	+8.2pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R2WA03	+8.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R2WD05	+8.2pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R3BA03	+8.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R3BD05	+8.3pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R3CA03	+8.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R3CD05	+8.3pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R3DA03	+8.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R3DD05	+8.3pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R3WA03	+8.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R3WD05	+8.3pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R4BA03	+8.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R4BD05	+8.4pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R4CA03	+8.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R4CD05	+8.4pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R4DA03	+8.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R4DD05	+8.4pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R4WA03	+8.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R4WD05	+8.4pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R5BA03	+8.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R5BD05	+8.5pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R5CA03	+8.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R5CD05	+8.5pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R5DA03	+8.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R5DD05	+8.5pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R5WA03	+8.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R5WD05	+8.5pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R6BA03	+8.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R6BD05	+8.6pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R6CA03	+8.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R6CD05	+8.6pF	16	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R6DA03	+8.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R6DD05	+8.6pF	16	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R6WA03	+8.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R6WD05	+8.6pF	16	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R7BA03	+8.7pF	16	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C8R7BD05	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R7CA03	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R7CD05	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R7DA03	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R7DD05	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R7WA03	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R7WD05	+/-8.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R8BA03	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R8BD05	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R8CA03	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R8CD05	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R8DA03	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R8DD05	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R8WA03	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R8WD05	+/-8.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R9BA03	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R9BD05	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C8R9CA03	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R9CD05	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C8R9DA03	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R9DD05	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C8R9WA03	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C8R9WD05	+/-8.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C910GA02	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1C910JA02	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1C9R0BA03	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R0BD05	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R0CA03	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R0CD05	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R0DA03	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R0DD05	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R0WA03	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R0WD05	+/-9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R1BA03	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R1BD05	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R1CA03	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R1CD05	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R1DA03	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R1DD05	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R1WA03	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R1WD05	+/-9.1pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R2BA03	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R2BD05	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R2CA03	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R2CD05	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R2DA03	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R2DD05	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R2WA03	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R2WD05	+/-9.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R3BA03	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R3BD05	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R3CA03	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R3CD05	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R3DA03	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R3DD05	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R3WA03	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R3WD05	+/-9.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R4BA03	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R4BD05	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R4CA03	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R4CD05	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R4DA03	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R4DD05	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R4WA03	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R4WD05	+/-9.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R5BA03	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R5BD05	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R5CA03	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R5CD05	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R5DA03	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R5DD05	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R5WA03	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R5WD05	+/-9.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R6BA03	+/-9.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R6BD05	+/-9.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R6CA03	+/-9.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R6CD05	+/-9.6pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R6DA03	+/-9.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1C9R6DD05 +A	9.6pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R6WA03 +A	9.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R6WD05 +A	9.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R7BA03 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R7BD05 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R7CA03 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R7CD05 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R7DA03 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R7DD05 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R7WA03 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R7WD05 +A	9.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R8BA03 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R8BD05 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R8CA03 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R8CD05 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R8DA03 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R8DD05 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R8WA03 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R8WD05 +A	9.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R9BA03 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R9BD05 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1C9R9CA03 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R9CD05 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1C9R9DA03 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R9DD05 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1C9R9WA03 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1C9R9WD05 +A	9.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR20BA03 +A	0.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR20BD05 +A	0.2pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR20WA03 +A	0.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR20WD05 +A	0.2pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR30BA03 +A	0.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR30BD05 +A	0.3pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR30WA03 +A	0.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR30WD05 +A	0.3pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR40BA03 +A	0.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR40BD05 +A	0.4pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR40WA03 +A	0.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR40WD05 +A	0.4pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR50BA03 +A	0.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR50BD05 +A	0.5pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR50WA03 +A	0.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR50WD05 +A	0.5pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR60BA03 +A	0.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR60BD05 +A	0.6pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR60WA03 +A	0.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR60WD05 +A	0.6pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR70BA03 +A	0.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR70BD05 +A	0.7pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR70WA03 +A	0.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR70WD05 +A	0.7pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR80BA03 +A	0.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR80BD05 +A	0.8pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR80WA03 +A	0.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR80WD05 +A	0.8pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR90BA03 +A	0.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR90BD05 +A	0.9pF	16	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1CR90WA03 +A	0.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1CR90WD05 +A	0.9pF	16	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E100GA03 +A	10pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E100GDAE +A	10pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E100JA03 +A	10pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E101GA02 +A	100pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E101JDAE +A	100pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E110GA03 +A	11pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E110JA03 +A	11pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E111GA02 +A	110pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E111JA02 +A	110pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E120GA03 +A	12pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E120JA03 +A	12pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E121GA02 +A	120pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E121JA02 +A	120pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E130GA03 +A	13pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E130JA03 +A	13pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E150GA03 +A	15pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E150JA03 +A	15pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E151GA02 +A	150pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1E151JA02 +A	150pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E160GA03 +A	16pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E160JA03 +A	16pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E180GA02 +A	18pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E180JA02 +A	18pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E181GA02 +A	180pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E181JA02 +A	180pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E1R0BA03 +A	1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R0CA03 +A	1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R0WA03 +A	1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R1BA03 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R1CA03 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R1WA03 +A	1.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R2BA03 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R2CA03 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R2WA03 +A	1.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R3BA03 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R3CA03 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R3WA03 +A	1.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R4BA03 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R4CA03 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R4WA03 +A	1.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R5BA03 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R5CA03 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R5WA03 +A	1.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R6BA03 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R6CA03 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R6WA03 +A	1.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R7BA03 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R7CA03 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R7WA03 +A	1.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R8BA03 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R8CA03 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R8WA03 +A	1.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E1R9BA03 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E1R9CA03 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E1R9WA03 +A	1.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E200GA02 +A	20pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E200JA02 +A	20pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E220GA02 +A	22pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E220JA02 +A	22pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E221GA02 +A	220pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E221JA02 +A	220pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E240GA02 +A	24pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E240JA02 +A	24pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E270GA02 +A	27pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E270JA02 +A	27pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E2R0BA03 +A	2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R0DAE +A	2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R0CA03 +A	2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R0WA03 +A	2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R1BA03 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R1CA03 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R1WA03 +A	2.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R2BA03 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R2CA03 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R2WA03 +A	2.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R3BA03 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R3CA03 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R3WA03 +A	2.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R4BA03 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R4CA03 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R4WA03 +A	2.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R5BA03 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R5CA03 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R5WA03 +A	2.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R6BA03 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R6CA03 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R6WA03 +A	2.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R7BA03 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R7CA03 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R7WA03 +A	2.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R8BA03 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R8CA03 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R8WA03 +A	2.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E2R9BA03 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E2R9CA03 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E2R9WA03 +A	2.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1E300GA02 +A	30pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E300JA02 +A	30pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E330GA02 +A	33pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E330JA02 +A	33pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E360GA02 +A	36pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E360JA02 +A	36pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E390GA02 +A	39pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E390JA02 +A	39pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E3R0BA03 +A	3pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R0CA03 +A	3pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R0WA03 +A	3pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R1BA03 +A	3.1pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R1CA03 +A	3.1pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R1WA03 +A	3.1pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R2BA03 +A	3.2pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R2CA03 +A	3.2pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R2WA03 +A	3.2pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R3BA03 +A	3.3pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R3CA03 +A	3.3pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R3WA03 +A	3.3pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R4BA03 +A	3.4pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R4CA03 +A	3.4pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R4WA03 +A	3.4pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R5BA03 +A	3.5pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R5CA03 +A	3.5pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R5WA03 +A	3.5pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R6BA03 +A	3.6pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R6CA03 +A	3.6pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R6WA03 +A	3.6pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R7BA03 +A	3.7pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R7DAE +A	3.7pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R7CA03 +A	3.7pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R7WA03 +A	3.7pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R8BA03 +A	3.8pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R8CA03 +A	3.8pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R8WA03 +A	3.8pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E3R9BA03 +A	3.9pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E3R9CA03 +A	3.9pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E3R9WA03 +A	3.9pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E430GA02 +A	43pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E430JA02 +A	43pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E470GA02 +A	47pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E470JA02 +A	47pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E4R0BA03 +A	4pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R0CA03 +A	4pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R0WA03 +A	4pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R1BA03 +A	4.1pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R1CA03 +A	4.1pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R1WA03 +A	4.1pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R2BA03 +A	4.2pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R2CA03 +A	4.2pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R2WA03 +A	4.2pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R3BA03 +A	4.3pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R3CA03 +A	4.3pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R3WA03 +A	4.3pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R4BA03 +A	4.4pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R4CA03 +A	4.4pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R4WA03 +A	4.4pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R5BA03 +A	4.5pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R5CA03 +A	4.5pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R5WA03 +A	4.5pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R6BA03 +A	4.6pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R6CA03 +A	4.6pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R6WA03 +A	4.6pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R7BA03 +A	4.7pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R7CA03 +A	4.7pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R7WA03 +A	4.7pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R8BA03 +A	4.8pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R8CA03 +A	4.8pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R8WA03 +A	4.8pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E4R9BA03 +A	4.9pF	25	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E4R9CA03 +A	4.9pF	25	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E4R9WA03 +A	4.9pF	25	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E510GA02 +A	51pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E510JA02 +A	51pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E560GA02 +A	56pF	25	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E560JA02 +A	56pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E560JDAE +A	56pF	25	C0G	0402M/01005	0.22	+/-5%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1E5R0BA03	+A 5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R0CA03	+A 5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R0WA03	+A 5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R1BA03	+A 5.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R1CA03	+A 5.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R1DA03	+A 5.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R1WA03	+A 5.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R2BA03	+A 5.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R2CA03	+A 5.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R2DA03	+A 5.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R2WA03	+A 5.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R3BA03	+A 5.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R3CA03	+A 5.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R3DA03	+A 5.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R3WA03	+A 5.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R4BA03	+A 5.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R4CA03	+A 5.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R4DA03	+A 5.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R4WA03	+A 5.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R5BA03	+A 5.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R5CA03	+A 5.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R5DA03	+A 5.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R5WA03	+A 5.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R6BA03	+A 5.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R6CA03	+A 5.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R6DA03	+A 5.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R6WA03	+A 5.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R7BA03	+A 5.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R7CA03	+A 5.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R7DA03	+A 5.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R7WA03	+A 5.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R8BA03	+A 5.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R8CA03	+A 5.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R8DA03	+A 5.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R8WA03	+A 5.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E5R9BA03	+A 5.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E5R9CA03	+A 5.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E5R9DA03	+A 5.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E5R9WA03	+A 5.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E620GA02	+A 62pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E620JA02	+A 62pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E680GA02	+A 68pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E680JA02	+A 68pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E680JDAE	+A 68pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E6R0BA03	+A 6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R0CA03	+A 6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R0DA03	+A 6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R0WA03	+A 6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R1BA03	+A 6.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R1CA03	+A 6.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R1DA03	+A 6.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R1WA03	+A 6.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R2BA03	+A 6.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R2CA03	+A 6.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R2DA03	+A 6.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R2WA03	+A 6.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R3BA03	+A 6.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R3CA03	+A 6.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R3DA03	+A 6.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R3WA03	+A 6.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R4BA03	+A 6.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R4CA03	+A 6.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R4DA03	+A 6.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R4WA03	+A 6.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R5BA03	+A 6.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R5CA03	+A 6.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R5DA03	+A 6.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R5WA03	+A 6.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R6BA03	+A 6.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R6CA03	+A 6.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R6DA03	+A 6.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R6WA03	+A 6.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R7BA03	+A 6.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R7CA03	+A 6.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R7DA03	+A 6.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R7WA03	+A 6.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R8BA03	+A 6.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R8CA03	+A 6.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1E6R8DA03 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R8WA03 +A	6.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E6R9BA03 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E6R9CA03 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E6R9DA03 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E6R9WA03 +A	6.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E750GA02 +A	75pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E750JA02 +A	75pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E7R0BA03 +A	7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R0CA03 +A	7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R0DA03 +A	7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R0WA03 +A	7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R1BA03 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R1CA03 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R1DA03 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R1WA03 +A	7.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R2BA03 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R2CA03 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R2DA03 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R2WA03 +A	7.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R3BA03 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R3CA03 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R3DA03 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R3WA03 +A	7.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R4BA03 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R4CA03 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R4DA03 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R4WA03 +A	7.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R5BA03 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R5CA03 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R5DA03 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R5WA03 +A	7.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R6BA03 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R6CA03 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R6DA03 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R6WA03 +A	7.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R7BA03 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R7CA03 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R7DA03 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R7WA03 +A	7.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R8BA03 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R8CA03 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R8DA03 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R8WA03 +A	7.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E7R9BA03 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E7R9CA03 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E7R9DA03 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E7R9WA03 +A	7.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E820GA02 +A	82pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E820JA02 +A	82pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E8R0BA03 +A	8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R0CA03 +A	8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R0DA03 +A	8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R0WA03 +A	8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R1BA03 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R1CA03 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R1DA03 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R1WA03 +A	8.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R2BA03 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R2CA03 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R2DA03 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R2WA03 +A	8.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R3BA03 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R3CA03 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R3DA03 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R3WA03 +A	8.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R4BA03 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R4CA03 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R4DA03 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R4WA03 +A	8.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R5BA03 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R5CA03 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R5DA03 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R5WA03 +A	8.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R6BA03 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R6CA03 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R6DA03 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R6WA03 +A	8.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1E8R7BA03 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R7CA03 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R7DA03 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R7WA03 +A	8.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R8BA03 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R8CA03 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R8DA03 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R8WA03 +A	8.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E8R9BA03 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E8R9CA03 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E8R9DA03 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E8R9WA03 +A	8.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E910GA02 +A	91pF	25	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1E910JA02 +A	91pF	25	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1E9R0BA03 +A	9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R0CA03 +A	9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R0DA03 +A	9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R0WA03 +A	9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R1BA03 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R1CA03 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R1DA03 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R1WA03 +A	9.1pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R2BA03 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R2CA03 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R2DA03 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R2WA03 +A	9.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R3BA03 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R3CA03 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R3DA03 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R3WA03 +A	9.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R4BA03 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R4CA03 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R4DA03 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R4WA03 +A	9.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R5BA03 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R5CA03 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R5DA03 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R5WA03 +A	9.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R6BA03 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R6CA03 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R6DA03 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R6WA03 +A	9.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R7BA03 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R7CA03 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R7DA03 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R7WA03 +A	9.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R8BA03 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R8CA03 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R8DA03 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R8WA03 +A	9.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1E9R9BA03 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1E9R9CA03 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1E9R9DA03 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1E9R9WA03 +A	9.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER20BA03 +A	0.2pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER20WA03 +A	0.2pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER30BA03 +A	0.3pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER30WA03 +A	0.3pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER40BA03 +A	0.4pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER40WA03 +A	0.4pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER50BA03 +A	0.5pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER50WA03 +A	0.5pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER60BA03 +A	0.6pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER60WA03 +A	0.6pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER70BA03 +A	0.7pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER70WA03 +A	0.7pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER80BA03 +A	0.8pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER80WA03 +A	0.8pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1ER90BA03 +A	0.9pF	25	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1ER90WA03 +A	0.9pF	25	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H100GA03 +A	10pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H100JA03 +A	10pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H101GA02 +A	100pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H101JA02 +A	100pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H110GA03 +A	11pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H110JA03 +A	11pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H120GA03 +A	12pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H120JA03 +A	12pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1H330GA02 +A	33pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H330JA02 +A	33pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H360GA02 +A	36pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H360JA02 +A	36pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H390GA02 +A	39pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H390JA02 +A	39pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H3R0BA03 +A	3pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R0CA03 +A	3pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R0WA03 +A	3pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R1BA03 +A	3.1pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R1CA03 +A	3.1pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R1WA03 +A	3.1pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R2BA03 +A	3.2pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R2CA03 +A	3.2pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R2WA03 +A	3.2pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R3BA03 +A	3.3pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R3CA03 +A	3.3pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R3WA03 +A	3.3pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R4BA03 +A	3.4pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R4CA03 +A	3.4pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R4WA03 +A	3.4pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R5BA03 +A	3.5pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R5CA03 +A	3.5pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R5WA03 +A	3.5pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R6BA03 +A	3.6pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R6CA03 +A	3.6pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R6WA03 +A	3.6pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R7BA03 +A	3.7pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R7CA03 +A	3.7pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R7WA03 +A	3.7pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R8BA03 +A	3.8pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R8CA03 +A	3.8pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R8WA03 +A	3.8pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H3R9BA03 +A	3.9pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H3R9CA03 +A	3.9pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H3R9WA03 +A	3.9pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H430GA02 +A	43pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H430JA02 +A	43pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H470GA02 +A	47pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H470JA02 +A	47pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H4R0BA03 +A	4pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R0CA03 +A	4pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R0WA03 +A	4pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R1BA03 +A	4.1pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R1CA03 +A	4.1pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R1WA03 +A	4.1pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R2BA03 +A	4.2pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R2CA03 +A	4.2pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R2WA03 +A	4.2pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R3BA03 +A	4.3pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R3CA03 +A	4.3pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R3WA03 +A	4.3pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R4BA03 +A	4.4pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R4CA03 +A	4.4pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R4WA03 +A	4.4pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R5BA03 +A	4.5pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R5CA03 +A	4.5pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R5WA03 +A	4.5pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R6BA03 +A	4.6pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R6CA03 +A	4.6pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R6WA03 +A	4.6pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R7BA03 +A	4.7pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R7CA03 +A	4.7pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R7WA03 +A	4.7pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R8BA03 +A	4.8pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R8CA03 +A	4.8pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R8WA03 +A	4.8pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H4R9BA03 +A	4.9pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H4R9CA03 +A	4.9pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H4R9WA03 +A	4.9pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H510GA02 +A	51pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H510JA02 +A	51pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H560GA02 +A	56pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H560JA02 +A	56pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H5R0BA03 +A	5pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R0CA03 +A	5pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R0WA03 +A	5pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R1BA03 +A	5.1pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1H5R1CA03 +A	5.1pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R1DA03 +A	5.1pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R1WA03 +A	5.1pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R2BA03 +A	5.2pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R2CA03 +A	5.2pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R2DA03 +A	5.2pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R2WA03 +A	5.2pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R3BA03 +A	5.3pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R3CA03 +A	5.3pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R3DA03 +A	5.3pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R3WA03 +A	5.3pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R4BA03 +A	5.4pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R4CA03 +A	5.4pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R4DA03 +A	5.4pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R4WA03 +A	5.4pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R5BA03 +A	5.5pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R5CA03 +A	5.5pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R5DA03 +A	5.5pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R5WA03 +A	5.5pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R6BA03 +A	5.6pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R6CA03 +A	5.6pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R6DA03 +A	5.6pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R6WA03 +A	5.6pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R7BA03 +A	5.7pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R7CA03 +A	5.7pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R7DA03 +A	5.7pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R7WA03 +A	5.7pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R8BA03 +A	5.8pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R8CA03 +A	5.8pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R8DA03 +A	5.8pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R8WA03 +A	5.8pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H5R9BA03 +A	5.9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H5R9CA03 +A	5.9pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H5R9DA03 +A	5.9pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H5R9WA03 +A	5.9pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H620GA02 +A	62pF	50	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H620JA02 +A	62pF	50	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H680GA02 +A	68pF	50	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H680JA02 +A	68pF	50	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H6R0BA03 +A	6pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R0CA03 +A	6pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R0DA03 +A	6pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R0WA03 +A	6pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R1BA03 +A	6.1pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R1CA03 +A	6.1pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R1DA03 +A	6.1pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R1WA03 +A	6.1pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R2BA03 +A	6.2pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R2CA03 +A	6.2pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R2DA03 +A	6.2pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R2WA03 +A	6.2pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R3BA03 +A	6.3pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R3CA03 +A	6.3pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R3DA03 +A	6.3pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R3WA03 +A	6.3pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R4BA03 +A	6.4pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R4CA03 +A	6.4pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R4DA03 +A	6.4pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R4WA03 +A	6.4pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R5BA03 +A	6.5pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R5CA03 +A	6.5pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R5DA03 +A	6.5pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R5WA03 +A	6.5pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R6BA03 +A	6.6pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R6CA03 +A	6.6pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R6DA03 +A	6.6pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R6WA03 +A	6.6pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R7BA03 +A	6.7pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R7CA03 +A	6.7pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R7DA03 +A	6.7pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R7WA03 +A	6.7pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R8BA03 +A	6.8pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R8CA03 +A	6.8pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R8DA03 +A	6.8pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H6R8WA03 +A	6.8pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H6R9BA03 +A	6.9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H6R9CA03 +A	6.9pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H6R9DA03 +A	6.9pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1H6R9WA03	+6.9pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H750GA02	+75pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H750JA02	+75pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H7R0BA03	+7pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R0CA03	+7pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R0DA03	+7pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R0WA03	+7pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R1BA03	+7.1pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R1CA03	+7.1pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R1DA03	+7.1pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R1WA03	+7.1pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R2BA03	+7.2pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R2CA03	+7.2pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R2DA03	+7.2pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R2WA03	+7.2pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R3BA03	+7.3pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R3CA03	+7.3pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R3DA03	+7.3pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R3WA03	+7.3pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R4BA03	+7.4pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R4CA03	+7.4pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R4DA03	+7.4pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R4WA03	+7.4pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R5BA03	+7.5pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R5CA03	+7.5pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R5DA03	+7.5pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R5WA03	+7.5pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R6BA03	+7.6pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R6CA03	+7.6pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R6DA03	+7.6pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R6WA03	+7.6pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R7BA03	+7.7pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R7CA03	+7.7pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R7DA03	+7.7pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R7WA03	+7.7pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R8BA03	+7.8pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R8CA03	+7.8pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R8DA03	+7.8pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R8WA03	+7.8pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H7R9BA03	+7.9pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H7R9CA03	+7.9pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H7R9DA03	+7.9pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H7R9WA03	+7.9pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H820GA02	+82pF	50	COG	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H820JA02	+82pF	50	COG	0402M/01005	0.22	+/-5%	Ultra-small
GRM0225C1H8R0BA03	+8pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R0CA03	+8pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R0DA03	+8pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R0WA03	+8pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R1BA03	+8.1pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R1CA03	+8.1pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R1DA03	+8.1pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R1WA03	+8.1pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R2BA03	+8.2pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R2CA03	+8.2pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R2DA03	+8.2pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R2WA03	+8.2pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R3BA03	+8.3pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R3CA03	+8.3pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R3DA03	+8.3pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R3WA03	+8.3pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R4BA03	+8.4pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R4CA03	+8.4pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R4DA03	+8.4pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R4WA03	+8.4pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R5BA03	+8.5pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R5CA03	+8.5pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R5DA03	+8.5pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R5WA03	+8.5pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R6BA03	+8.6pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R6CA03	+8.6pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R6DA03	+8.6pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R6WA03	+8.6pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R7BA03	+8.7pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R7CA03	+8.7pF	50	COG	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R7DA03	+8.7pF	50	COG	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R7WA03	+8.7pF	50	COG	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R8BA03	+8.8pF	50	COG	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0225C1H8R8CA03 +A	8.8pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R8DA03 +A	8.8pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R8WA03 +A	8.8pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H8R9BA03 +A	8.9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H8R9CA03 +A	8.9pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H8R9DA03 +A	8.9pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H8R9WA03 +A	8.9pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H910GA02 +A	91pF	50	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1H9R0BA03 +A	9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R0CA03 +A	9pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R0DA03 +A	9pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R0WA03 +A	9pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R1BA03 +A	9.1pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R1CA03 +A	9.1pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R1DA03 +A	9.1pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R1WA03 +A	9.1pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R2BA03 +A	9.2pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R2CA03 +A	9.2pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R2DA03 +A	9.2pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R2WA03 +A	9.2pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R3BA03 +A	9.3pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R3CA03 +A	9.3pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R3DA03 +A	9.3pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R3WA03 +A	9.3pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R4BA03 +A	9.4pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R4CA03 +A	9.4pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R4DA03 +A	9.4pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R4WA03 +A	9.4pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R5BA03 +A	9.5pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R5CA03 +A	9.5pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R5DA03 +A	9.5pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R5WA03 +A	9.5pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R6BA03 +A	9.6pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R6CA03 +A	9.6pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R6DA03 +A	9.6pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R6WA03 +A	9.6pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R7BA03 +A	9.7pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R7CA03 +A	9.7pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R7DA03 +A	9.7pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R7WA03 +A	9.7pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R8BA03 +A	9.8pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R8CA03 +A	9.8pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R8DA03 +A	9.8pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R8WA03 +A	9.8pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1H9R9BA03 +A	9.9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1H9R9CA03 +A	9.9pF	50	C0G	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0225C1H9R9DA03 +A	9.9pF	50	C0G	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0225C1H9R9WA03 +A	9.9pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR20BA03 +A	0.2pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR20WA03 +A	0.2pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR30BA03 +A	0.3pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR30WA03 +A	0.3pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR40BA03 +A	0.4pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR40WA03 +A	0.4pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR50BA03 +A	0.5pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR50WA03 +A	0.5pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR60BA03 +A	0.6pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR60WA03 +A	0.6pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR70BA03 +A	0.7pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR70WA03 +A	0.7pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR80BA03 +A	0.8pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR80WA03 +A	0.8pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1HR90BA03 +A	0.9pF	50	C0G	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0225C1HR90WA03 +A	0.9pF	50	C0G	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0225C1A101GA02 +A	100pF	35	C0G	0402M/01005	0.22	+/-2%	Ultra-small
GRM0225C1A101JA02 +A	100pF	35	C0G	0402M/01005	0.22	+/-5%	Ultra-small
GRM022D80E104ME15 +A	0.1uF	2.5	X6T	0402M/01005	0.22	+/-20%	Ultra-small
GRM022D80E224ME14 +A	0.22uF	2.5	X6T	0402M/01005	0.22	+/-20%	Ultra-small
GRM022D80G104ME15 +A	0.1uF	4.0	X6T	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G104ME15 +A	0.1uF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G153KE15 +A	15000pF	4.0	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G153ME15 +A	15000pF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G223KE15 +A	22000pF	4.0	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G223ME15 +A	22000pF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G224ME14 +A	0.22uF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G333KE15 +A	33000pF	4.0	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G333ME15 +A	33000pF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM022R60G473KE15 +A	47000pF	4.0	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60G473ME15 +A	47000pF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60G474ME15 +A	0.47uF	4.0	X5R	0402M/01005	0.25	+/-20%	Ultra-small
GRM022R60G683ME15 +A	68000pF	4.0	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J102KE19 +A	1000pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J102ME19 +A	1000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J103KE19 +A	10000pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J103ME19 +A	10000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J104KE15 +A	0.1uF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J104ME15 +A	0.1uF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J152KE19 +A	1500pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J152ME19 +A	1500pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J153ME15 +A	15000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J182KE19 +A	1800pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J222KE19 +A	2200pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J222ME19 +A	2200pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J223KE15 +A	22000pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J223ME15 +A	22000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J224KE14 +A	0.22uF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J224ME14 +A	0.22uF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J332KE19 +A	3300pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J332ME19 +A	3300pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J333ME15 +A	33000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J392KE19 +A	3900pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J472KE19 +A	4700pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J472ME19 +A	4700pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J473ME15 +A	47000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J474ME05 +A	0.47uF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J474ME15 +A	0.47uF	6.3	X5R	0402M/01005	0.25	+/-20%	Ultra-small
GRM022R60J681KE19 +A	680pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J681ME19 +A	680pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J682KE19 +A	6800pF	6.3	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R60J682ME19 +A	6800pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R60J683ME15 +A	68000pF	6.3	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A101KA01 +A	100pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A101MA01 +A	100pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A102KE19 +A	1000pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A102ME19 +A	1000pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A103KE19 +A	10000pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A103ME19 +A	10000pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A104ME01 +A	0.1uF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A151KA01 +A	150pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A151MA01 +A	150pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A152KE19 +A	1500pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A152ME19 +A	1500pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A221KA01 +A	220pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A221MA01 +A	220pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A222KE19 +A	2200pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A222ME19 +A	2200pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A331KA01 +A	330pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A331MA01 +A	330pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A332KE19 +A	3300pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A332ME19 +A	3300pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A471KA01 +A	470pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A471MA01 +A	470pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A472KE19 +A	4700pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A472ME19 +A	4700pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A562KE19 +A	5600pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A680KA01 +A	68pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A680MA01 +A	68pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A681KE19 +A	680pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A681ME19 +A	680pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A682KE19 +A	6800pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R61A682ME19 +A	6800pF	10	X5R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R61A821KE19 +A	820pF	10	X5R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A101KA01 +A	100pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A101MA01 +A	100pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A102KA12 +A	1000pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A102MA12 +A	1000pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A121KA01 +A	120pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A151KA01 +A	150pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A151MA01 +A	150pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A181KA01 +A	180pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A221KA01 +A	220pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A221MA01 +A	220pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A331KA01 +A	330pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A331MA01 +A	330pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A471KA01 +A	470pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM022R71A471MA01 +A	470pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A680KA01 +A	68pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A680MA01 +A	68pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A681KA12 +A	680pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A681MA12 +A	680pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71A821KA12 +A	820pF	10	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71A821MA12 +A	820pF	10	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C101KE14 +A	100pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C101ME14 +A	100pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C102KE14 +A	1000pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C102ME14 +A	1000pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C151KE14 +A	150pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C151ME14 +A	150pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C221KE14 +A	220pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C221ME14 +A	220pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C271KE14 +A	270pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C331KE14 +A	330pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C331ME14 +A	330pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C471KE14 +A	470pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM022R71C471ME14 +A	470pF	16	X7R	0402M/01005	0.22	+/-20%	Ultra-small
GRM022R71C681KE14 +A	680pF	16	X7R	0402M/01005	0.22	+/-10%	Ultra-small
GRM032R60G105ME05 +A	1uF	4.0	X5R	0603M/0201	0.22	+/-20%	Ultra-small
GRM032R60J104KE15 +A	0.1uF	6.3	X5R	0603M/0201	0.22	+/-10%	Ultra-small
GRM032R60J105ME05 +A	1uF	6.3	X5R	0603M/0201	0.22	+/-20%	Ultra-small
GRM0335C1E100JA01 +A	10pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E101FA01 +A	100pF	25	COG	0603M/0201	0.33	+/-1%	Ultra-small
GRM0335C1E101JA01 +A	100pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E102GA01 +A	1000pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E102JA01 +A	1000pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E120GA01 +A	12pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E120JA01 +A	12pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E150JA01 +A	15pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E151JA01 +A	150pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E180JA01 +A	18pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E181JA01 +A	180pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E1R0WA01 +A	1pF	25	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1E1R5BA01 +A	1.5pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E1R8CA01 +A	1.8pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E200JA01 +A	20pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E220JA01 +A	22pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E221JA01 +A	220pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E270JA01 +A	27pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E271GA01 +A	270pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E271JA01 +A	270pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E2R0BA01 +A	2pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E2R2BA01 +A	2.2pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E2R4CA01 +A	2.4pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E2R7CA01 +A	2.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E300GA01 +A	30pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E330GA01 +A	33pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E330JA01 +A	33pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E331GA01 +A	330pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E331JA01 +A	330pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E390JA01 +A	39pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E391GA01 +A	390pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E391JA01 +A	390pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E3R0BA01 +A	3pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E3R0CA01 +A	3pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E3R3CA01 +A	3.3pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E3R9BA01 +A	3.9pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E3R9CA01 +A	3.9pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E470JA01 +A	47pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E471GA01 +A	470pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E471JA01 +A	470pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E4R0CA01 +A	4pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E4R7CA01 +A	4.7pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E560JA01 +A	56pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E561GA01 +A	560pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E561JA01 +A	560pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E5R0BA01 +A	5pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E5R0CA01 +A	5pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E5R1CA01 +A	5.1pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E5R6BA01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E5R6CA01 +A	5.6pF	25	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E680JA01 +A	68pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E681GA01 +A	680pF	25	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E681JA01 +A	680pF	25	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E6R0BA01 +A	6pF	25	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C1E6R8BA01 +A	6.8pF	25	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1E6R8CA01 +A	6.8pF	25	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E7R0DA01 +A	7pF	25	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1E820JA01 +A	82pF	25	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E821GA01 +A	820pF	25	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E821JA01 +A	820pF	25	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E8R0CA01 +A	8pF	25	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E8R0DA01 +A	8pF	25	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1E8R2CA01 +A	8.2pF	25	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1E911GA01 +A	910pF	25	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1E911JA01 +A	910pF	25	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1E9R0DA01 +A	9pF	25	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1ER10WA01 +	0.1pF	25	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1ER50WA01 +	0.5pF	25	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1ER60BA01 +A	0.6pF	25	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H100GA01 +A	10pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H100JA01 +A	10pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H101GA01 +A	100pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H101JA01 +A	100pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H110GA01 +A	11pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H110JA01 +A	11pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H120GA01 +A	12pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H120JA01 +A	12pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H121GA01 +A	120pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H121JA01 +A	120pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H130GA01 +A	13pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H130JA01 +A	13pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H150GA01 +A	15pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H150JA01 +A	15pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H151GA01 +A	150pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H151JA01 +A	150pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H160GA01 +A	16pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H160JA01 +A	16pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H180GA01 +A	18pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H180JA01 +A	18pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H181GA01 +A	180pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H181JA01 +A	180pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H1R0BA01 +A	1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R0CA01 +A	1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R0WA01 +	1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R1BA01 +A	1.1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R1CA01 +A	1.1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R1WA01 +	1.1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R2BA01 +A	1.2pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R2CA01 +A	1.2pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R2WA01 +	1.2pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R3BA01 +A	1.3pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R3CA01 +A	1.3pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R3WA01 +	1.3pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R4BA01 +A	1.4pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R4CA01 +A	1.4pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R4WA01 +	1.4pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R5BA01 +A	1.5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R5CA01 +A	1.5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R5WA01 +	1.5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R6BA01 +A	1.6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R6CA01 +A	1.6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R6WA01 +	1.6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R7BA01 +A	1.7pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R7CA01 +A	1.7pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R7WA01 +	1.7pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R8BA01 +A	1.8pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R8CA01 +A	1.8pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R8WA01 +	1.8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H1R9BA01 +A	1.9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H1R9CA01 +A	1.9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H1R9WA01 +	1.9pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H200GA01 +A	20pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H200JA01 +A	20pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H220GA01 +A	22pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H220JA01 +A	22pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H221GA01 +A	220pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H221JA01 +A	220pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H240GA01 +A	24pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H240JA01 +A	24pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H270GA01 +A	27pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H270JA01 +A	27pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H2R0BA01 +A	2pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C1H4R2CA01	+A 4.2pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R2WA01	+A 4.2pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R3BA01	+A 4.3pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R3CA01	+A 4.3pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R3WA01	+A 4.3pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R4BA01	+A 4.4pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R4CA01	+A 4.4pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R4WA01	+A 4.4pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R5BA01	+A 4.5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R5CA01	+A 4.5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R5WA01	+A 4.5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R6BA01	+A 4.6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R6CA01	+A 4.6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R6WA01	+A 4.6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R7BA01	+A 4.7pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R7CA01	+A 4.7pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R7WA01	+A 4.7pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R8BA01	+A 4.8pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R8CA01	+A 4.8pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R8WA01	+A 4.8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H4R9BA01	+A 4.9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H4R9CA01	+A 4.9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H4R9WA01	+A 4.9pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H510GA01	+A 51pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H510JA01	+A 51pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H560GA01	+A 56pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H560JA01	+A 56pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H5R0BA01	+A 5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R0CA01	+A 5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R0WA01	+A 5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R1BA01	+A 5.1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R1CA01	+A 5.1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R1DA01	+A 5.1pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R1WA01	+A 5.1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R2BA01	+A 5.2pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R2CA01	+A 5.2pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R2DA01	+A 5.2pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R2WA01	+A 5.2pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R3BA01	+A 5.3pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R3CA01	+A 5.3pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R3DA01	+A 5.3pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R3WA01	+A 5.3pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R4BA01	+A 5.4pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R4CA01	+A 5.4pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R4DA01	+A 5.4pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R4WA01	+A 5.4pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R5BA01	+A 5.5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R5CA01	+A 5.5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R5DA01	+A 5.5pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R5WA01	+A 5.5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R6BA01	+A 5.6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R6CA01	+A 5.6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R6DA01	+A 5.6pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R6WA01	+A 5.6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R7BA01	+A 5.7pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R7CA01	+A 5.7pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R7DA01	+A 5.7pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R7WA01	+A 5.7pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R8BA01	+A 5.8pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R8CA01	+A 5.8pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R8DA01	+A 5.8pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R8WA01	+A 5.8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H5R9BA01	+A 5.9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H5R9CA01	+A 5.9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H5R9DA01	+A 5.9pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H5R9WA01	+A 5.9pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H620GA01	+A 62pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H620JA01	+A 62pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H680GA01	+A 68pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H680JA01	+A 68pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H6R0BA01	+A 6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R0CA01	+A 6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R0DA01	+A 6pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R0WA01	+A 6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R1BA01	+A 6.1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R1CA01	+A 6.1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R1DA01	+A 6.1pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R1WA01	+A 6.1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C1H6R2BA01 +A	6.2pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R2CA01 +A	6.2pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R2DA01 +A	6.2pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R2WA01 +A	6.2pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R3BA01 +A	6.3pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R3CA01 +A	6.3pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R3DA01 +A	6.3pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R3WA01 +A	6.3pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R4BA01 +A	6.4pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R4CA01 +A	6.4pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R4DA01 +A	6.4pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R4WA01 +A	6.4pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R5BA01 +A	6.5pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R5CA01 +A	6.5pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R5DA01 +A	6.5pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R5WA01 +A	6.5pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R6BA01 +A	6.6pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R6CA01 +A	6.6pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R6DA01 +A	6.6pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R6WA01 +A	6.6pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R7BA01 +A	6.7pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R7CA01 +A	6.7pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R7DA01 +A	6.7pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R7WA01 +A	6.7pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R8BA01 +A	6.8pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R8CA01 +A	6.8pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R8DA01 +A	6.8pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R8WA01 +A	6.8pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H6R9BA01 +A	6.9pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H6R9CA01 +A	6.9pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H6R9DA01 +A	6.9pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H6R9WA01 +A	6.9pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H750GA01 +A	75pF	50	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H750JA01 +A	75pF	50	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H7R0BA01 +A	7pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R0CA01 +A	7pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R0DA01 +A	7pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R0WA01 +A	7pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R1BA01 +A	7.1pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R1CA01 +A	7.1pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R1DA01 +A	7.1pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R1WA01 +A	7.1pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R2BA01 +A	7.2pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R2CA01 +A	7.2pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R2DA01 +A	7.2pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R2WA01 +A	7.2pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R3BA01 +A	7.3pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R3CA01 +A	7.3pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R3DA01 +A	7.3pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R3WA01 +A	7.3pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R4BA01 +A	7.4pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R4CA01 +A	7.4pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R4DA01 +A	7.4pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R4WA01 +A	7.4pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R5BA01 +A	7.5pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R5CA01 +A	7.5pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R5DA01 +A	7.5pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R5WA01 +A	7.5pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R6BA01 +A	7.6pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R6CA01 +A	7.6pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R6DA01 +A	7.6pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R6WA01 +A	7.6pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R7BA01 +A	7.7pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R7CA01 +A	7.7pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R7DA01 +A	7.7pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R7WA01 +A	7.7pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R8BA01 +A	7.8pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R8CA01 +A	7.8pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R8DA01 +A	7.8pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R8WA01 +A	7.8pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H7R9BA01 +A	7.9pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H7R9CA01 +A	7.9pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H7R9DA01 +A	7.9pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H7R9WA01 +A	7.9pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H820GA01 +A	82pF	50	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H820JA01 +A	82pF	50	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H8R0BA01 +A	8pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R0CA01 +A	8pF	50	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C1H8R0DA01 +A	8pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R0WA01 +A	8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R1BA01 +A	8.1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R1CA01 +A	8.1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R1DA01 +A	8.1pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R1WA01 +A	8.1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R2BA01 +A	8.2pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R2CA01 +A	8.2pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R2DA01 +A	8.2pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R2WA01 +A	8.2pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R3BA01 +A	8.3pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R3CA01 +A	8.3pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R3DA01 +A	8.3pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R3WA01 +A	8.3pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R4BA01 +A	8.4pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R4CA01 +A	8.4pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R4DA01 +A	8.4pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R4WA01 +A	8.4pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R5BA01 +A	8.5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R5CA01 +A	8.5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R5DA01 +A	8.5pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R5WA01 +A	8.5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R6BA01 +A	8.6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R6CA01 +A	8.6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R6DA01 +A	8.6pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R6WA01 +A	8.6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R7BA01 +A	8.7pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R7CA01 +A	8.7pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R7DA01 +A	8.7pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R7WA01 +A	8.7pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R8BA01 +A	8.8pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R8CA01 +A	8.8pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R8DA01 +A	8.8pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R8WA01 +A	8.8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H8R9BA01 +A	8.9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H8R9CA01 +A	8.9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H8R9DA01 +A	8.9pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H8R9WA01 +A	8.9pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H910GA01 +A	91pF	50	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C1H910JA01 +A	91pF	50	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C1H9R0BA01 +A	9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R0CA01 +A	9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R0DA01 +A	9pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R0WA01 +A	9pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R1BA01 +A	9.1pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R1CA01 +A	9.1pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R1DA01 +A	9.1pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R1WA01 +A	9.1pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R2BA01 +A	9.2pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R2CA01 +A	9.2pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R2DA01 +A	9.2pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R2WA01 +A	9.2pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R3BA01 +A	9.3pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R3CA01 +A	9.3pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R3DA01 +A	9.3pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R3WA01 +A	9.3pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R4BA01 +A	9.4pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R4CA01 +A	9.4pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R4DA01 +A	9.4pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R4WA01 +A	9.4pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R5BA01 +A	9.5pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R5CA01 +A	9.5pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R5DA01 +A	9.5pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R5WA01 +A	9.5pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R6BA01 +A	9.6pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R6CA01 +A	9.6pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R6DA01 +A	9.6pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R6WA01 +A	9.6pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R7BA01 +A	9.7pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R7CA01 +A	9.7pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R7DA01 +A	9.7pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R7WA01 +A	9.7pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R8BA01 +A	9.8pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R8CA01 +A	9.8pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C1H9R8DA01 +A	9.8pF	50	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R8WA01 +A	9.8pF	50	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1H9R9BA01 +A	9.9pF	50	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1H9R9CA01 +A	9.9pF	50	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C1H9R9DA01 +A	9.9pF	50	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C1H9R9WA01 +	9.9pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR10WA01 +	0.1pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR20BA01 +A	0.2pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR20WA01 +	0.2pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR30BA01 +A	0.3pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR30WA01 +	0.3pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR40BA01 +A	0.4pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR40WA01 +	0.4pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR50BA01 +A	0.5pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR50WA01 +	0.5pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR60BA01 +A	0.6pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR60WA01 +	0.6pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR70BA01 +A	0.7pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR70WA01 +	0.7pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR80BA01 +A	0.8pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR80WA01 +	0.8pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C1HR90BA01 +A	0.9pF	50	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C1HR90WA01 +	0.9pF	50	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A100GA01 +A	10pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A100JA01 +A	10pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A101GA01 +A	100pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A101JA01 +A	100pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A120GA01 +A	12pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A120JA01 +A	12pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A150GA01 +A	15pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A150JA01 +A	15pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A180GA01 +A	18pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A180JA01 +A	18pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A1R0BA01 +A	1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R0CA01 +A	1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R0WA01 +	1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R1BA01 +A	1.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R1CA01 +A	1.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R1WA01 +	1.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R2BA01 +A	1.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R2CA01 +A	1.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R2WA01 +	1.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R3BA01 +A	1.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R3CA01 +A	1.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R3WA01 +	1.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R4BA01 +A	1.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R4CA01 +A	1.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R4WA01 +	1.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R5BA01 +A	1.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R5CA01 +A	1.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R5WA01 +	1.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R6BA01 +A	1.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R6CA01 +A	1.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R6WA01 +	1.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R7BA01 +A	1.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R7CA01 +A	1.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R7WA01 +	1.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R8BA01 +A	1.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R8CA01 +A	1.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R8WA01 +	1.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A1R9BA01 +A	1.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A1R9CA01 +A	1.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A1R9WA01 +	1.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A200GA01 +A	20pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A200JA01 +A	20pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A220GA01 +A	22pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A220JA01 +A	22pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A240GA01 +A	24pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A240JA01 +A	24pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A270GA01 +A	27pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A270JA01 +A	27pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A2R0BA01 +A	2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R0CA01 +A	2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R0WA01 +	2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R1BA01 +A	2.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R1CA01 +A	2.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R1WA01 +	2.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R2BA01 +A	2.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R2CA01 +A	2.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R2WA01 +	2.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R3BA01 +A	2.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R3CA01 +A	2.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C2A2R3WA01	+2.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R4BA01	+2.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R4CA01	+2.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R4WA01	+2.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R5BA01	+2.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R5CA01	+2.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R5WA01	+2.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R6BA01	+2.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R6CA01	+2.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R6WA01	+2.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R7BA01	+2.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R7CA01	+2.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R7WA01	+2.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R8BA01	+2.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R8CA01	+2.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R8WA01	+2.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A2R9BA01	+2.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A2R9CA01	+2.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A2R9WA01	+2.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A300GA01	+30pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A300JA01	+30pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A330GA01	+33pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A330JA01	+33pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A360GA01	+36pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A360JA01	+36pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A390GA01	+39pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A390JA01	+39pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A3R0BA01	+3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R0CA01	+3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R0WA01	+3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R1BA01	+3.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R1CA01	+3.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R1WA01	+3.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R2BA01	+3.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R2CA01	+3.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R2WA01	+3.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R3BA01	+3.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R3CA01	+3.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R3WA01	+3.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R4BA01	+3.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R4CA01	+3.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R4WA01	+3.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R5BA01	+3.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R5CA01	+3.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R5WA01	+3.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R6BA01	+3.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R6CA01	+3.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R6WA01	+3.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R7BA01	+3.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R7CA01	+3.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R7WA01	+3.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R8BA01	+3.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R8CA01	+3.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R8WA01	+3.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A3R9BA01	+3.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A3R9CA01	+3.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A3R9WA01	+3.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A430GA01	+43pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A430JA01	+43pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A470GA01	+47pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A470JA01	+47pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A4R0BA01	+4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R0CA01	+4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R0WA01	+4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R1BA01	+4.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R1CA01	+4.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R1WA01	+4.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R2BA01	+4.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R2CA01	+4.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R2WA01	+4.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R3BA01	+4.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R3CA01	+4.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R3WA01	+4.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R4BA01	+4.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R4CA01	+4.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R4WA01	+4.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R5BA01	+4.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R5CA01	+4.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C2A4R5WA01	+4.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R6BA01	+4.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R6CA01	+4.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R6WA01	+4.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R7BA01	+4.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R7CA01	+4.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R7WA01	+4.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R8BA01	+4.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R8CA01	+4.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R8WA01	+4.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A4R9BA01	+4.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A4R9CA01	+4.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A4R9WA01	+4.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A510GA01	+51pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A510JA01	+51pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A560GA01	+56pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A560JA01	+56pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A5R0BA01	+5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R0CA01	+5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R0WA01	+5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R1BA01	+5.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R1CA01	+5.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R1DA01	+5.1pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R1WA01	+5.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R2BA01	+5.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R2CA01	+5.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R2DA01	+5.2pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R2WA01	+5.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R3BA01	+5.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R3CA01	+5.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R3DA01	+5.3pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R3WA01	+5.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R4BA01	+5.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R4CA01	+5.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R4DA01	+5.4pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R4WA01	+5.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R5BA01	+5.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R5CA01	+5.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R5DA01	+5.5pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R5WA01	+5.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R6BA01	+5.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R6CA01	+5.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R6DA01	+5.6pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R6WA01	+5.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R7BA01	+5.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R7CA01	+5.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R7DA01	+5.7pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R7WA01	+5.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R8BA01	+5.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R8CA01	+5.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R8DA01	+5.8pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R8WA01	+5.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A5R9BA01	+5.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A5R9CA01	+5.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A5R9DA01	+5.9pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A5R9WA01	+5.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A620GA01	+62pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A620JA01	+62pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A680GA01	+68pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A680JA01	+68pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A6R0BA01	+6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R0CA01	+6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R0DA01	+6pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R0WA01	+6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R1BA01	+6.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R1CA01	+6.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R1DA01	+6.1pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R1WA01	+6.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R2BA01	+6.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R2CA01	+6.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R2DA01	+6.2pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R2WA01	+6.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R3BA01	+6.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R3CA01	+6.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R3DA01	+6.3pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R3WA01	+6.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R4BA01	+6.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R4CA01	+6.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C2A6R4DA01	+A 6.4pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R4WA01	+ 6.4pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R5BA01	+A 6.5pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R5CA01	+A 6.5pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R5DA01	+A 6.5pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R5WA01	+ 6.5pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R6BA01	+A 6.6pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R6CA01	+A 6.6pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R6DA01	+A 6.6pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R6WA01	+ 6.6pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R7BA01	+A 6.7pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R7CA01	+A 6.7pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R7DA01	+A 6.7pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R7WA01	+ 6.7pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R8BA01	+A 6.8pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R8CA01	+A 6.8pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R8DA01	+A 6.8pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R8WA01	+ 6.8pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A6R9BA01	+A 6.9pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A6R9CA01	+A 6.9pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A6R9DA01	+A 6.9pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A6R9WA01	+ 6.9pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A750GA01	+A 75pF	100	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A750JA01	+A 75pF	100	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A7R0BA01	+A 7pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R0CA01	+A 7pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R0DA01	+A 7pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R0WA01	+ 7pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R1BA01	+A 7.1pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R1CA01	+A 7.1pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R1DA01	+A 7.1pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R1WA01	+ 7.1pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R2BA01	+A 7.2pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R2CA01	+A 7.2pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R2DA01	+A 7.2pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R2WA01	+ 7.2pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R3BA01	+A 7.3pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R3CA01	+A 7.3pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R3DA01	+A 7.3pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R3WA01	+ 7.3pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R4BA01	+A 7.4pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R4CA01	+A 7.4pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R4DA01	+A 7.4pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R4WA01	+ 7.4pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R5BA01	+A 7.5pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R5CA01	+A 7.5pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R5DA01	+A 7.5pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R5WA01	+ 7.5pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R6BA01	+A 7.6pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R6CA01	+A 7.6pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R6DA01	+A 7.6pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R6WA01	+ 7.6pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R7BA01	+A 7.7pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R7CA01	+A 7.7pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R7DA01	+A 7.7pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R7WA01	+ 7.7pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R8BA01	+A 7.8pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R8CA01	+A 7.8pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R8DA01	+A 7.8pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R8WA01	+ 7.8pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A7R9BA01	+A 7.9pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A7R9CA01	+A 7.9pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A7R9DA01	+A 7.9pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A7R9WA01	+ 7.9pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A820GA01	+A 82pF	100	C0G	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A820JA01	+A 82pF	100	C0G	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A8R0BA01	+A 8pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R0CA01	+A 8pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R0DA01	+A 8pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R0WA01	+ 8pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R1BA01	+A 8.1pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R1CA01	+A 8.1pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R1DA01	+A 8.1pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R1WA01	+ 8.1pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R2BA01	+A 8.2pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R2CA01	+A 8.2pF	100	C0G	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R2DA01	+A 8.2pF	100	C0G	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R2WA01	+ 8.2pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C2A8R3BA01	+A 8.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R3CA01	+A 8.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R3DA01	+A 8.3pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R3WA01	+A 8.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R4BA01	+A 8.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R4CA01	+A 8.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R4DA01	+A 8.4pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R4WA01	+A 8.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R5BA01	+A 8.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R5CA01	+A 8.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R5DA01	+A 8.5pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R5WA01	+A 8.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R6BA01	+A 8.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R6CA01	+A 8.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R6DA01	+A 8.6pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R6WA01	+A 8.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R7BA01	+A 8.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R7CA01	+A 8.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R7DA01	+A 8.7pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R7WA01	+A 8.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R8BA01	+A 8.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R8CA01	+A 8.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R8DA01	+A 8.8pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R8WA01	+A 8.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A8R9BA01	+A 8.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A8R9CA01	+A 8.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A8R9DA01	+A 8.9pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A8R9WA01	+A 8.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A910GA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-2%	Ultra-small
GRM0335C2A910JA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-5%	Ultra-small
GRM0335C2A9R0BA01	+A 9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R0CA01	+A 9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R0DA01	+A 9pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R0WA01	+A 9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R1BA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R1CA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R1DA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R1WA01	+A 9.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R2BA01	+A 9.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R2CA01	+A 9.2pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R2DA01	+A 9.2pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R2WA01	+A 9.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R3BA01	+A 9.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R3CA01	+A 9.3pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R3DA01	+A 9.3pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R3WA01	+A 9.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R4BA01	+A 9.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R4CA01	+A 9.4pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R4DA01	+A 9.4pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R4WA01	+A 9.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R5BA01	+A 9.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R5CA01	+A 9.5pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R5DA01	+A 9.5pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R5WA01	+A 9.5pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R6BA01	+A 9.6pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R6CA01	+A 9.6pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R6DA01	+A 9.6pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R6WA01	+A 9.6pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R7BA01	+A 9.7pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R7CA01	+A 9.7pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R7DA01	+A 9.7pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R7WA01	+A 9.7pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R8BA01	+A 9.8pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R8CA01	+A 9.8pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R8DA01	+A 9.8pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R8WA01	+A 9.8pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2A9R9BA01	+A 9.9pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2A9R9CA01	+A 9.9pF	100	COG	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0335C2A9R9DA01	+A 9.9pF	100	COG	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0335C2A9R9WA01	+A 9.9pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR10WA01	+ 0.1pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR20BA01	+A 0.2pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR20WA01	+ 0.2pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR30BA01	+A 0.3pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR30WA01	+ 0.3pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR40BA01	+A 0.4pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR40WA01	+ 0.4pF	100	COG	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR50BA01	+A 0.5pF	100	COG	0603M/0201	0.33	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0335C2AR50WA01 +A	0.5pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR60BA01 +A	0.6pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR60WA01 +A	0.6pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR70BA01 +A	0.7pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR70WA01 +A	0.7pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR80BA01 +A	0.8pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR80WA01 +A	0.8pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0335C2AR90BA01 +A	0.9pF	100	C0G	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0335C2AR90WA01 +A	0.9pF	100	C0G	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM033C71A104KE14 +A	0.1uF	10	X7S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C71A104ME14 +A	0.1uF	10	X7S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C71C104KE14 +A	0.1uF	16	X7S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C71C104ME14 +A	0.1uF	16	X7S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80E224ME15 +A	0.22uF	2.5	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G104KE19 +A	0.1uF	4.0	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G153KE01 +A	15000pF	4.0	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G223KE01 +A	22000pF	4.0	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G224ME15 +A	0.22uF	4.0	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G224ME90 +A	0.22uF	4.0	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80G333KE01 +A	33000pF	4.0	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80G473KE01 +A	47000pF	4.0	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104KE15 +A	0.1uF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104KE84 +A	0.1uF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J104ME84 +A	0.1uF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J105ME05 +A	1uF	6.3	X6S	0603M/0201	0.39	+/-20%	Ultra-small
GRM033C80J153KE01 +A	15000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J153ME01 +A	15000pF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J223KE01 +A	22000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J223ME01 +A	22000pF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J224KE90 +A	0.22uF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J224ME90 +A	0.22uF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J333KE01 +A	33000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J333ME01 +A	33000pF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J473KE19 +A	47000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J473ME19 +A	47000pF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C80J683KE15 +A	68000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J683KE84 +A	68000pF	6.3	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C80J683ME84 +A	68000pF	6.3	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81A104KE14 +A	0.1uF	10	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81A105ME05 +A	1uF	10	X6S	0603M/0201	0.39	+/-20%	Ultra-small
GRM033C81A473KE05 +A	47000pF	10	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81C104KE14 +A	0.1uF	16	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81C104ME14 +A	0.1uF	16	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81E103KE14 +A	10000pF	25	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81E103ME14 +A	10000pF	25	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033C81E104KE14 +A	0.1uF	25	X6S	0603M/0201	0.33	+/-10%	Ultra-small
GRM033C81E104ME14 +A	0.1uF	25	X6S	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G105MEA2 +A	1uF	4.0	X5R	0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60G155ME14 +A	1.5uF	4.0	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G224ME15 +A	0.22uF	4.0	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60G225ME44 +A	2.2uF	4.0	X5R	0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60G225ME47 +A	2.2uF	4.0	X5R	0603M/0201	0.39	+/-20%	Ultra-small
GRM033R60G474ME90 +A	0.47uF	4.0	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J103KA01 +A	10000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J104KE19 +A	0.1uF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J104KE84 +A	0.1uF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J105MEA2 +A	1uF	6.3	X5R	0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60J153KE01 +A	15000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J155ME14 +A	1.5uF	6.3	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J223KE01 +A	22000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J224KE15 +A	0.22uF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J224ME15 +A	0.22uF	6.3	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J224ME90 +A	0.22uF	6.3	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J225ME05 +A	2.2uF	6.3	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R60J225ME15 +A	2.2uF	6.3	X5R	0603M/0201	0.35	+/-20%	Ultra-small
GRM033R60J225ME47 +A	2.2uF	6.3	X5R	0603M/0201	0.39	+/-20%	Ultra-small
GRM033R60J273KE01 +A	27000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J333KE01 +A	33000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J473KE19 +A	47000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J474KE90 +A	0.47uF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R60J683KE19 +A	68000pF	6.3	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A103KA01 +A	10000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A103MA01 +A	10000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A104KE15 +A	0.1uF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A104KE84 +A	0.1uF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A104ME84 +A	0.1uF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A105ME15 +A	1uF	10	X5R	0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61A105ME44 +A	1uF	10	X5R	0603M/0201	0.35	+/-20%	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM033R61A123KE84 +A	12000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A123ME84 +A	12000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A152KA01 +A	1500pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A153KE84 +A	15000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A153ME84 +A	15000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A182KA01 +A	1800pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A183KE84 +A	18000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A183ME84 +A	18000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A222KA01 +A	2200pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A223KE84 +A	22000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A223ME84 +A	22000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A224KE90 +A	0.22uF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A224ME90 +A	0.22uF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A225KE47 +A	2.2uF	10	X5R	0603M/0201	0.39	+/-10%	Ultra-small
GRM033R61A225ME47 +A	2.2uF	10	X5R	0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61A273KE84 +A	27000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A273ME84 +A	27000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A332KA01 +A	3300pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A333KE84 +A	33000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A333ME84 +A	33000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A393KE84 +A	39000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A393ME84 +A	39000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A472KA01 +A	4700pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A472MA01 +A	4700pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A473KE84 +A	47000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A473ME84 +A	47000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A682KA01 +A	6800pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A682MA01 +A	6800pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61A683KE84 +A	68000pF	10	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61A683ME84 +A	68000pF	10	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C103KA12 +A	10000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C103MA12 +A	10000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104KE14 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104KE18 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104KE84 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C104ME14 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104ME18 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C104ME84 +A	0.1uF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C105ME15 +A	1uF	16	X5R	0603M/0201	0.39	+/-20%	Ultra-small
GRM033R61C153KE84 +A	15000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C153ME84 +A	15000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C223KE84 +A	22000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C223ME84 +A	22000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C224KE14 +A	0.22uF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C224ME14 +A	0.22uF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C333KE84 +A	33000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C333ME84 +A	33000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C473KE84 +A	47000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C473ME84 +A	47000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61C683KE84 +A	68000pF	16	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61C683ME84 +A	68000pF	16	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E101KA01 +A	100pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E102KA01 +A	1000pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E103KA12 +A	10000pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E103MA12 +A	10000pF	25	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E104KE14 +A	0.1uF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E104ME14 +A	0.1uF	25	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E151KA01 +A	150pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E221KA01 +A	220pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E224KE01 +A	0.22uF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E224ME01 +A	0.22uF	25	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E331KA01 +A	330pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E471KA01 +A	470pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E472KA12 +A	4700pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E472MA12 +A	4700pF	25	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61E681KA01 +A	680pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E682KA12 +A	6800pF	25	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R61E682MA12 +A	6800pF	25	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R61H471KA12 +A	470pF	50	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R6YA104KE14 +A	0.1uF	35	X5R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R6YA104ME14 +A	0.1uF	35	X5R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R70J103KA01 +A	10000pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J152KA01 +A	1500pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J222KA01 +A	2200pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J332KA01 +A	3300pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J472KA01 +A	4700pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R70J682KA01 +A	6800pF	6.3	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A103KA01 +A	10000pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM033R71A103MA01 +A	10000pF	10	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A122KA01 +A	1200pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A152KA01 +A	1500pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A222KA01 +A	2200pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A272KA01 +A	2700pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A332KA01 +A	3300pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A472KA01 +A	4700pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A472MA01 +A	4700pF	10	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A562KA01 +A	5600pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A682KA01 +A	6800pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71A682MA01 +A	6800pF	10	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71A822KA01 +A	8200pF	10	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C101KA01 +A	100pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C102KA01 +A	1000pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C103KE14 +A	10000pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C103ME14 +A	10000pF	16	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71C151KA01 +A	150pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C152KA01 +A	1500pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C182KA88 +A	1800pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C221KA01 +A	220pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C222KA88 +A	2200pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C271JA01 +A	270pF	16	X7R	0603M/0201	0.33	+/-5%	Ultra-small
GRM033R71C271KA01 +A	270pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C272KA88 +A	2700pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C331KA01 +A	330pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C332KA88 +A	3300pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C471KA01 +A	470pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C472KE14 +A	4700pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C472ME14 +A	4700pF	16	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71C681KA01 +A	680pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C682KE14 +A	6800pF	16	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71C682ME14 +A	6800pF	16	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E101KA01 +A	100pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E102KA01 +A	1000pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E103KE14 +A	10000pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E103ME14 +A	10000pF	25	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E121KA01 +A	120pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E151KA01 +A	150pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E152KA01 +A	1500pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E182KA12 +A	1800pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E221KA01 +A	220pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E222KA12 +A	2200pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E222MA12 +A	2200pF	25	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E331KA01 +A	330pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E332KA12 +A	3300pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E332MA12 +A	3300pF	25	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E471KA01 +A	470pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E472KE14 +A	4700pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E472ME14 +A	4700pF	25	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E681KA01 +A	680pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E682KE14 +A	6800pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71E682ME14 +A	6800pF	25	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71E821KA01 +A	820pF	25	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H101KA12 +A	100pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H101MA12 +A	100pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H102KA12 +A	1000pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H102MA12 +A	1000pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H151KA12 +A	150pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H151MA12 +A	150pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H152KA12 +A	1500pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H152MA12 +A	1500pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H221KA12 +A	220pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H221MA12 +A	220pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H331KA12 +A	330pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H331MA12 +A	330pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H471KA12 +A	470pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H471MA12 +A	470pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R71H561KA12 +A	560pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H681KA12 +A	680pF	50	X7R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R71H681MA12 +A	680pF	50	X7R	0603M/0201	0.33	+/-20%	Ultra-small
GRM035R60G475ME15 +A	4.7uF	4.0	X5R	0603M/0201	0.55	+/-20%	Ultra-small
GRM035R60J475ME15 +A	4.7uF	6.3	X5R	0603M/0201	0.55	+/-20%	Ultra-small
GRM152C80G104KE19 +A	0.1uF	4.0	X6S	1005M/0402	0.22	+/-10%	General Purpose
GRM152C80G104ME19 +A	0.1uF	4.0	X6S	1005M/0402	0.22	+/-20%	General Purpose
GRM152C80G224KE19 +A	0.22uF	4.0	X6S	1005M/0402	0.22	+/-10%	General Purpose
GRM152C80G224ME19 +A	0.22uF	4.0	X6S	1005M/0402	0.22	+/-20%	General Purpose
GRM152C80J104KE19 +A	0.1uF	6.3	X6S	1005M/0402	0.22	+/-10%	General Purpose
GRM152C80J104ME19 +A	0.1uF	6.3	X6S	1005M/0402	0.22	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM152C80J224KE19 +A	0.22uF	6.3	X6S	1005M/0402	0.22	+/-10%	General Purpose
GRM152C80J224ME19 +A	0.22uF	6.3	X6S	1005M/0402	0.22	+/-20%	General Purpose
GRM152D70E104KE19 +A	0.1uF	2.5	X7T	1005M/0402	0.22	+/-10%	General Purpose
GRM152D70E104ME19 +A	0.1uF	2.5	X7T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D70E224KE19 +A	0.22uF	2.5	X7T	1005M/0402	0.22	+/-10%	General Purpose
GRM152D70E224ME19 +A	0.22uF	2.5	X7T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D70G104KE15 +A	0.1uF	4.0	X7T	1005M/0402	0.22	+/-10%	General Purpose
GRM152D70G104ME15 +A	0.1uF	4.0	X7T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D70G224KE15 +A	0.22uF	4.0	X7T	1005M/0402	0.22	+/-10%	General Purpose
GRM152D70G224ME15 +A	0.22uF	4.0	X7T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D80E225ME01 +A	2.2uF	2.5	X6T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D80G105ME15 +A	1uF	4.0	X6T	1005M/0402	0.22	+/-20%	General Purpose
GRM152D80G474ME15 +A	0.47uF	4.0	X6T	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60G105ME15 +A	1uF	4.0	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J104KE19 +A	0.1uF	6.3	X5R	1005M/0402	0.22	+/-10%	General Purpose
GRM152R60J104ME19 +A	0.1uF	6.3	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J105ME15 +A	1uF	6.3	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J224KE19 +A	0.22uF	6.3	X5R	1005M/0402	0.22	+/-10%	General Purpose
GRM152R60J224ME19 +A	0.22uF	6.3	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J225ME05 +A	2.2uF	6.3	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R60J474ME15 +A	0.47uF	6.3	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R61A104KE19 +A	0.1uF	10	X5R	1005M/0402	0.22	+/-10%	General Purpose
GRM152R61A104ME19 +A	0.1uF	10	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM152R61A224KE19 +A	0.22uF	10	X5R	1005M/0402	0.22	+/-10%	General Purpose
GRM152R61A224ME19 +A	0.22uF	10	X5R	1005M/0402	0.22	+/-20%	General Purpose
GRM153D80G105ME95 +A	1uF	4.0	X6T	1005M/0402	0.33	+/-20%	General Purpose
GRM153D80J105ME95 +A	1uF	6.3	X6T	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G105ME95 +A	1uF	4.0	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G225ME95 +A	2.2uF	4.0	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60G475ME15 +A	4.7uF	4.0	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J105ME95 +A	1uF	6.3	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J225ME95 +A	2.2uF	6.3	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R60J475ME15 +A	4.7uF	6.3	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM153R61A105ME95 +A	1uF	10	X5R	1005M/0402	0.33	+/-20%	General Purpose
GRM1555C1E100JA01 +A	10pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E101JA01 +A	100pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E102JA01 +A	1000pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E103GE01 +A	10000pF	25	C0G	1005M/0402	0.65	+/-2%	General Purpose
GRM1555C1E103JE01 +A	10000pF	25	C0G	1005M/0402	0.65	+/-5%	General Purpose
GRM1555C1E120JA01 +A	12pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E121JA01 +A	120pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E150JA01 +A	15pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E151JA01 +A	150pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E180JA01 +A	18pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E181JA01 +A	180pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E1R1CA01 +A	1.1pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E1R2CA01 +A	1.2pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E1R3CA01 +A	1.3pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E1R5CA01 +A	1.5pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E1R6CA01 +A	1.6pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E1R8CA01 +A	1.8pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E220JA01 +A	22pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E221JA01 +A	220pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E222GA01 +A	2200pF	25	C0G	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1E222JA01 +A	2200pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E270JA01 +A	27pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E271JA01 +A	270pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E2R0CA01 +A	2pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E2R2CA01 +A	2.2pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E2R4CA01 +A	2.4pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E2R7CA01 +A	2.7pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E330JA01 +A	33pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E331JA01 +A	330pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E390JA01 +A	39pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E391JA01 +A	390pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E3R0CA01 +A	3pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E3R3CA01 +A	3.3pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E3R6CA01 +A	3.6pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E3R9CA01 +A	3.9pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E470JA01 +A	47pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E471JA01 +A	470pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E4R3CA01 +A	4.3pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E4R7CA01 +A	4.7pF	25	C0G	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1E510JA01 +A	51pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E560JA01 +A	56pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E561JA01 +A	560pF	25	C0G	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E5R1DA01 +A	5.1pF	25	C0G	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1E5R6DA01 +A	5.6pF	25	C0G	1005M/0402	0.55	+/-0.5pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1E680JA01 +A	68pF	25	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E681JA01 +A	680pF	25	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E6R2DA01 +A	6.2pF	25	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1E6R8DA01 +A	6.8pF	25	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1E7R5DA01 +A	7.5pF	25	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1E820JA01 +A	82pF	25	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E821JA01 +A	820pF	25	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1E8R2DA01 +A	8.2pF	25	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1E9R1DA01 +A	9.1pF	25	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H100GA01 +A	10pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H100JA01 +A	10pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H101GA01 +A	100pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H101JA01 +A	100pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H102GA01 +A	1000pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H102JA01 +A	1000pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H110JA01 +A	11pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H120GA01 +A	12pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H120JA01 +A	12pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H121GA01 +A	120pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H121JA01 +A	120pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H122GA01 +A	1200pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H122JA01 +A	1200pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H130JA01 +A	13pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H150GA01 +A	15pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H150JA01 +A	15pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H151GA01 +A	150pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H151JA01 +A	150pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H152GA01 +A	1500pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H152JA01 +A	1500pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H160JA01 +A	16pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H180GA01 +A	18pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H180JA01 +A	18pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H181GA01 +A	180pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H181JA01 +A	180pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H182GA01 +A	1800pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H182JA01 +A	1800pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H1R0BA01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R0CA01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R0WA01 +A	1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R1BA01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R1CA01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R1WA01 +A	1.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R2BA01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R2CA01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R2WA01 +A	1.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R3BA01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R3CA01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R3WA01 +A	1.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R4BA01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R4CA01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R4WA01 +A	1.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R5BA01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R5CA01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R5WA01 +A	1.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R6BA01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R6CA01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R6WA01 +A	1.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R7BA01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R7CA01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R7WA01 +A	1.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R8BA01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R8CA01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R8WA01 +A	1.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H1R9BA01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H1R9CA01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H1R9WA01 +A	1.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H200JA01 +A	20pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H220GA01 +A	22pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H220JA01 +A	22pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H221GA01 +A	220pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H221JA01 +A	220pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H222GA01 +A	2200pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H222JA01 +A	2200pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H240JA01 +A	24pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H270GA01 +A	27pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H270JA01 +A	27pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H271GA01 +A	270pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H271JA01 +A	270pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1H272GE01 +A	2700pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H272JE01 +A	2700pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H2R0BA01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R0CA01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R0WA01 +A	2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R1BA01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R1CA01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R1WA01 +A	2.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R2BA01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R2CA01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R2WA01 +A	2.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R3BA01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R3CA01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R3WA01 +A	2.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R4BA01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R4CA01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R4WA01 +A	2.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R5BA01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R5CA01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R5WA01 +A	2.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R6BA01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R6CA01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R6WA01 +A	2.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R7BA01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R7CA01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R7WA01 +A	2.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R8BA01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R8CA01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R8WA01 +A	2.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H2R9BA01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H2R9CA01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H2R9WA01 +A	2.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H300JA01 +A	30pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H330GA01 +A	33pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H330JA01 +A	33pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H331GA01 +A	330pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H331JA01 +A	330pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H332GE01 +A	3300pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H332JE01 +A	3300pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H360JA01 +A	36pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H361JA01 +A	360pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H390GA01 +A	39pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H390JA01 +A	39pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H391GA01 +A	390pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H391JA01 +A	390pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H392GE01 +A	3900pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H392JE01 +A	3900pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H3R0BA01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R0CA01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R0WA01 +A	3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R1BA01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R1CA01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R1WA01 +A	3.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R2BA01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R2CA01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R2WA01 +A	3.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R3BA01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R3CA01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R3WA01 +A	3.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R4BA01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R4CA01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R4WA01 +A	3.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R5BA01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R5CA01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R5WA01 +A	3.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R6BA01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R6CA01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R6WA01 +A	3.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R7BA01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R7CA01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R7WA01 +A	3.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R8BA01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R8CA01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R8WA01 +A	3.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H3R9BA01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H3R9CA01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H3R9WA01 +A	3.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H430JA01 +A	43pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1H431GA01	+A 430pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H470GA01	+A 47pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H470JA01	+A 47pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H471GA01	+A 470pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H471JA01	+A 470pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H472GE01	+A 4700pF	50	COG	1005M/0402	0.65	+/-2%	General Purpose
GRM1555C1H472JE01	+A 4700pF	50	COG	1005M/0402	0.65	+/-5%	General Purpose
GRM1555C1H4R0BA01	+A 4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R0CA01	+A 4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R0WA01	+A 4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R1BA01	+A 4.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R1CA01	+A 4.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R1WA01	+A 4.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R2BA01	+A 4.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R2CA01	+A 4.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R2WA01	+A 4.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R3BA01	+A 4.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R3CA01	+A 4.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R3WA01	+A 4.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R4BA01	+A 4.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R4CA01	+A 4.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R4WA01	+A 4.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R5BA01	+A 4.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R5CA01	+A 4.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R5WA01	+A 4.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R6BA01	+A 4.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R6CA01	+A 4.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R6WA01	+A 4.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R7BA01	+A 4.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R7CA01	+A 4.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R7WA01	+A 4.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R8BA01	+A 4.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R8CA01	+A 4.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R8WA01	+A 4.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H4R9BA01	+A 4.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H4R9CA01	+A 4.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H4R9WA01	+A 4.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H510JA01	+A 51pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H511GA01	+A 510pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H560GA01	+A 56pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H560JA01	+A 56pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H561GA01	+A 560pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H561JA01	+A 560pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H562GE01	+A 5600pF	50	COG	1005M/0402	0.65	+/-2%	General Purpose
GRM1555C1H562JE01	+A 5600pF	50	COG	1005M/0402	0.65	+/-5%	General Purpose
GRM1555C1H5R0BA01	+A 5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R0CA01	+A 5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R0WA01	+A 5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R1BA01	+A 5.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R1CA01	+A 5.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R1DA01	+A 5.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R1WA01	+A 5.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R2BA01	+A 5.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R2CA01	+A 5.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R2DA01	+A 5.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R2WA01	+A 5.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R3BA01	+A 5.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R3CA01	+A 5.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R3DA01	+A 5.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R3WA01	+A 5.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R4BA01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R4CA01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R4DA01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R4WA01	+A 5.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R5BA01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R5CA01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R5DA01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R5WA01	+A 5.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R6BA01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R6CA01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R6DA01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R6WA01	+A 5.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R7BA01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R7CA01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R7DA01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R7WA01	+A 5.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R8BA01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R8CA01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1H5R8DA01	+A 5.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R8WA01	+ 5.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H5R9BA01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H5R9CA01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H5R9DA01	+A 5.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H5R9WA01	+ 5.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H620JA01	+A 62pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H680GA01	+A 68pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H680JA01	+A 68pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H681GA01	+A 680pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H681JA01	+A 680pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H682GE01	+A 6800pF	50	COG	1005M/0402	0.65	+/-2%	General Purpose
GRM1555C1H682JE01	+A 6800pF	50	COG	1005M/0402	0.65	+/-5%	General Purpose
GRM1555C1H6R0BA01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R0CA01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R0DA01	+A 6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R0WA01	+ 6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R1BA01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R1CA01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R1DA01	+A 6.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R1WA01	+ 6.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R2BA01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R2CA01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R2DA01	+A 6.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R2WA01	+ 6.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R3BA01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R3CA01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R3DA01	+A 6.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R3WA01	+ 6.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R4BA01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R4CA01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R4DA01	+A 6.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R4WA01	+ 6.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R5BA01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R5CA01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R5DA01	+A 6.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R5WA01	+ 6.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R6BA01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R6CA01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R6DA01	+A 6.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R6WA01	+ 6.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R7BA01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R7CA01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R7DA01	+A 6.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R7WA01	+ 6.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R8BA01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R8CA01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R8DA01	+A 6.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R8WA01	+ 6.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H6R9BA01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H6R9CA01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H6R9DA01	+A 6.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H6R9WA01	+ 6.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H750JA01	+A 75pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H751GA01	+A 750pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H7R0BA01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R0CA01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R0DA01	+A 7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R0WA01	+ 7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R1BA01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R1CA01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R1DA01	+A 7.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R1WA01	+ 7.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R2BA01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R2CA01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R2DA01	+A 7.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R2WA01	+ 7.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R3BA01	+A 7.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R3CA01	+A 7.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R3DA01	+A 7.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R3WA01	+ 7.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R4BA01	+A 7.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R4CA01	+A 7.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R4DA01	+A 7.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R4WA01	+ 7.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R5BA01	+A 7.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R5CA01	+A 7.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R5DA01	+A 7.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1H7R5WA01	+7.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R6BA01	+7.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R6CA01	+7.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R6DA01	+7.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R6WA01	+7.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R7BA01	+7.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R7CA01	+7.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R7DA01	+7.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R7WA01	+7.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R8BA01	+7.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R8CA01	+7.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R8DA01	+7.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R8WA01	+7.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H7R9BA01	+7.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H7R9CA01	+7.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H7R9DA01	+7.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H7R9WA01	+7.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H820GA01	+82pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H820JA01	+82pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H821GA01	+820pF	50	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C1H821JA01	+820pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H822GE01	+8200pF	50	COG	1005M/0402	0.65	+/-2%	General Purpose
GRM1555C1H822JE01	+8200pF	50	COG	1005M/0402	0.65	+/-5%	General Purpose
GRM1555C1H8R0BA01	+8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R0CA01	+8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R0DA01	+8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R0WA01	+8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R1BA01	+8.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R1CA01	+8.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R1DA01	+8.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R1WA01	+8.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R2BA01	+8.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R2CA01	+8.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R2DA01	+8.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R2WA01	+8.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R3BA01	+8.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R3CA01	+8.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R3DA01	+8.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R3WA01	+8.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R4BA01	+8.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R4CA01	+8.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R4DA01	+8.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R4WA01	+8.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R5BA01	+8.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R5CA01	+8.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R5DA01	+8.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R5WA01	+8.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R6BA01	+8.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R6CA01	+8.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R6DA01	+8.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R6WA01	+8.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R7BA01	+8.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R7CA01	+8.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R7DA01	+8.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R7WA01	+8.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R8BA01	+8.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R8CA01	+8.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R8DA01	+8.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R8WA01	+8.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H8R9BA01	+8.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H8R9CA01	+8.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H8R9DA01	+8.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H8R9WA01	+8.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H910JA01	+91pF	50	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C1H9R0BA01	+9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R0CA01	+9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R0DA01	+9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R0WA01	+9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R1BA01	+9.1pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R1CA01	+9.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R1DA01	+9.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R1WA01	+9.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R2BA01	+9.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R2CA01	+9.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R2DA01	+9.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R2WA01	+9.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R3BA01	+9.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R3CA01	+9.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C1H9R3DA01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R3WA01 +A	9.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R4BA01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R4CA01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R4DA01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R4WA01 +A	9.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R5BA01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R5CA01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R5DA01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R5WA01 +A	9.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R6BA01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R6CA01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R6DA01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R6WA01 +A	9.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R7BA01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R7CA01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R7DA01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R7WA01 +A	9.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R8BA01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R8CA01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R8DA01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R8WA01 +A	9.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1H9R9BA01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1H9R9CA01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C1H9R9DA01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C1H9R9WA01 +A	9.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR10WA01 +A	0.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR20BA01 +A	0.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR20WA01 +A	0.2pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR30BA01 +A	0.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR30WA01 +A	0.3pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR40BA01 +A	0.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR40WA01 +A	0.4pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR50BA01 +A	0.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR50WA01 +A	0.5pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR60BA01 +A	0.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR60WA01 +A	0.6pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR70BA01 +A	0.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR70WA01 +A	0.7pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR80BA01 +A	0.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR80WA01 +A	0.8pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C1HR90BA01 +A	0.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C1HR90WA01 +A	0.9pF	50	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A100GA01 +A	10pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A100JA01 +A	10pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A101GA01 +A	100pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A101JA01 +A	100pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A120GA01 +A	12pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A120JA01 +A	12pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A150GA01 +A	15pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A150JA01 +A	15pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A180GA01 +A	18pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A180JA01 +A	18pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A1R0BA01 +A	1pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R0CA01 +A	1pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R0WA01 +A	1pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R1BA01 +A	1.1pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R1CA01 +A	1.1pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R1WA01 +A	1.1pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R2BA01 +A	1.2pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R2CA01 +A	1.2pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R2WA01 +A	1.2pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R3BA01 +A	1.3pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R3CA01 +A	1.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R3WA01 +A	1.3pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R4BA01 +A	1.4pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R4CA01 +A	1.4pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R4WA01 +A	1.4pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R5BA01 +A	1.5pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R5CA01 +A	1.5pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R5WA01 +A	1.5pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R6BA01 +A	1.6pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R6CA01 +A	1.6pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R6WA01 +A	1.6pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R7BA01 +A	1.7pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A1R7CA01 +A	1.7pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A1R7WA01 +A	1.7pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A1R8BA01 +A	1.8pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C2A4R1BA01	+A 4.1pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R1CA01	+A 4.1pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R1WA01	+A 4.1pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R2BA01	+A 4.2pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R2CA01	+A 4.2pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R2WA01	+A 4.2pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R3BA01	+A 4.3pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R3CA01	+A 4.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R3WA01	+A 4.3pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R4BA01	+A 4.4pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R4CA01	+A 4.4pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R4WA01	+A 4.4pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R5BA01	+A 4.5pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R5CA01	+A 4.5pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R5WA01	+A 4.5pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R6BA01	+A 4.6pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R6CA01	+A 4.6pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R6WA01	+A 4.6pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R7BA01	+A 4.7pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R7CA01	+A 4.7pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R7WA01	+A 4.7pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R8BA01	+A 4.8pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R8CA01	+A 4.8pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R8WA01	+A 4.8pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A4R9BA01	+A 4.9pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A4R9CA01	+A 4.9pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A4R9WA01	+A 4.9pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A560GA01	+A 56pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A560JA01	+A 56pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A5R0BA01	+A 5pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R0CA01	+A 5pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R0WA01	+A 5pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R1BA01	+A 5.1pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R1CA01	+A 5.1pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R1DA01	+A 5.1pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R1WA01	+A 5.1pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R2BA01	+A 5.2pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R2CA01	+A 5.2pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R2DA01	+A 5.2pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R2WA01	+A 5.2pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R3BA01	+A 5.3pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R3CA01	+A 5.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R3DA01	+A 5.3pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R3WA01	+A 5.3pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R4BA01	+A 5.4pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R4CA01	+A 5.4pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R4DA01	+A 5.4pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R4WA01	+A 5.4pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R5BA01	+A 5.5pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R5CA01	+A 5.5pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R5DA01	+A 5.5pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R5WA01	+A 5.5pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R6BA01	+A 5.6pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R6CA01	+A 5.6pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R6DA01	+A 5.6pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R6WA01	+A 5.6pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R7BA01	+A 5.7pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R7CA01	+A 5.7pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R7DA01	+A 5.7pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R7WA01	+A 5.7pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R8BA01	+A 5.8pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R8CA01	+A 5.8pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R8DA01	+A 5.8pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R8WA01	+A 5.8pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A5R9BA01	+A 5.9pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A5R9CA01	+A 5.9pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A5R9DA01	+A 5.9pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A5R9WA01	+A 5.9pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A680GA01	+A 68pF	100	COG	1005M/0402	0.55	+/-2%	General Purpose
GRM1555C2A680JA01	+A 68pF	100	COG	1005M/0402	0.55	+/-5%	General Purpose
GRM1555C2A6R0BA01	+A 6pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A6R0CA01	+A 6pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A6R0DA01	+A 6pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A6R0WA01	+A 6pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2A6R1BA01	+A 6.1pF	100	COG	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2A6R1CA01	+A 6.1pF	100	COG	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1555C2A6R1DA01	+A 6.1pF	100	COG	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1555C2A6R1WA01	+A 6.1pF	100	COG	1005M/0402	0.55	+/-0.05pF	General Purpose





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1555C2AR20WA01 +A	0.2pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR30BA01 +A	0.3pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR30WA01 +A	0.3pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR40BA01 +A	0.4pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR40WA01 +A	0.4pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR50BA01 +A	0.5pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR50WA01 +A	0.5pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR60BA01 +A	0.6pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR60WA01 +A	0.6pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR70BA01 +A	0.7pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR70WA01 +A	0.7pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR80BA01 +A	0.8pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR80WA01 +A	0.8pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555C2AR90BA01 +A	0.9pF	100	C0G	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1555C2AR90WA01 +A	0.9pF	100	C0G	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1555CYA103GE01 +A	10000pF	35	C0G	1005M/0402	0.65	+/-2%	General Purpose
GRM1555CYA103JE01 +A	10000pF	35	C0G	1005M/0402	0.65	+/-5%	General Purpose
GRM1557U1A122JA01 +A	1200pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A152JA01 +A	1500pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A182JA01 +A	1800pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A222JA01 +A	2200pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A272JA01 +A	2700pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A332JA01 +A	3300pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A392JA01 +A	3900pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM1557U1A472JA01 +A	4700pF	10	U2J	1005M/0402	0.55	+/-5%	General Purpose
GRM155C70J225KE11 +A	2.2uF	6.3	X7S	1005M/0402	0.70	+/-10%	General Purpose
GRM155C70J225ME11 +A	2.2uF	6.3	X7S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C71A105KE11 +A	1uF	10	X7S	1005M/0402	0.60	+/-10%	General Purpose
GRM155C71A225KE11 +A	2.2uF	10	X7S	1005M/0402	0.70	+/-10%	General Purpose
GRM155C71A225ME11 +A	2.2uF	10	X7S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C71H104KE19 +A	0.1uF	50	X7S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H333KE19 +A	33000pF	50	X7S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H333ME19 +A	33000pF	50	X7S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C71H473KE19 +A	47000pF	50	X7S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H473ME19 +A	47000pF	50	X7S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C71H683KE19 +A	68000pF	50	X7S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C71H683ME19 +A	68000pF	50	X7S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80E106ME44 +A	10uF	2.5	X6S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C80E226ME11 +A	22uF	2.5	X6S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C80G105KE19 +A	1uF	4.0	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G154KE01 +A	0.15uF	4.0	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G154ME01 +A	0.15uF	4.0	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80G224KE01 +A	0.22uF	4.0	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G224ME01 +A	0.22uF	4.0	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80G334KE01 +A	0.33uF	4.0	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G334ME01 +A	0.33uF	4.0	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80G474KE01 +A	0.47uF	4.0	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80G474ME01 +A	0.47uF	4.0	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J105KE15 +A	1uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J154KE01 +A	0.15uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J154ME01 +A	0.15uF	6.3	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J224KE01 +A	0.22uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J224ME01 +A	0.22uF	6.3	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J225KE95 +A	2.2uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J225ME95 +A	2.2uF	6.3	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J334KE01 +A	0.33uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J334ME01 +A	0.33uF	6.3	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J474KE19 +A	0.47uF	6.3	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C80J474ME19 +A	0.47uF	6.3	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C80J475MEAA +A	4.7uF	6.3	X6S	1005M/0402	0.65	+/-20%	General Purpose
GRM155C81A105KA12 +A	1uF	10	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81A105MA12 +A	1uF	10	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81A225KE11 +A	2.2uF	10	X6S	1005M/0402	0.70	+/-10%	General Purpose
GRM155C81A225ME11 +A	2.2uF	10	X6S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C81A225ME44 +A	2.2uF	10	X6S	1005M/0402	0.60	+/-20%	General Purpose
GRM155C81C105KE11 +A	1uF	16	X6S	1005M/0402	0.60	+/-10%	General Purpose
GRM155C81C105KE15 +A	1uF	16	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81C105ME11 +A	1uF	16	X6S	1005M/0402	0.60	+/-20%	General Purpose
GRM155C81C225KE11 +A	2.2uF	16	X6S	1005M/0402	0.70	+/-10%	General Purpose
GRM155C81C225ME11 +A	2.2uF	16	X6S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C81C474KE01 +A	0.47uF	16	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81C474ME01 +A	0.47uF	16	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81E104KA12 +A	0.1uF	25	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81E104MA12 +A	0.1uF	25	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81E105KE11 +A	1uF	25	X6S	1005M/0402	0.60	+/-10%	General Purpose
GRM155C81E105ME11 +A	1uF	25	X6S	1005M/0402	0.60	+/-20%	General Purpose
GRM155C81E224KE01 +A	0.22uF	25	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81E224ME01 +A	0.22uF	25	X6S	1005M/0402	0.55	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM155C81E225KE11 +A	2.2uF	25	X6S	1005M/0402	0.70	+/-10%	General Purpose
GRM155C81E225ME11 +A	2.2uF	25	X6S	1005M/0402	0.70	+/-20%	General Purpose
GRM155C81E683KA12 +A	68000pF	25	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104KE14 +A	0.1uF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104KE19 +A	0.1uF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H104ME14 +A	0.1uF	50	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H333KE14 +A	33000pF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H333ME14 +A	33000pF	50	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H473KE14 +A	47000pF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H473ME19 +A	47000pF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H473ME14 +A	47000pF	50	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H683KE14 +A	68000pF	50	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C81H683ME14 +A	68000pF	50	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C81H683ME14 +A	68000pF	50	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155C8YA224KE01 +A	0.22uF	35	X6S	1005M/0402	0.55	+/-10%	General Purpose
GRM155C8YA224ME01 +A	0.22uF	35	X6S	1005M/0402	0.55	+/-20%	General Purpose
GRM155D71A225ME11 +A	2.2uF	10	X7T	1005M/0402	0.65	+/-20%	General Purpose
GRM155D71C225ME11 +A	2.2uF	16	X7T	1005M/0402	0.65	+/-20%	General Purpose
GRM155D80E475ME47 +A	4.7uF	2.5	X6T	1005M/0402	0.60	+/-20%	General Purpose
GRM155D80G225KE95 +A	2.2uF	4.0	X6T	1005M/0402	0.55	+/-10%	General Purpose
GRM155D80G225ME95 +A	2.2uF	4.0	X6T	1005M/0402	0.55	+/-20%	General Purpose
GRM155D80J225KE95 +A	2.2uF	6.3	X6T	1005M/0402	0.55	+/-10%	General Purpose
GRM155D80J225ME95 +A	2.2uF	6.3	X6T	1005M/0402	0.55	+/-20%	General Purpose
GRM155D81C225ME11 +A	2.2uF	16	X6T	1005M/0402	0.65	+/-20%	General Purpose
GRM155D81E225ME11 +A	2.2uF	25	X6T	1005M/0402	0.65	+/-20%	General Purpose
GRM155R60G105ME01 +A	1uF	4.0	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60G106ME15 +A	10uF	4.0	X5R	1005M/0402	0.65	+/-20%	General Purpose
GRM155R60G106ME47 +A	10uF	4.0	X5R	1005M/0402	0.50	+/-20%	General Purpose
GRM155R60G475ME47 +A	4.7uF	4.0	X5R	1005M/0402	0.60	+/-20%	General Purpose
GRM155R60J104KA01 +A	0.1uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J104MA01 +A	0.1uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J105KE19 +A	1uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J105ME19 +A	1uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J106ME15 +A	10uF	6.3	X5R	1005M/0402	0.65	+/-20%	General Purpose
GRM155R60J106ME47 +A	10uF	6.3	X5R	1005M/0402	0.50	+/-20%	General Purpose
GRM155R60J154KE01 +A	0.15uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J154ME01 +A	0.15uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J224KE01 +A	0.22uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J224ME01 +A	0.22uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J225KE01 +A	2.2uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J225ME01 +A	2.2uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J334KE01 +A	0.33uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J334ME01 +A	0.33uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J474KE19 +A	0.47uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J474ME19 +A	0.47uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J475ME47 +A	4.7uF	6.3	X5R	1005M/0402	0.60	+/-20%	General Purpose
GRM155R60J684KE19 +A	0.68uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R60J684ME19 +A	0.68uF	6.3	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R60J824KE19 +A	0.82uF	6.3	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A104KA01 +A	0.1uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A104MA01 +A	0.1uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A105KE01 +A	1uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A105KE15 +A	1uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A105ME01 +A	1uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A124KE19 +A	0.12uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A154KE19 +A	0.15uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A154ME19 +A	0.15uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A184KE19 +A	0.18uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A224KE19 +A	0.22uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A224ME19 +A	0.22uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A225KE01 +A	2.2uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A225ME01 +A	2.2uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A333KA01 +A	33000pF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A334KE15 +A	0.33uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A334ME15 +A	0.33uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A393KA01 +A	39000pF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A473KA01 +A	47000pF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A474KE15 +A	0.47uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A474ME15 +A	0.47uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61A475MEAA +A	4.7uF	10	X5R	1005M/0402	0.65	+/-20%	General Purpose
GRM155R61A683KA01 +A	68000pF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A684KE15 +A	0.68uF	10	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61A684ME15 +A	0.68uF	10	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C103KA01 +A	10000pF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C104KA88 +A	0.1uF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C105KA12 +A	1uF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C105MA12 +A	1uF	16	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C223KA01 +A	22000pF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C224KA12 +A	0.22uF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM155R61C224MA12 +A	0.22uF	16	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C225KE11 +A	2.2uF	16	X5R	1005M/0402	0.70	+/-10%	General Purpose
GRM155R61C225KE44 +A	2.2uF	16	X5R	1005M/0402	0.60	+/-10%	General Purpose
GRM155R61C225ME11 +A	2.2uF	16	X5R	1005M/0402	0.70	+/-20%	General Purpose
GRM155R61C333KA01 +A	33000pF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C473KA01 +A	47000pF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C474KE01 +A	0.47uF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61C474ME01 +A	0.47uF	16	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61C683KA88 +A	68000pF	16	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E102KA01 +A	1000pF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E104KA87 +A	0.1uF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E104MA87 +A	0.1uF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E105KA12 +A	1uF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E105MA12 +A	1uF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E222KA01 +A	2200pF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E224KE01 +A	0.22uF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E224ME01 +A	0.22uF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E225KE11 +A	2.2uF	25	X5R	1005M/0402	0.70	+/-10%	General Purpose
GRM155R61E225ME11 +A	2.2uF	25	X5R	1005M/0402	0.70	+/-20%	General Purpose
GRM155R61E225ME15 +A	2.2uF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E472KA01 +A	4700pF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E474KE01 +A	0.47uF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E474ME01 +A	0.47uF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61E683KA87 +A	68000pF	25	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61E683MA87 +A	68000pF	25	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H102KA01 +A	1000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104KE14 +A	0.1uF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104KE19 +A	0.1uF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H104ME14 +A	0.1uF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H105KE05 +A	1uF	50	X5R	1005M/0402	0.60	+/-10%	General Purpose
GRM155R61H105ME05 +A	1uF	50	X5R	1005M/0402	0.60	+/-20%	General Purpose
GRM155R61H222KA01 +A	2200pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333KE14 +A	33000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333KE19 +A	33000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H333ME14 +A	33000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H333ME19 +A	33000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H472KA01 +A	4700pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H473KE14 +A	47000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H473KE19 +A	47000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H473ME14 +A	47000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H473ME19 +A	47000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H474KE11 +A	0.47uF	50	X5R	1005M/0402	0.60	+/-10%	General Purpose
GRM155R61H474ME11 +A	0.47uF	50	X5R	1005M/0402	0.60	+/-20%	General Purpose
GRM155R61H683KE14 +A	68000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H683KE19 +A	68000pF	50	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R61H683ME14 +A	68000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R61H683ME19 +A	68000pF	50	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R62A104KE14 +A	0.1uF	100	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA105KE11 +A	1uF	35	X5R	1005M/0402	0.60	+/-10%	General Purpose
GRM155R6YA105ME11 +A	1uF	35	X5R	1005M/0402	0.60	+/-20%	General Purpose
GRM155R6YA224KE01 +A	0.22uF	35	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA224ME01 +A	0.22uF	35	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R6YA225ME11 +A	2.2uF	35	X5R	1005M/0402	0.70	+/-20%	General Purpose
GRM155R6YA474KE01 +A	0.47uF	35	X5R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R6YA474ME01 +A	0.47uF	35	X5R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R70G105KA12 +A	1uF	4.0	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R70G105MA12 +A	1uF	4.0	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R70J104KA01 +A	0.1uF	6.3	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R70J105KA12 +A	1uF	6.3	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R70J105MA12 +A	1uF	6.3	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R70J223KA01 +A	22000pF	6.3	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A104KA01 +A	0.1uF	10	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A104MA01 +A	0.1uF	10	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A224KE01 +A	0.22uF	10	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A224ME01 +A	0.22uF	10	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A333MA01 +A	33000pF	10	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A474KE01 +A	0.47uF	10	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A474ME01 +A	0.47uF	10	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71A683KA01 +A	68000pF	10	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71A683MA01 +A	68000pF	10	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C102KA01 +A	1000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C103KA01 +A	10000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C103MA01 +A	10000pF	16	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C104KA88 +A	0.1uF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C153KA01 +A	15000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C154KA12 +A	0.15uF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C183KA01 +A	18000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C223KA01 +A	22000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM155R71C223MA01 +A	22000pF	16	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71C224KA12 +A	0.22uF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C333KA01 +A	33000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C472KA01 +A	4700pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C473KA01 +A	47000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C563KA88 +A	56000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C683KA88 +A	68000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71C823KA88 +A	82000pF	16	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E103KA01 +A	10000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E104KE14 +A	0.1uF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E104ME14 +A	0.1uF	25	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71E123KA61 +A	12000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E153KA61 +A	15000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E222KA01 +A	2200pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E223KA61 +A	22000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E273KA88 +A	27000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E333KA88 +A	33000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E472KA01 +A	4700pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E473KA88 +A	47000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E562KA01 +A	5600pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E682KA01 +A	6800pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E683KE14 +A	68000pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71E683ME14 +A	68000pF	25	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71E822KA01 +A	8200pF	25	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H102KA01 +A	1000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H102MA01 +A	1000pF	50	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H103KA88 +A	10000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H104KE14 +A	0.1uF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H104ME14 +A	0.1uF	50	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H122KA01 +A	1200pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H152KA01 +A	1500pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H153KA12 +A	15000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H182KA01 +A	1800pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H221KA01 +A	220pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H222KA01 +A	2200pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H223KA12 +A	22000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H271KA01 +A	270pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H272KA01 +A	2700pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H331KA01 +A	330pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H332KA01 +A	3300pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H333KE14 +A	33000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H333ME14 +A	33000pF	50	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H391KA01 +A	390pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H392KA01 +A	3900pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H393KE14 +A	39000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H471KA01 +A	470pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H472KA01 +A	4700pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H473KE14 +A	47000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H473ME14 +A	47000pF	50	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H561KA01 +A	560pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H562KA88 +A	5600pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H681KA01 +A	680pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H682KA88 +A	6800pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H683KE14 +A	68000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H683ME14 +A	68000pF	50	X7R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R71H821KA01 +A	820pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R71H823KE14 +A	82000pF	50	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A102KA01 +A	1000pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A152KA01 +A	1500pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A221KA01 +A	220pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A222KA01 +A	2200pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A331KA01 +A	330pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A332KA01 +A	3300pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A471KA01 +A	470pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A472KA01 +A	4700pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R72A681KA01 +A	680pF	100	X7R	1005M/0402	0.55	+/-10%	General Purpose
GRM155Z71A225KE01 +A	2.2uF	10	X7R(Murata)	1005M/0402	0.65	+/-10%	General Purpose
GRM15XR61A153KA86 +A	15000pF	10	X5R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR61A153MA86 +A	15000pF	10	X5R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR61A223KA86 +A	22000pF	10	X5R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR61A223MA86 +A	22000pF	10	X5R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR61A333KA86 +A	33000pF	10	X5R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR61A333MA86 +A	33000pF	10	X5R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71C103KA86 +A	10000pF	16	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71C103MA86 +A	10000pF	16	X7R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71C332KA86 +A	3300pF	16	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71C332MA86 +A	3300pF	16	X7R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71C472KA86 +A	4700pF	16	X7R	1005M/0402	0.30	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM15XR71C472MA86 +A	4700pF	16	X7R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71C682KA86 +A	6800pF	16	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71C682MA86 +A	6800pF	16	X7R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71E222KA86 +A	2200pF	25	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71E222MA86 +A	2200pF	25	X7R	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR71H102KA86 +A	1000pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71H152KA86 +A	1500pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71H221KA86 +A	220pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71H331KA86 +A	330pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71H471KA86 +A	470pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR71H681KA86 +A	680pF	50	X7R	1005M/0402	0.30	+/-10%	General Purpose
GRM1857U1A103JA44 +A	10000pF	10	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1A562JA44 +A	5600pF	10	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1A682JA44 +A	6800pF	10	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1A822JA44 +A	8200pF	10	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1H222JA44 +A	2200pF	50	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1H272JA44 +A	2700pF	50	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1H332JA44 +A	3300pF	50	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1H392JA44 +A	3900pF	50	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM1857U1H472JA44 +A	4700pF	50	U2J	1608M/0603	0.50	+/-5%	General Purpose
GRM185C80J105KE26 +A	1uF	6.3	X6S	1608M/0603	0.50	+/-10%	General Purpose
GRM185C80J475ME11 +A	4.7uF	6.3	X6S	1608M/0603	0.55	+/-20%	General Purpose
GRM185C81A105KE36 +A	1uF	10	X6S	1608M/0603	0.50	+/-10%	General Purpose
GRM185C81A475KE11 +A	4.7uF	10	X6S	1608M/0603	0.55	+/-10%	General Purpose
GRM185C81A475ME11 +A	4.7uF	10	X6S	1608M/0603	0.55	+/-20%	General Purpose
GRM185D70J475ME11 +A	4.7uF	6.3	X7T	1608M/0603	0.55	+/-20%	General Purpose
GRM185D71A105KE36 +A	1uF	10	X7T	1608M/0603	0.50	+/-10%	General Purpose
GRM185R60G106ME15 +A	10uF	4.0	X5R	1608M/0603	0.50	+/-20%	General Purpose
GRM185R60J105KE26 +A	1uF	6.3	X5R	1608M/0603	0.50	+/-10%	General Purpose
GRM185R60J106ME15 +A	10uF	6.3	X5R	1608M/0603	0.50	+/-20%	General Purpose
GRM185R60J225KE26 +A	2.2uF	6.3	X5R	1608M/0603	0.50	+/-10%	General Purpose
GRM185R61A475KE11 +A	4.7uF	10	X5R	1608M/0603	0.55	+/-10%	General Purpose
GRM185R61A475ME11 +A	4.7uF	10	X5R	1608M/0603	0.55	+/-20%	General Purpose
GRM185R61C105KE44 +A	1uF	16	X5R	1608M/0603	0.50	+/-10%	General Purpose
GRM185R61C105ME44 +A	1uF	16	X5R	1608M/0603	0.50	+/-20%	General Purpose
GRM185R61C475KE11 +A	4.7uF	16	X5R	1608M/0603	0.55	+/-10%	General Purpose
GRM185R61C475ME11 +A	4.7uF	16	X5R	1608M/0603	0.55	+/-20%	General Purpose
GRM185R61E105KA12 +A	1uF	25	X5R	1608M/0603	0.50	+/-10%	General Purpose
GRM185R61E105MA12 +A	1uF	25	X5R	1608M/0603	0.50	+/-20%	General Purpose
GRM186R60G226ME15 +A	22uF	4.0	X5R	1608M/0603	0.60	+/-20%	General Purpose
GRM186R60J226ME15 +A	22uF	6.3	X5R	1608M/0603	0.60	+/-20%	General Purpose
GRM187R60J226ME15 +A	22uF	6.3	X5R	1608M/0603	0.80	+/-20%	General Purpose
GRM187R61A226ME15 +A	22uF	10	X5R	1608M/0603	0.80	+/-20%	General Purpose
GRM1885C1E102JA01 +A	1000pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1E152JA01 +A	1500pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1E561JA01 +A	560pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1E562JA01 +A	5600pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1E681JA01 +A	680pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1E821JA01 +A	820pF	25	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H100JA01 +A	10pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H101GA01 +A	100pF	50	C0G	1608M/0603	0.90	+/-2%	General Purpose
GRM1885C1H101JA01 +A	100pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H102JA01 +A	1000pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H103JA01 +A	10000pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H120JA01 +A	12pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H121JA01 +A	120pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H122JA01 +A	1200pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H150JA01 +A	15pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H151GA01 +A	150pF	50	C0G	1608M/0603	0.90	+/-2%	General Purpose
GRM1885C1H151JA01 +A	150pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H152JA01 +A	1500pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H180JA01 +A	18pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H181JA01 +A	180pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H182JA01 +A	1800pF	50	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H1R0BA01 +A	1pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R0CA01 +A	1pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R0WA01 +A	1pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R1BA01 +A	1.1pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R1CA01 +A	1.1pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R1WA01 +A	1.1pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R2BA01 +A	1.2pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R2CA01 +A	1.2pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R2WA01 +A	1.2pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R3BA01 +A	1.3pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R3CA01 +A	1.3pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R3WA01 +A	1.3pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R4BA01 +A	1.4pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R4CA01 +A	1.4pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C1H1R4WA01 +A	1.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R5BA01 +A	1.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R5CA01 +A	1.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R5WA01 +A	1.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R6BA01 +A	1.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R6CA01 +A	1.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R6WA01 +A	1.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R7BA01 +A	1.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R7CA01 +A	1.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R7WA01 +A	1.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R8BA01 +A	1.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R8CA01 +A	1.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R8WA01 +A	1.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H1R9BA01 +A	1.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H1R9CA01 +A	1.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H1R9WA01 +A	1.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H201JA01 +A	200pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H202JA01 +A	2000pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H220JA01 +A	22pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H221JA01 +A	220pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H222JA01 +A	2200pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H270JA01 +A	27pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H271GA01 +A	270pF	50	COG	1608M/0603	0.90	+/-2%	General Purpose
GRM1885C1H271JA01 +A	270pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H272JA01 +A	2700pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H2R0BA01 +A	2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R0CA01 +A	2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R0WA01 +A	2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R1BA01 +A	2.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R1CA01 +A	2.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R1WA01 +A	2.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R2BA01 +A	2.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R2CA01 +A	2.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R2WA01 +A	2.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R3BA01 +A	2.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R3CA01 +A	2.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R3WA01 +A	2.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R4BA01 +A	2.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R4CA01 +A	2.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R4WA01 +A	2.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R5BA01 +A	2.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R5CA01 +A	2.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R5WA01 +A	2.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R6BA01 +A	2.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R6CA01 +A	2.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R6WA01 +A	2.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R7BA01 +A	2.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R7CA01 +A	2.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R7WA01 +A	2.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R8BA01 +A	2.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R8CA01 +A	2.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R8WA01 +A	2.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H2R9BA01 +A	2.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H2R9CA01 +A	2.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H2R9WA01 +A	2.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H301GA01 +A	300pF	50	COG	1608M/0603	0.90	+/-2%	General Purpose
GRM1885C1H302JA01 +A	3000pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H330GA01 +A	33pF	50	COG	1608M/0603	0.90	+/-2%	General Purpose
GRM1885C1H330JA01 +A	33pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H331JA01 +A	330pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H332JA01 +A	3300pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H390JA01 +A	39pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H391JA01 +A	390pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H392JA01 +A	3900pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H3R0BA01 +A	3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R0CA01 +A	3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R0WA01 +A	3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R1BA01 +A	3.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R1CA01 +A	3.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R1WA01 +A	3.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R2BA01 +A	3.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R2CA01 +A	3.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R2WA01 +A	3.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R3BA01 +A	3.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R3CA01 +A	3.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R3WA01 +A	3.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R4BA01 +A	3.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R4CA01 +A	3.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C1H3R4WA01	+3.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R5BA01	+3.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R5CA01	+3.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R5WA01	+3.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R6BA01	+3.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R6CA01	+3.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R6WA01	+3.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R7BA01	+3.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R7CA01	+3.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R7WA01	+3.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R8BA01	+3.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R8CA01	+3.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R8WA01	+3.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H3R9BA01	+3.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H3R9CA01	+3.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H3R9WA01	+3.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H470JA01	+4.7pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H471JA01	+4.70pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H472JA01	+4.700pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H4R0BA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R0CA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R0WA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R1BA01	+4.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R1CA01	+4.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R1WA01	+4.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R2BA01	+4.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R2CA01	+4.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R2WA01	+4.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R3BA01	+4.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R3CA01	+4.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R3WA01	+4.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R4BA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R4CA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R4WA01	+4.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R5BA01	+4.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R5CA01	+4.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R5WA01	+4.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R6BA01	+4.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R6CA01	+4.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R6WA01	+4.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R7BA01	+4.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R7CA01	+4.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R7WA01	+4.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R8BA01	+4.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R8CA01	+4.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R8WA01	+4.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H4R9BA01	+4.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H4R9CA01	+4.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H4R9WA01	+4.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H560JA01	+5.6pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H561JA01	+5.60pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H562JA01	+5.600pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H5R0BA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R0CA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R0WA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R1BA01	+5.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R1CA01	+5.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R1DA01	+5.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R1WA01	+5.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R2BA01	+5.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R2CA01	+5.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R2DA01	+5.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R2WA01	+5.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R3BA01	+5.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R3CA01	+5.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R3DA01	+5.3pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R3WA01	+5.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R4BA01	+5.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R4CA01	+5.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R4DA01	+5.4pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R4WA01	+5.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R5BA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R5CA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R5DA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R5WA01	+5.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R6BA01	+5.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R6CA01	+5.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R6DA01	+5.6pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C1H5R6WA01	+5.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R7BA01	+5.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R7CA01	+5.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R7DA01	+5.7pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R7WA01	+5.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R8BA01	+5.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R8CA01	+5.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R8DA01	+5.8pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R8WA01	+5.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H5R9BA01	+5.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H5R9CA01	+5.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H5R9DA01	+5.9pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H5R9WA01	+5.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H680JA01	+A68pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H681JA01	+A680pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H682JA01	+A6800pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H6R0BA01	+6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R0CA01	+6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R0DA01	+6pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R0WA01	+6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R1BA01	+6.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R1CA01	+6.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R1DA01	+6.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R1WA01	+6.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R2BA01	+6.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R2CA01	+6.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R2DA01	+6.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R2WA01	+6.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R3BA01	+6.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R3CA01	+6.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R3DA01	+6.3pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R3WA01	+6.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R4BA01	+6.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R4CA01	+6.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R4DA01	+6.4pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R4WA01	+6.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R5BA01	+6.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R5CA01	+6.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R5DA01	+6.5pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R5WA01	+6.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R6BA01	+6.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R6CA01	+6.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R6DA01	+6.6pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R6WA01	+6.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R7BA01	+6.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R7CA01	+6.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R7DA01	+6.7pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R7WA01	+6.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R8BA01	+6.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R8CA01	+6.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R8DA01	+6.8pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R8WA01	+6.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H6R9BA01	+6.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H6R9CA01	+6.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H6R9DA01	+6.9pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H6R9WA01	+6.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R0BA01	+7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R0CA01	+7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R0DA01	+7pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R0WA01	+7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R1BA01	+7.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R1CA01	+7.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R1DA01	+7.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R1WA01	+7.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R2BA01	+7.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R2CA01	+7.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R2DA01	+7.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R2WA01	+7.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R3BA01	+7.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R3CA01	+7.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R3DA01	+7.3pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R3WA01	+7.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R4BA01	+7.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R4CA01	+7.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R4DA01	+7.4pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R4WA01	+7.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R5BA01	+7.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R5CA01	+7.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C1H7R5DA01 +A	7.5pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R5WA01 +	7.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R6BA01 +A	7.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R6CA01 +A	7.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R6DA01 +A	7.6pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R6WA01 +	7.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R7BA01 +A	7.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R7CA01 +A	7.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R7DA01 +A	7.7pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R7WA01 +	7.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R8BA01 +A	7.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R8CA01 +A	7.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R8DA01 +A	7.8pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R8WA01 +	7.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H7R9BA01 +A	7.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H7R9CA01 +A	7.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H7R9DA01 +A	7.9pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H7R9WA01 +	7.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H820JA01 +A	82pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H821JA01 +A	820pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H822JA01 +A	8200pF	50	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C1H8R0BA01 +A	8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R0CA01 +A	8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R0DA01 +A	8pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R0WA01 +	8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R1BA01 +A	8.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R1CA01 +A	8.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R1DA01 +A	8.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R1WA01 +	8.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R2BA01 +A	8.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R2CA01 +A	8.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R2DA01 +A	8.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R2WA01 +	8.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R3BA01 +A	8.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R3CA01 +A	8.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R3DA01 +A	8.3pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R3WA01 +	8.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R4BA01 +A	8.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R4CA01 +A	8.4pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R4DA01 +A	8.4pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R4WA01 +	8.4pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R5BA01 +A	8.5pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R5CA01 +A	8.5pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R5DA01 +A	8.5pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R5WA01 +	8.5pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R6BA01 +A	8.6pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R6CA01 +A	8.6pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R6DA01 +A	8.6pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R6WA01 +	8.6pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R7BA01 +A	8.7pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R7CA01 +A	8.7pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R7DA01 +A	8.7pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R7WA01 +	8.7pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R8BA01 +A	8.8pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R8CA01 +A	8.8pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R8DA01 +A	8.8pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R8WA01 +	8.8pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H8R9BA01 +A	8.9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H8R9CA01 +A	8.9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H8R9DA01 +A	8.9pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H8R9WA01 +	8.9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R0BA01 +A	9pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R0CA01 +A	9pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R0DA01 +A	9pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R0WA01 +	9pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R1BA01 +A	9.1pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R1CA01 +A	9.1pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R1DA01 +A	9.1pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R1WA01 +	9.1pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R2BA01 +A	9.2pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R2CA01 +A	9.2pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R2DA01 +A	9.2pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R2WA01 +	9.2pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R3BA01 +A	9.3pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R3CA01 +A	9.3pF	50	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R3DA01 +A	9.3pF	50	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R3WA01 +	9.3pF	50	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R4BA01 +A	9.4pF	50	COG	1608M/0603	0.90	+/-0.1pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C1H9R4CA01 +A	9.4pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R4DA01 +A	9.4pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R4WA01 +A	9.4pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R5BA01 +A	9.5pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R5CA01 +A	9.5pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R5DA01 +A	9.5pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R5WA01 +A	9.5pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R6BA01 +A	9.6pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R6CA01 +A	9.6pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R6DA01 +A	9.6pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R6WA01 +A	9.6pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R7BA01 +A	9.7pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R7CA01 +A	9.7pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R7DA01 +A	9.7pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R7WA01 +A	9.7pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R8BA01 +A	9.8pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R8CA01 +A	9.8pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R8DA01 +A	9.8pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R8WA01 +A	9.8pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1H9R9BA01 +A	9.9pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1H9R9CA01 +A	9.9pF	50	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C1H9R9DA01 +A	9.9pF	50	C0G	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C1H9R9WA01 +A	9.9pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1HR50BA01 +A	0.5pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1HR50WA01 +A	0.5pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1HR60BA01 +A	0.6pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1HR60WA01 +A	0.6pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1HR70BA01 +A	0.7pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1HR70WA01 +A	0.7pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1HR80BA01 +A	0.8pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1HR80WA01 +A	0.8pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C1HR90BA01 +A	0.9pF	50	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C1HR90WA01 +A	0.9pF	50	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A100JA01 +A	10pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A101JA01 +A	100pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A102JA01 +A	1000pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A120JA01 +A	12pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A121JA01 +A	120pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A122JA01 +A	1200pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A150JA01 +A	15pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A151JA01 +A	150pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A152JA01 +A	1500pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A180JA01 +A	18pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A181JA01 +A	180pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A182JA01 +A	1800pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A1R0BA01 +A	1pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R0CA01 +A	1pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R0WA01 +A	1pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R1BA01 +A	1.1pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R1CA01 +A	1.1pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R1WA01 +A	1.1pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R2BA01 +A	1.2pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R2CA01 +A	1.2pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R2WA01 +A	1.2pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R3BA01 +A	1.3pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R3CA01 +A	1.3pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R3WA01 +A	1.3pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R4BA01 +A	1.4pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R4CA01 +A	1.4pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R4WA01 +A	1.4pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R5BA01 +A	1.5pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R5CA01 +A	1.5pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R5WA01 +A	1.5pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R6BA01 +A	1.6pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R6CA01 +A	1.6pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R6WA01 +A	1.6pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R7BA01 +A	1.7pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R7CA01 +A	1.7pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R7WA01 +A	1.7pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R8BA01 +A	1.8pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R8CA01 +A	1.8pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R8WA01 +A	1.8pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A1R9BA01 +A	1.9pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A1R9CA01 +A	1.9pF	100	C0G	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A1R9WA01 +A	1.9pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A220JA01 +A	22pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A221JA01 +A	220pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A222JA01 +A	2200pF	100	C0G	1608M/0603	0.90	+/-5%	General Purpose





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C2A4R2CA01	+A 4.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R2WA01	+A 4.2pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R3BA01	+A 4.3pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R3CA01	+A 4.3pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R3WA01	+A 4.3pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R4BA01	+A 4.4pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R4CA01	+A 4.4pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R4WA01	+A 4.4pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R5BA01	+A 4.5pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R5CA01	+A 4.5pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R5WA01	+A 4.5pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R6BA01	+A 4.6pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R6CA01	+A 4.6pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R6WA01	+A 4.6pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R7BA01	+A 4.7pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R7CA01	+A 4.7pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R7WA01	+A 4.7pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R8BA01	+A 4.8pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R8CA01	+A 4.8pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R8WA01	+A 4.8pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A4R9BA01	+A 4.9pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A4R9CA01	+A 4.9pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A4R9WA01	+A 4.9pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A560JA01	+A 56pF	100	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A561JA01	+A 560pF	100	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A5R0BA01	+A 5pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R0CA01	+A 5pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R0WA01	+A 5pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R1BA01	+A 5.1pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R1CA01	+A 5.1pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R1DA01	+A 5.1pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R1WA01	+A 5.1pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R2BA01	+A 5.2pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R2CA01	+A 5.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R2DA01	+A 5.2pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R2WA01	+A 5.2pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R3BA01	+A 5.3pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R3CA01	+A 5.3pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R3DA01	+A 5.3pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R3WA01	+A 5.3pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R4BA01	+A 5.4pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R4CA01	+A 5.4pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R4DA01	+A 5.4pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R4WA01	+A 5.4pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R5BA01	+A 5.5pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R5CA01	+A 5.5pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R5DA01	+A 5.5pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R5WA01	+A 5.5pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R6BA01	+A 5.6pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R6CA01	+A 5.6pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R6DA01	+A 5.6pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R6WA01	+A 5.6pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R7BA01	+A 5.7pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R7CA01	+A 5.7pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R7DA01	+A 5.7pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R7WA01	+A 5.7pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R8BA01	+A 5.8pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R8CA01	+A 5.8pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R8DA01	+A 5.8pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R8WA01	+A 5.8pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A5R9BA01	+A 5.9pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A5R9CA01	+A 5.9pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A5R9DA01	+A 5.9pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A5R9WA01	+A 5.9pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A680JA01	+A 68pF	100	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A681JA01	+A 680pF	100	COG	1608M/0603	0.90	+/-5%	General Purpose
GRM1885C2A6R0BA01	+A 6pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A6R0CA01	+A 6pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A6R0DA01	+A 6pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A6R0WA01	+A 6pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A6R1BA01	+A 6.1pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A6R1CA01	+A 6.1pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A6R1DA01	+A 6.1pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A6R1WA01	+A 6.1pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2A6R2BA01	+A 6.2pF	100	COG	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2A6R2CA01	+A 6.2pF	100	COG	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1885C2A6R2DA01	+A 6.2pF	100	COG	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1885C2A6R2WA01	+A 6.2pF	100	COG	1608M/0603	0.90	+/-0.05pF	General Purpose





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1885C2AR80BA01 +A	0.8pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2AR80WA01 +	0.8pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2AR90BA01 +A	0.9pF	100	C0G	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1885C2AR90WA01 +	0.9pF	100	C0G	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1885C2E100FW07	10pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E100GW07	10pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E100JW07	10pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E120FW07	12pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E120GW07	12pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E120JW07	12pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E150FW07	15pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E150GW07	15pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E150JW07	15pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E180FW07	18pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E180GW07	18pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E180JW07	18pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E220FW07	22pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E220GW07	22pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E220JW07	22pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E270FW07	27pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E270GW07	27pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E270JW07	27pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E330FW07	33pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E330GW07	33pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E330JW07	33pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E390FW07	39pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E390GW07	39pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E390JW07	39pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1885C2E470FW07	47pF	250	C0G	1608M/0603	0.90	+/-1%	200V and over/ General Purpose
GRM1885C2E470GW07	47pF	250	C0G	1608M/0603	0.90	+/-2%	200V and over/ General Purpose
GRM1885C2E470JW07	47pF	250	C0G	1608M/0603	0.90	+/-5%	200V and over/ General Purpose
GRM1887U0J333JA01 +A	33000pF	6.3	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1A123JA01 +A	12000pF	10	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1A153JA01 +A	15000pF	10	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1A183JA01 +A	18000pF	10	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1A223JA01 +A	22000pF	10	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1A333JA01 +A	33000pF	10	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H103JA01 +A	10000pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H122JA01 +A	1200pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H152JA01 +A	1500pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H182JA01 +A	1800pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H222JA01 +A	2200pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H272JA01 +A	2700pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H332JA01 +A	3300pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H392JA01 +A	3900pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H472JA01 +A	4700pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H562JA01 +A	5600pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H682JA01 +A	6800pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM1887U1H822JA01 +A	8200pF	50	U2J	1608M/0603	0.90	+/-5%	General Purpose
GRM188C60J226MEA0 +A	22uF	6.3	X5S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C70G225KE20 +A	2.2uF	4.0	X7S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C70G225ME20 +A	2.2uF	4.0	X7S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C70J225KE20 +A	2.2uF	6.3	X7S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C70J225ME20 +A	2.2uF	6.3	X7S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C71A475KE11 +A	4.7uF	10	X7S	1608M/0603	0.95	+/-10%	General Purpose
GRM188C71A475ME11 +A	4.7uF	10	X7S	1608M/0603	0.95	+/-20%	General Purpose
GRM188C71C225KE11 +A	2.2uF	16	X7S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C71C225ME11 +A	2.2uF	16	X7S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C71C475KE21 +A	4.7uF	16	X7S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C71C475ME21 +A	4.7uF	16	X7S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C71C684MA12 +A	0.68uF	16	X7S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C71E225KE11 +A	2.2uF	25	X7S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C71E225ME11 +A	2.2uF	25	X7S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C80E106ME47 +A	10uF	2.5	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C80E476ME05 +A	47uF	2.5	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C80G105MA01 +A	1uF	4.0	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C80G106KE47 +A	10uF	4.0	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C80G106ME47 +A	10uF	4.0	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C80G226ME15 +A	22uF	4.0	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C80G226MEA0 +A	22uF	4.0	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C80G475KE19 +A	4.7uF	4.0	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C80G475ME19 +A	4.7uF	4.0	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C80J225KE19 +A	2.2uF	6.3	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C80J225ME19 +A	2.2uF	6.3	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C80J475KE15 +A	4.7uF	6.3	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C80J475ME15 +A	4.7uF	6.3	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C81A105KA12 +A	1uF	10	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81A106MA73 +A	10uF	10	X6S	1608M/0603	1.00	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188C81A225KAAD +A	2.2uF	10	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81A225KE34 +A	2.2uF	10	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81A225ME34 +A	2.2uF	10	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C81C105KA12 +A	1uF	16	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81C105MA12 +A	1uF	16	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C81C106MA73 +A	10uF	16	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C81C225KA12 +A	2.2uF	16	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81C225MA12 +A	2.2uF	16	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C81C475KE11 +A	4.7uF	16	X6S	1608M/0603	0.95	+/-10%	General Purpose
GRM188C81C475ME11 +A	4.7uF	16	X6S	1608M/0603	0.95	+/-20%	General Purpose
GRM188C81E105KA12 +A	1uF	25	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81E105KAAD +A	1uF	25	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C81E105MAAD +A	1uF	25	X6S	1608M/0603	0.90	+/-20%	General Purpose
GRM188C81E225KE11 +A	2.2uF	25	X6S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C81E225ME11 +A	2.2uF	25	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C81E475KE11 +A	4.7uF	25	X6S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C81E475ME11 +A	4.7uF	25	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188C8YA105KAAL +A	1uF	35	X6S	1608M/0603	0.90	+/-10%	General Purpose
GRM188C8YA225KE11 +A	2.2uF	35	X6S	1608M/0603	1.00	+/-10%	General Purpose
GRM188C8YA225ME11 +A	2.2uF	35	X6S	1608M/0603	1.00	+/-20%	General Purpose
GRM188D70J106MA73 +A	10uF	6.3	X7T	1608M/0603	1.00	+/-20%	General Purpose
GRM188D71A106MA73 +A	10uF	10	X7T	1608M/0603	1.00	+/-20%	General Purpose
GRM188R60E476ME15 +A	47uF	2.5	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R60G106ME47 +A	10uF	4.0	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R60G226MEA0 +A	22uF	4.0	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R60G476ME15 +A	47uF	4.0	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R60J105KA01 +A	1uF	6.3	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R60J105MA01 +A	1uF	6.3	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R60J106ME47 +A	10uF	6.3	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R60J106ME84 +A	10uF	6.3	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R60J225KE19 +A	2.2uF	6.3	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R60J226MEA0 +A	22uF	6.3	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R60J474KA01 +A	0.47uF	6.3	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R60J475KE19 +A	4.7uF	6.3	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R60J475ME19 +A	4.7uF	6.3	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R60J475ME84 +A	4.7uF	6.3	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R60J476ME15 +A	47uF	6.3	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61A105KA61 +A	1uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A105MA61 +A	1uF	10	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61A106KAAL +A	10uF	10	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A106KE69 +A	10uF	10	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A106MAAL +A	10uF	10	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61A106ME69 +A	10uF	10	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61A224KA01 +A	0.22uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A225KE34 +A	2.2uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A225ME34 +A	2.2uF	10	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61A226ME15 +A	22uF	10	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61A334KA61 +A	0.33uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A334MA61 +A	0.33uF	10	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61A335KE15 +A	3.3uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A474KA61 +A	0.47uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A475KAAJ +A	4.7uF	10	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61A475KE15 +A	4.7uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A475MAAJ +A	4.7uF	10	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61A475ME15 +A	4.7uF	10	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61A684KA61 +A	0.68uF	10	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61A684MA61 +A	0.68uF	10	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61C104KA01 +A	0.1uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C105KA12 +A	1uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C105KA93 +A	1uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C105MA12 +A	1uF	16	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61C105MA93 +A	1uF	16	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61C106KAAL +A	10uF	16	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C106MA73 +A	10uF	16	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61C106MAAL +A	10uF	16	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C224KA88 +A	0.22uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C225KAAD +A	2.2uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C225KE15 +A	2.2uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C474KA12 +A	0.47uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C474KA93 +A	0.47uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C474MA12 +A	0.47uF	16	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61C474MA93 +A	0.47uF	16	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61C475KAAJ +A	4.7uF	16	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C475KE11 +A	4.7uF	16	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61C475MAAJ +A	4.7uF	16	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C475ME11 +A	4.7uF	16	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61C684KA75 +A	0.68uF	16	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61C684MA75 +A	0.68uF	16	X5R	1608M/0603	0.90	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188R61E104KA01 +A	0.1uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E105KA12 +A	1uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E105KAAD +A	1uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E105MA12 +A	1uF	25	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61E106MA73 +A	10uF	25	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61E224KA88 +A	0.22uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E225KA12 +A	2.2uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E225MA12 +A	2.2uF	25	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61E474KA12 +A	0.47uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E474MA12 +A	0.47uF	25	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61E475KE11 +A	4.7uF	25	X5R	1608M/0603	0.95	+/-10%	General Purpose
GRM188R61E475KE15 +A	4.7uF	25	X5R	1608M/0603	1.00	+/-10%	General Purpose
GRM188R61E475ME11 +A	4.7uF	25	X5R	1608M/0603	0.95	+/-20%	General Purpose
GRM188R61E475ME15 +A	4.7uF	25	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61E684KA75 +A	0.68uF	25	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61E684MA75 +A	0.68uF	25	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61H102KA01 +C	1000pF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H103KA01 +C	1000pF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H105KAAL +A	1uF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H105MAAL +A	1uF	50	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61H222KA01 +C	2200pF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H223KA01 +A	2200pF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H224KAC4 +A	0.22uF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H225KE11 +A	2.2uF	50	X5R	1608M/0603	1.00	+/-10%	General Purpose
GRM188R61H225ME11 +A	2.2uF	50	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R61H472KA01 +C	4700pF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H474KA12 +A	0.47uF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R61H474MA12 +A	0.47uF	50	X5R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R61H684KA75 +A	0.68uF	50	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R6YA105KA12 +A	1uF	35	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R6YA105KAAL +A	1uF	35	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R6YA106MA73 +A	10uF	35	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R6YA225KA12 +A	2.2uF	35	X5R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R6YA475KE15 +A	4.7uF	35	X5R	1608M/0603	1.00	+/-10%	General Purpose
GRM188R6YA475ME15 +A	4.7uF	35	X5R	1608M/0603	1.00	+/-20%	General Purpose
GRM188R70J104KA01 +A	0.1uF	6.3	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R70J105KA01 +A	1uF	6.3	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R70J105MA01 +A	1uF	6.3	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R70J224KA88 +A	0.22uF	6.3	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R70J225KE15 +A	2.2uF	6.3	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R70J474KA01 +A	0.47uF	6.3	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A105KA61 +A	1uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A154KA01 +A	0.15uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A224JA01 +A	0.22uF	10	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71A224KA01 +A	0.22uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A225KE15 +A	2.2uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A225ME15 +A	2.2uF	10	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71A334KA61 +A	0.33uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A334MA61 +A	0.33uF	10	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71A474KA61 +A	0.47uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A474MA61 +A	0.47uF	10	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71A684KA61 +A	0.68uF	10	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71A684MA61 +A	0.68uF	10	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71C104KA01 +A	0.1uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C104MA01 +A	0.1uF	16	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71C105KA12 +A	1uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C105KE15 +A	1uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C105MA12 +A	1uF	16	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71C105ME15 +A	1uF	16	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71C154KA01 +A	0.15uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C224KA01 +A	0.22uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C224MA01 +A	0.22uF	16	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71C334KA01 +A	0.33uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C473JA01 +C	4700pF	16	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71C474KA88 +A	0.47uF	16	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71C474MA88 +A	0.47uF	16	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E102KA01 +C	1000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E103KA01 +C	1000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E103MA01 +C	1000pF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E104KA01 +A	0.1uF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E104MA01 +A	0.1uF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E105KA12 +A	1uF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E105MA12 +A	1uF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E152KA01 +C	1500pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E153KA01 +C	1500pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E154KA01 +A	0.15uF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E222KA01 +C	2200pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E222MA01 +C	2200pF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188R71E223KA01 +A	22000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E223MA01 +C	22000pF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E224KA88 +A	0.22uF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E224MA88 +A	0.22uF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E272KA01 +C	2700pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E332KA01 +C	3300pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E333KA01 +A	33000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E472KA01 +C	4700pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E472MA01 +C	4700pF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E473KA01 +A	47000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E473MA01 +A	47000pF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E474KA12 +A	0.47uF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E474MA12 +A	0.47uF	25	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71E682KA01 +C	6800pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E683KA01 +A	68000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71E823KA01 +A	82000pF	25	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H102KA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H102MA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H103JA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H103KA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H103MA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H104KA93 +A	0.1uF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H104MA93 +A	0.1uF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H123JA01 +A	12000pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H123KA01 +A	12000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H152KA01 +C	1500pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H153JA01 +A	15000pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H153KA01 +A	15000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H154KAC4 +A	0.15uF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H154MAC4 +A	0.15uF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H182KA01 +C	1800pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H183KA01 +A	18000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H221KA01 +C	220pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H221MA01 +C	220pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H222JA01 +C	2200pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H222KA01 +C	2200pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H222MA01 +C	2200pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H223KA01 +A	22000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H223MA01 +A	22000pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H224KAC4 +A	0.22uF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H224MAC4 +A	0.22uF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H273KA61 +A	27000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H331KA01 +C	330pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H332KA01 +C	3300pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H333KA61 +A	33000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H392KA01 +C	3900pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H393KA61 +A	39000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H471JA01 +C	470pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H471KA01 +C	470pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H471MA01 +C	470pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H472JA01 +C	4700pF	50	X7R	1608M/0603	0.90	+/-5%	General Purpose
GRM188R71H472KA01 +C	4700pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H472MA01 +C	4700pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H473KA61 +A	47000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H473MA61 +A	47000pF	50	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R71H562KA01 +C	5600pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H681KA01 +C	680pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H682KA01 +C	6800pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H683KA93 +A	68000pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R71H822KA01 +C	8200pF	50	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A102KA01 +C	1000pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A102MA01 +C	1000pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A104KA35 +A	0.1uF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A104MA35 +A	0.1uF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A152KA01 +C	1500pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A153KAC4 +A	15000pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A153MAC4 +A	15000pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A221KA01 +C	220pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A221MA01 +C	220pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A222KA01 +C	2200pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A222MA01 +C	2200pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A223KAC4 +A	22000pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A223MAC4 +A	22000pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A331KA01 +C	330pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A332KA01 +C	3300pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A471KA01 +C	470pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R72A471MA01 +C	470pF	100	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R72A681KA01 +C	680pF	100	X7R	1608M/0603	0.90	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188R72D102KW07	1000pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D152KW07	1500pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D221KW07	220pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D222KW07	2200pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D331KW07	330pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D471KW07	470pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72D681KW07	680pF	200	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E102KW07	1000pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E152KW07	1500pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E221KW07	220pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E222KW07	2200pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E331KW07	330pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E471KW07	470pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R72E681KW07	680pF	250	X7R	1608M/0603	0.90	+/-10%	200V and over/ General Purpose
GRM188R7YA105KA12 +A	1uF	35	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R7YA105MA12 +A	1uF	35	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R7YA474KE05 +A	0.47uF	35	X7R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R7YA474ME05 +A	0.47uF	35	X7R	1608M/0603	0.90	+/-20%	General Purpose
GRM188Z71A106KA73 +A	10uF	16	X7R(Murata)	1608M/0603	1.00	+/-10%	General Purpose
GRM188Z71C25KE43 +A	2.2uF	16	X7R(Murata)	1608M/0603	1.00	+/-10%	General Purpose
GRM188Z71C475KE21 +A	4.7uF	16	X7R(Murata)	1608M/0603	1.00	+/-10%	General Purpose
GRM188Z71C475ME21 +A	4.7uF	16	X7R(Murata)	1608M/0603	1.00	+/-20%	General Purpose
GRM2165C1H102JA01 +A	1000pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H122JA01 +A	1200pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H152JA01 +A	1500pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H182JA01 +A	1800pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H183GA01 +A	18000pF	50	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C1H183JA01 +A	18000pF	50	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C1H222JA01 +A	2200pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H223GA01 +A	22000pF	50	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C1H223JA01 +A	22000pF	50	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C1H272JA01 +A	2700pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H273GA01 +A	27000pF	50	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C1H273JA01 +A	27000pF	50	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C1H331JA01 +A	330pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H332JA01 +A	3300pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H333GA01 +A	33000pF	50	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C1H333JA01 +A	33000pF	50	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C1H392JA01 +A	3900pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H471JA01 +A	470pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C1H472JA01 +A	4700pF	50	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A101JA01 +A	100pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A102JA01 +A	1000pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A103GA01 +A	10000pF	100	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C2A103JA01 +A	10000pF	100	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C2A121JA01 +A	120pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A122JA01 +A	1200pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A123GA01 +A	12000pF	100	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C2A123JA01 +A	12000pF	100	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C2A151JA01 +A	150pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A152JA01 +A	1500pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A153GA01 +A	15000pF	100	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C2A153JA01 +A	15000pF	100	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C2A181JA01 +A	180pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A182JA01 +A	1800pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A221JA01 +A	220pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A222JA01 +A	2200pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A271JA01 +A	270pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A272JA01 +A	2700pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A331JA01 +A	330pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A332JA01 +A	3300pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A391JA01 +A	390pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A392JA01 +A	3900pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A471JA01 +A	470pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A472JA01 +A	4700pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A561JA01 +A	560pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A562GA01 +A	5600pF	100	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C2A562JA01 +A	5600pF	100	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C2A681JA01 +A	680pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2165C2A682GA01 +A	6800pF	100	COG	2012M/0805	0.65	+/-2%	General Purpose
GRM2165C2A682JA01 +A	6800pF	100	COG	2012M/0805	0.65	+/-5%	General Purpose
GRM2165C2A821JA01 +A	820pF	100	COG	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1A223JA01 +A	22000pF	10	U2J	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1A333JA01 +A	33000pF	10	U2J	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1H103JA01 +A	10000pF	50	U2J	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1H123JA01 +A	12000pF	50	U2J	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1H153JA01 +A	15000pF	50	U2J	2012M/0805	0.70	+/-5%	General Purpose
GRM2167U1H183JA01 +A	18000pF	50	U2J	2012M/0805	0.70	+/-5%	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM216C81C105KA12 +A	1uF	16	X6S	2012M/0805	0.70	+/-10%	General Purpose
GRM216D71C105KA12 +A	1uF	16	X7T	2012M/0805	0.70	+/-10%	General Purpose
GRM216D71C105MA12 +A	1uF	16	X7T	2012M/0805	0.70	+/-20%	General Purpose
GRM216R61C105KA88 +A	1uF	16	X5R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R61E105KA12 +A	1uF	25	X5R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R71H103KA01 +C	10000pF	50	X7R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R71H123KA01 +C	12000pF	50	X7R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R71H223KA01 +C	22000pF	50	X7R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R71H223MA01 +C	22000pF	50	X7R	2012M/0805	0.70	+/-20%	General Purpose
GRM216R71H472KA01 +C	4700pF	50	X7R	2012M/0805	0.70	+/-10%	General Purpose
GRM216R71H682KA01 +C	6800pF	50	X7R	2012M/0805	0.70	+/-10%	General Purpose
GRM2195C1H103JA01 +A	10000pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C1H123JA01 +A	12000pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C1H153JA01 +A	15000pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C1H562JA01 +A	5600pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C1H682JA01 +A	6800pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C1H822JA01 +A	8200pF	50	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A103JA01 +A	10000pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A123JA01 +A	12000pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A153JA01 +A	15000pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A562JA01 +A	5600pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A682JA01 +A	6800pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2195C2A822JA01 +A	8200pF	100	COG	2012M/0805	0.95	+/-5%	General Purpose
GRM2197U1A393JA01 +A	39000pF	10	U2J	2012M/0805	0.95	+/-5%	General Purpose
GRM2197U1A473JA01 +A	47000pF	10	U2J	2012M/0805	0.95	+/-5%	General Purpose
GRM2197U1A563JA01 +A	56000pF	10	U2J	2012M/0805	0.95	+/-5%	General Purpose
GRM2197U1H223JA01 +A	22000pF	50	U2J	2012M/0805	0.95	+/-5%	General Purpose
GRM2197U1H273JA01 +A	27000pF	50	U2J	2012M/0805	0.95	+/-5%	General Purpose
GRM219C71C475KE21 +A	4.7uF	16	X7S	2012M/0805	1.00	+/-10%	General Purpose
GRM219C71C475ME21 +A	4.7uF	16	X7S	2012M/0805	1.00	+/-20%	General Purpose
GRM219C71E475KE21 +A	4.7uF	25	X7S	2012M/0805	1.00	+/-10%	General Purpose
GRM219C71E475ME21 +A	4.7uF	25	X7S	2012M/0805	1.00	+/-20%	General Purpose
GRM219C80G106KE19 +A	10uF	4.0	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C80G106ME19 +A	10uF	4.0	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C80J106KE39 +A	10uF	6.3	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C80J106ME39 +A	10uF	6.3	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C80J475KE19 +A	4.7uF	6.3	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81A475KE34 +A	4.7uF	10	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81A475ME34 +A	4.7uF	10	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C81C225KA12 +A	2.2uF	16	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81C475KA73 +A	4.7uF	16	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81C475MA73 +A	4.7uF	16	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C81E225KE15 +A	2.2uF	25	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C81E225ME15 +A	2.2uF	25	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C81E475KE21 +A	4.7uF	25	X6S	2012M/0805	1.00	+/-10%	General Purpose
GRM219C81E475ME21 +A	4.7uF	25	X6S	2012M/0805	1.00	+/-20%	General Purpose
GRM219C8YA225KE15 +A	2.2uF	35	X6S	2012M/0805	0.95	+/-10%	General Purpose
GRM219C8YA225ME15 +A	2.2uF	35	X6S	2012M/0805	0.95	+/-20%	General Purpose
GRM219C8YA475KE21 +A	4.7uF	35	X6S	2012M/0805	1.00	+/-10%	General Purpose
GRM219C8YA475ME21 +A	4.7uF	35	X6S	2012M/0805	1.00	+/-20%	General Purpose
GRM219D71A475KE15 +A	4.7uF	10	X7T	2012M/0805	0.95	+/-10%	General Purpose
GRM219D71A475ME15 +A	4.7uF	10	X7T	2012M/0805	0.95	+/-20%	General Purpose
GRM219D71C225KA12 +A	2.2uF	16	X7T	2012M/0805	0.95	+/-10%	General Purpose
GRM219D71C225MA12 +A	2.2uF	16	X7T	2012M/0805	0.95	+/-20%	General Purpose
GRM219D80E476ME44 +A	47uF	2.5	X6T	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60G226ME66 +A	22uF	4.0	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60G476ME44 +A	47uF	4.0	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J106KE19 +A	10uF	6.3	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R60J106ME19 +A	10uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J226ME47 +A	22uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J226MEA0 +A	22uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R60J475KE19 +A	4.7uF	6.3	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R60J476ME44 +A	47uF	6.3	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A105KA01 +A	1uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A106KE44 +A	10uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A106ME44 +A	10uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A106ME47 +A	10uF	10	X5R	2012M/0805	1.00	+/-20%	General Purpose
GRM219R61A225KA01 +A	2.2uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A226MEA0 +A	22uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61A335KE19 +A	3.3uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A475KE34 +A	4.7uF	10	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61A475ME34 +A	4.7uF	10	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61C106KA73 +A	10uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61C106MA73 +A	10uF	16	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61C225KA88 +A	2.2uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61C226ME15 +A	22uF	16	X5R	2012M/0805	1.00	+/-20%	General Purpose
GRM219R61C475KE15 +A	4.7uF	16	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E106KA12 +A	10uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM219R61E106MA12 +A	10uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61E225KA12 +A	2.2uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E225MA12 +A	2.2uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61E475KA73 +A	4.7uF	25	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61E475MA73 +A	4.7uF	25	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61H105KA73 +A	1uF	50	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61H105MA73 +A	1uF	50	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R61H225KE15 +A	2.2uF	50	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R61H225ME15 +A	2.2uF	50	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R6YA475KA73 +A	4.7uF	35	X5R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R6YA475MA73 +A	4.7uF	35	X5R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71A225KE15 +A	2.2uF	10	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71A225ME15 +A	2.2uF	10	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71C225KE15 +A	2.2uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C225ME15 +A	2.2uF	16	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71C334KA88 +A	0.33uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C474KA01 +A	0.47uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71C684KA01 +A	0.68uF	16	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E104KA01 +A	0.1uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E104MA01 +A	0.1uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E105KA88 +A	1uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E224MA01 +A	0.22uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E474KA88 +A	0.47uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E474MA88 +A	0.47uF	25	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71E683KA01 +C	68000pF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71E684KA88 +A	0.68uF	25	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H103KA01 +C	10000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H103MA01 +C	10000pF	50	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71H153KA01 +C	15000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H153MA01 +C	15000pF	50	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R71H223KA17 +C	22000pF	50	X7R	2012M/0805	1.00	+/-10%	General Purpose
GRM219R71H223MA17 +C	22000pF	50	X7R	2012M/0805	1.00	+/-20%	General Purpose
GRM219R71H333KA01 +C	33000pF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R71H334KA88 +A	0.33uF	50	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R72A103KA01 +A	10000pF	100	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R72A103MA01 +A	10000pF	100	X7R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R72A682KA01 +C	6800pF	100	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R7YA105KA12 +A	1uF	35	X7R	2012M/0805	0.95	+/-10%	General Purpose
GRM21A5C2D100JW01	10pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D101JW01	100pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D120JW01	12pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D121JW01	120pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D150JW01	15pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D151JW01	150pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D180JW01	18pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D181JW01	180pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D220JW01	22pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D221JW01	220pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D270JW01	27pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D271JW01	270pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D330JW01	33pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D331JW01	330pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D390JW01	39pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D470JW01	47pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D560JW01	56pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D680JW01	68pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2D820JW01	82pF	200	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E100JW01	10pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E101JW01	100pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E102JWA1	1000pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E120JW01	12pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E121JW01	120pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E122JWA1	1200pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E150JW01	15pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E151JW01	150pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E152JWA1	1500pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E180JW01	18pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E181JW01	180pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E182JWA1	1800pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E220JW01	22pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E221JW01	220pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E222JWA1	2200pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E270JW01	27pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E271JW01	270pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E272JWA1	2700pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E330JW01	33pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E331JW01	330pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E390JW01	39pF	250	COG	2012M/0805	1.00	+/-5%	200V and over/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM21A5C2E391JWA1	390pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E470JW01	47pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E471JWA1	470pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E560JW01	56pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E561JWA1	560pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E680JW01	68pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E681JWA1	680pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E820JW01	82pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2E821JWA1	820pF	250	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J100JWA1	10pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J101JWA1	100pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J120JWA1	12pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J121JWA1	120pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J150JWA1	15pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J151JWA1	150pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J180JWA1	18pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J181JWA1	180pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J220JWA1	22pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J221JWA1	220pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J270JWA1	27pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J271JWA1	270pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J330JWA1	33pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J331JWA1	330pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J390JWA1	39pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J391JWA1	390pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J470JWA1	47pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J471JWA1	470pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J560JWA1	56pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J561JWA1	560pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J680JWA1	68pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A5C2J820JWA1	82pF	630	C0G	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U1H333JA39 +A	33000pF	50	U2J	2012M/0805	1.00	+/-5%	General Purpose
GRM21A7U2D101JW31	100pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D102JW31	1000pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D121JW31	120pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D122JW31	1200pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D151JW31	150pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D152JW31	1500pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D181JW31	180pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D182JW31	1800pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D221JW31	220pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D222JW31	2200pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D271JW31	270pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D331JW31	330pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D391JW31	390pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D471JW31	470pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D561JW31	560pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D681JW31	680pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2D821JW31	820pF	200	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E101JW31	100pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E102JW31	1000pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E121JW31	120pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E122JW31	1200pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E151JW31	150pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E152JW31	1500pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E181JW31	180pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E182JW31	1800pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E221JW31	220pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E222JW31	2200pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E271JW31	270pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E331JW31	330pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E391JW31	390pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E471JW31	470pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E561JW31	560pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E681JW31	680pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21A7U2E821JW31	820pF	250	U2J	2012M/0805	1.00	+/-5%	200V and over/ General Purpose
GRM21AR72A224KAC5 +A	0.22uF	100	X7R	2012M/0805	1.00	+/-10%	General Purpose
GRM21AR72A224MAC5 +A	0.22uF	100	X7R	2012M/0805	1.00	+/-20%	General Purpose
GRM21AR72A334KAC5 +A	0.33uF	100	X7R	2012M/0805	1.00	+/-10%	General Purpose
GRM21AR72D102KW01	1000pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72D152KW01	1500pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72D222KW01	2200pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72D332KW01	3300pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72D472KW01	4700pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72D682KW01	6800pF	200	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72E102KW01	1000pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72E152KW01	1500pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72E222KW01	2200pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM21AR72E332KW01	3300pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72E472KW01	4700pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72E682KW01	6800pF	250	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H102KW10	1000pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H152KW10	1500pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H222KW10	2200pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H332KW10	3300pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H472KW10	4700pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21AR72H682KW10	6800pF	500	X7R	2012M/0805	1.00	+/-10%	200V and over/ General Purpose
GRM21B5C1H183JA01 +A	18000pF	50	C0G	2012M/0805	1.35	+/-5%	General Purpose
GRM21B5C1H223JA01 +A	22000pF	50	C0G	2012M/0805	1.35	+/-5%	General Purpose
GRM21B5C2A183JA01 +A	18000pF	100	C0G	2012M/0805	1.35	+/-5%	General Purpose
GRM21B5C2A223JA01 +A	22000pF	100	C0G	2012M/0805	1.35	+/-5%	General Purpose
GRM21B5C2E103JWAA	10000pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E332JWA1	3300pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E392JWA1	3900pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E472JWA1	4700pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E562JWAA	5600pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E682JWAA	6800pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2E822JWAA	8200pF	250	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J102JWA3	1000pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J122JWA3	1200pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J152JWAA	1500pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J182JWAA	1800pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J222JWAA	2200pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J681JWA3	680pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B5C2J821JWA3	820pF	630	C0G	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U1A104JA01 +A	0.1uF	10	U2J	2012M/0805	1.35	+/-5%	General Purpose
GRM21B7U1A683JA01 +A	68000pF	10	U2J	2012M/0805	1.35	+/-5%	General Purpose
GRM21B7U1A823JA01 +A	82000pF	10	U2J	2012M/0805	1.35	+/-5%	General Purpose
GRM21B7U1H393JA01 +A	39000pF	50	U2J	2012M/0805	1.35	+/-5%	General Purpose
GRM21B7U1H473JA01 +A	47000pF	50	U2J	2012M/0805	1.35	+/-5%	General Purpose
GRM21B7U2D272JW32	2700pF	200	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2D332JW32	3300pF	200	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2D392JW32	3900pF	200	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2D472JW32	4700pF	200	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2D562JW32	5600pF	200	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2E272JW32	2700pF	250	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2E332JW32	3300pF	250	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2E392JW32	3900pF	250	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2E472JW32	4700pF	250	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21B7U2E562JW32	5600pF	250	U2J	2012M/0805	1.45	+/-5%	200V and over/ General Purpose
GRM21BC70G106KE45 +A	10uF	4.0	X7S	2012M/0805	1.40	+/-10%	General Purpose
GRM21BC71C106KE11 +A	10uF	16	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71C106ME11 +A	10uF	16	X7S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71E106KE11 +A	10uF	25	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71E106ME11 +A	10uF	25	X7S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71E475KE11 +A	4.7uF	25	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71E475ME11 +A	4.7uF	25	X7S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC71H475KE11 +A	4.7uF	50	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC71H475ME11 +A	4.7uF	50	X7S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC72A105KE01 +A	1uF	100	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC7YA475KE11 +A	4.7uF	35	X7S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC7YA475ME11 +A	4.7uF	35	X7S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80E107ME15 +A	100uF	2.5	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80G106KE01 +A	10uF	4.0	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC80G106ME19 +A	10uF	4.0	X6S	2012M/0805	1.35	+/-20%	General Purpose
GRM21BC80G107ME15 +A	100uF	4.0	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80G226ME39 +A	22uF	4.0	X6S	2012M/0805	1.40	+/-20%	General Purpose
GRM21BC80G476ME15 +A	47uF	4.0	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC80J106KE19 +A	10uF	6.3	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC80J106ME19 +A	10uF	6.3	X6S	2012M/0805	1.35	+/-20%	General Purpose
GRM21BC80J226ME51 +A	22uF	6.3	X6S	2012M/0805	1.40	+/-20%	General Purpose
GRM21BC81A106KE18 +A	10uF	10	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81A106ME18 +A	10uF	10	X6S	2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81A226ME44 +A	22uF	10	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81C106KA73 +A	10uF	16	X6S	2012M/0805	1.40	+/-10%	General Purpose
GRM21BC81C106KE15 +A	10uF	16	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81C106MA73 +A	10uF	16	X6S	2012M/0805	1.40	+/-20%	General Purpose
GRM21BC81C106ME15 +A	10uF	16	X6S	2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81C226ME44 +A	22uF	16	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81C475KA88 +A	4.7uF	16	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E106KE11 +A	10uF	25	X6S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC81E106ME11 +A	10uF	25	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC81E225KA12 +A	2.2uF	25	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E475KA12 +A	4.7uF	25	X6S	2012M/0805	1.35	+/-10%	General Purpose
GRM21BC81E475MA12 +A	4.7uF	25	X6S	2012M/0805	1.35	+/-20%	General Purpose
GRM21BC81H475KE11 +A	4.7uF	50	X6S	2012M/0805	1.45	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM21BC81H475ME11 +A	4.7uF	50	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC8YA106KE11 +A	10uF	35	X6S	2012M/0805	1.45	+/-10%	General Purpose
GRM21BC8YA106ME11 +A	10uF	35	X6S	2012M/0805	1.45	+/-20%	General Purpose
GRM21BC8YA225KA73 +A	2.2uF	35	X6S	2012M/0805	1.40	+/-10%	General Purpose
GRM21BC8YA225MA73 +A	2.2uF	35	X6S	2012M/0805	1.40	+/-20%	General Purpose
GRM21BC8YA475KE51 +A	4.7uF	35	X6S	2012M/0805	1.40	+/-10%	General Purpose
GRM21BD70J226ME44 +A	22uF	6.3	X7T	2012M/0805	1.45	+/-20%	General Purpose
GRM21BD71A226ME44 +A	22uF	10	X7T	2012M/0805	1.45	+/-20%	General Purpose
GRM21BD71C475KA12 +A	4.7uF	16	X7T	2012M/0805	1.35	+/-10%	General Purpose
GRM21BD71C475MA12 +A	4.7uF	16	X7T	2012M/0805	1.35	+/-20%	General Purpose
GRM21BD80G476ME01 +A	47uF	4.0	X6T	2012M/0805	1.45	+/-20%	General Purpose
GRM21BE70G226ME51 +A	22uF	4.0	X7U	2012M/0805	1.40	+/-20%	General Purpose
GRM21BE71C475KA12 +A	4.7uF	16	X7U	2012M/0805	1.35	+/-10%	General Purpose
GRM21BE71C475MA12 +A	4.7uF	16	X7U	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR60G107ME11 +A	100uF	4.0	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60G476ME01 +A	47uF	4.0	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60J106KE19 +A	10uF	6.3	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR60J106ME19 +A	10uF	6.3	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR60J107ME15 +A	100uF	6.3	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR60J225KA01 +A	2.2uF	6.3	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR60J226ME39 +A	22uF	6.3	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR60J475KA11 +A	4.7uF	6.3	X5R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR60J475MA11 +A	4.7uF	6.3	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR60J476ME01 +A	47uF	6.3	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61A105KA01 +A	1uF	10	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A106KE19 +A	10uF	10	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A106ME19 +A	10uF	10	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61A225KA01 +A	2.2uF	10	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61A225MA01 +A	2.2uF	10	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61A226ME44 +A	22uF	10	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61A226ME51 +A	22uF	10	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR61A475KA73 +A	4.7uF	10	X5R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR61A475MA73 +A	4.7uF	10	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR61A476ME15 +A	47uF	10	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61C105KA01 +A	1uF	16	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C106KE15 +A	10uF	16	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C106ME15 +A	10uF	16	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61C225KA88 +A	2.2uF	16	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61C226ME44 +A	22uF	16	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61C475KA88 +A	4.7uF	16	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61D106KE15 +A	10uF	20	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61D106ME15 +A	10uF	20	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61E106KA73 +A	10uF	25	X5R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR61E106MA73 +A	10uF	25	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR61E225KA12 +A	2.2uF	25	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61E226ME44 +A	22uF	25	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR61E475KA12 +A	4.7uF	25	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61E475MA12 +A	4.7uF	25	X5R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR61H105KA12 +A	1uF	50	X5R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR61H225KA73 +A	2.2uF	50	X5R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR61H225MA73 +A	2.2uF	50	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR61H475KE51 +A	4.7uF	50	X5R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR61H475ME51 +A	4.7uF	50	X5R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR6YA106KE43 +A	10uF	35	X5R	2012M/0805	1.45	+/-10%	General Purpose
GRM21BR6YA106ME43 +A	10uF	35	X5R	2012M/0805	1.45	+/-20%	General Purpose
GRM21BR70J106KA73 +A	10uF	6.3	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR70J106KE76 +A	10uF	6.3	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR70J106ME76 +A	10uF	6.3	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR70J225KA01 +A	2.2uF	6.3	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A105KA01 +A	1uF	10	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A106KA73 +A	10uF	10	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71A106KE51 +A	10uF	10	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71A106MA73 +A	10uF	10	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71A106ME51 +A	10uF	10	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71A225KA01 +A	2.2uF	10	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71A225MA01 +A	2.2uF	10	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71A475KA73 +A	4.7uF	10	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71A475MA73 +A	4.7uF	10	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71C105KA01 +A	1uF	16	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C224KA01 +A	0.22uF	16	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C224MA01 +A	0.22uF	16	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C225KA12 +A	2.2uF	16	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71C225MA12 +A	2.2uF	16	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C474MA01 +A	0.47uF	16	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71C475KA73 +A	4.7uF	16	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71C475KE51 +A	4.7uF	16	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71C475MA73 +A	4.7uF	16	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71E104JA01 +C	0.1uF	25	X7R	2012M/0805	1.35	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM21BR71E104KA01 +C	0.1uF	25	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E104MA01 +C	0.1uF	25	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71E105KA99 +A	1uF	25	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71E154KA01 +A	0.15uF	25	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E224KA01 +A	0.22uF	25	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E224MA01 +A	0.22uF	25	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71E225KA73 +A	2.2uF	25	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71E225KE11 +A	2.2uF	25	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71E225ME11 +A	2.2uF	25	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71E334KA01 +A	0.33uF	25	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71E475KA73 +A	4.7uF	25	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR71E475MA73 +A	4.7uF	25	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR71H104KA01 +A	0.1uF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H104MA01 +A	0.1uF	50	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H105KA12 +A	1uF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H154KA01 +A	0.15uF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H224KA01 +A	0.22uF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H224MA01 +A	0.22uF	50	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H473KA01 +C	47000pF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H473MA01 +C	47000pF	50	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H474KA88 +A	0.47uF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR71H474MA88 +A	0.47uF	50	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR71H683KA01 +A	68000pF	50	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A103KA01 +C	10000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A103MA01 +C	10000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A104KAC4 +A	0.1uF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A104MAC4 +A	0.1uF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A153KA01 +C	15000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A223KA01 +C	22000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A223MA01 +C	22000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A333KA01 +C	33000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A473KA01 +C	47000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A473MA01 +C	47000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72A474KA73 +A	0.47uF	100	X7R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR72A474MA73 +A	0.47uF	100	X7R	2012M/0805	1.40	+/-20%	General Purpose
GRM21BR72A683KAC4 +A	68000pF	100	X7R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR72A683MAC4 +A	68000pF	100	X7R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR72D103KW03	10000pF	200	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72D153KW03	15000pF	200	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72D223KW03	22000pF	200	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72E103KW03	10000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72E153KW03	15000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72E223KW03	22000pF	250	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BR72H103KW03	10000pF	500	X7R	2012M/0805	1.45	+/-10%	200V and over/ General Purpose
GRM21BZ71E106KE15 +A	10uF	25	X7R(Murata)	2012M/0805	1.45	+/-10%	General Purpose
GRM316C81C225KA12 +A	2.2uF	16	X6S	3216M/1206	0.70	+/-10%	General Purpose
GRM316D71C225KA12 +A	2.2uF	16	X7T	3216M/1206	0.70	+/-10%	General Purpose
GRM316D71C225MA12 +A	2.2uF	16	X7T	3216M/1206	0.70	+/-20%	General Purpose
GRM316R61A475KE19 +A	4.7uF	10	X5R	3216M/1206	0.70	+/-10%	General Purpose
GRM316R61C225KA88 +A	2.2uF	16	X5R	3216M/1206	0.70	+/-10%	General Purpose
GRM316R61E225KA12 +A	2.2uF	25	X5R	3216M/1206	0.70	+/-10%	General Purpose
GRM3195C1H103JA01 +A	10000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H104GA05 +A	0.1uF	50	COG	3216M/1206	0.95	+/-2%	General Purpose
GRM3195C1H104JA05 +A	0.1uF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H123JA01 +A	12000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H153JA01 +A	15000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H183JA01 +A	18000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H223JA01 +A	22000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H273JA01 +A	27000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H333JA01 +A	33000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H393JA01 +A	39000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H472JA01 +A	4700pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H473GA05 +A	47000pF	50	COG	3216M/1206	0.95	+/-2%	General Purpose
GRM3195C1H473JA05 +A	47000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H562JA01 +A	5600pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H563GA05 +A	56000pF	50	COG	3216M/1206	0.95	+/-2%	General Purpose
GRM3195C1H563JA05 +A	56000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H682JA01 +A	6800pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H683GA05 +A	68000pF	50	COG	3216M/1206	0.95	+/-2%	General Purpose
GRM3195C1H683JA05 +A	68000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H822JA01 +A	8200pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C1H823GA05 +A	82000pF	50	COG	3216M/1206	0.95	+/-2%	General Purpose
GRM3195C1H823JA05 +A	82000pF	50	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A103JA01 +A	10000pF	100	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A123JA01 +A	12000pF	100	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A153JA01 +A	15000pF	100	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A182JA01 +A	18000pF	100	COG	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A183JA01 +A	18000pF	100	COG	3216M/1206	0.95	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM3195C2A222JA01 +A	2200pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A223JA01 +A	22000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A243JA01 +A	24000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A272JA01 +A	2700pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A273JA01 +A	27000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A303JA01 +A	30000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A332JA01 +A	3300pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A333JA01 +A	33000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A363JA01 +A	36000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A392JA01 +A	3900pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A393JA01 +A	39000pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A472JA01 +A	4700pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A562JA01 +A	5600pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A682JA01 +A	6800pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3195C2A822JA01 +A	8200pF	100	C0G	3216M/1206	0.95	+/-5%	General Purpose
GRM3197U1H563JA01 +A	56000pF	50	U2J	3216M/1206	0.95	+/-5%	General Purpose
GRM319C80J106KE19 +A	10uF	6.3	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C80J106ME19 +A	10uF	6.3	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C80J226ME15 +A	22uF	6.3	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81A106KA12 +A	10uF	10	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C81A106MA12 +A	10uF	10	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81C106KA12 +A	10uF	16	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C81C106MA12 +A	10uF	16	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319C81C475KA12 +A	4.7uF	16	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C8YA225KA12 +A	2.2uF	35	X6S	3216M/1206	0.95	+/-10%	General Purpose
GRM319C8YA225MA12 +A	2.2uF	35	X6S	3216M/1206	0.95	+/-20%	General Purpose
GRM319D71C475KA12 +A	4.7uF	16	X7T	3216M/1206	0.95	+/-10%	General Purpose
GRM319D71C475MA12 +A	4.7uF	16	X7T	3216M/1206	0.95	+/-20%	General Purpose
GRM319R60J106KE19 +A	10uF	6.3	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R60J226ME15 +A	22uF	6.3	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A105KA01 +A	1uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A106KE19 +A	10uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A106ME19 +A	10uF	10	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A225KA01 +A	2.2uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61A226ME15 +A	22uF	10	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61A475KA01 +A	4.7uF	10	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C105KAA3 +A	1uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C106KE15 +A	10uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C106ME15 +A	10uF	16	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61C226ME15 +A	22uF	16	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61C335KA12 +A	3.3uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61C475KA88 +A	4.7uF	16	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E105KC36 +A	1uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E106KA12 +A	10uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61E106MA12 +A	10uF	25	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61E475KA12 +A	4.7uF	25	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H225KA12 +A	2.2uF	50	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H225MA12 +A	2.2uF	50	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R61H475KA12 +A	4.7uF	50	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R61H475MA12 +A	4.7uF	50	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R6YA106KA12 +A	10uF	35	X5R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R6YA106MA12 +A	10uF	35	X5R	3216M/1206	0.95	+/-20%	General Purpose
GRM319R71A105KA01 +A	1uF	10	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71C105KAA3 +A	1uF	16	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71E334KA01 +A	0.33uF	25	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71E474KA01 +A	0.47uF	25	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H104JA01 +C	0.1uF	50	X7R	3216M/1206	0.95	+/-5%	General Purpose
GRM319R71H153KA01 +C	15000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H223KA01 +C	22000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H334KA01 +A	0.33uF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R71H683KA01 +C	68000pF	50	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A104KA01 +A	0.1uF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A153KA01 +C	15000pF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R72A222KA01 +C	2200pF	100	X7R	3216M/1206	0.95	+/-10%	General Purpose
GRM31A5C2E102JWA1	1000pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E122JWA1	1200pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E152JWA1	1500pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E182JWA1	1800pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E222JWA1	2200pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E272JWA1	2700pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E332JWA1	3300pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E391JWA1	390pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E392JWA1	3900pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E471JWA1	470pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E472JWA1	4700pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E561JWA1	560pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E562JWA1	5600pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A5C2E681JWA1	680pF	250	C0G	3216M/1206	1.00	+/-5%	200V and over/ General Purpose







PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM31A7U3A820JW31	82pF	1000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D100JW31	10pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D120JW31	12pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D150JW31	15pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D180JW31	18pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D220JW31	22pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D270JW31	27pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D330JW31	33pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D390JW31	39pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D470JW31	47pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D560JW31	56pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31A7U3D680JW31	68pF	2000	U2J	3216M/1206	1.00	+/-5%	200V and over/ General Purpose
GRM31AR72J102KW01	1000pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J103KW01	1000pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J152KW01	1500pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J222KW01	2200pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J332KW01	3300pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J472KW01	4700pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31AR72J682KW01	6800pF	630	X7R	3216M/1206	1.00	+/-10%	200V and over/ General Purpose
GRM31B5C2E103JWA1	1000pF	250	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2E123JWA1	1200pF	250	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2E822JWA1	8200pF	250	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2H102JW01	1000pF	500	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2H681JW01	680pF	500	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2H821JW01	820pF	500	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2J102JW01	1000pF	630	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2J222JWA1	2200pF	630	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2J272JWA1	2700pF	630	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2J681JW01	680pF	630	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C2J821JW01	820pF	630	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C3A561JWA1	560pF	1000	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B5C3A681JWA1	680pF	1000	COG	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2D103JW31	1000pF	200	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2D682JW31	6800pF	200	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2D822JW31	8200pF	200	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2E103JW31	1000pF	250	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2E682JW31	6800pF	250	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2E822JW31	8200pF	250	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2H272JW31	2700pF	500	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2H332JW31	3300pF	500	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2J272JW31	2700pF	630	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U2J332JW31	3300pF	630	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U3A391JW31	390pF	1000	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U3A471JW31	470pF	1000	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U3A561JW31	560pF	1000	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31B7U3A681JW31	680pF	1000	U2J	3216M/1206	1.25	+/-5%	200V and over/ General Purpose
GRM31BR72D153KW01	1500pF	200	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72D223KW01	2200pF	200	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72D683KW01	6800pF	200	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72E153KW01	1500pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72E223KW01	2200pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72E683KW01	6800pF	250	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72H153KW10	1500pF	500	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72H223KW10	2200pF	500	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J102KW01	1000pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J103KW01	1000pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J152KW01	1500pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J222KW01	2200pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J332KW01	3300pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J472KW01	4700pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR72J682KW01	6800pF	630	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A102KW01	1000pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A152KW01	1500pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A222KW01	2200pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A332KW01	3300pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A471KW01	470pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A472KW01	4700pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31BR73A681KW01	680pF	1000	X7R	3216M/1206	1.25	+/-10%	200V and over/ General Purpose
GRM31C5C1C124JA01 +A	0.12uF	16	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1E104JA01 +A	0.1uF	25	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1E124JA01 +A	0.12uF	25	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1E154GE02 +A	0.15uF	25	COG	3216M/1206	1.80	+/-2%	General Purpose
GRM31C5C1E154JE02 +A	0.15uF	25	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1E224GE02 +A	0.22uF	25	COG	3216M/1206	1.80	+/-2%	General Purpose
GRM31C5C1E224JE02 +A	0.22uF	25	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1H104JA01 +A	0.1uF	50	COG	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1H154GE02 +A	0.15uF	50	COG	3216M/1206	1.80	+/-2%	General Purpose
GRM31C5C1H154JE02 +A	0.15uF	50	COG	3216M/1206	1.80	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM31C5C1H224GE02 +A	0.22uF	50	C0G	3216M/1206	1.80	+/-2%	General Purpose
GRM31C5C1H224JE02 +A	0.22uF	50	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1H563JA01 +A	56000pF	50	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1H683JA01 +A	68000pF	50	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C1H823JA01 +A	82000pF	50	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A104JA01 +A	0.1uF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A563JA01 +A	56000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A623JA01 +A	62000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A683JA01 +A	68000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A753JA01 +A	75000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A823GA01 +A	82000pF	100	C0G	3216M/1206	1.80	+/-2%	General Purpose
GRM31C5C2A823JA01 +A	82000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2A913JA01 +A	91000pF	100	C0G	3216M/1206	1.80	+/-5%	General Purpose
GRM31C5C2E153JWA3	15000pF	250	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C2E183JWA3	18000pF	250	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C2E223JWA3	22000pF	250	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C2J332JWA3	3300pF	630	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C2J392JWA3	3900pF	630	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C2J472JWA3	4700pF	630	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C3A102JWA3	1000pF	1000	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C5C3A821JWA3	820pF	1000	C0G	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U2A104JA01 +A	0.1uF	100	U2J	3216M/1206	1.80	+/-5%	General Purpose
GRM31C7U2A683JA01 +A	68000pF	100	U2J	3216M/1206	1.80	+/-5%	General Purpose
GRM31C7U2H392JW32	3900pF	500	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U2H472JW32	4700pF	500	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U2J392JW32	3900pF	630	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U2J472JW32	4700pF	630	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U3A102JW32	1000pF	1000	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31C7U3A821JW32	820pF	1000	U2J	3216M/1206	1.80	+/-5%	200V and over/ General Purpose
GRM31CC70G226ME01 +	22uF	4.0	X7S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC70J226KE15 +A	22uF	6.3	X7S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC71C226ME11 +	22uF	16	X7S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC72A475KE11 +A	4.7uF	100	X7S	3216M/1206	1.90	+/-10%	General Purpose
GRM31CC72A475ME11 +	4.7uF	100	X7S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC80E157ME11 +	150uF	2.5	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC80E227ME11 +	220uF	2.5	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC80G157ME11 +	150uF	4.0	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC80G226KE19 +	22uF	4.0	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC80G226ME19 +	22uF	4.0	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC80G227ME11 +	220uF	4.0	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC80J226KE19 +A	22uF	6.3	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC80J226ME19 +A	22uF	6.3	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC81A226KE19 +A	22uF	10	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC81A226ME19 +	22uF	10	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC81A476ME44 +	47uF	10	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC81C106KA12 +	10uF	16	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC81C106KE19 +	10uF	16	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC81C106MA12 +	10uF	16	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC81C226KE15 +A	22uF	16	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC81C226ME15 +	22uF	16	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC81E106KE15 +	10uF	25	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC81E106MA12 +	10uF	25	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CC81E226ME11 +	22uF	25	X6S	3216M/1206	1.90	+/-20%	General Purpose
GRM31CC8YA106KA12 +	10uF	35	X6S	3216M/1206	1.80	+/-10%	General Purpose
GRM31CC8YA106MA12 +	10uF	35	X6S	3216M/1206	1.80	+/-20%	General Purpose
GRM31CD70J226KE19 +A	22uF	6.3	X7T	3216M/1206	1.80	+/-10%	General Purpose
GRM31CD70J226ME19 +A	22uF	6.3	X7T	3216M/1206	1.80	+/-20%	General Purpose
GRM31CD71A226KE15 +A	22uF	10	X7T	3216M/1206	1.80	+/-10%	General Purpose
GRM31CD71A226ME15 +	22uF	10	X7T	3216M/1206	1.80	+/-20%	General Purpose
GRM31CD80G107ME39 +	100uF	4.0	X6T	3216M/1206	1.90	+/-20%	General Purpose
GRM31CD80G476ME19 +	47uF	4.0	X6T	3216M/1206	1.80	+/-20%	General Purpose
GRM31CD80J107ME39 +A	100uF	6.3	X6T	3216M/1206	1.90	+/-20%	General Purpose
GRM31CE70G107ME39 +	100uF	4.0	X7U	3216M/1206	1.90	+/-20%	General Purpose
GRM31CE70G476ME15 +	47uF	4.0	X7U	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR60E227ME11 +	220uF	2.5	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60G107ME39 +	100uF	4.0	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60G157ME11 +	150uF	4.0	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60G227ME11 +	220uF	4.0	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60J106KA01 +A	10uF	6.3	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR60J106MC01 +	10uF	6.3	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR60J107ME39 +A	100uF	6.3	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60J157ME11 +	150uF	6.3	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60J226KE19 +A	22uF	6.3	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR60J226ME19 +A	22uF	6.3	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR60J227ME11 +A	220uF	6.3	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR60J475KA01 +A	4.7uF	6.3	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR60J476KE19 +A	47uF	6.3	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR60J476ME19 +A	47uF	6.3	X5R	3216M/1206	1.80	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM31CR61A106KA01 +A	10uF	10	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61A107ME05 +A	100uF	10	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR61A226KE19 +A	22uF	10	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61A226ME19 +A	22uF	10	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61A475KA01 +A	4.7uF	10	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61A476KE15 +A	47uF	10	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61A476ME15 +A	47uF	10	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61C106KA88 +A	10uF	16	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61C106KC31 +A	10uF	16	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61C226KE15 +A	22uF	16	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61C226ME15 +A	22uF	16	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61C475KA01 +A	4.7uF	16	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61C475MA01 +A	4.7uF	16	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61C476ME44 +A	47uF	16	X5R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR61E106KA12 +A	10uF	25	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61E106MA12 +A	10uF	25	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61E226KE15 +A	22uF	25	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61E226ME15 +A	22uF	25	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61E335KA88 +A	3.3uF	25	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61E475KA88 +A	4.7uF	25	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61H106KA12 +A	10uF	50	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR61H106MA12 +A	10uF	50	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR61H225KA88 +A	2.2uF	50	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR6YA106KA12 +A	10uF	35	X5R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR6YA106MA12 +A	10uF	35	X5R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR70J106KA01 +A	10uF	6.3	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR70J226KE19 +A	22uF	6.3	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR70J226ME19 +A	22uF	6.3	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71A106KA01 +A	10uF	10	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71A106MA01 +A	10uF	10	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71A226KE15 +A	22uF	10	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71A226ME15 +A	22uF	10	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71A475KA01 +A	4.7uF	10	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71C106KA12 +A	10uF	16	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71C106KAC7 +A	10uF	16	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71C106MA12 +A	10uF	16	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71C106MAC7 +A	10uF	16	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71C475KA01 +A	4.7uF	16	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71C475MA01 +A	4.7uF	16	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71E106KA12 +A	10uF	25	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71E106MA12 +A	10uF	25	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR71E475KA88 +A	4.7uF	25	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71H225KA88 +A	2.2uF	50	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71H475KA12 +A	4.7uF	50	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR71H475MA12 +A	4.7uF	50	X7R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR72A105KA01 +A	1uF	100	X7R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR72A225KA73 +A	2.2uF	100	X7R	3216M/1206	1.90	+/-10%	General Purpose
GRM31CR72A225MA73 +A	2.2uF	100	X7R	3216M/1206	1.90	+/-20%	General Purpose
GRM31CR72D104KW03	0.1uF	200	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72D333KW03	33000pF	200	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72D473KW03	47000pF	200	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72E104KW03	0.1uF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72E154KW43	0.15uF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72E224KW43	0.22uF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72E333KW03	33000pF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72E473KW03	47000pF	250	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72H333KW09	33000pF	500	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72H473KW09	47000pF	500	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72J153KW03	15000pF	630	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR72J223KW03	22000pF	630	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR73A103KW03	10000pF	1000	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CR73A682KW03	6800pF	1000	X7R	3216M/1206	1.80	+/-10%	200V and over/ General Purpose
GRM31CZ72A475KE11 +A	4.7uF	100	X7R(Murata)	3216M/1206	1.90	+/-10%	General Purpose
GRM31CZ72A475ME11 +A	4.7uF	100	X7R(Murata)	3216M/1206	1.90	+/-20%	General Purpose
GRM31M5C1H393JA01 +A	39000pF	50	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C1H473JA01 +A	47000pF	50	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C1H563JA01 +A	56000pF	50	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C2A393JA01 +A	39000pF	100	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C2A433JA01 +A	43000pF	100	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C2A473GA01 +A	47000pF	100	C0G	3216M/1206	1.25	+/-2%	General Purpose
GRM31M5C2A473JA01 +A	47000pF	100	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C2A513JA01 +A	51000pF	100	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M5C2A563JA01 +A	56000pF	100	C0G	3216M/1206	1.25	+/-5%	General Purpose
GRM31M7U1H104JA01 +A	0.1uF	50	U2J	3216M/1206	1.25	+/-5%	General Purpose
GRM31M7U1H683JA01 +A	68000pF	50	U2J	3216M/1206	1.25	+/-5%	General Purpose
GRM31M7U1H823JA01 +A	82000pF	50	U2J	3216M/1206	1.25	+/-5%	General Purpose
GRM31MC81A106KE19 +A	10uF	10	X6S	3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81A106ME19 +A	10uF	10	X6S	3216M/1206	1.25	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM31MC81C106KA12 +A	10uF	16	X6S	3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81C685KA12 +A	6.8uF	16	X6S	3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81C685MA12 +A	6.8uF	16	X6S	3216M/1206	1.25	+/-20%	General Purpose
GRM31MC81E106KA12 +A	10uF	25	X6S	3216M/1206	1.25	+/-10%	General Purpose
GRM31MC81E106MA12 +A	10uF	25	X6S	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR61A106KE19 +A	10uF	10	X5R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61A225KA01 +A	2.2uF	10	X5R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C105KA01 +A	1uF	16	X5R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C106KA12 +A	10uF	16	X5R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61C225KA35 +A	2.2uF	16	X5R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR61E106KA12 +A	10uF	25	X5R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR61E106MA12 +A	10uF	25	X5R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71A225KA01 +A	2.2uF	10	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71C105KA01 +A	1uF	16	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71C105MA01 +A	1uF	16	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71C225KA35 +A	2.2uF	16	X7R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR71C225MA35 +A	2.2uF	16	X7R	3216M/1206	1.30	+/-20%	General Purpose
GRM31MR71E105KA01 +A	1uF	25	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71E105MC01 +A	1uF	25	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71E225KA93 +A	2.2uF	25	X7R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR71E474KA01 +A	0.47uF	25	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H105KA88 +A	1uF	50	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H154KA01 +A	0.15uF	50	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H224KA01 +A	0.22uF	50	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H224MA01 +A	0.22uF	50	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71H474JA01 +A	0.47uF	50	X7R	3216M/1206	1.25	+/-5%	General Purpose
GRM31MR71H474KA01 +A	0.47uF	50	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR71H474MA01 +A	0.47uF	50	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR71H684KA88 +A	0.68uF	50	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A154KA01 +A	0.15uF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A223KA01 +A	2200pF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A223MA01 +A	2200pF	100	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR72A224KA01 +A	0.22uF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A333KA01 +A	3300pF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A473KA01 +A	4700pF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A473MA01 +A	4700pF	100	X7R	3216M/1206	1.25	+/-20%	General Purpose
GRM31MR72A474KA35 +A	0.47uF	100	X7R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR72A474MA35 +A	0.47uF	100	X7R	3216M/1206	1.30	+/-20%	General Purpose
GRM31MR72A683KA01 +A	6800pF	100	X7R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR72A684KA35 +A	0.68uF	100	X7R	3216M/1206	1.30	+/-10%	General Purpose
GRM32A7U2H122JW31	1200pF	500	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2H152JW31	1500pF	500	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2H182JW31	1800pF	500	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2H222JW31	2200pF	500	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2J122JW31	1200pF	630	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2J152JW31	1500pF	630	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2J182JW31	1800pF	630	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U2J222JW31	2200pF	630	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U3D101JW31	100pF	2000	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U3D121JW31	120pF	2000	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U3D151JW31	150pF	2000	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32A7U3D820JW31	82pF	2000	U2J	3225M/1210	1.00	+/-5%	200V and over/ General Purpose
GRM32AR61C106KAB7 +A	10uF	16	X5R	3225M/1210	1.00	+/-10%	General Purpose
GRM32B7U2H562JW31	5600pF	500	U2J	3225M/1210	1.25	+/-5%	200V and over/ General Purpose
GRM32B7U2J562JW31	5600pF	630	U2J	3225M/1210	1.25	+/-5%	200V and over/ General Purpose
GRM32B7U3A122JW31	1200pF	1000	U2J	3225M/1210	1.25	+/-5%	200V and over/ General Purpose
GRM32B7U3D181JW31	180pF	2000	U2J	3225M/1210	1.25	+/-5%	200V and over/ General Purpose
GRM32B7U3D221JW31	220pF	2000	U2J	3225M/1210	1.25	+/-5%	200V and over/ General Purpose
GRM32CR72A105KA35 +A	1uF	100	X7R	3225M/1210	1.80	+/-10%	General Purpose
GRM32CR72A105MA35 +A	1uF	100	X7R	3225M/1210	1.80	+/-20%	General Purpose
GRM32CR72A684KA01 +A	0.68uF	100	X7R	3225M/1210	1.80	+/-10%	General Purpose
GRM32D7U2H103JW31	1000pF	500	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32D7U2H822JW31	8200pF	500	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32D7U2J103JW31	1000pF	630	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32D7U2J822JW31	8200pF	630	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32D7U3A182JW31	180pF	1000	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32D7U3A222JW31	2200pF	1000	U2J	3225M/1210	2.00	+/-5%	200V and over/ General Purpose
GRM32DC72A475KE01 +A	4.7uF	100	X7S	3225M/1210	2.20	+/-10%	General Purpose
GRM32DC72A475ME01 +A	4.7uF	100	X7S	3225M/1210	2.20	+/-20%	General Purpose
GRM32DC81E106KA12 +A	10uF	25	X6S	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR60J226MA01 +A	22uF	6.3	X5R	3225M/1210	2.20	+/-20%	General Purpose
GRM32DR60J336ME19 +A	33uF	6.3	X5R	3225M/1210	2.20	+/-20%	General Purpose
GRM32DR61C106KA01 +A	10uF	16	X5R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR61E106KA12 +A	10uF	25	X5R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR61E106MA12 +A	10uF	25	X5R	3225M/1210	2.20	+/-20%	General Purpose
GRM32DR71A106KA01 +A	10uF	10	X7R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR71C106KA01 +A	10uF	16	X7R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR71E106KA12 +A	10uF	25	X7R	3225M/1210	2.20	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM32DR71E475KA61 +A	4.7uF	25	X7R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR72D104KW01	0.1uF	200	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72D224KW01	0.22uF	200	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72E104KW01	0.1uF	250	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72E224KW01	0.22uF	250	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72H104KW10	0.1uF	500	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72J333KW01	33000pF	630	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR72J473KW01	47000pF	630	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR73A153KW01	15000pF	1000	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32DR73A223KW01	22000pF	1000	X7R	3225M/1210	2.00	+/-10%	200V and over/ General Purpose
GRM32E7U2J123JW32	12000pF	630	U2J	3225M/1210	2.70	+/-5%	200V and over/ General Purpose
GRM32E7U2J153JW32	15000pF	630	U2J	3225M/1210	2.70	+/-5%	200V and over/ General Purpose
GRM32EC70G107ME15 +A	100uF	4.0	X7S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC70J107ME15 +A	100uF	6.3	X7S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC80E227ME05 +A	220uF	2.5	X6S	3225M/1210	2.80	+/-20%	General Purpose
GRM32EC80E337ME05 +A	330uF	2.5	X6S	3225M/1210	2.80	+/-20%	General Purpose
GRM32EC80G107KE20 +A	100uF	4.0	X6S	3225M/1210	2.70	+/-10%	General Purpose
GRM32EC80G107ME20 +A	100uF	4.0	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC80G227ME05 +A	220uF	4.0	X6S	3225M/1210	2.80	+/-20%	General Purpose
GRM32EC80J107ME20 +A	100uF	6.3	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC80J476KE64 +A	47uF	6.3	X6S	3225M/1210	2.70	+/-10%	General Purpose
GRM32EC80J476ME64 +A	47uF	6.3	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC81A476KE19 +A	47uF	10	X6S	3225M/1210	2.70	+/-10%	General Purpose
GRM32EC81A476ME19 +A	47uF	10	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC81C476KE15 +A	47uF	16	X6S	3225M/1210	2.70	+/-10%	General Purpose
GRM32EC81C476ME15 +A	47uF	16	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32EC81E226KE15 +A	22uF	25	X6S	3225M/1210	2.70	+/-10%	General Purpose
GRM32EC81E226ME15 +A	22uF	25	X6S	3225M/1210	2.70	+/-20%	General Purpose
GRM32ED70J476KE20 +A	47uF	6.3	X7T	3225M/1210	2.70	+/-10%	General Purpose
GRM32ED70J476ME20 +A	47uF	6.3	X7T	3225M/1210	2.70	+/-20%	General Purpose
GRM32ED71A476KE15 +A	47uF	10	X7T	3225M/1210	2.70	+/-10%	General Purpose
GRM32ED71A476ME15 +A	47uF	10	X7T	3225M/1210	2.70	+/-20%	General Purpose
GRM32EE70G107ME19 +A	100uF	4.0	X7U	3225M/1210	2.70	+/-20%	General Purpose
GRM32EE70J107ME15 +A	100uF	6.3	X7U	3225M/1210	2.70	+/-20%	General Purpose
GRM32EE70J476KE20 +A	47uF	6.3	X7U	3225M/1210	2.70	+/-10%	General Purpose
GRM32EE70J476ME20 +A	47uF	6.3	X7U	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER60E337ME05 +A	330uF	2.5	X5R	3225M/1210	2.80	+/-20%	General Purpose
GRM32ER60G227ME05 +A	220uF	4.0	X5R	3225M/1210	2.80	+/-20%	General Purpose
GRM32ER60G337ME05 +A	330uF	4.0	X5R	3225M/1210	2.80	+/-20%	General Purpose
GRM32ER60J107ME20 +A	100uF	6.3	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER60J227ME05 +A	220uF	6.3	X5R	3225M/1210	2.80	+/-20%	General Purpose
GRM32ER60J476KE64 +A	47uF	6.3	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER60J476ME20 +A	47uF	6.3	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER60J476ME64 +A	47uF	6.3	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61A106KA01 +A	10uF	10	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER61A107ME20 +A	100uF	10	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61A476KE20 +A	47uF	10	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER61A476ME20 +A	47uF	10	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61C226ME20 +A	22uF	16	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61C476KE15 +A	47uF	16	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER61C476ME15 +A	47uF	16	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61E226KE15 +A	22uF	25	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER61E226ME15 +A	22uF	25	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER61H106KA12 +A	10uF	50	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER61H106MA12 +A	10uF	50	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER6YA106KA12 +A	10uF	35	X5R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER6YA106MA12 +A	10uF	35	X5R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER70J476KE20 +A	47uF	6.3	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER70J476ME20 +A	47uF	6.3	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71A226ME20 +A	22uF	10	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71A476KE15 +A	47uF	10	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER71A476ME15 +A	47uF	10	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71C226KEA8 +A	22uF	16	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER71C226MEA8 +A	22uF	16	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71E226ME15 +A	22uF	25	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71H475KA88 +A	4.7uF	50	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER71J106KA12 +A	10uF	63	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER71J106MA12 +A	10uF	63	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER71K475KE14 +A	4.7uF	80	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER71K475ME14 +A	4.7uF	80	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER72A225KA35 +A	2.2uF	100	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER72A225MA35 +A	2.2uF	100	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER7YA106KA12 +A	10uF	35	X7R	3225M/1210	2.70	+/-10%	General Purpose
GRM32ER7YA106MA12 +A	10uF	35	X7R	3225M/1210	2.70	+/-20%	General Purpose
GRM32MR71C225KA01 +A	2.2uF	16	X7R	3225M/1210	1.25	+/-10%	General Purpose
GRM32MR71H104KA01 +A	0.1uF	50	X7R	3225M/1210	1.25	+/-10%	General Purpose
GRM32NC81A226ME19 +A	22uF	10	X6S	3225M/1210	1.50	+/-20%	General Purpose
GRM32NC81C226KE15 +A	22uF	16	X6S	3225M/1210	1.50	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM32NC81C226ME15 +A	22uF	16	X6S	3225M/1210	1.50	+/-20%	General Purpose
GRM32ND70J226ME19 +A	22uF	6.3	X7T	3225M/1210	1.50	+/-20%	General Purpose
GRM32ND71A226KE15 +A	22uF	10	X7T	3225M/1210	1.50	+/-10%	General Purpose
GRM32ND71A226ME15 +A	22uF	10	X7T	3225M/1210	1.50	+/-20%	General Purpose
GRM32NR61A226KE19 +A	22uF	10	X5R	3225M/1210	1.50	+/-10%	General Purpose
GRM32NR61A226ME19 +A	22uF	10	X5R	3225M/1210	1.50	+/-20%	General Purpose
GRM32NR71H154KA01 +0	0.15uF	50	X7R	3225M/1210	1.50	+/-10%	General Purpose
GRM32NR71H684KA01 +A	0.68uF	50	X7R	3225M/1210	1.50	+/-10%	General Purpose
GRM32NR72A104KA01 +0	0.1uF	100	X7R	3225M/1210	1.50	+/-10%	General Purpose
GRM32Q7U2H682JW31	6800pF	500	U2J	3225M/1210	1.50	+/-5%	200V and over/ General Purpose
GRM32Q7U2J682JW31	6800pF	630	U2J	3225M/1210	1.50	+/-5%	200V and over/ General Purpose
GRM32Q7U3A152JW31	1500pF	1000	U2J	3225M/1210	1.50	+/-5%	200V and over/ General Purpose
GRM32QR72D154KW01	0.15uF	200	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR72D683KW01	6800pF	200	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR72E154KW01	0.15uF	250	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR72E683KW01	6800pF	250	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR72H683KW10	6800pF	500	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR72J223KW01	2200pF	630	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR73A103KW01	1000pF	1000	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32QR73A682KW01	6800pF	1000	X7R	3225M/1210	1.50	+/-10%	200V and over/ General Purpose
GRM32RR61C475KA01 +A	4.7uF	16	X5R	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR61E475KA12 +A	4.7uF	25	X5R	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR71C475KA01 +A	4.7uF	16	X7R	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR71E225KA01 +A	2.2uF	25	X7R	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR71H105KA01 +A	1uF	50	X7R	3225M/1210	2.00	+/-10%	General Purpose
GRM42A5C3F050DW01	5pF	3150	COG	4520M/1808	1.00	+/-0.5pF	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F100JW01	10pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F120JW01	12pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F150JW01	15pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F180JW01	18pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F220JW01	22pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F270JW01	27pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F330JW01	33pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F390JW01	39pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A5C3F470JW01	47pF	3150	COG	4520M/1808	1.00	+/-5%	200V and over/ LCD Backlight Inverter Circuit
GRM42A7U3F100JW31	10pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F101JW31	100pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F120JW31	12pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F150JW31	15pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F180JW31	18pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F220JW31	22pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F270JW31	27pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F330JW31	33pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F390JW31	39pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F470JW31	47pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F560JW31	56pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F680JW31	68pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM42A7U3F820JW31	82pF	3150	U2J	4520M/1808	1.00	+/-5%	200V and over/ General Purpose
GRM43D7U2H153JW31	15000pF	500	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U2H183JW31	18000pF	500	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U2H223JW31	22000pF	500	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U2J153JW31	15000pF	630	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U2J183JW31	18000pF	630	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U2J223JW31	22000pF	630	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U3A392JW31	3900pF	1000	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43D7U3A472JW31	4700pF	1000	U2J	4532M/1812	2.00	+/-5%	200V and over/ General Purpose
GRM43DR61E106KA12 +A	10uF	25	X5R	4532M/1812	2.20	+/-10%	General Purpose
GRM43DR72D224KW01	0.22uF	200	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72D334KW01	0.33uF	200	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72D474KW01	0.47uF	200	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72E224KW01	0.22uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72E334KW01	0.33uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72E474KW01	0.47uF	250	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72H224KW10	0.22uF	500	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR72J104KW01	0.1uF	630	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR73A333KW01	33000pF	1000	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43DR73A473KW01	47000pF	1000	X7R	4532M/1812	2.00	+/-10%	200V and over/ General Purpose
GRM43ER61C226ME01 +A	22uF	16	X5R	4532M/1812	2.70	+/-20%	General Purpose
GRM43ER61H475KA88 +A	4.7uF	50	X5R	4532M/1812	2.70	+/-10%	General Purpose
GRM43ER71E475KA01 +A	4.7uF	25	X7R	4532M/1812	2.70	+/-10%	General Purpose
GRM43ER71H225KA01 +A	2.2uF	50	X7R	4532M/1812	2.70	+/-10%	General Purpose
GRM43ER72A225KA01 +A	2.2uF	100	X7R	4532M/1812	2.70	+/-10%	General Purpose
GRM43Q7U2H123JW31	12000pF	500	U2J	4532M/1812	1.50	+/-5%	200V and over/ General Purpose
GRM43Q7U2J123JW31	12000pF	630	U2J	4532M/1812	1.50	+/-5%	200V and over/ General Purpose
GRM43Q7U3A272JW31	2700pF	1000	U2J	4532M/1812	1.50	+/-5%	200V and over/ General Purpose
GRM43Q7U3A332JW31	3300pF	1000	U2J	4532M/1812	1.50	+/-5%	200V and over/ General Purpose
GRM43QR72D154KW01	0.15uF	200	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GRM43QR72E154KW01	0.15uF	250	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM43QR72H154KW10	0.15uF	500	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GRM43QR72J683KW01	68000pF	630	X7R	4532M/1812	1.50	+/-10%	200V and over/ General Purpose
GRM55D7U2H333JW31	33000pF	500	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U2H393JW31	39000pF	500	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U2H473JW31	47000pF	500	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U2J333JW31	33000pF	630	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U2J393JW31	39000pF	630	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U2J473JW31	47000pF	630	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U3A103JW31	10000pF	1000	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55D7U3A822JW31	8200pF	1000	U2J	5750M/2220	2.00	+/-5%	200V and over/ General Purpose
GRM55DR61H106KA88_+A	10uF	50	X5R	5750M/2220	2.20	+/-10%	General Purpose
GRM55DR71E106KA01_+A	10uF	25	X7R	5750M/2220	2.10	+/-10%	General Purpose
GRM55DR72A105KA01_+A	1uF	100	X7R	5750M/2220	2.20	+/-10%	General Purpose
GRM55DR72D105KW01	1uF	200	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72D334KW01	0.33uF	200	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72D474KW01	0.47uF	200	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72D684KW01	0.68uF	200	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72E105KW01	1uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72E334KW01	0.33uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72E474KW01	0.47uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72E684KW01	0.68uF	250	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72H334KW10	0.33uF	500	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72H474KW10	0.47uF	500	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72J154KW01	0.15uF	630	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR72J224KW01	0.22uF	630	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR73A104KW01	0.1uF	1000	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55DR73A683KW01	68000pF	1000	X7R	5750M/2220	2.00	+/-10%	200V and over/ General Purpose
GRM55ER61H475KA01_+A	4.7uF	50	X5R	5750M/2220	2.70	+/-10%	General Purpose
GRM55ER71H475KA01_+A	4.7uF	50	X7R	5750M/2220	2.70	+/-10%	General Purpose
GRM55ER72A475KA01_+A	4.7uF	100	X7R	5750M/2220	2.70	+/-10%	General Purpose
GRM55Q7U2H273JW31	27000pF	500	U2J	5750M/2220	1.50	+/-5%	200V and over/ General Purpose
GRM55Q7U2J273JW31	27000pF	630	U2J	5750M/2220	1.50	+/-5%	200V and over/ General Purpose
GRM55Q7U3A562JW31	5600pF	1000	U2J	5750M/2220	1.50	+/-5%	200V and over/ General Purpose
GRM55Q7U3A682JW31	6800pF	1000	U2J	5750M/2220	1.50	+/-5%	200V and over/ General Purpose
GRM55RR71H105KA01_+A	1uF	50	X7R	5750M/2220	2.00	+/-10%	General Purpose
GRMMDXR60J105ME05_+A	1uF	6.3	X5R	05025M/015008	0.28	+/-20%	Ultra-small
GXM1555C1H100JA02_+A	10pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H101JA02_+A	100pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H102JA02_+A	1000pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H120JA02_+A	12pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H121JA02_+A	120pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H150JA02_+A	15pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H151JA02_+A	150pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H180JA02_+A	18pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H181JA02_+A	180pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H1R0CA02_+A	1pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R1CA02_+A	1.1pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R2CA02_+A	1.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R3CA02_+A	1.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R5CA02_+A	1.5pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R6CA02_+A	1.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H1R8CA02_+A	1.8pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H220JA02_+A	22pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H221JA02_+A	220pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H270JA02_+A	27pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H271JA02_+A	270pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H2R0CA02_+A	2pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H2R2CA02_+A	2.2pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H2R4CA02_+A	2.4pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H2R7CA02_+A	2.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H330JA02_+A	33pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H331JA02_+A	330pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H390JA02_+A	39pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H391JA02_+A	390pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H3R0CA02_+A	3pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H3R3CA02_+A	3.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H3R6CA02_+A	3.6pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H3R9CA02_+A	3.9pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H470JA02_+A	47pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H471JA02_+A	470pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H4R0CA02_+A	4pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H4R3CA02_+A	4.3pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H4R7CA02_+A	4.7pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H560JA02_+A	56pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H561JA02_+A	560pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H5R0CA02_+A	5pF	50	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C1H5R1DA02_+A	5.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H5R6DA02_+A	5.6pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM1555C1H680JA02 +A	68pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H681JA02 +A	680pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H6R0DA02 +A	6pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H6R2DA02 +A	6.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H6R8DA02 +A	6.8pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H7R0DA02 +A	7pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H7R5DA02 +A	7.5pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H820JA02 +A	82pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H821JA02 +A	820pF	50	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C1H8R0DA02 +A	8pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H8R2DA02 +A	8.2pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H9R0DA02 +A	9pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1H9R1DA02 +A	9.1pF	50	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C1HR10WA02 +A	0.1pF	50	COG	1005M/0402	0.55	+/-0.05pF	Water repellent/ General Purpose
GXM1555C1HR20BA02 +A	0.2pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR30BA02 +A	0.3pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR40BA02 +A	0.4pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR50BA02 +A	0.5pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR60BA02 +A	0.6pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR70BA02 +A	0.7pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR80BA02 +A	0.8pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C1HR90BA02 +A	0.9pF	50	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2A100JA02 +A	10pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A101JA02 +A	100pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A120JA02 +A	12pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A150JA02 +A	15pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A180JA02 +A	18pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A1R0CA02 +A	1pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R1CA02 +A	1.1pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R2CA02 +A	1.2pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R3CA02 +A	1.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R5CA02 +A	1.5pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R6CA02 +A	1.6pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A1R8CA02 +A	1.8pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A220JA02 +A	22pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A270JA02 +A	27pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A2R0CA02 +A	2pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A2R2CA02 +A	2.2pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A2R4CA02 +A	2.4pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A2R7CA02 +A	2.7pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A330JA02 +A	33pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A390JA02 +A	39pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A3R0CA02 +A	3pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A3R3CA02 +A	3.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A3R6CA02 +A	3.6pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A3R9CA02 +A	3.9pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A470JA02 +A	47pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A4R0CA02 +A	4pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A4R3CA02 +A	4.3pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A4R7CA02 +A	4.7pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A560JA02 +A	56pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A5R0CA02 +A	5pF	100	COG	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1555C2A5R1DA02 +A	5.1pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A5R6DA02 +A	5.6pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A680JA02 +A	68pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A6R0DA02 +A	6pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A6R2DA02 +A	6.2pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A6R8DA02 +A	6.8pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A7R0DA02 +A	7pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A7R5DA02 +A	7.5pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A820JA02 +A	82pF	100	COG	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1555C2A8R0DA02 +A	8pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A8R2DA02 +A	8.2pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A9R0DA02 +A	9pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2A9R1DA02 +A	9.1pF	100	COG	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1555C2AR10WA02 +A	0.1pF	100	COG	1005M/0402	0.55	+/-0.05pF	Water repellent/ General Purpose
GXM1555C2AR20BA02 +A	0.2pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR30BA02 +A	0.3pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR40BA02 +A	0.4pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR50BA02 +A	0.5pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR60BA02 +A	0.6pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR70BA02 +A	0.7pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR80BA02 +A	0.8pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1555C2AR90BA02 +A	0.9pF	100	COG	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1557U1A122JA02 +A	1200pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A152JA02 +A	1500pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A182JA02 +A	1800pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A222JA02 +A	2200pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM1557U1A272JA02 +A	2700pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A332JA02 +A	3300pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A392JA02 +A	3900pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1557U1A472JA02 +A	4700pF	10	U2J	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM155C70J225KE11 +A	2.2uF	6.3	X7S	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155C70J225ME11 +A	2.2uF	6.3	X7S	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155C71A225KE11 +A	2.2uF	10	X7S	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155C71A225ME11 +A	2.2uF	10	X7S	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155C81A225KE11 +A	2.2uF	10	X6S	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155C81A225ME11 +A	2.2uF	10	X6S	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155C81A225ME44 +A	2.2uF	10	X6S	1005M/0402	0.60	+/-20%	Water repellent/ General Purpose
GXM155C81C105KE11 +A	1uF	16	X6S	1005M/0402	0.60	+/-10%	Water repellent/ General Purpose
GXM155C81C105ME11 +A	1uF	16	X6S	1005M/0402	0.60	+/-20%	Water repellent/ General Purpose
GXM155C81C225KE11 +A	2.2uF	16	X6S	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155C81C225ME11 +A	2.2uF	16	X6S	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155C81E105KE11 +A	1uF	25	X6S	1005M/0402	0.60	+/-10%	Water repellent/ General Purpose
GXM155C81E105ME11 +A	1uF	25	X6S	1005M/0402	0.60	+/-20%	Water repellent/ General Purpose
GXM155R61C105KA10 +A	1uF	16	X5R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R61C105MA10 +A	1uF	16	X5R	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM155R61C225KE11 +A	2.2uF	16	X5R	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155R61C225ME11 +A	2.2uF	16	X5R	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155R61E105KA10 +A	1uF	25	X5R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R61E105MA10 +A	1uF	25	X5R	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM155R61E225KE11 +A	2.2uF	25	X5R	1005M/0402	0.70	+/-10%	Water repellent/ General Purpose
GXM155R61E225ME11 +A	2.2uF	25	X5R	1005M/0402	0.70	+/-20%	Water repellent/ General Purpose
GXM155R6YA105KE11 +A	1uF	35	X5R	1005M/0402	0.60	+/-10%	Water repellent/ General Purpose
GXM155R6YA105ME11 +A	1uF	35	X5R	1005M/0402	0.60	+/-20%	Water repellent/ General Purpose
GXM155R70G105KA10 +A	1uF	4.0	X7R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R70G105MA10 +A	1uF	4.0	X7R	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM155R70J105KA10 +A	1uF	6.3	X7R	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155R70J105MA10 +A	1uF	6.3	X7R	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM1885C1H102JA02 +A	1000pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H103JA02 +A	1000pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H122JA02 +A	1200pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H152JA02 +A	1500pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H182JA02 +A	1800pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H222JA02 +A	2200pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H271JA02 +A	270pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H272JA02 +A	2700pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H331JA02 +A	330pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H332JA02 +A	3300pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H391JA02 +A	390pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H392JA02 +A	3900pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H471JA02 +A	470pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H472JA02 +A	4700pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H561JA02 +A	560pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H562JA02 +A	5600pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H681JA02 +A	680pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H682JA02 +A	6800pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H821JA02 +A	820pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C1H822JA02 +A	8200pF	50	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A102JA02 +A	1000pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A121JA02 +A	120pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A122JA02 +A	1200pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A151JA02 +A	150pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A152JA02 +A	1500pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A181JA02 +A	180pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A221JA02 +A	220pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A271JA02 +A	270pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A331JA02 +A	330pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A391JA02 +A	390pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A471JA02 +A	470pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A561JA02 +A	560pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A681JA02 +A	680pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1885C2A821JA02 +A	820pF	100	C0G	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1A123JA02 +A	1200pF	10	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1A153JA02 +A	15000pF	10	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1A183JA02 +A	18000pF	10	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1A223JA02 +A	22000pF	10	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H103JA02 +A	1000pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H122JA02 +A	1200pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H152JA02 +A	1500pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H182JA02 +A	1800pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H222JA02 +A	2200pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H272JA02 +A	2700pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H332JA02 +A	3300pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H392JA02 +A	3900pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H472JA02 +A	4700pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM1887U1H562JA02 +A	5600pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H682JA02 +A	6800pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1887U1H822JA02 +A	8200pF	50	U2J	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM188C71A475KE11 +A	4.7uF	10	X7S	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188C71A475ME11 +A	4.7uF	10	X7S	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188C71C225KE11 +A	2.2uF	16	X7S	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188C71C225ME11 +A	2.2uF	16	X7S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C71E225KE11 +A	2.2uF	25	X7S	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188C71E225ME11 +A	2.2uF	25	X7S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C80E106ME47 +A	10uF	2.5	X6S	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188C80G106ME47 +A	10uF	4.0	X6S	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188C81A106MA73 +A	10uF	10	X6S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C81C106MA73 +A	10uF	16	X6S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C81C225KA10 +A	2.2uF	16	X6S	1608M/0603	0.90	+/-10%	Water repellent/ General Purpose
GXM188C81C225MA10 +A	2.2uF	16	X6S	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188C81C475KE11 +A	4.7uF	16	X6S	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188C81C475ME11 +A	4.7uF	16	X6S	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188C81E225KE11 +A	2.2uF	25	X6S	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188C81E225ME11 +A	2.2uF	25	X6S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C81E475KE11 +A	4.7uF	25	X6S	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188C81E475ME11 +A	4.7uF	25	X6S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188C8YA225KE11 +A	2.2uF	35	X6S	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188C8YA225ME11 +A	2.2uF	35	X6S	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188D70J106MA73 +A	10uF	6.3	X7T	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188D71A106MA73 +A	10uF	10	X7T	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188R60G106ME47 +A	10uF	4.0	X5R	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188R60J106ME47 +A	10uF	6.3	X5R	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188R61A106KAAL +A	10uF	10	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61A106MAAL +A	10uF	10	X5R	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188R61A106ME69 +A	10uF	10	X5R	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188R61C106KAAL +A	10uF	16	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61C106MAAL +A	10uF	16	X5R	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188R61C475KE11 +A	4.7uF	16	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61C475ME11 +A	4.7uF	16	X5R	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188R61E106MA73 +A	10uF	25	X5R	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188R61E225KA10 +A	2.2uF	25	X5R	1608M/0603	0.90	+/-10%	Water repellent/ General Purpose
GXM188R61E225MA10 +A	2.2uF	25	X5R	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188R61E475KE11 +A	4.7uF	25	X5R	1608M/0603	0.95	+/-10%	Water repellent/ General Purpose
GXM188R61E475ME10 +A	4.7uF	25	X5R	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188R61E475ME11 +A	4.7uF	25	X5R	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188R61H225KE11 +A	2.2uF	50	X5R	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188R61H225ME11 +A	2.2uF	50	X5R	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188R6YA475KE10 +A	4.7uF	35	X5R	1608M/0603	1.00	+/-10%	Water repellent/ General Purpose
GXM188R6YA475ME10 +A	4.7uF	35	X5R	1608M/0603	1.00	+/-20%	Water repellent/ General Purpose
GXM188R71A225KE10 +A	2.2uF	10	X7R	1608M/0603	0.90	+/-10%	Water repellent/ General Purpose
GXM188R71A225ME10 +A	2.2uF	10	X7R	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM2165C1H122JA02 +A	1200pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H152JA02 +A	1500pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H182JA02 +A	1800pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H222JA02 +A	2200pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H272JA02 +A	2700pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H332JA02 +A	3300pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H392JA02 +A	3900pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C1H472JA02 +A	4700pF	50	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A102JA02 +A	1000pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A121JA02 +A	120pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A122JA02 +A	1200pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A151JA02 +A	150pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A152JA02 +A	1500pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A181JA02 +A	180pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A182JA02 +A	1800pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A221JA02 +A	220pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A222JA02 +A	2200pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A271JA02 +A	270pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A272JA02 +A	2700pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A331JA02 +A	330pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A332JA02 +A	3300pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A391JA02 +A	390pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A471JA02 +A	470pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A561JA02 +A	560pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A681JA02 +A	680pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2165C2A821JA02 +A	820pF	100	COG	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2167U1H123JA02 +A	12000pF	50	U2J	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2167U1H153JA02 +A	15000pF	50	U2J	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2167U1H183JA02 +A	18000pF	50	U2J	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2195C1H103JA02 +A	10000pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2195C1H123JA02 +A	12000pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2195C1H153JA02 +A	15000pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM2195C1H562JA02 +A	5600pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2195C1H682JA02 +A	6800pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2195C1H822JA02 +A	8200pF	50	COG	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2197U1A563JA02 +A	56000pF	10	U2J	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2197U1H223JA02 +A	22000pF	50	U2J	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2197U1H273JA02 +A	27000pF	50	U2J	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM219R61C226ME10 +A	22uF	16	X5R	2012M/0805	1.00	+/-20%	Water repellent/ General Purpose
GXM21A7U1H333JA39 +A	33000pF	50	U2J	2012M/0805	1.00	+/-5%	Water repellent/ General Purpose
GXM21B5C1H183JA02 +A	18000pF	50	COG	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B5C1H223JA02 +A	22000pF	50	COG	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B7U1A104JA02 +A	0.1uF	10	U2J	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B7U1A683JA02 +A	68000pF	10	U2J	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B7U1A823JA02 +A	82000pF	10	U2J	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B7U1H393JA02 +A	39000pF	50	U2J	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B7U1H473JA02 +A	47000pF	50	U2J	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21BC71C106KE11 +A	10uF	16	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71C106ME11 +A	10uF	16	X7S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC71E106KE11 +A	10uF	25	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71E106ME11 +A	10uF	25	X7S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC71E475KE11 +A	4.7uF	25	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71E475ME11 +A	4.7uF	25	X7S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC71H475KE11 +A	4.7uF	50	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC71H475ME11 +A	4.7uF	50	X7S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC72A105KE01 +A	1uF	100	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC7YA475KE11 +A	4.7uF	35	X7S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC7YA475ME11 +A	4.7uF	35	X7S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC81A226ME44 +A	22uF	10	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC81C106KA73 +A	10uF	16	X6S	2012M/0805	1.40	+/-10%	Water repellent/ General Purpose
GXM21BC81C106MA73 +A	10uF	16	X6S	2012M/0805	1.40	+/-20%	Water repellent/ General Purpose
GXM21BC81C226ME44 +A	22uF	16	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC81E106KE11 +A	10uF	25	X6S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC81E106ME11 +A	10uF	25	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BC8YA106KE11 +A	10uF	35	X6S	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BC8YA106ME11 +A	10uF	35	X6S	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BD70J226ME44 +A	22uF	6.3	X7T	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BD71A226ME44 +A	22uF	10	X7T	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR61C106KE10 +A	10uF	16	X5R	2012M/0805	1.35	+/-10%	Water repellent/ General Purpose
GXM21BR61C106ME10 +A	10uF	16	X5R	2012M/0805	1.35	+/-20%	Water repellent/ General Purpose
GXM21BR61C226ME44 +A	22uF	16	X5R	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR61E106KA73 +A	10uF	25	X5R	2012M/0805	1.40	+/-10%	Water repellent/ General Purpose
GXM21BR61E106MA73 +A	10uF	25	X5R	2012M/0805	1.40	+/-20%	Water repellent/ General Purpose
GXM21BR61E226ME44 +A	22uF	25	X5R	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM21BR61H475KE50 +A	4.7uF	50	X5R	2012M/0805	1.40	+/-10%	Water repellent/ General Purpose
GXM21BR61H475ME50 +A	4.7uF	50	X5R	2012M/0805	1.40	+/-20%	Water repellent/ General Purpose
GXM21BR6YA106KE43 +A	10uF	35	X5R	2012M/0805	1.45	+/-10%	Water repellent/ General Purpose
GXM21BR6YA106ME43 +A	10uF	35	X5R	2012M/0805	1.45	+/-20%	Water repellent/ General Purpose
GXM31C5C1C124JA02 +A	0.12uF	16	COG	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C5C1E124JA02 +A	0.12uF	25	COG	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C5C1H104JA02 +A	0.1uF	50	COG	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C5C1H683JA02 +A	68000pF	50	COG	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C5C1H823JA02 +A	82000pF	50	COG	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31CC71C226ME11 +A	22uF	16	X7S	3216M/1206	1.90	+/-20%	Water repellent/ General Purpose
GXM31CC81E226ME11 +A	22uF	25	X6S	3216M/1206	1.90	+/-20%	Water repellent/ General Purpose
GXM31CR71H475KA10 +A	4.7uF	50	X7R	3216M/1206	1.80	+/-10%	Water repellent/ General Purpose
GXM31CR71H475MA10 +A	4.7uF	50	X7R	3216M/1206	1.80	+/-20%	Water repellent/ General Purpose
GXM31M5C1H473JA02 +A	47000pF	50	COG	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M5C1H563JA02 +A	56000pF	50	COG	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M7U1H104JA02 +A	0.1uF	50	U2J	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M7U1H683JA02 +A	68000pF	50	U2J	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M7U1H823JA02 +A	82000pF	50	U2J	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM32EC81C476ME10 +A	47uF	16	X6S	3225M/1210	2.70	+/-20%	Water repellent/ General Purpose
GXM32ER71A476ME10 +A	47uF	10	X7R	3225M/1210	2.70	+/-20%	Water repellent/ General Purpose
GXM32ER71E226ME10 +A	22uF	25	X7R	3225M/1210	2.70	+/-20%	Water repellent/ General Purpose
KR355LD72E474KH01	0.47uF	250	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72E684KH01	0.68uF	250	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72J104KH01	0.1uF	630	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72J154KH01	0.15uF	630	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72W224KH01	0.22uF	450	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72W334KH01	0.33uF	450	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355LD72W474KH01	0.47uF	450	X7T	5750M/2220	3.90	+/-10%	Metal Terminal General
KR355QD72E105KH01	1uF	250	X7T	5750M/2220	3.90	+/-10%	Metal Terminal General
KR355QD72J224KH01	0.22uF	630	X7T	5750M/2220	3.90	+/-10%	Metal Terminal General
KR355QD72J274KH01	0.27uF	630	X7T	5750M/2220	3.90	+/-10%	Metal Terminal General
KR355QD72W564KH01	0.56uF	450	X7T	5750M/2220	3.00	+/-10%	Metal Terminal General
KR355TD72E155MH01	1.5uF	250	X7T	5750M/2220	5.00	+/-20%	Metal Terminal General
KR355TD72W105MH01	1uF	450	X7T	5750M/2220	5.00	+/-20%	Metal Terminal General
KR355TD72W684MH01	0.68uF	450	X7T	5750M/2220	5.00	+/-20%	Metal Terminal General
KR355WD72E225MH01	2.2uF	250	X7T	5750M/2220	6.70	+/-20%	Metal Terminal General

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
KR355WD72J474MH01	0.47uF	630	X7T	5750M/2220	6.70	+/-20%	Metal Terminal General
KR355WD72J564MH01	0.56uF	630	X7T	5750M/2220	6.70	+/-20%	Metal Terminal General
KR355WD72W125MH01	1.2uF	450	X7T	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM21ER61C106KFA1	10uF	16	X5R	2012M/0805	1.90	+/-10%	Metal Terminal General
KRM21ER61E106KFA1	10uF	25	X5R	2012M/0805	1.90	+/-10%	Metal Terminal General
KRM21FC71E106KFA1	10uF	25	X7S	2012M/0805	2.00	+/-10%	Metal Terminal General
KRM21FC81E106KFA1	10uF	25	X6S	2012M/0805	2.00	+/-10%	Metal Terminal General
KRM21FR61E226MFA1	22uF	25	X5R	2012M/0805	2.00	+/-20%	Metal Terminal General
KRM31FR61E106KH01	10uF	25	X5R	3216M/1206	2.00	+/-10%	Metal Terminal General
KRM31KC81E106KH01	10uF	25	X6S	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM31KC8YA106KH01	10uF	35	X6S	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM31KR71H225KH01	2.2uF	50	X7R	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM31KR71H475KH01	4.7uF	50	X7R	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM31KR72A105KH01	1uF	100	X7R	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM31KR72A225KH01	2.2uF	100	X7R	3216M/1206	2.90	+/-10%	Metal Terminal General
KRM55LR71E156KH01	15uF	25	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR71H106KH01	10uF	50	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR71H475KH01	4.7uF	50	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR71J475KH01	4.7uF	63	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72A475KH01	4.7uF	100	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72E105KH01	1uF	250	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72E684KH01	0.68uF	250	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72J154KH01	0.15uF	630	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72J224KH01	0.22uF	630	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72W334KH01	0.33uF	450	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR72W474KH01	0.47uF	450	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR73A104KH01	0.1uF	1000	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR73A683KH01	68000pF	1000	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR7YA106KH01	10uF	35	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55LR7YA156KH01	15uF	35	X7R	5750M/2220	3.00	+/-10%	Metal Terminal General
KRM55QC71E476KH13	47uF	25	X7S	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR71E226KH01	22uF	25	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR71E336KH01	33uF	25	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR71H106KH01	10uF	50	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR71H176KH01	17uF	50	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR71J106KH01	10uF	63	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR72A106KH01	10uF	100	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR72A685KH01	6.8uF	100	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR7YA176KH01	17uF	35	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55QR7YA226KH01	22uF	35	X7R	5750M/2220	3.90	+/-10%	Metal Terminal General
KRM55TR71E336MH01	33uF	25	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR71H226MH01	22uF	50	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72A106MH01	10uF	100	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72E155MH01	1.5uF	250	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72E225MH01	2.2uF	250	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72J334MH01	0.33uF	630	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72J474MH01	0.47uF	630	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72W105MH01	1uF	450	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR72W684MH01	0.68uF	450	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR73A154MH01	0.15uF	1000	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR73A224MH01	0.22uF	1000	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR7YA226MH01	22uF	35	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55TR7YA336MH01	33uF	35	X7R	5750M/2220	5.00	+/-20%	Metal Terminal General
KRM55WC71E107MH13	100uF	25	X7S	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR71E476MH01	47uF	25	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR71E686MH01	68uF	25	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR71H226MH01	22uF	50	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR71H336MH01	33uF	50	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR71J226MH01	22uF	63	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR72A156MH01	15uF	100	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR72A226MH01	22uF	100	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR7YA336MH01	33uF	35	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
KRM55WR7YA476MH01	47uF	35	X7R	5750M/2220	6.70	+/-20%	Metal Terminal General
LLL153C70E105ME21 +A0	1uF	2.5	X7S	0510M/0204	0.35	+/-20%	Low ESL
LLL153C70G474ME17 +A0	0.47uF	4.0	X7S	0510M/0204	0.35	+/-20%	Low ESL
LLL153C80G105ME21 +A0	1uF	4.0	X6S	0510M/0204	0.35	+/-20%	Low ESL
LLL153C80J104ME01 +A0	0.1uF	6.3	X6S	0510M/0204	0.35	+/-20%	Low ESL
LLL153C80J224ME14 +A0	0.22uF	6.3	X6S	0510M/0204	0.35	+/-20%	Low ESL
LLL153R61A104ME01 +A0	0.1uF	10	X5R	0510M/0204	0.35	+/-20%	Low ESL
LLL185C70G105ME01 +A0	1uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLL185C70G224MA11 +A0	0.22uF	4.0	X7S	0816M/0306	0.50	+/-20%	Low ESL
LLL185C70G225ME01 +A0	2.2uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLL185C70G474MA01 +A0	0.47uF	4.0	X7S	0816M/0306	0.60	+/-20%	Low ESL
LLL185C70J105ME14 +A0	1uF	6.3	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLL185R71A104MA01 +A0	0.1uF	10	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71A104MA11 +A0	0.1uF	10	X7R	0816M/0306	0.50	+/-20%	Low ESL
LLL185R71A224MA01 +A0	0.22uF	10	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71C103MA01 +A0	10000pF	16	X7R	0816M/0306	0.60	+/-20%	Low ESL

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
LLL185R71C223MA01 +A0	22000pF	16	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71C223MA11 +A0	22000pF	16	X7R	0816M/0306	0.50	+/-20%	Low ESL
LLL185R71C473MA01 +A0	47000pF	16	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71C473MA11 +A0	47000pF	16	X7R	0816M/0306	0.50	+/-20%	Low ESL
LLL185R71E103MA01 +A0	10000pF	25	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71E103MA11 +A0	10000pF	25	X7R	0816M/0306	0.50	+/-20%	Low ESL
LLL185R71E223MA01 +A0	22000pF	25	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71H222MA01 +A0	2200pF	50	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL185R71H472MA01 +A0	4700pF	50	X7R	0816M/0306	0.60	+/-20%	Low ESL
LLL1U4R60G435ME22 +A0	4.3uF	4.0	X5R	0610M/02404	0.45	+/-20%	Low ESL
LLL215C70G105MA11 +A0	1uF	4.0	X7S	1220M/0508	0.50	+/-20%	Low ESL
LLL215R70J474MA11 +A0	0.47uF	6.3	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71A224MA11 +A0	0.22uF	10	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71C104MA11 +A0	0.1uF	16	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71C223MA11 +A0	22000pF	16	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71C473MA11 +A0	47000pF	16	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71E103MA11 +A0	10000pF	25	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71E223MA11 +A0	22000pF	25	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL215R71H103MA11 +A0	10000pF	50	X7R	1220M/0508	0.50	+/-20%	Low ESL
LLL216R71A224MA01 +A0	0.22uF	10	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71C104MA01 +A0	0.1uF	16	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71C473MA01 +A0	47000pF	16	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71E104MA01 +A0	0.1uF	25	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71E223MA01 +A0	22000pF	25	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71E473MA01 +A0	47000pF	25	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71H103MA01 +A0	10000pF	50	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL216R71H223MA01 +A0	22000pF	50	X7R	1220M/0508	0.70	+/-20%	Low ESL
LLL219C70G225MA01 +A0	2.2uF	4.0	X7S	1220M/0508	0.95	+/-20%	Low ESL
LLL219R70J105MA01 +A0	1uF	6.3	X7R	1220M/0508	0.95	+/-20%	Low ESL
LLL219R71A105MA01 +A0	1uF	10	X7R	1220M/0508	0.95	+/-20%	Low ESL
LLL219R71A474MA01 +A0	0.47uF	10	X7R	1220M/0508	0.95	+/-20%	Low ESL
LLL219R71C224MA01 +A0	0.22uF	16	X7R	1220M/0508	0.95	+/-20%	Low ESL
LLL315R71A474MA11 +A0	0.47uF	10	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71C104MA11 +A0	0.1uF	16	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71C223MA11 +A0	22000pF	16	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71C224MA11 +A0	0.22uF	16	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71C473MA11 +A0	47000pF	16	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71E104MA11 +A0	0.1uF	25	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71E223MA11 +A0	22000pF	25	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71E473MA11 +A0	47000pF	25	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71H103MA11 +A0	10000pF	50	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL315R71H223MA11 +A0	22000pF	50	X7R	1632M/0612	0.50	+/-20%	Low ESL
LLL317R70J225MA01 +A0	2.2uF	6.3	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71A105MA01 +A0	1uF	10	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71A474MA01 +A0	0.47uF	10	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71C104MA01 +A0	0.1uF	16	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71C224MA01 +A0	0.22uF	16	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71C474MA01 +A0	0.47uF	16	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71E104MA01 +A0	0.1uF	25	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71E223MA01 +A0	22000pF	25	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71E473MA01 +A0	47000pF	25	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71H103MA01 +A0	10000pF	50	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71H223MA01 +A0	22000pF	50	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL317R71H473MA01 +A0	47000pF	50	X7R	1632M/0612	0.80	+/-20%	Low ESL
LLL31MR60J106ME01 +A0	10uF	6.3	X5R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR70J475MA01 +A0	4.7uF	6.3	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR71A225MA01 +A0	2.2uF	10	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR71C105MA01 +A0	1uF	16	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR71E224MA01 +A0	0.22uF	25	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR71E474MA01 +A0	0.47uF	25	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLL31MR71H104MA01 +A0	0.1uF	50	X7R	1632M/0612	1.25	+/-20%	Low ESL
LLR185C70G105ME01 +A0	1uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLR185C70G105ME03 +A0	1uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLR185C70G105ME05 +A0	1uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
LLR185C70G105ME07 +A0	1uF	4.0	X7S	0816M/0306	0.55	+/-20%	Low ESL
ZRA21CR61E226ME01 +A0	22uF	25	X5R	2012M/0805	1.65	+/-20%	Acoustic noise reduction (interposer)
ZRB155R61E225ME01 +A0	2.2uF	25	X5R	1005M/0402	0.65	+/-20%	Acoustic noise reduction (interposer)
ZRB15XR60J106ME12 +A0	10uF	6.3	X5R	1005M/0402	0.80	+/-20%	Acoustic noise reduction (interposer)
ZRB186R60G226ME11 +A0	22uF	4.0	X5R	1608M/0603	0.80	+/-20%	Acoustic noise reduction (interposer)
ZRB186R60J226ME11 +A0	22uF	6.3	X5R	1608M/0603	0.80	+/-20%	Acoustic noise reduction (interposer)
ZRB186R61E475ME05 +A0	4.7uF	25	X5R	1608M/0603	0.65	+/-20%	Acoustic noise reduction (interposer)
ZRB188R61A226ME05 +A0	22uF	10	X5R	1608M/0603	0.95	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR60J476ME01 +A0	47uF	6.3	X5R	1608M/0603	1.20	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR61E106ME01 +A0	10uF	25	X5R	1608M/0603	1.20	+/-20%	Acoustic noise reduction (interposer)
ZRB18AR6YA475KE05 +A0	4.7uF	35	X5R	1608M/0603	1.20	+/-10%	Acoustic noise reduction (interposer)
ZRB18AR6YA475ME05 +A0	4.7uF	35	X5R	1608M/0603	1.20	+/-20%	Acoustic noise reduction (interposer)

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GC321AD72E103KX01	10000pF	250	X7T	2012M/0805	1.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC321AD72E153KX01	15000pF	250	X7T	2012M/0805	1.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC321BD72E223KX03	22000pF	250	X7T	2012M/0805	1.45	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331AD72E333KX01	33000pF	250	X7T	3216M/1206	1.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331AD72W103KX01	10000pF	450	X7T	3216M/1206	1.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331AD72W153KX01	15000pF	450	X7T	3216M/1206	1.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331BD72E473KX01	47000pF	250	X7T	3216M/1206	1.25	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331BD72J103KX01	10000pF	630	X7T	3216M/1206	1.25	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331BD72W223KX01	22000pF	450	X7T	3216M/1206	1.25	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331BD72W333KX01	33000pF	450	X7T	3216M/1206	1.25	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331CD72E683KX03	68000pF	250	X7T	3216M/1206	1.80	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331CD72J153KX03	15000pF	630	X7T	3216M/1206	1.80	+/-10%	200V and over/ Automotive [AEC-Q200]
GC331CD72W473KX03	47000pF	450	X7T	3216M/1206	1.80	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332DD72E154KX01	0.15uF	250	X7T	3225M/1210	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332DD72J333KX01	33000pF	630	X7T	3225M/1210	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332DD72J473KX01	47000pF	630	X7T	3225M/1210	1.50	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332DD72W104KX01	0.1uF	450	X7T	3225M/1210	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332DD72W683KX01	68000pF	450	X7T	3225M/1210	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332QD72E104KX01	0.1uF	250	X7T	3225M/1210	1.50	+/-10%	200V and over/ Automotive [AEC-Q200]
GC332QD72J223KX01	22000pF	630	X7T	3225M/1210	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC343DD72E334KX01	0.33uF	250	X7T	4532M/1812	1.50	+/-10%	200V and over/ Automotive [AEC-Q200]
GC343DD72J683KX01	68000pF	630	X7T	4532M/1812	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC343DD72W154KX01	0.15uF	450	X7T	4532M/1812	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC343QD72E224KX01	0.22uF	250	X7T	4532M/1812	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72E474KX01	0.47uF	250	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72E684KX01	0.68uF	250	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72J104KX01	0.1uF	630	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72J154KX01	0.15uF	630	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72W224KX01	0.22uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72W334KX01	0.33uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355DD72W474KX01	0.47uF	450	X7T	5750M/2220	2.00	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355XD72E105KX05	1uF	250	X7T	5750M/2220	2.70	+/-10%	200V and over/ Automotive [AEC-Q200]
GC355XD72J224KX05	0.22uF	630	X7T	5750M/2220	2.70	+/-10%	200V and over/ Automotive [AEC-Q200]
GCD188R71E273KA01 +A	27000pF	25	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71E333KA01 +A	33000pF	25	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71E393KA01 +A	39000pF	25	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71E473KA01 +A	47000pF	25	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H102KA01 +C	1000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H103KA01 +A	10000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H122KA01 +C	1200pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H123KA01 +A	12000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H152KA01 +C	1500pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H153KA01 +A	15000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H182KA01 +C	1800pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H183KA01 +A	18000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H222KA01 +C	2200pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H223KA01 +A	22000pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H272KA01 +C	2700pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H332KA01 +C	3300pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H392KA01 +C	3900pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H472KA01 +C	4700pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H562KA01 +A	5600pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H682KA01 +A	6800pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R71H822KA01 +A	8200pF	50	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A102KA01 +C	1000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A103KA01 +A	10000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A122KA01 +C	1200pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A123KA01 +A	12000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A152KA01 +C	1500pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A153KA01 +A	15000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A182KA01 +C	1800pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A183KA01 +A	18000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A222KA01 +C	2200pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A223KA01 +A	22000pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A272KA01 +C	2700pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A332KA01 +C	3300pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A392KA01 +C	3900pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A472KA01 +C	4700pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A562KA01 +A	5600pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A682KA01 +A	6800pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD188R72A822KA01 +A	8200pF	100	X7R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H102KA01 +C	1000pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H122KA01 +C	1200pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H152KA01 +C	1500pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H182KA01 +C	1800pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H222KA01 +C	2200pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H272KA01 +C	2700pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H332KA01 +C	3300pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H392KA01 +C	3900pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H472KA01 +C	4700pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R71H562KA01 +C	5600pF	50	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R72A102KA01 +C	1000pF	100	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCD216R72A122KA01 +C	1200pF	100	X7R	2012M/0805	0.70	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GA342A1XGD100JW31	10pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD120JW31	12pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD150JW31	15pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD180JW31	18pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD220JW31	22pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD270JW31	27pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD330JW31	33pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD390JW31	39pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD470JW31	47pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD560JW31	56pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD680JW31	68pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGD820JW31	82pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF100JW31	10pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF120JW31	12pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF150JW31	15pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF180JW31	18pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF220JW31	22pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF270JW31	27pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF330JW31	33pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF390JW31	39pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF470JW31	47pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF560JW31	56pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF680JW31	68pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GA342A1XGF820JW31	82pF	250	SL	4520M/1808	1.00	+/-5%	Safety Standard Certified
GJ821BB31H105KA12 +A	1uF	50	B	2012M/0805	1.35	+/-10%	Acoustic noise reduction
GJM0222C1C100GB01 +A	10pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C100JB01 +A	10pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C110GB01 +A	11pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C110JB01 +A	11pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C120GB01 +A	12pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C120JB01 +A	12pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C130GB01 +A	13pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C130JB01 +A	13pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C150GB01 +A	15pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C150JB01 +A	15pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C160GB01 +A	16pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C160JB01 +A	16pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C180GB01 +A	18pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C180JB01 +A	18pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C200GB01 +A	20pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C200JB01 +A	20pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C220GB01 +A	22pF	16	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1C220JB01 +A	22pF	16	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1C4R0BB01 +A	4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R0CB01 +A	4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R0WB01 +A	4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R1BB01 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R1CB01 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R1WB01 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R2BB01 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R2CB01 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R2WB01 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R3BB01 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R3CB01 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R3WB01 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R4BB01 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R4CB01 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R4WB01 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R5BB01 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R5CB01 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R5WB01 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R6BB01 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R6CB01 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R6WB01 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R7BB01 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R7CB01 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R7WB01 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R8BB01 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R8CB01 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R8WB01 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C4R9BB01 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C4R9CB01 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C4R9WB01 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R0BB01 +A	5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R0CB01 +A	5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R0WB01 +A	5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R1BB01 +A	5.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R1CB01 +A	5.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R1DB01 +A	5.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R1WB01 +A	5.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1C5R2BB01 +A	5.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R2CB01 +A	5.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R2DB01 +A	5.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R2WB01 +A	5.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R3BB01 +A	5.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R3CB01 +A	5.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R3DB01 +A	5.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R3WB01 +A	5.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R4BB01 +A	5.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R4CB01 +A	5.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R4DB01 +A	5.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R4WB01 +A	5.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R5BB01 +A	5.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R5CB01 +A	5.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R5DB01 +A	5.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R5WB01 +A	5.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R6BB01 +A	5.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R6CB01 +A	5.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R6DB01 +A	5.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R6WB01 +A	5.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R7BB01 +A	5.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R7CB01 +A	5.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R7DB01 +A	5.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R7WB01 +A	5.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R8BB01 +A	5.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R8CB01 +A	5.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R8DB01 +A	5.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R8WB01 +A	5.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C5R9BB01 +A	5.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C5R9CB01 +A	5.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C5R9DB01 +A	5.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C5R9WB01 +A	5.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R0BB01 +A	6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R0CB01 +A	6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R0DB01 +A	6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R0WB01 +A	6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R1BB01 +A	6.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R1CB01 +A	6.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R1DB01 +A	6.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R1WB01 +A	6.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R2BB01 +A	6.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R2CB01 +A	6.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R2DB01 +A	6.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R2WB01 +A	6.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R3BB01 +A	6.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R3CB01 +A	6.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R3DB01 +A	6.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R3WB01 +A	6.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R4BB01 +A	6.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R4CB01 +A	6.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R4DB01 +A	6.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R4WB01 +A	6.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R5BB01 +A	6.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R5CB01 +A	6.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R5DB01 +A	6.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R5WB01 +A	6.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R6BB01 +A	6.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R6CB01 +A	6.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R6DB01 +A	6.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R6WB01 +A	6.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R7BB01 +A	6.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R7CB01 +A	6.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R7DB01 +A	6.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R7WB01 +A	6.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R8BB01 +A	6.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R8CB01 +A	6.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R8DB01 +A	6.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R8WB01 +A	6.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C6R9BB01 +A	6.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C6R9CB01 +A	6.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C6R9DB01 +A	6.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C6R9WB01 +A	6.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R0BB01 +A	7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R0CB01 +A	7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R0DB01 +A	7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R0WB01 +A	7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R1BB01 +A	7.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R1CB01 +A	7.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R1DB01 +A	7.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R1WB01 +A	7.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1C7R2BB01 +A	7.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R2CB01 +A	7.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R2DB01 +A	7.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R2WB01 +A	7.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R3BB01 +A	7.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R3CB01 +A	7.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R3DB01 +A	7.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R3WB01 +A	7.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R4BB01 +A	7.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R4CB01 +A	7.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R4DB01 +A	7.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R4WB01 +A	7.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R5BB01 +A	7.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R5CB01 +A	7.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R5DB01 +A	7.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R5WB01 +A	7.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R6BB01 +A	7.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R6CB01 +A	7.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R6DB01 +A	7.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R6WB01 +A	7.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R7BB01 +A	7.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R7CB01 +A	7.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R7DB01 +A	7.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R7WB01 +A	7.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R8BB01 +A	7.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R8CB01 +A	7.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R8DB01 +A	7.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R8WB01 +A	7.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C7R9BB01 +A	7.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C7R9CB01 +A	7.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C7R9DB01 +A	7.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C7R9WB01 +A	7.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R0BB01 +A	8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R0CB01 +A	8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R0DB01 +A	8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R0WB01 +A	8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R1BB01 +A	8.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R1CB01 +A	8.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R1DB01 +A	8.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R1WB01 +A	8.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R2BB01 +A	8.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R2CB01 +A	8.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R2DB01 +A	8.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R2WB01 +A	8.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R3BB01 +A	8.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R3CB01 +A	8.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R3DB01 +A	8.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R3WB01 +A	8.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R4BB01 +A	8.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R4CB01 +A	8.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R4DB01 +A	8.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R4WB01 +A	8.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R5BB01 +A	8.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R5CB01 +A	8.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R5DB01 +A	8.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R5WB01 +A	8.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R6BB01 +A	8.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R6CB01 +A	8.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R6DB01 +A	8.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R6WB01 +A	8.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R7BB01 +A	8.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R7CB01 +A	8.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R7DB01 +A	8.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R7WB01 +A	8.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R8BB01 +A	8.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R8CB01 +A	8.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R8DB01 +A	8.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R8WB01 +A	8.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C8R9BB01 +A	8.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C8R9CB01 +A	8.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C8R9DB01 +A	8.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C8R9WB01 +A	8.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R0BB01 +A	9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R0CB01 +A	9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R0DB01 +A	9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R0WB01 +A	9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R1BB01 +A	9.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R1CB01 +A	9.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R1DB01 +A	9.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R1WB01 +A	9.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1C9R2BB01 +A	9.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R2CB01 +A	9.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R2DB01 +A	9.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R2WB01 +A	9.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R3BB01 +A	9.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R3CB01 +A	9.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R3DB01 +A	9.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R3WB01 +A	9.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R4BB01 +A	9.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R4CB01 +A	9.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R4DB01 +A	9.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R4WB01 +A	9.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R5BB01 +A	9.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R5CB01 +A	9.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R5DB01 +A	9.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R5WB01 +A	9.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R6BB01 +A	9.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R6CB01 +A	9.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R6DB01 +A	9.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R6WB01 +A	9.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R7BB01 +A	9.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R7CB01 +A	9.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R7DB01 +A	9.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R7WB01 +A	9.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R8BB01 +A	9.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R8CB01 +A	9.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R8DB01 +A	9.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R8WB01 +A	9.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1C9R9BB01 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1C9R9CB01 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1C9R9DB01 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1C9R9WB01 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E100GB01 +A	10pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E100JB01 +A	10pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E110GB01 +A	11pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E110JB01 +A	11pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E120GB01 +A	12pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E120JB01 +A	12pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E130GB01 +A	13pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E130JB01 +A	13pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E150GB01 +A	15pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E150JB01 +A	15pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E160GB01 +A	16pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E160JB01 +A	16pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E180GB01 +A	18pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E180JB01 +A	18pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E200GB01 +A	20pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E200JB01 +A	20pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E220GB01 +A	22pF	25	CH	0402M/01005	0.22	+/-2%	High-Q
GJM0222C1E220JB01 +A	22pF	25	CH	0402M/01005	0.22	+/-5%	High-Q
GJM0222C1E4R0BB01 +A	4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R0CB01 +A	4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R0WB01 +A	4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R1BB01 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R1CB01 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R1WB01 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R2BB01 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R2CB01 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R2WB01 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R3BB01 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R3CB01 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R3WB01 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R4BB01 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R4CB01 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R4WB01 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R5BB01 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R5CB01 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R5WB01 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R6BB01 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R6CB01 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R6WB01 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R7BB01 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R7CB01 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R7WB01 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R8BB01 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R8CB01 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R8WB01 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E4R9BB01 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E4R9CB01 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E4R9WB01 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1E5R0BB01 +A	5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R0CB01 +A	5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R0WB01 +A	5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R1BB01 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R1CB01 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R1DB01 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R1WB01 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R2BB01 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R2CB01 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R2DB01 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R2WB01 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R3BB01 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R3CB01 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R3DB01 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R3WB01 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R4BB01 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R4CB01 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R4DB01 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R4WB01 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R5BB01 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R5CB01 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R5DB01 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R5WB01 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R6BB01 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R6CB01 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R6DB01 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R6WB01 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R7BB01 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R7CB01 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R7DB01 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R7WB01 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R8BB01 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R8CB01 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R8DB01 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R8WB01 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E5R9BB01 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E5R9CB01 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E5R9DB01 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E5R9WB01 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R0BB01 +A	6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R0CB01 +A	6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R0DB01 +A	6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R0WB01 +A	6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R1BB01 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R1CB01 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R1DB01 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R1WB01 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R2BB01 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R2CB01 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R2DB01 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R2WB01 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R3BB01 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R3CB01 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R3DB01 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R3WB01 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R4BB01 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R4CB01 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R4DB01 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R4WB01 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R5BB01 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R5CB01 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R5DB01 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R5WB01 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R6BB01 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R6CB01 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R6DB01 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R6WB01 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R7BB01 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R7CB01 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R7DB01 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R7WB01 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R8BB01 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R8CB01 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R8DB01 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R8WB01 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E6R9BB01 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E6R9CB01 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E6R9DB01 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E6R9WB01 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R0BB01 +A	7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1E7R0CB01 +A	7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R0DB01 +A	7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R0WB01 +A	7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R1BB01 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R1CB01 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R1DB01 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R1WB01 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R2BB01 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R2CB01 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R2DB01 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R2WB01 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R3BB01 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R3CB01 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R3DB01 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R3WB01 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R4BB01 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R4CB01 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R4DB01 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R4WB01 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R5BB01 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R5CB01 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R5DB01 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R5WB01 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R6BB01 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R6CB01 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R6DB01 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R6WB01 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R7BB01 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R7CB01 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R7DB01 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R7WB01 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R8BB01 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R8CB01 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R8DB01 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R8WB01 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E7R9BB01 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E7R9CB01 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E7R9DB01 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E7R9WB01 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R0BB01 +A	8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R0CB01 +A	8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R0DB01 +A	8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R0WB01 +A	8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R1BB01 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R1CB01 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R1DB01 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R1WB01 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R2BB01 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R2CB01 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R2DB01 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R2WB01 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R3BB01 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R3CB01 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R3DB01 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R3WB01 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R4BB01 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R4CB01 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R4DB01 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R4WB01 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R5BB01 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R5CB01 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R5DB01 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R5WB01 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R6BB01 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R6CB01 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R6DB01 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R6WB01 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R7BB01 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R7CB01 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R7DB01 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R7WB01 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R8BB01 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R8CB01 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R8DB01 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R8WB01 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E8R9BB01 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E8R9CB01 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E8R9DB01 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E8R9WB01 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R0BB01 +A	9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0222C1E9R0CB01 +A	9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R0DB01 +A	9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R0WB01 +A	9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R1BB01 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R1CB01 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R1DB01 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R1WB01 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R2BB01 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R2CB01 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R2DB01 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R2WB01 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R3BB01 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R3CB01 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R3DB01 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R3WB01 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R4BB01 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R4CB01 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R4DB01 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R4WB01 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R5BB01 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R5CB01 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R5DB01 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R5WB01 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R6BB01 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R6CB01 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R6DB01 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R6WB01 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R7BB01 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R7CB01 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R7DB01 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R7WB01 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R8BB01 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R8CB01 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R8DB01 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R8WB01 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0222C1E9R9BB01 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0222C1E9R9CB01 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0222C1E9R9DB01 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	High-Q
GJM0222C1E9R9WB01 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R1BB01 +A	2.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R1CB01 +A	2.1pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R1WB01 +A	2.1pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R2BB01 +A	2.2pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R2CB01 +A	2.2pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R2WB01 +A	2.2pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R3BB01 +A	2.3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R3CB01 +A	2.3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R3WB01 +A	2.3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R4BB01 +A	2.4pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R4CB01 +A	2.4pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R4WB01 +A	2.4pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R5BB01 +A	2.5pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R5CB01 +A	2.5pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R5WB01 +A	2.5pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R6BB01 +A	2.6pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R6CB01 +A	2.6pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R6WB01 +A	2.6pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R7BB01 +A	2.7pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R7CB01 +A	2.7pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R7WB01 +A	2.7pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R8BB01 +A	2.8pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R8CB01 +A	2.8pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R8WB01 +A	2.8pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C2R9BB01 +A	2.9pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C2R9CB01 +A	2.9pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C2R9WB01 +A	2.9pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R0BB01 +A	3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R0CB01 +A	3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R0WB01 +A	3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R1BB01 +A	3.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R1CB01 +A	3.1pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R1WB01 +A	3.1pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R2BB01 +A	3.2pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R2CB01 +A	3.2pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R2WB01 +A	3.2pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R3BB01 +A	3.3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R3CB01 +A	3.3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R3WB01 +A	3.3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R4BB01 +A	3.4pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R4CB01 +A	3.4pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0223C1C3R4WB01 +A	3.4pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R5BB01 +A	3.5pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R5CB01 +A	3.5pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R5WB01 +A	3.5pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R6BB01 +A	3.6pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R6CB01 +A	3.6pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R6WB01 +A	3.6pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R7BB01 +A	3.7pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R7CB01 +A	3.7pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R7WB01 +A	3.7pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R8BB01 +A	3.8pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R8CB01 +A	3.8pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R8WB01 +A	3.8pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1C3R9BB01 +A	3.9pF	16	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1C3R9CB01 +A	3.9pF	16	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1C3R9WB01 +A	3.9pF	16	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R1BB01 +A	2.1pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R1CB01 +A	2.1pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R1WB01 +A	2.1pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R2BB01 +A	2.2pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R2CB01 +A	2.2pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R2WB01 +A	2.2pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R3BB01 +A	2.3pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R3CB01 +A	2.3pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R3WB01 +A	2.3pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R4BB01 +A	2.4pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R4CB01 +A	2.4pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R4WB01 +A	2.4pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R5BB01 +A	2.5pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R5CB01 +A	2.5pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R5WB01 +A	2.5pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R6BB01 +A	2.6pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R6CB01 +A	2.6pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R6WB01 +A	2.6pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R7BB01 +A	2.7pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R7CB01 +A	2.7pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R7WB01 +A	2.7pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R8BB01 +A	2.8pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R8CB01 +A	2.8pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R8WB01 +A	2.8pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E2R9BB01 +A	2.9pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E2R9CB01 +A	2.9pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E2R9WB01 +A	2.9pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R0BB01 +A	3pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R0CB01 +A	3pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R0WB01 +A	3pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R1BB01 +A	3.1pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R1CB01 +A	3.1pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R1WB01 +A	3.1pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R2BB01 +A	3.2pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R2CB01 +A	3.2pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R2WB01 +A	3.2pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R3BB01 +A	3.3pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R3CB01 +A	3.3pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R3WB01 +A	3.3pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R4BB01 +A	3.4pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R4CB01 +A	3.4pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R4WB01 +A	3.4pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R5BB01 +A	3.5pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R5CB01 +A	3.5pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R5WB01 +A	3.5pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R6BB01 +A	3.6pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R6CB01 +A	3.6pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R6WB01 +A	3.6pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R7BB01 +A	3.7pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R7CB01 +A	3.7pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R7WB01 +A	3.7pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R8BB01 +A	3.8pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R8CB01 +A	3.8pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R8WB01 +A	3.8pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0223C1E3R9BB01 +A	3.9pF	25	CJ	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0223C1E3R9CB01 +A	3.9pF	25	CJ	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0223C1E3R9WB01 +A	3.9pF	25	CJ	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R0BB01 +A	1pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R0CB01 +A	1pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R0WB01 +A	1pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R1BB01 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R1CB01 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R1WB01 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R2BB01 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0224C1C1R2CB01 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R2WB01 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R3BB01 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R3CB01 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R3WB01 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R4BB01 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R4CB01 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R4WB01 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R5BB01 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R5CB01 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R5WB01 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R6BB01 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R6CB01 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R6WB01 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R7BB01 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R7CB01 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R7WB01 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R8BB01 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R8CB01 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R8WB01 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C1R9BB01 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C1R9CB01 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C1R9WB01 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1C2R0BB01 +A	2pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1C2R0CB01 +A	2pF	16	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1C2R0WB01 +A	2pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR20BB01 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR20WB01 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR30BB01 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR30WB01 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR40BB01 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR40WB01 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR50BB01 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR50WB01 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR60BB01 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR60WB01 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR70BB01 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR70WB01 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR80BB01 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR80WB01 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1CR90BB01 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1CR90WB01 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R0BB01 +A	1pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R0CB01 +A	1pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R0WB01 +A	1pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R1BB01 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R1CB01 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R1WB01 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R2BB01 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R2CB01 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R2WB01 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R3BB01 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R3CB01 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R3WB01 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R4BB01 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R4CB01 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R4WB01 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R5BB01 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R5CB01 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R5WB01 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R6BB01 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R6CB01 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R6WB01 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R7BB01 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R7CB01 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R7WB01 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R8BB01 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R8CB01 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R8WB01 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E1R9BB01 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E1R9CB01 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E1R9WB01 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1E2R0BB01 +A	2pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1E2R0CB01 +A	2pF	25	CK	0402M/01005	0.22	+/-0.25pF	High-Q
GJM0224C1E2R0WB01 +A	2pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER20BB01 +A	0.2pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER20WB01 +A	0.2pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER30BB01 +A	0.3pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER30WB01 +A	0.3pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER40BB01 +A	0.4pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0224C1ER40WB01 +A	0.4pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER50BB01 +A	0.5pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER50WB01 +A	0.5pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER60BB01 +A	0.6pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER60WB01 +A	0.6pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER70BB01 +A	0.7pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER70WB01 +A	0.7pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER80BB01 +A	0.8pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER80WB01 +A	0.8pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0224C1ER90BB01 +A	0.9pF	25	CK	0402M/01005	0.22	+/-0.1pF	High-Q
GJM0224C1ER90WB01 +A	0.9pF	25	CK	0402M/01005	0.22	+/-0.05pF	High-Q
GJM0332C0J220GB01 +A	22pF	6.3	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C0J220JB01 +A	22pF	6.3	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C0J240GB01 +A	24pF	6.3	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C0J240JB01 +A	24pF	6.3	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C0J270GB01 +A	27pF	6.3	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C0J270JB01 +A	27pF	6.3	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C0J300GB01 +A	30pF	6.3	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C0J300JB01 +A	30pF	6.3	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C0J330GB01 +A	33pF	6.3	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C0J330JB01 +A	33pF	6.3	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E100GB01 +A	10pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E100JB01 +A	10pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E110GB01 +A	11pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E110JB01 +A	11pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E120GB01 +A	12pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E120JB01 +A	12pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E130GB01 +A	13pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E130JB01 +A	13pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E150GB01 +A	15pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E150JB01 +A	15pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E160GB01 +A	16pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E160JB01 +A	16pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E180GB01 +A	18pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E180JB01 +A	18pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E200GB01 +A	20pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E200JB01 +A	20pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E220GB01 +A	22pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E220JB01 +A	22pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E240GB01 +A	24pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E240JB01 +A	24pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E270GB01 +A	27pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E270JB01 +A	27pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E300GB01 +A	30pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E300JB01 +A	30pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E330GB01 +A	33pF	25	CH	0603M/0201	0.33	+/-2%	High-Q
GJM0332C1E330JB01 +A	33pF	25	CH	0603M/0201	0.33	+/-5%	High-Q
GJM0332C1E4R0BB01 +A	4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R0CB01 +A	4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R0WB01 +A	4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R1BB01 +A	4.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R1CB01 +A	4.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R1WB01 +A	4.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R2BB01 +A	4.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R2CB01 +A	4.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R2WB01 +A	4.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R3BB01 +A	4.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R3CB01 +A	4.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R3WB01 +A	4.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R4BB01 +A	4.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R4CB01 +A	4.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R4WB01 +A	4.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R5BB01 +A	4.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R5CB01 +A	4.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R5WB01 +A	4.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R6BB01 +A	4.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R6CB01 +A	4.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R6WB01 +A	4.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R7BB01 +A	4.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R7CB01 +A	4.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R7WB01 +A	4.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R8BB01 +A	4.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R8CB01 +A	4.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R8WB01 +A	4.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E4R9BB01 +A	4.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E4R9CB01 +A	4.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E4R9WB01 +A	4.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R0BB01 +A	5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R0CB01 +A	5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R0WB01 +A	5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0332C1E5R1BB01 +A	5.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R1CB01 +A	5.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R1DB01 +A	5.1pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R1WB01 +A	5.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R2BB01 +A	5.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R2CB01 +A	5.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R2DB01 +A	5.2pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R2WB01 +A	5.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R3BB01 +A	5.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R3CB01 +A	5.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R3DB01 +A	5.3pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R3WB01 +A	5.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R4BB01 +A	5.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R4CB01 +A	5.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R4DB01 +A	5.4pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R4WB01 +A	5.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R5BB01 +A	5.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R5CB01 +A	5.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R5DB01 +A	5.5pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R5WB01 +A	5.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R6BB01 +A	5.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R6CB01 +A	5.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R6DB01 +A	5.6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R6WB01 +A	5.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R7BB01 +A	5.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R7CB01 +A	5.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R7DB01 +A	5.7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R7WB01 +A	5.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R8BB01 +A	5.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R8CB01 +A	5.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R8DB01 +A	5.8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R8WB01 +A	5.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E5R9BB01 +A	5.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E5R9CB01 +A	5.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E5R9DB01 +A	5.9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E5R9WB01 +A	5.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R0BB01 +A	6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R0CB01 +A	6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R0DB01 +A	6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R0WB01 +A	6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R1BB01 +A	6.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R1CB01 +A	6.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R1DB01 +A	6.1pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R1WB01 +A	6.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R2BB01 +A	6.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R2CB01 +A	6.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R2DB01 +A	6.2pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R2WB01 +A	6.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R3BB01 +A	6.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R3CB01 +A	6.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R3DB01 +A	6.3pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R3WB01 +A	6.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R4BB01 +A	6.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R4CB01 +A	6.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R4DB01 +A	6.4pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R4WB01 +A	6.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R5BB01 +A	6.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R5CB01 +A	6.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R5DB01 +A	6.5pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R5WB01 +A	6.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R6BB01 +A	6.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R6CB01 +A	6.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R6DB01 +A	6.6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R6WB01 +A	6.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R7BB01 +A	6.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R7CB01 +A	6.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R7DB01 +A	6.7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R7WB01 +A	6.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R8BB01 +A	6.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R8CB01 +A	6.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R8DB01 +A	6.8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R8WB01 +A	6.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E6R9BB01 +A	6.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E6R9CB01 +A	6.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E6R9DB01 +A	6.9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E6R9WB01 +A	6.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R0BB01 +A	7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R0CB01 +A	7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R0DB01 +A	7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R0WB01 +A	7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0332C1E7R1BB01 +A	7.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R1CB01 +A	7.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R1DB01 +A	7.1pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R1WB01 +A	7.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R2BB01 +A	7.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R2CB01 +A	7.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R2DB01 +A	7.2pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R2WB01 +A	7.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R3BB01 +A	7.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R3CB01 +A	7.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R3DB01 +A	7.3pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R3WB01 +A	7.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R4BB01 +A	7.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R4CB01 +A	7.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R4DB01 +A	7.4pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R4WB01 +A	7.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R5BB01 +A	7.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R5CB01 +A	7.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R5DB01 +A	7.5pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R5WB01 +A	7.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R6BB01 +A	7.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R6CB01 +A	7.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R6DB01 +A	7.6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R6WB01 +A	7.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R7BB01 +A	7.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R7CB01 +A	7.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R7DB01 +A	7.7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R7WB01 +A	7.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R8BB01 +A	7.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R8CB01 +A	7.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R8DB01 +A	7.8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R8WB01 +A	7.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E7R9BB01 +A	7.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E7R9CB01 +A	7.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E7R9DB01 +A	7.9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E7R9WB01 +A	7.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R0BB01 +A	8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R0CB01 +A	8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R0DB01 +A	8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R0WB01 +A	8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R1BB01 +A	8.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R1CB01 +A	8.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R1DB01 +A	8.1pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R1WB01 +A	8.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R2BB01 +A	8.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R2CB01 +A	8.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R2DB01 +A	8.2pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R2WB01 +A	8.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R3BB01 +A	8.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R3CB01 +A	8.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R3DB01 +A	8.3pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R3WB01 +A	8.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R4BB01 +A	8.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R4CB01 +A	8.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R4DB01 +A	8.4pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R4WB01 +A	8.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R5BB01 +A	8.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R5CB01 +A	8.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R5DB01 +A	8.5pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R5WB01 +A	8.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R6BB01 +A	8.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R6CB01 +A	8.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R6DB01 +A	8.6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R6WB01 +A	8.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R7BB01 +A	8.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R7CB01 +A	8.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R7DB01 +A	8.7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R7WB01 +A	8.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R8BB01 +A	8.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R8CB01 +A	8.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R8DB01 +A	8.8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R8WB01 +A	8.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E8R9BB01 +A	8.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E8R9CB01 +A	8.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E8R9DB01 +A	8.9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E8R9WB01 +A	8.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R0BB01 +A	9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R0CB01 +A	9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R0DB01 +A	9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R0WB01 +A	9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0332C1E9R1BB01 +A	9.1pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R1CB01 +A	9.1pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R1DB01 +A	9.1pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R1WB01 +A	9.1pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R2BB01 +A	9.2pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R2CB01 +A	9.2pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R2DB01 +A	9.2pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R2WB01 +A	9.2pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R3BB01 +A	9.3pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R3CB01 +A	9.3pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R3DB01 +A	9.3pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R3WB01 +A	9.3pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R4BB01 +A	9.4pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R4CB01 +A	9.4pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R4DB01 +A	9.4pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R4WB01 +A	9.4pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R5BB01 +A	9.5pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R5CB01 +A	9.5pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R5DB01 +A	9.5pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R5WB01 +A	9.5pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R6BB01 +A	9.6pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R6CB01 +A	9.6pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R6DB01 +A	9.6pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R6WB01 +A	9.6pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R7BB01 +A	9.7pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R7CB01 +A	9.7pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R7DB01 +A	9.7pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R7WB01 +A	9.7pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R8BB01 +A	9.8pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R8CB01 +A	9.8pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R8DB01 +A	9.8pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R8WB01 +A	9.8pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C1E9R9BB01 +A	9.9pF	25	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C1E9R9CB01 +A	9.9pF	25	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C1E9R9DB01 +A	9.9pF	25	CH	0603M/0201	0.33	+/-0.5pF	High-Q
GJM0332C1E9R9WB01 +A	9.9pF	25	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R0BB01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R0CB01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R0WB01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R1BB01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R1CB01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R1WB01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R2BB01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R2CB01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R2WB01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R3BB01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R3CB01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R3WB01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R4BB01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R4CB01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R4WB01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R5BB01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R5CB01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R5WB01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R6BB01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R6CB01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R6WB01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R7BB01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R7CB01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R7WB01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R8BB01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R8CB01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R8WB01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A4R9BB01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A4R9CB01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A4R9WB01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0332C2A5R0BB01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0332C2A5R0CB01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0332C2A5R0WB01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R1BB01 +A	2.1pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R1CB01 +A	2.1pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R1WB01 +A	2.1pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R2BB01 +A	2.2pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R2CB01 +A	2.2pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R2WB01 +A	2.2pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R3BB01 +A	2.3pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R3CB01 +A	2.3pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R3WB01 +A	2.3pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R4BB01 +A	2.4pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R4CB01 +A	2.4pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0333C1E2R4WB01 +A	2.4pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R5BB01 +A	2.5pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R5CB01 +A	2.5pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R5WB01 +A	2.5pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R6BB01 +A	2.6pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R6CB01 +A	2.6pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R6WB01 +A	2.6pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R7BB01 +A	2.7pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R7CB01 +A	2.7pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R7WB01 +A	2.7pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R8BB01 +A	2.8pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R8CB01 +A	2.8pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R8WB01 +A	2.8pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E2R9BB01 +A	2.9pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E2R9CB01 +A	2.9pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E2R9WB01 +A	2.9pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R0BB01 +A	3pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R0CB01 +A	3pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R0WB01 +A	3pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R1BB01 +A	3.1pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R1CB01 +A	3.1pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R1WB01 +A	3.1pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R2BB01 +A	3.2pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R2CB01 +A	3.2pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R2WB01 +A	3.2pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R3BB01 +A	3.3pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R3CB01 +A	3.3pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R3WB01 +A	3.3pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R4BB01 +A	3.4pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R4CB01 +A	3.4pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R4WB01 +A	3.4pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R5BB01 +A	3.5pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R5CB01 +A	3.5pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R5WB01 +A	3.5pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R6BB01 +A	3.6pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R6CB01 +A	3.6pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R6WB01 +A	3.6pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R7BB01 +A	3.7pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R7CB01 +A	3.7pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R7WB01 +A	3.7pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R8BB01 +A	3.8pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R8CB01 +A	3.8pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R8WB01 +A	3.8pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1E3R9BB01 +A	3.9pF	25	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1E3R9CB01 +A	3.9pF	25	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C1E3R9WB01 +A	3.9pF	25	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C1H2R2BB01 +A	2.2pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H2R4BB01 +A	2.4pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H2R7BB01 +A	2.7pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H3R0BB01 +A	3pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H3R3BB01 +A	3.3pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H3R6BB01 +A	3.6pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C1H3R9BB01 +A	3.9pF	50	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R1BB01 +A	2.1pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R1CB01 +A	2.1pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R1WB01 +A	2.1pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R2BB01 +A	2.2pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R2CB01 +A	2.2pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R2WB01 +A	2.2pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R3BB01 +A	2.3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R3CB01 +A	2.3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R3WB01 +A	2.3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R4BB01 +A	2.4pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R4CB01 +A	2.4pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R4WB01 +A	2.4pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R5BB01 +A	2.5pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R5CB01 +A	2.5pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R5WB01 +A	2.5pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R6BB01 +A	2.6pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R6CB01 +A	2.6pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R6WB01 +A	2.6pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R7BB01 +A	2.7pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R7CB01 +A	2.7pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R7WB01 +A	2.7pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R8BB01 +A	2.8pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R8CB01 +A	2.8pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R8WB01 +A	2.8pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A2R9BB01 +A	2.9pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A2R9CB01 +A	2.9pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A2R9WB01 +A	2.9pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0333C2A3R0BB01 +A	3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R0CB01 +A	3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R0WB01 +A	3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R1BB01 +A	3.1pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R1CB01 +A	3.1pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R1WB01 +A	3.1pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R2BB01 +A	3.2pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R2CB01 +A	3.2pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R2WB01 +A	3.2pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R3BB01 +A	3.3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R3CB01 +A	3.3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R3WB01 +A	3.3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R4BB01 +A	3.4pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R4CB01 +A	3.4pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R4WB01 +A	3.4pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R5BB01 +A	3.5pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R5CB01 +A	3.5pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R5WB01 +A	3.5pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R6BB01 +A	3.6pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R6CB01 +A	3.6pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R6WB01 +A	3.6pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R7BB01 +A	3.7pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R7CB01 +A	3.7pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R7WB01 +A	3.7pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R8BB01 +A	3.8pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R8CB01 +A	3.8pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R8WB01 +A	3.8pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0333C2A3R9BB01 +A	3.9pF	100	CJ	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0333C2A3R9CB01 +A	3.9pF	100	CJ	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0333C2A3R9WB01 +A	3.9pF	100	CJ	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R0BB01 +A	1pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R0CB01 +A	1pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R0WB01 +A	1pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R1BB01 +A	1.1pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R1CB01 +A	1.1pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R1WB01 +A	1.1pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R2BB01 +A	1.2pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R2CB01 +A	1.2pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R2WB01 +A	1.2pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R3BB01 +A	1.3pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R3CB01 +A	1.3pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R3WB01 +A	1.3pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R4BB01 +A	1.4pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R4CB01 +A	1.4pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R4WB01 +A	1.4pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R5BB01 +A	1.5pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R5CB01 +A	1.5pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R5WB01 +A	1.5pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R6BB01 +A	1.6pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R6CB01 +A	1.6pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R6WB01 +A	1.6pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R7BB01 +A	1.7pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R7CB01 +A	1.7pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R7WB01 +A	1.7pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R8BB01 +A	1.8pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R8CB01 +A	1.8pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R8WB01 +A	1.8pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E1R9BB01 +A	1.9pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E1R9CB01 +A	1.9pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E1R9WB01 +A	1.9pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1E2R0BB01 +A	2pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1E2R0CB01 +A	2pF	25	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C1E2R0WB01 +A	2pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER20BB01 +A	0.2pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER20WB01 +A	0.2pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER30BB01 +A	0.3pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER30WB01 +A	0.3pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER40BB01 +A	0.4pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER40WB01 +A	0.4pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER50BB01 +A	0.5pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER50WB01 +A	0.5pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER60BB01 +A	0.6pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER60WB01 +A	0.6pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER70BB01 +A	0.7pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER70WB01 +A	0.7pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER80BB01 +A	0.8pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER80WB01 +A	0.8pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1ER90BB01 +A	0.9pF	25	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1ER90WB01 +A	0.9pF	25	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1H1R0BB01 +A	1pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM0334C1H1R1BB01 +A	1.1pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H1R2BB01 +A	1.2pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H1R3BB01 +A	1.3pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H1R5BB01 +A	1.5pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H1R6BB01 +A	1.6pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H1R8BB01 +A	1.8pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1H2R0BB01 +A	2pF	50	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C1HR20WB01 +A	0.2pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR30WB01 +A	0.3pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR40WB01 +A	0.4pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR50WB01 +A	0.5pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR60WB01 +A	0.6pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR70WB01 +A	0.7pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR80WB01 +A	0.8pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C1HR90WB01 +A	0.9pF	50	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R0BB01 +A	1pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R0CB01 +A	1pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R0WB01 +A	1pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R1BB01 +A	1.1pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R1CB01 +A	1.1pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R1WB01 +A	1.1pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R2BB01 +A	1.2pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R2CB01 +A	1.2pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R2WB01 +A	1.2pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R3BB01 +A	1.3pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R3CB01 +A	1.3pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R3WB01 +A	1.3pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R4BB01 +A	1.4pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R4CB01 +A	1.4pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R4WB01 +A	1.4pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R5BB01 +A	1.5pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R5CB01 +A	1.5pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R5WB01 +A	1.5pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R6BB01 +A	1.6pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R6CB01 +A	1.6pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R6WB01 +A	1.6pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R7BB01 +A	1.7pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R7CB01 +A	1.7pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R7WB01 +A	1.7pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R8BB01 +A	1.8pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R8CB01 +A	1.8pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R8WB01 +A	1.8pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A1R9BB01 +A	1.9pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A1R9CB01 +A	1.9pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A1R9WB01 +A	1.9pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2A2R0BB01 +A	2pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2A2R0CB01 +A	2pF	100	CK	0603M/0201	0.33	+/-0.25pF	High-Q
GJM0334C2A2R0WB01 +A	2pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR30BB01 +A	0.3pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR30WB01 +A	0.3pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR40BB01 +A	0.4pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR40WB01 +A	0.4pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR50BB01 +A	0.5pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR50WB01 +A	0.5pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR60BB01 +A	0.6pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR60WB01 +A	0.6pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR70BB01 +A	0.7pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR70WB01 +A	0.7pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR80BB01 +A	0.8pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR80WB01 +A	0.8pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM0334C2AR90BB01 +A	0.9pF	100	CK	0603M/0201	0.33	+/-0.1pF	High-Q
GJM0334C2AR90WB01 +A	0.9pF	100	CK	0603M/0201	0.33	+/-0.05pF	High-Q
GJM1551C1H100FB01 +A	10pF	50	CG	1005M/0402	0.55	+/-1%	High-Q
GJM1551C1H100GB01 +A	10pF	50	CG	1005M/0402	0.55	+/-2%	High-Q
GJM1551C1H100JB01 +A	10pF	50	CG	1005M/0402	0.55	+/-5%	High-Q
GJM1551C1H120FB01 +A	12pF	50	CG	1005M/0402	0.55	+/-1%	High-Q
GJM1551C1H120GB01 +A	12pF	50	CG	1005M/0402	0.55	+/-2%	High-Q
GJM1551C1H120JB01 +A	12pF	50	CG	1005M/0402	0.55	+/-5%	High-Q
GJM1551C1H150FB01 +A	15pF	50	CG	1005M/0402	0.55	+/-1%	High-Q
GJM1551C1H150GB01 +A	15pF	50	CG	1005M/0402	0.55	+/-2%	High-Q
GJM1551C1H150JB01 +A	15pF	50	CG	1005M/0402	0.55	+/-5%	High-Q
GJM1551C1H180FB01 +A	18pF	50	CG	1005M/0402	0.55	+/-1%	High-Q
GJM1551C1H180GB01 +A	18pF	50	CG	1005M/0402	0.55	+/-2%	High-Q
GJM1551C1H180JB01 +A	18pF	50	CG	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H100FB01 +A	10pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H100GB01 +A	10pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H100JB01 +A	10pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H110GB01 +A	11pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H110JB01 +A	11pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H120FB01 +A	12pF	50	CH	1005M/0402	0.55	+/-1%	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1552C1H120GB01 +A	12pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H120JB01 +A	12pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H130GB01 +A	13pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H130JB01 +A	13pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H150FB01 +A	15pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H150GB01 +A	15pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H150JB01 +A	15pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H160GB01 +A	16pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H160JB01 +A	16pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H180FB01 +A	18pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H180GB01 +A	18pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H180JB01 +A	18pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R1BB01 +A	1.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R1CB01 +A	1.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R1JB01 +A	1.1pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R1WB01 +A	1.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H1R2BB01 +A	1.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R2CB01 +A	1.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R2JB01 +A	1.2pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R2WB01 +A	1.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H1R3BB01 +A	1.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R3CB01 +A	1.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R3JB01 +A	1.3pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R3WB01 +A	1.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H1R5BB01 +A	1.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R5CB01 +A	1.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R5JB01 +A	1.5pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R5WB01 +A	1.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H1R6BB01 +A	1.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R6CB01 +A	1.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R6JB01 +A	1.6pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R6WB01 +A	1.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H1R8BB01 +A	1.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H1R8CB01 +A	1.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H1R8JB01 +A	1.8pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H1R8WB01 +A	1.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H200GB01 +A	20pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H200JB01 +A	20pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H220FB01 +A	22pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H220GB01 +A	22pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H220JB01 +A	22pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H240FB01 +A	24pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H240GB01 +A	24pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H240JB01 +A	24pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H270FB01 +A	27pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H270GB01 +A	27pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H270JB01 +A	27pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H2R0BB01 +A	2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H2R0CB01 +A	2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H2R0GB01 +A	2pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H2R0WB01 +A	2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H2R2BB01 +A	2.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H2R2CB01 +A	2.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H2R2GB01 +A	2.2pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H2R2WB01 +A	2.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H2R4BB01 +A	2.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H2R4CB01 +A	2.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H2R4GB01 +A	2.4pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H2R4WB01 +A	2.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H2R7BB01 +A	2.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H2R7CB01 +A	2.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H2R7GB01 +A	2.7pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H2R7WB01 +A	2.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H300FB01 +A	30pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H300GB01 +A	30pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H300JB01 +A	30pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H330FB01 +A	33pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H330GB01 +A	33pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H330JB01 +A	33pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H360FB01 +A	36pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H360GB01 +A	36pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H360JB01 +A	36pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H390FB01 +A	39pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H390GB01 +A	39pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H390JB01 +A	39pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H3R0BB01 +A	3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H3R0CB01 +A	3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H3R0GB01 +A	3pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H3R0WB01 +A	3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H3R3BB01 +A	3.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1552C1H3R3CB01 +A	3.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H3R3GB01 +A	3.3pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H3R3WB01 +A	3.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H3R6BB01 +A	3.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H3R6CB01 +A	3.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H3R6GB01 +A	3.6pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H3R6WB01 +A	3.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H3R9BB01 +A	3.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H3R9CB01 +A	3.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H3R9GB01 +A	3.9pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H3R9WB01 +A	3.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H430FB01 +A	43pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H430GB01 +A	43pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H430JB01 +A	43pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H470FB01 +A	47pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H470GB01 +A	47pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H470JB01 +A	47pF	50	CH	1005M/0402	0.55	+/-5%	High-Q
GJM1552C1H4R0BB01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R0CB01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R0WB01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R1BB01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R1CB01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R1WB01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R2BB01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R2CB01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R2WB01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R3BB01 +A	4.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R3CB01 +A	4.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R3GB01 +A	4.3pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H4R3WB01 +A	4.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R4BB01 +A	4.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R4CB01 +A	4.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R4WB01 +A	4.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R5BB01 +A	4.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R5CB01 +A	4.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R5WB01 +A	4.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R6BB01 +A	4.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R6CB01 +A	4.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R6WB01 +A	4.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R7BB01 +A	4.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R7CB01 +A	4.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R7GB01 +A	4.7pF	50	CH	1005M/0402	0.55	+/-2%	High-Q
GJM1552C1H4R7WB01 +A	4.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R8BB01 +A	4.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R8CB01 +A	4.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R8WB01 +A	4.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H4R9BB01 +A	4.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H4R9CB01 +A	4.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H4R9WB01 +A	4.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R0BB01 +A	5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R0CB01 +A	5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R0WB01 +A	5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R1BB01 +A	5.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R1CB01 +A	5.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R1DB01 +A	5.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R1FB01 +A	5.1pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H5R1WB01 +A	5.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R2BB01 +A	5.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R2CB01 +A	5.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R2DB01 +A	5.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R2WB01 +A	5.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R3BB01 +A	5.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R3CB01 +A	5.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R3DB01 +A	5.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R3WB01 +A	5.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R4BB01 +A	5.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R4CB01 +A	5.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R4DB01 +A	5.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R4WB01 +A	5.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R5BB01 +A	5.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R5CB01 +A	5.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R5DB01 +A	5.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R5WB01 +A	5.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R6BB01 +A	5.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R6CB01 +A	5.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R6DB01 +A	5.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R6FB01 +A	5.6pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H5R6WB01 +A	5.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R7BB01 +A	5.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R7CB01 +A	5.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1552C1H5R7DB01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R7WB01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R8BB01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R8CB01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R8DB01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R8WB01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H5R9BB01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H5R9CB01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H5R9DB01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H5R9WB01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R0BB01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R0CB01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R0DB01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R0WB01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R1BB01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R1CB01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R1DB01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R1WB01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R2BB01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R2CB01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R2DB01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R2FB01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H6R2WB01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R3BB01	+A 6.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R3CB01	+A 6.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R3DB01	+A 6.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R3WB01	+A 6.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R4BB01	+A 6.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R4CB01	+A 6.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R4DB01	+A 6.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R4WB01	+A 6.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R5BB01	+A 6.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R5CB01	+A 6.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R5DB01	+A 6.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R5WB01	+A 6.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R6BB01	+A 6.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R6CB01	+A 6.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R6DB01	+A 6.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R6WB01	+A 6.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R7BB01	+A 6.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R7CB01	+A 6.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R7DB01	+A 6.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R7WB01	+A 6.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R8BB01	+A 6.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R8CB01	+A 6.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R8DB01	+A 6.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R8FB01	+A 6.8pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H6R8WB01	+A 6.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H6R9BB01	+A 6.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H6R9CB01	+A 6.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H6R9DB01	+A 6.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H6R9WB01	+A 6.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R0BB01	+A 7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R0CB01	+A 7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R0DB01	+A 7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R0WB01	+A 7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R1BB01	+A 7.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R1CB01	+A 7.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R1DB01	+A 7.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R1WB01	+A 7.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R2BB01	+A 7.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R2CB01	+A 7.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R2DB01	+A 7.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R2WB01	+A 7.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R3BB01	+A 7.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R3CB01	+A 7.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R3DB01	+A 7.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R3WB01	+A 7.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R4BB01	+A 7.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R4CB01	+A 7.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R4DB01	+A 7.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R4WB01	+A 7.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R5BB01	+A 7.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R5CB01	+A 7.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R5DB01	+A 7.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R5FB01	+A 7.5pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H7R5WB01	+A 7.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R6BB01	+A 7.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R6CB01	+A 7.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R6DB01	+A 7.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1552C1H7R6WB01 +A	7.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R7BB01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R7CB01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R7DB01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R7WB01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R8BB01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R8CB01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R8DB01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R8WB01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H7R9BB01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H7R9CB01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H7R9DB01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H7R9WB01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R0BB01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R0CB01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R0DB01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R0WB01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R1BB01 +A	8.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R1CB01 +A	8.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R1DB01 +A	8.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R1WB01 +A	8.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R2BB01 +A	8.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R2CB01 +A	8.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R2DB01 +A	8.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R2FB01 +A	8.2pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H8R2WB01 +A	8.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R3BB01 +A	8.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R3CB01 +A	8.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R3DB01 +A	8.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R3WB01 +A	8.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R4BB01 +A	8.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R4CB01 +A	8.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R4DB01 +A	8.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R4WB01 +A	8.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R5BB01 +A	8.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R5CB01 +A	8.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R5DB01 +A	8.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R5WB01 +A	8.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R6BB01 +A	8.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R6CB01 +A	8.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R6DB01 +A	8.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R6WB01 +A	8.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R7BB01 +A	8.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R7CB01 +A	8.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R7DB01 +A	8.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R7WB01 +A	8.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R8BB01 +A	8.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R8CB01 +A	8.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R8DB01 +A	8.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R8WB01 +A	8.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H8R9BB01 +A	8.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H8R9CB01 +A	8.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H8R9DB01 +A	8.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H8R9WB01 +A	8.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R0BB01 +A	9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R0CB01 +A	9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R0DB01 +A	9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R0WB01 +A	9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R1BB01 +A	9.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R1CB01 +A	9.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R1DB01 +A	9.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R1FB01 +A	9.1pF	50	CH	1005M/0402	0.55	+/-1%	High-Q
GJM1552C1H9R1WB01 +A	9.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R2BB01 +A	9.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R2CB01 +A	9.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R2DB01 +A	9.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R2WB01 +A	9.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R3BB01 +A	9.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R3CB01 +A	9.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R3DB01 +A	9.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R3WB01 +A	9.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R4BB01 +A	9.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R4CB01 +A	9.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R4DB01 +A	9.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R4WB01 +A	9.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R5BB01 +A	9.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R5CB01 +A	9.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R5DB01 +A	9.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R5WB01 +A	9.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R6BB01 +A	9.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1552C1H9R6CB01 +A	9.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R6DB01 +A	9.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R6WB01 +A	9.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R7BB01 +A	9.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R7CB01 +A	9.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R7DB01 +A	9.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R7WB01 +A	9.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R8BB01 +A	9.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R8CB01 +A	9.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R8DB01 +A	9.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R8WB01 +A	9.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1552C1H9R9BB01 +A	9.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1552C1H9R9CB01 +A	9.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1552C1H9R9DB01 +A	9.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	High-Q
GJM1552C1H9R9WB01 +A	9.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R1BB01 +A	2.1pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R1CB01 +A	2.1pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R1WB01 +A	2.1pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R2BB01 +A	2.2pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R2CB01 +A	2.2pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R2GB01 +A	2.2pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H2R2WB01 +A	2.2pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R3BB01 +A	2.3pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R3CB01 +A	2.3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R3WB01 +A	2.3pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R4BB01 +A	2.4pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R4CB01 +A	2.4pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R4GB01 +A	2.4pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H2R4WB01 +A	2.4pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R5BB01 +A	2.5pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R5CB01 +A	2.5pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R5WB01 +A	2.5pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R6BB01 +A	2.6pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R6CB01 +A	2.6pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R6WB01 +A	2.6pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R7BB01 +A	2.7pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R7CB01 +A	2.7pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R7GB01 +A	2.7pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H2R7WB01 +A	2.7pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R8BB01 +A	2.8pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R8CB01 +A	2.8pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R8WB01 +A	2.8pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H2R9BB01 +A	2.9pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H2R9CB01 +A	2.9pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H2R9WB01 +A	2.9pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R0BB01 +A	3pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R0CB01 +A	3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R0GB01 +A	3pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H3R0WB01 +A	3pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R1BB01 +A	3.1pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R1CB01 +A	3.1pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R1WB01 +A	3.1pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R2BB01 +A	3.2pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R2CB01 +A	3.2pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R2WB01 +A	3.2pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R3BB01 +A	3.3pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R3CB01 +A	3.3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R3GB01 +A	3.3pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H3R3WB01 +A	3.3pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R4BB01 +A	3.4pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R4CB01 +A	3.4pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R4WB01 +A	3.4pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R5BB01 +A	3.5pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R5CB01 +A	3.5pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R5WB01 +A	3.5pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R6BB01 +A	3.6pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R6CB01 +A	3.6pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R6GB01 +A	3.6pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H3R6WB01 +A	3.6pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R7BB01 +A	3.7pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R7CB01 +A	3.7pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R7WB01 +A	3.7pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R8BB01 +A	3.8pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R8CB01 +A	3.8pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R8WB01 +A	3.8pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1553C1H3R9BB01 +A	3.9pF	50	CJ	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1553C1H3R9CB01 +A	3.9pF	50	CJ	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1553C1H3R9GB01 +A	3.9pF	50	CJ	1005M/0402	0.55	+/-2%	High-Q
GJM1553C1H3R9WB01 +A	3.9pF	50	CJ	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R0BB01 +A	1pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GJM1554C1H1R0CB01 +A	1pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R0WB01 +A	1pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R1BB01 +A	1.1pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R1CB01 +A	1.1pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R1JB01 +A	1.1pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R1WB01 +A	1.1pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R2BB01 +A	1.2pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R2CB01 +A	1.2pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R2JB01 +A	1.2pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R2WB01 +A	1.2pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R3BB01 +A	1.3pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R3CB01 +A	1.3pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R3JB01 +A	1.3pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R3WB01 +A	1.3pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R4BB01 +A	1.4pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R4CB01 +A	1.4pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R4WB01 +A	1.4pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R5BB01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R5CB01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R5JB01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R5WB01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R6BB01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R6CB01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R6JB01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R6WB01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R7BB01 +A	1.7pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R7CB01 +A	1.7pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R7WB01 +A	1.7pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R8BB01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R8CB01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R8JB01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-5%	High-Q
GJM1554C1H1R8WB01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H1R9BB01 +A	1.9pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H1R9CB01 +A	1.9pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H1R9WB01 +A	1.9pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1H2R0BB01 +A	2pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1H2R0CB01 +A	2pF	50	CK	1005M/0402	0.55	+/-0.25pF	High-Q
GJM1554C1H2R0GB01 +A	2pF	50	CK	1005M/0402	0.55	+/-2%	High-Q
GJM1554C1H2R0WB01 +A	2pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR10BB01 +A	0.1pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR10WB01 +A	0.1pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR20BB01 +A	0.2pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR20WB01 +A	0.2pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR30BB01 +A	0.3pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR30WB01 +A	0.3pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR40BB01 +A	0.4pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR40WB01 +A	0.4pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR50BB01 +A	0.5pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR50WB01 +A	0.5pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR60BB01 +A	0.6pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR60WB01 +A	0.6pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR70BB01 +A	0.7pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR70WB01 +A	0.7pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR80BB01 +A	0.8pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR80WB01 +A	0.8pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GJM1554C1HR90BB01 +A	0.9pF	50	CK	1005M/0402	0.55	+/-0.1pF	High-Q
GJM1554C1HR90WB01 +A	0.9pF	50	CK	1005M/0402	0.55	+/-0.05pF	High-Q
GQM1875G2E100GB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E100JB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E100RB12 +A	10pF	250	X8G	1608M/0603	0.80	+/-2.5%	High Frequency
GQM1875G2E110FB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E110GB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E110JB12 +A	11pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E120FB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E120GB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E120JB12 +A	12pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E130FB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E130GB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E130JB12 +A	13pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E150FB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E150GB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E150JB12 +A	15pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E160FB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E160GB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E160JB12 +A	16pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E180FB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E180GB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E180JB12 +A	18pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E1R0BB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R0CB12 +A	1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1875G2E1R0DB12 +	1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R0WB12 +	1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R1BB12 +	1.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R1CB12 +	1.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R1DB12 +	1.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R1WB12 +	1.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R2BB12 +	1.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R2CB12 +	1.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R2DB12 +	1.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R2WB12 +	1.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R3BB12 +	1.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R3CB12 +	1.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R3DB12 +	1.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R3WB12 +	1.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R5BB12 +	1.5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R5CB12 +	1.5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R5DB12 +	1.5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R5WB12 +	1.5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R6BB12 +	1.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R6CB12 +	1.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R6DB12 +	1.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R6WB12 +	1.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E1R8BB12 +	1.8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E1R8CB12 +	1.8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E1R8DB12 +	1.8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E1R8WB12 +	1.8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E200CB12 +	20pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E200JB12 +	20pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E220FB12 +	22pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E220GB12 +	22pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E220JB12 +	22pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E240FB12 +	24pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E240CB12 +	24pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E240JB12 +	24pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E270FB12 +	27pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E270GB12 +	27pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E270JB12 +	27pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E2R0BB12 +	2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R0CB12 +	2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R0DB12 +	2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R0WB12 +	2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E2R2BB12 +	2.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R2CB12 +	2.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R2DB12 +	2.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R2WB12 +	2.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E2R4BB12 +	2.4pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R4CB12 +	2.4pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R4DB12 +	2.4pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R4WB12 +	2.4pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E2R7BB12 +	2.7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E2R7CB12 +	2.7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E2R7DB12 +	2.7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E2R7WB12 +	2.7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E300FB12 +	30pF	250	X8G	1608M/0603	0.80	+/-1%	High Frequency
GQM1875G2E300GB12 +	30pF	250	X8G	1608M/0603	0.80	+/-2%	High Frequency
GQM1875G2E300JB12 +	30pF	250	X8G	1608M/0603	0.80	+/-5%	High Frequency
GQM1875G2E3R0BB12 +	3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R0CB12 +	3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R3BB12 +	3.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R3CB12 +	3.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R3DB12 +	3.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R3WB12 +	3.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E3R6BB12 +	3.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R6CB12 +	3.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R6DB12 +	3.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R6WB12 +	3.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E3R9BB12 +	3.9pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E3R9CB12 +	3.9pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E3R9DB12 +	3.9pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E3R9WB12 +	3.9pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E4R0BB12 +	4pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R0CB12 +	4pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R3BB12 +	4.3pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R3CB12 +	4.3pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R3DB12 +	4.3pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E4R3WB12 +	4.3pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E4R7BB12 +	4.7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E4R7CB12 +	4.7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E4R7DB12 +	4.7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E4R7WB12 +	4.7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R0BB12 +	5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R0CB12 +	5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1875G2E5R0DB12 +A	5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R0WB12 +A	5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R1BB12 +A	5.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R1CB12 +A	5.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E5R1DB12 +A	5.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R1WB12 +A	5.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E5R6BB12 +A	5.6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E5R6CB12 +A	5.6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E5R6DB12 +A	5.6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E5R6WB12 +A	5.6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R0BB12 +A	6pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E6R0CB12 +A	6pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R0DB12 +A	6pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R0WB12 +A	6pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R2BB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E6R2CB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R2DB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R2WB12 +A	6.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E6R8BB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E6R8CB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E6R8DB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E6R8WB12 +A	6.8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E7R0BB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E7R0CB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E7R0DB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E7R0WB12 +A	7pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E7R5BB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E7R5CB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E7R5DB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E7R5WB12 +A	7.5pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E8R0BB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E8R0CB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E8R0DB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E8R0WB12 +A	8pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E8R2BB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E8R2CB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E8R2DB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E8R2WB12 +A	8.2pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E9R0BB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E9R0CB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E9R0DB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E9R0WB12 +A	9pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1875G2E9R1BB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.1pF	High Frequency
GQM1875G2E9R1CB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.25pF	High Frequency
GQM1875G2E9R1DB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.5pF	High Frequency
GQM1875G2E9R1WB12 +A	9.1pF	250	X8G	1608M/0603	0.80	+/-0.05pF	High Frequency
GQM1882C1H100GB01 +A	10pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H100JB01 +A	10pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H101GB01 +A	100pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H101JB01 +A	100pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H110GB01 +A	11pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H110JB01 +A	11pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H120GB01 +A	12pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H120JB01 +A	12pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H130GB01 +A	13pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H130JB01 +A	13pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H150GB01 +A	15pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H150JB01 +A	15pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H160GB01 +A	16pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H160JB01 +A	16pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H180GB01 +A	18pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H180JB01 +A	18pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H200GB01 +A	20pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H200JB01 +A	20pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H220GB01 +A	22pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H220JB01 +A	22pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H240GB01 +A	24pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H240JB01 +A	24pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H270GB01 +A	27pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H270JB01 +A	27pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H300GB01 +A	30pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H300JB01 +A	30pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H330GB01 +A	33pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H330JB01 +A	33pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H360GB01 +A	36pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H360JB01 +A	36pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H390GB01 +A	39pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H390JB01 +A	39pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H430GB01 +A	43pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H430JB01 +A	43pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM1882C1H470GB01 +A	47pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H470JB01 +A	47pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H510GB01 +A	51pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H510JB01 +A	51pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H560GB01 +A	56pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H560JB01 +A	56pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H620GB01 +A	62pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H620JB01 +A	62pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H680GB01 +A	68pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H680JB01 +A	68pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H750GB01 +A	75pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H750JB01 +A	75pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H7R0CB01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H7R0DB01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C1H7R5CB01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H7R5DB01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C1H820GB01 +A	82pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H820JB01 +A	82pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H8R0CB01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H8R0DB01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C1H8R2CB01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H8R2DB01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C1H910GB01 +A	91pF	50	CH	1608M/0603	0.90	+/-2%	High Frequency
GQM1882C1H910JB01 +A	91pF	50	CH	1608M/0603	0.90	+/-5%	High Frequency
GQM1882C1H9R0CB01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H9R0DB01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C1H9R1CB01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C1H9R1DB01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C2A4R0BB01 +A	4pF	100	CH	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1882C2A4R0CB01 +A	4pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A4R3BB01 +A	4.3pF	100	CH	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1882C2A4R3CB01 +A	4.3pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A4R7BB01 +A	4.7pF	100	CH	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1882C2A4R7CB01 +A	4.7pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A5R0BB01 +A	5pF	100	CH	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1882C2A5R0CB01 +A	5pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A5R1CB01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A5R1DB01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C2A5R6CB01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A5R6DB01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C2A6R0CB01 +A	6pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A6R0DB01 +A	6pF	100	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C2A6R2CB01 +A	6.2pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A6R2DB01 +A	6.2pF	100	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1882C2A6R8CB01 +A	6.8pF	100	CH	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1882C2A6R8DB01 +A	6.8pF	100	CH	1608M/0603	0.90	+/-0.5pF	High Frequency
GQM1883C2A2R2BB01 +A	2.2pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A2R2CB01 +A	2.2pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A2R4BB01 +A	2.4pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A2R4CB01 +A	2.4pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A2R7BB01 +A	2.7pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A2R7CB01 +A	2.7pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A3R0BB01 +A	3pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A3R0CB01 +A	3pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A3R3BB01 +A	3.3pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A3R3CB01 +A	3.3pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A3R6BB01 +A	3.6pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A3R6CB01 +A	3.6pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1883C2A3R9BB01 +A	3.9pF	100	CJ	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1883C2A3R9CB01 +A	3.9pF	100	CJ	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R0BB01 +A	1pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R0CB01 +A	1pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R1BB01 +A	1.1pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R1CB01 +A	1.1pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R2BB01 +A	1.2pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R2CB01 +A	1.2pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R3BB01 +A	1.3pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R3CB01 +A	1.3pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R5BB01 +A	1.5pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R5CB01 +A	1.5pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R6BB01 +A	1.6pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R6CB01 +A	1.6pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A1R8BB01 +A	1.8pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A1R8CB01 +A	1.8pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM1884C2A2R0BB01 +A	2pF	100	CK	1608M/0603	0.90	+/-0.1pF	High Frequency
GQM1884C2A2R0CB01 +A	2pF	100	CK	1608M/0603	0.90	+/-0.25pF	High Frequency
GQM2192C1H101GB01 +A	100pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H101JB01 +A	100pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H200GB01 +A	20pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H200JB01 +A	20pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2192C1H220GB01 +A	22pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H220JB01 +A	22pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H240GB01 +A	24pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H240JB01 +A	24pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H270GB01 +A	27pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H270JB01 +A	27pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H300GB01 +A	30pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H300JB01 +A	30pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H330GB01 +A	33pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H330JB01 +A	33pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H360GB01 +A	36pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H360JB01 +A	36pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H390GB01 +A	39pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H390JB01 +A	39pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H430GB01 +A	43pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H430JB01 +A	43pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H470GB01 +A	47pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H470JB01 +A	47pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H510GB01 +A	51pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H510JB01 +A	51pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H560GB01 +A	56pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H560JB01 +A	56pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H620GB01 +A	62pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H620JB01 +A	62pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H680GB01 +A	68pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H680JB01 +A	68pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H750GB01 +A	75pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H750JB01 +A	75pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H820GB01 +A	82pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H820JB01 +A	82pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C1H910GB01 +A	91pF	50	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C1H910JB01 +A	91pF	50	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A100GB01 +A	10pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A100JB01 +A	10pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A110GB01 +A	11pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A110JB01 +A	11pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A120GB01 +A	12pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A120JB01 +A	12pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A130GB01 +A	13pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A130JB01 +A	13pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A150GB01 +A	15pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A150JB01 +A	15pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A160GB01 +A	16pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A160JB01 +A	16pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A180GB01 +A	18pF	100	CH	2012M/0805	0.95	+/-2%	High Frequency
GQM2192C2A180JB01 +A	18pF	100	CH	2012M/0805	0.95	+/-5%	High Frequency
GQM2192C2A4R0BB01 +A	4pF	100	CH	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2192C2A4R0CB01 +A	4pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A4R3BB01 +A	4.3pF	100	CH	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2192C2A4R3CB01 +A	4.3pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A4R7BB01 +A	4.7pF	100	CH	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2192C2A4R7CB01 +A	4.7pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A5R0BB01 +A	5pF	100	CH	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2192C2A5R0CB01 +A	5pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A5R1CB01 +A	5.1pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A5R1DB01 +A	5.1pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A5R6CB01 +A	5.6pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A5R6DB01 +A	5.6pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A6R0CB01 +A	6pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A6R0DB01 +A	6pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A6R2CB01 +A	6.2pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A6R2DB01 +A	6.2pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A6R8CB01 +A	6.8pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A6R8DB01 +A	6.8pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A7R0CB01 +A	7pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A7R0DB01 +A	7pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A7R5CB01 +A	7.5pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A7R5DB01 +A	7.5pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A8R0CB01 +A	8pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A8R0DB01 +A	8pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A8R2CB01 +A	8.2pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A8R2DB01 +A	8.2pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A9R0CB01 +A	9pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A9R0DB01 +A	9pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2192C2A9R1CB01 +A	9.1pF	100	CH	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2192C2A9R1DB01 +A	9.1pF	100	CH	2012M/0805	0.95	+/-0.5pF	High Frequency
GQM2193C2A2R2BB01 +A	2.2pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A2R2CB01 +A	2.2pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2193C2A2R4BB01 +A	2.4pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A2R4CB01 +A	2.4pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2193C2A2R7BB01 +A	2.7pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A2R7CB01 +A	2.7pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2193C2A3R0BB01 +A	3pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A3R0CB01 +A	3pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2193C2A3R3BB01 +A	3.3pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A3R3CB01 +A	3.3pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2193C2A3R6BB01 +A	3.6pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A3R6CB01 +A	3.6pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2193C2A3R9BB01 +A	3.9pF	100	CJ	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2193C2A3R9CB01 +A	3.9pF	100	CJ	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R0BB01 +A	1pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R0CB01 +A	1pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R1BB01 +A	1.1pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R1CB01 +A	1.1pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R2BB01 +A	1.2pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R2CB01 +A	1.2pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R3BB01 +A	1.3pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R3CB01 +A	1.3pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R5BB01 +A	1.5pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R5CB01 +A	1.5pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R6BB01 +A	1.6pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R6CB01 +A	1.6pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A1R8BB01 +A	1.8pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A1R8CB01 +A	1.8pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2194C2A2R0BB01 +A	2pF	100	CK	2012M/0805	0.95	+/-0.1pF	High Frequency
GQM2194C2A2R0CB01 +A	2pF	100	CK	2012M/0805	0.95	+/-0.25pF	High Frequency
GQM2195G2E100FB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E100GB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E100JB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E100RB12 +A	10pF	250	X8G	2012M/0805	1.00	+/-2.5%	High Frequency
GQM2195G2E110FB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E110GB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E110JB12 +A	11pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E120FB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E120GB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E120JB12 +A	12pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E130FB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E130GB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E130JB12 +A	13pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E150FB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E150GB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E150JB12 +A	15pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E160FB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E160GB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E160JB12 +A	16pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E180FB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E180GB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E180JB12 +A	18pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E1R0BB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R0CB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R0DB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R0WB12 +A	1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R1BB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R1CB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R1DB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R1WB12 +A	1.1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R2BB12 +A	1.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R2CB12 +A	1.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R2DB12 +A	1.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R2WB12 +A	1.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R3BB12 +A	1.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R3CB12 +A	1.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R3DB12 +A	1.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R3WB12 +A	1.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R5BB12 +A	1.5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R5CB12 +A	1.5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R5DB12 +A	1.5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R5WB12 +A	1.5pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R6BB12 +A	1.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R6CB12 +A	1.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R6DB12 +A	1.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R6WB12 +A	1.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E1R8BB12 +A	1.8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E1R8CB12 +A	1.8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E1R8DB12 +A	1.8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E1R8WB12 +A	1.8pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E200FB12 +A	20pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E200GB12 +A	20pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E200JB12 +A	20pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E220FB12 +A	22pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2E220GB12 +A	22pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E220JB12 -A	22pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E240FB12 +A	24pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E240GB12 +A	24pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E240JB12 +A	24pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E270FB12 +A	27pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E270GB12 +A	27pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E270JB12 +A	27pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E2R0BB12 +A	2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R0CB12 +A	2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R0DB12 +A	2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R0WB12 +A	2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R2BB12 +A	2.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R2CB12 +A	2.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R2DB12 +A	2.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R2WB12 +A	2.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R4BB12 +A	2.4pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R4CB12 +A	2.4pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R4DB12 +A	2.4pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R4WB12 +A	2.4pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E2R7BB12 +A	2.7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E2R7CB12 +A	2.7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E2R7DB12 +A	2.7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E2R7WB12 +A	2.7pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E300FB12 +A	30pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E300GB12 +A	30pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E300JB12 -A	30pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E330FB12 +A	33pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E330GB12 +A	33pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E330JB12 +A	33pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E360FB12 +A	36pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E360GB12 +A	36pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E360JB12 +A	36pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E390FB12 +A	39pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E390GB12 +A	39pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E390JB12 +A	39pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E3R0BB12 +A	3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R0CB12 +A	3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R0DB12 +A	3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R0WB12 +A	3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R3BB12 +A	3.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R3CB12 +A	3.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R3DB12 +A	3.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R3WB12 +A	3.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R6BB12 +A	3.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R6CB12 +A	3.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R6DB12 +A	3.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R6WB12 +A	3.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E3R9BB12 +A	3.9pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E3R9CB12 +A	3.9pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E3R9DB12 +A	3.9pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E3R9WB12 +A	3.9pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E430FB12 +A	43pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E430GB12 +A	43pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E430JB12 +A	43pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E470FB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E470GB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E470JB12 +A	47pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E4R0BB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R0CB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R0DB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R0WB12 +A	4pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E4R3BB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R3CB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R3DB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R3WB12 +A	4.3pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E4R7BB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E4R7CB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E4R7DB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E4R7WB12 +A	4.7pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E510FB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E510GB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E510JB12 +A	51pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E560FB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E560GB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E560JB12 +A	56pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E5R0BB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R0CB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R0DB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R0WB12 +A	5pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2E5R1BB12	+5.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R1CB12	+5.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R1DB12	+5.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R1WB12	+5.1pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E5R6BB12	+5.6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E5R6CB12	+5.6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E5R6DB12	+5.6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E5R6WB12	+5.6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E620FB12	+A62pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E620GB12	+A62pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E620JB12	+A62pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E680FB12	+A68pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E680GB12	+A68pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E680JB12	+A68pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E6R0BB12	+6pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R0CB12	+6pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R0DB12	+6pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R0WB12	+6pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E6R2BB12	+6.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R2CB12	+6.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R2DB12	+6.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R2WB12	+6.2pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E6R8BB12	+6.8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E6R8CB12	+6.8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E6R8DB12	+6.8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E6R8WB12	+6.8pF	250	X8G	2012M/0805	1.00	+/-0.05pF	High Frequency
GQM2195G2E750FB12	+A75pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E750GB12	+A75pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E750JB12	+A75pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E7R0BB12	+7pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E7R0CB12	+7pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E7R0DB12	+7pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E7R5BB12	+7.5pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E7R5CB12	+7.5pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E7R5DB12	+7.5pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E820FB12	+A82pF	250	X8G	2012M/0805	1.00	+/-1%	High Frequency
GQM2195G2E820GB12	+A82pF	250	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2E820JB12	+A82pF	250	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2E8R0BB12	+8pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E8R0CB12	+8pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E8R0DB12	+8pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E8R2BB12	+8.2pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E8R2CB12	+8.2pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E8R2DB12	+8.2pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E9R0BB12	+9pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E9R0CB12	+9pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E9R0DB12	+9pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2E9R1BB12	+9.1pF	250	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2E9R1CB12	+9.1pF	250	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2E9R1DB12	+9.1pF	250	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H100GB12	+10pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H100JB12	+A10pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H110GB12	+11pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H110JB12	+A11pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H120GB12	+12pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H120JB12	+A12pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H130GB12	+13pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H130JB12	+A13pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H150GB12	+15pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H150JB12	+A15pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H160GB12	+16pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H160JB12	+A16pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H180GB12	+18pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H180JB12	+A18pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H1R0BB12	+1pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R0CB12	+1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R1BB12	+1.1pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R1CB12	+1.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R2BB12	+1.2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R2CB12	+1.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R3BB12	+1.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R3CB12	+1.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R5BB12	+1.5pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R5CB12	+1.5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R6BB12	+1.6pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R6CB12	+1.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H1R8BB12	+1.8pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H1R8CB12	+1.8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H200GB12	+20pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H200JB12	+A20pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GQM2195G2H220GB12 +A	22pF	500	X8G	2012M/0805	1.00	+/-2%	High Frequency
GQM2195G2H220JB12 +A	22pF	500	X8G	2012M/0805	1.00	+/-5%	High Frequency
GQM2195G2H2R0BB12 +A	2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R0CB12 +A	2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R2BB12 +A	2.2pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R2CB12 +A	2.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R4BB12 +A	2.4pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R4CB12 +A	2.4pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H2R7BB12 +A	2.7pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H2R7CB12 +A	2.7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R0BB12 +A	3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R0CB12 +A	3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R3BB12 +A	3.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R3CB12 +A	3.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R6BB12 +A	3.6pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R6CB12 +A	3.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H3R9BB12 +A	3.9pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H3R9CB12 +A	3.9pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R0BB12 +A	4pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R0CB12 +A	4pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R3BB12 +A	4.3pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R3CB12 +A	4.3pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H4R7BB12 +A	4.7pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H4R7CB12 +A	4.7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R0BB12 +A	5pF	500	X8G	2012M/0805	1.00	+/-0.1pF	High Frequency
GQM2195G2H5R0CB12 +A	5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R1CB12 +A	5.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R1DB12 +A	5.1pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H5R6CB12 +A	5.6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H5R6DB12 +A	5.6pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R0CB12 +A	6pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R0DB12 +A	6pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R2CB12 +A	6.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R2DB12 +A	6.2pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H6R8CB12 +A	6.8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H6R8DB12 +A	6.8pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H7R0CB12 +A	7pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H7R0DB12 +A	7pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H7R5CB12 +A	7.5pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H7R5DB12 +A	7.5pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H8R0CB12 +A	8pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H8R0DB12 +A	8pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H8R2CB12 +A	8.2pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H8R2DB12 +A	8.2pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H9R0CB12 +A	9pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H9R0DB12 +A	9pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GQM2195G2H9R1CB12 +A	9.1pF	500	X8G	2012M/0805	1.00	+/-0.25pF	High Frequency
GQM2195G2H9R1DB12 +A	9.1pF	500	X8G	2012M/0805	1.00	+/-0.5pF	High Frequency
GRM0112C1E100GE01 +A	10pF	25	CH	0201M/008004	0.14	+/-2%	Ultra-small
GRM0112C1E100JE01 +A	10pF	25	CH	0201M/008004	0.14	+/-5%	Ultra-small
GRM0112C1E4R0BE01 +A	4pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R0CE01 +A	4pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R0WE01 +A	4pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R1BE01 +A	4.1pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R1CE01 +A	4.1pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R1WE01 +A	4.1pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R2BE01 +A	4.2pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R2CE01 +A	4.2pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R2WE01 +A	4.2pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R3BE01 +A	4.3pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R3CE01 +A	4.3pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R3WE01 +A	4.3pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R4BE01 +A	4.4pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R4CE01 +A	4.4pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R4WE01 +A	4.4pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R5BE01 +A	4.5pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R5CE01 +A	4.5pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R5WE01 +A	4.5pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R6BE01 +A	4.6pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R6CE01 +A	4.6pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R6WE01 +A	4.6pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R7BE01 +A	4.7pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R7CE01 +A	4.7pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R7WE01 +A	4.7pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R8BE01 +A	4.8pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R8CE01 +A	4.8pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R8WE01 +A	4.8pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0112C1E4R9BE01 +A	4.9pF	25	CH	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0112C1E4R9CE01 +A	4.9pF	25	CH	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0112C1E4R9WE01 +A	4.9pF	25	CH	0201M/008004	0.14	+/-0.05pF	Ultra-small









PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0113C1E3R4WE01	+3.4pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0113C1E3R5BE01	+3.5pF	25	CJ	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0113C1E3R5CE01	+3.5pF	25	CJ	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0113C1E3R5WE01	+3.5pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0113C1E3R6BE01	+3.6pF	25	CJ	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0113C1E3R6CE01	+3.6pF	25	CJ	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0113C1E3R6WE01	+3.6pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0113C1E3R7BE01	+3.7pF	25	CJ	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0113C1E3R7CE01	+3.7pF	25	CJ	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0113C1E3R7WE01	+3.7pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0113C1E3R8BE01	+3.8pF	25	CJ	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0113C1E3R8CE01	+3.8pF	25	CJ	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0113C1E3R8WE01	+3.8pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0113C1E3R9BE01	+3.9pF	25	CJ	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0113C1E3R9CE01	+3.9pF	25	CJ	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0113C1E3R9WE01	+3.9pF	25	CJ	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R0BE01	+1pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R0CE01	+1pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R0WE01	+1pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R1BE01	+1.1pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R1CE01	+1.1pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R1WE01	+1.1pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R2BE01	+1.2pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R2CE01	+1.2pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R2WE01	+1.2pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R3BE01	+1.3pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R3CE01	+1.3pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R3WE01	+1.3pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R4BE01	+1.4pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R4CE01	+1.4pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R4WE01	+1.4pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R5BE01	+1.5pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R5CE01	+1.5pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R5WE01	+1.5pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R6BE01	+1.6pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R6CE01	+1.6pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R6WE01	+1.6pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R7BE01	+1.7pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R7CE01	+1.7pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R7WE01	+1.7pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R8BE01	+1.8pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R8CE01	+1.8pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R8WE01	+1.8pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E1R9BE01	+1.9pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E1R9CE01	+1.9pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E1R9WE01	+1.9pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1E2R0BE01	+2pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1E2R0CE01	+2pF	25	CK	0201M/008004	0.14	+/-0.25pF	Ultra-small
GRM0114C1E2R0WE01	+2pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER20BE01	+0.2pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER20WE01	+0.2pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER30BE01	+0.3pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER30WE01	+0.3pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER40BE01	+0.4pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER40WE01	+0.4pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER50BE01	+0.5pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER50WE01	+0.5pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER60BE01	+0.6pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER60WE01	+0.6pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER70BE01	+0.7pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER70WE01	+0.7pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER80BE01	+0.8pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER80WE01	+0.8pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0114C1ER90BE01	+0.9pF	25	CK	0201M/008004	0.14	+/-0.1pF	Ultra-small
GRM0114C1ER90WE01	+0.9pF	25	CK	0201M/008004	0.14	+/-0.05pF	Ultra-small
GRM0222C0J101GA02	+A100pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J101GD05	+A100pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J101JA02	+A100pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J101JD05	+A100pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J111GA02	+A110pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J111JA02	+A110pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J121GA02	+A120pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J121JA02	+A120pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J151GA02	+A150pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J151JA02	+A150pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J181GA02	+A180pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J181JA02	+A180pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J221GA02	+A220pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J221JA02	+A220pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J560GA02	+A56pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C0J560GD05 +A	56pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J560JA02 +A	56pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J560JD05 +A	56pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J680GA02 +A	68pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J680GD05 +A	68pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J680JA02 +A	68pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J680JD05 +A	68pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J820GA02 +A	82pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J820GD05 +A	82pF	6.3	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C0J820JA02 +A	82pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C0J820JD05 +A	82pF	6.3	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A101GA02 +A	100pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A101GD05 +A	100pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A101JA02 +A	100pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A101JD05 +A	100pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A221GA02 +A	220pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A221JA02 +A	220pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A560GA02 +A	56pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A560GD05 +A	56pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A560JA02 +A	56pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A560JD05 +A	56pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A680GA02 +A	68pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A680GD05 +A	68pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A680JA02 +A	68pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A680JD05 +A	68pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A820GA02 +A	82pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A820GD05 +A	82pF	10	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1A820JA02 +A	82pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1A820JD05 +A	82pF	10	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C100GA03 +A	10pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C100GD05 +A	10pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C100JA03 +A	10pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C100JD05 +A	10pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C101GA02 +A	100pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C101JA02 +A	100pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C101JDAE +A	100pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C110GA03 +A	11pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C110JA03 +A	11pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C111GA02 +A	110pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C111JA02 +A	110pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C120GA03 +A	12pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C120GD05 +A	12pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C120JA03 +A	12pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C120JD05 +A	12pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C121GA02 +A	120pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C121JA02 +A	120pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C130GA03 +A	13pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C130JA03 +A	13pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C150GA03 +A	15pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C150GD05 +A	15pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C150JA03 +A	15pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C150JD05 +A	15pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C151GA02 +A	150pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C151JA02 +A	150pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C160GA03 +A	16pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C160JA03 +A	16pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C180GA02 +A	18pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C180GD05 +A	18pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C180JA02 +A	18pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C180JD05 +A	18pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C181GA02 +A	180pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C181JA02 +A	180pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C200GA02 +A	20pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C200JA02 +A	20pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C220GA02 +A	22pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C220GD05 +A	22pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C220JA02 +A	22pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C220JD05 +A	22pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C221GA02 +A	220pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C221JA02 +A	220pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C240GA02 +A	24pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C240JA02 +A	24pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C270GA02 +A	27pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C270GD05 +A	27pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C270JA02 +A	27pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C270JD05 +A	27pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C300GA02 +A	30pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C300JA02 +A	30pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C330GA02 +A	33pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C330GD05 +A	33pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1C330JA02 +A	33pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C330JD05 +A	33pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C360GA02 +A	36pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C360JA02 +A	36pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C390GA02 +A	39pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C390GD05 +A	39pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C390JA02 +A	39pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C390JD05 +A	39pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C430GA02 +A	43pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C430JA02 +A	43pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C470GA02 +A	47pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C470GD05 +A	47pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C470JA02 +A	47pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C470JD05 +A	47pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C4R0BA03 +A	4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R0BD05 +A	4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R0CA03 +A	4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R0CD05 +A	4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R0WA03 +A	4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R0WD05 +A	4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R1BA03 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R1BD05 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R1CA03 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R1CD05 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R1WA03 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R1WD05 +A	4.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R2BA03 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R2BD05 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R2CA03 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R2CD05 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R2WA03 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R2WD05 +A	4.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R3BA03 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R3BD05 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R3CA03 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R3CD05 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R3WA03 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R3WD05 +A	4.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R4BA03 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R4BD05 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R4CA03 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R4CD05 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R4WA03 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R4WD05 +A	4.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R5BA03 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R5BD05 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R5CA03 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R5CD05 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R5WA03 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R5WD05 +A	4.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R6BA03 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R6BD05 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R6CA03 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R6CD05 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R6WA03 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R6WD05 +A	4.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R7BA03 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R7BD05 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R7CA03 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R7CD05 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R7WA03 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R7WD05 +A	4.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R8BA03 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R8BD05 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R8CA03 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R8CD05 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R8WA03 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R8WD05 +A	4.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R9BA03 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R9BD05 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C4R9CA03 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R9CD05 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C4R9WA03 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C4R9WD05 +A	4.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C510GA02 +A	51pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C510JA02 +A	51pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C560GA02 +A	56pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C560JA02 +A	56pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C560JDAE +A	56pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C5R0BA03 +A	5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small





PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1C6R9WA03	+6.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C6R9WD05	+6.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C750GA02	+75pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C750JA02	+75pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C7R0BA03	+7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R0BD05	+7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R0CA03	+7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R0CD05	+7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R0DA03	+7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R0DD05	+7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R0WA03	+7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R0WD05	+7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R1BA03	+7.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R1BD05	+7.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R1CA03	+7.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R1CD05	+7.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R1DA03	+7.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R1DD05	+7.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R1WA03	+7.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R1WD05	+7.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R2BA03	+7.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R2BD05	+7.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R2CA03	+7.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R2CD05	+7.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R2DA03	+7.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R2DD05	+7.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R2WA03	+7.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R2WD05	+7.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R3BA03	+7.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R3BD05	+7.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R3CA03	+7.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R3CD05	+7.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R3DA03	+7.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R3DD05	+7.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R3WA03	+7.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R3WD05	+7.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R4BA03	+7.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R4BD05	+7.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R4CA03	+7.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R4CD05	+7.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R4DA03	+7.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R4DD05	+7.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R4WA03	+7.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R4WD05	+7.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R5BA03	+7.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R5BD05	+7.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R5CA03	+7.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R5CD05	+7.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R5DA03	+7.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R5DD05	+7.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R5WA03	+7.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R5WD05	+7.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R6BA03	+7.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R6BD05	+7.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R6CA03	+7.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R6CD05	+7.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R6DA03	+7.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R6DD05	+7.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R6WA03	+7.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R6WD05	+7.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R7BA03	+7.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R7BD05	+7.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R7CA03	+7.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R7CD05	+7.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R7DA03	+7.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R7DD05	+7.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R7WA03	+7.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R7WD05	+7.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R8BA03	+7.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R8BD05	+7.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R8CA03	+7.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R8CD05	+7.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R8DA03	+7.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R8DD05	+7.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R8WA03	+7.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R8WD05	+7.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R9BA03	+7.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R9BD05	+7.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C7R9CA03	+7.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C7R9CD05	+7.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1C7R9DA03	+/-7.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R9DD05	+/-7.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C7R9WA03	+/-7.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C7R9WD05	+/-7.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C820GA02	+/-82pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C820JA02	+/-82pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C820JDAE	+/-82pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C8R0BA03	+/-8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R0BD05	+/-8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R0CA03	+/-8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R0CD05	+/-8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R0DA03	+/-8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R0DD05	+/-8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R0WA03	+/-8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R0WD05	+/-8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R1BA03	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R1BD05	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R1CA03	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R1CD05	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R1DA03	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R1DD05	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R1WA03	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R1WD05	+/-8.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R2BA03	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R2BD05	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R2CA03	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R2CD05	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R2DA03	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R2DD05	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R2WA03	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R2WD05	+/-8.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R3BA03	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R3BD05	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R3CA03	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R3CD05	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R3DA03	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R3DD05	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R3WA03	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R3WD05	+/-8.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R4BA03	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R4BD05	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R4CA03	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R4CD05	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R4DA03	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R4DD05	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R4WA03	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R4WD05	+/-8.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R5BA03	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R5BD05	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R5CA03	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R5CD05	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R5DA03	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R5DD05	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R5WA03	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R5WD05	+/-8.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R6BA03	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R6BD05	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R6CA03	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R6CD05	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R6DA03	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R6DD05	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R6WA03	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R6WD05	+/-8.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R7BA03	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R7BD05	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R7CA03	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R7CD05	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R7DA03	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R7DD05	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R7WA03	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R7WD05	+/-8.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R8BA03	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R8BD05	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R8CA03	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R8CD05	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R8DA03	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R8DD05	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R8WA03	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R8WD05	+/-8.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R9BA03	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1C8R9BD05	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C8R9CA03	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R9CD05	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C8R9DA03	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R9DD05	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C8R9WA03	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C8R9WD05	+/-8.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C910GA02	+/-91pF	16	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1C910JA02	+/-91pF	16	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1C9R0BA03	+/-9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R0BD05	+/-9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R0CA03	+/-9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R0CD05	+/-9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R0DA03	+/-9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R0DD05	+/-9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R0WA03	+/-9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R0WD05	+/-9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R1BA03	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R1BD05	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R1CA03	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R1CD05	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R1DA03	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R1DD05	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R1WA03	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R1WD05	+/-9.1pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R2BA03	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R2BD05	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R2CA03	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R2CD05	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R2DA03	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R2DD05	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R2WA03	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R2WD05	+/-9.2pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R3BA03	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R3BD05	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R3CA03	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R3CD05	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R3DA03	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R3DD05	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R3WA03	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R3WD05	+/-9.3pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R4BA03	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R4BD05	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R4CA03	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R4CD05	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R4DA03	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R4DD05	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R4WA03	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R4WD05	+/-9.4pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R5BA03	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R5BD05	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R5CA03	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R5CD05	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R5DA03	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R5DD05	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R5WA03	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R5WD05	+/-9.5pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R6BA03	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R6BD05	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R6CA03	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R6CD05	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R6DA03	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R6DD05	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R6WA03	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R6WD05	+/-9.6pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R7BA03	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R7BD05	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R7CA03	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R7CD05	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R7DA03	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R7DD05	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R7WA03	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R7WD05	+/-9.7pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R8BA03	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R8BD05	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R8CA03	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R8CD05	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R8DA03	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R8DD05	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R8WA03	+/-9.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1C9R8WD05 +A	9.8pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R9BA03 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R9BD05 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1C9R9CA03 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R9CD05 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1C9R9DA03 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R9DD05 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1C9R9WA03 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1C9R9WD05 +A	9.9pF	16	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E100GA03 +A	10pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E100JA03 +A	10pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E101GA02 +A	100pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E101JA02 +A	100pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E110GA03 +A	11pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E110JA03 +A	11pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E111GA02 +A	110pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E111JA02 +A	110pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E120GA03 +A	12pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E120JA03 +A	12pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E121GA02 +A	120pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E121JA02 +A	120pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E130GA03 +A	13pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E130JA03 +A	13pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E150GA03 +A	15pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E150JA03 +A	15pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E151GA02 +A	150pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E151JA02 +A	150pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E160GA03 +A	16pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E160JA03 +A	16pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E180GA02 +A	18pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E180JA02 +A	18pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E181GA02 +A	180pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E181JA02 +A	180pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E200GA02 +A	20pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E200JA02 +A	20pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E220GA02 +A	22pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E220JA02 +A	22pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E221GA02 +A	220pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E221JA02 +A	220pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E240GA02 +A	24pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E240JA02 +A	24pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E270GA02 +A	27pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E270JA02 +A	27pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E300GA02 +A	30pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E300JA02 +A	30pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E330GA02 +A	33pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E330JA02 +A	33pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E360GA02 +A	36pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E360JA02 +A	36pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E390GA02 +A	39pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E390JA02 +A	39pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E430GA02 +A	43pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E430JA02 +A	43pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E470GA02 +A	47pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E470JA02 +A	47pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E4R0BA03 +A	4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R0CA03 +A	4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R0WA03 +A	4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R1BA03 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R1CA03 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R1WA03 +A	4.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R2BA03 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R2CA03 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R2WA03 +A	4.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R3BA03 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R3CA03 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R3WA03 +A	4.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R4BA03 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R4CA03 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R4WA03 +A	4.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R5BA03 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R5CA03 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R5WA03 +A	4.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R6BA03 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R6CA03 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R6WA03 +A	4.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R7BA03 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R7CA03 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R7WA03 +A	4.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R8BA03 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1E4R8CA03 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R8WA03 +A	4.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E4R9BA03 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E4R9CA03 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E4R9WA03 +A	4.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E510GA02 +A	51pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E510JA02 +A	51pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E560GA02 +A	56pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E560JA02 +A	56pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E5R0BA03 +A	5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R0CA03 +A	5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R0WA03 +A	5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R1BA03 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R1CA03 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R1DA03 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R1WA03 +A	5.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R2BA03 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R2CA03 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R2DA03 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R2WA03 +A	5.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R3BA03 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R3CA03 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R3DA03 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R3WA03 +A	5.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R4BA03 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R4CA03 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R4DA03 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R4WA03 +A	5.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R5BA03 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R5CA03 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R5DA03 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R5WA03 +A	5.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R6BA03 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R6CA03 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R6DA03 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R6WA03 +A	5.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R7BA03 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R7CA03 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R7DA03 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R7WA03 +A	5.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R8BA03 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R8CA03 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R8DA03 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R8WA03 +A	5.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E5R9BA03 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E5R9CA03 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E5R9DA03 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E5R9WA03 +A	5.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E620GA02 +A	62pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E620JA02 +A	62pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E680GA02 +A	68pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E680JA02 +A	68pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E6R0BA03 +A	6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R0CA03 +A	6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R0DA03 +A	6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R0WA03 +A	6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R1BA03 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R1CA03 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R1DA03 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R1WA03 +A	6.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R2BA03 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R2CA03 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R2DA03 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R2WA03 +A	6.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R3BA03 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R3CA03 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R3DA03 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R3WA03 +A	6.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R4BA03 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R4CA03 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R4DA03 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R4WA03 +A	6.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R5BA03 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R5CA03 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R5DA03 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R5WA03 +A	6.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R6BA03 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R6CA03 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R6DA03 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R6WA03 +A	6.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1E6R7BA03 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R7CA03 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R7DA03 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R7WA03 +A	6.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R8BA03 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R8CA03 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R8DA03 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R8WA03 +A	6.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E6R9BA03 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E6R9CA03 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E6R9DA03 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E6R9WA03 +A	6.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E750GA02 +A	75pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E750JA02 +A	75pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E7R0BA03 +A	7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R0CA03 +A	7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R0DA03 +A	7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R0WA03 +A	7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R1BA03 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R1CA03 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R1DA03 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R1WA03 +A	7.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R2BA03 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R2CA03 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R2DA03 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R2WA03 +A	7.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R3BA03 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R3CA03 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R3DA03 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R3WA03 +A	7.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R4BA03 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R4CA03 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R4DA03 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R4WA03 +A	7.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R5BA03 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R5CA03 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R5DA03 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R5WA03 +A	7.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R6BA03 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R6CA03 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R6DA03 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R6WA03 +A	7.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R7BA03 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R7CA03 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R7DA03 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R7WA03 +A	7.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R8BA03 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R8CA03 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R8DA03 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R8WA03 +A	7.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E7R9BA03 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E7R9CA03 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E7R9DA03 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E7R9WA03 +A	7.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E820GA02 +A	82pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E820JA02 +A	82pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E8R0BA03 +A	8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R0CA03 +A	8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R0DA03 +A	8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R0WA03 +A	8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R1BA03 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R1CA03 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R1DA03 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R1WA03 +A	8.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R2BA03 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R2CA03 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R2DA03 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R2WA03 +A	8.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R3BA03 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R3CA03 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R3DA03 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R3WA03 +A	8.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R4BA03 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R4CA03 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R4DA03 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R4WA03 +A	8.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R5BA03 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R5CA03 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R5DA03 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R5WA03 +A	8.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1E8R6BA03 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R6CA03 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R6DA03 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R6WA03 +A	8.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R7BA03 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R7CA03 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R7DA03 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R7WA03 +A	8.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R8BA03 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R8CA03 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R8DA03 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R8WA03 +A	8.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E8R9BA03 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E8R9CA03 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E8R9DA03 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E8R9WA03 +A	8.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E910GA02 +A	91pF	25	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1E910JA02 +A	91pF	25	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1E9R0BA03 +A	9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R0CA03 +A	9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R0DA03 +A	9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R0WA03 +A	9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R1BA03 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R1CA03 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R1DA03 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R1WA03 +A	9.1pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R2BA03 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R2CA03 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R2DA03 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R2WA03 +A	9.2pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R3BA03 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R3CA03 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R3DA03 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R3WA03 +A	9.3pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R4BA03 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R4CA03 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R4DA03 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R4WA03 +A	9.4pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R5BA03 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R5CA03 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R5DA03 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R5WA03 +A	9.5pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R6BA03 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R6CA03 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R6DA03 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R6WA03 +A	9.6pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R7BA03 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R7CA03 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R7DA03 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R7WA03 +A	9.7pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R8BA03 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R8CA03 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R8DA03 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R8WA03 +A	9.8pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1E9R9BA03 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1E9R9CA03 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1E9R9DA03 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1E9R9WA03 +A	9.9pF	25	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H100GA03 +A	10pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H100JA03 +A	10pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H101GA02 +A	100pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H101JA02 +A	100pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H110GA03 +A	11pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H110JA03 +A	11pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H1120GA03 +A	12pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H1120JA03 +A	12pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H1130GA03 +A	13pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H1130JA03 +A	13pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H1150GA03 +A	15pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H1150JA03 +A	15pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H1160GA03 +A	16pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H1160JA03 +A	16pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H1180GA02 +A	18pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H1180JA02 +A	18pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H200GA02 +A	20pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H200JA02 +A	20pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H220GA02 +A	22pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H220JA02 +A	22pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H240GA02 +A	24pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H240JA02 +A	24pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1H270GA02	+A 27pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H270JA02	+A 27pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H300GA02	+A 30pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H300JA02	+A 30pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H330GA02	+A 33pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H330JA02	+A 33pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H360GA02	+A 36pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H360JA02	+A 36pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H390GA02	+A 39pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H390JA02	+A 39pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H430GA02	+A 43pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H430JA02	+A 43pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H470GA02	+A 47pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H470JA02	+A 47pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H4R0BA03	+A 4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R0CA03	+A 4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R0WA03	+A 4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R1BA03	+A 4.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R1CA03	+A 4.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R1WA03	+A 4.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R2BA03	+A 4.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R2CA03	+A 4.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R2WA03	+A 4.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R3BA03	+A 4.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R3CA03	+A 4.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R3WA03	+A 4.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R4BA03	+A 4.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R4CA03	+A 4.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R4WA03	+A 4.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R5BA03	+A 4.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R5CA03	+A 4.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R5WA03	+A 4.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R6BA03	+A 4.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R6CA03	+A 4.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R6WA03	+A 4.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R7BA03	+A 4.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R7CA03	+A 4.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R7WA03	+A 4.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R8BA03	+A 4.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R8CA03	+A 4.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R8WA03	+A 4.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H4R9BA03	+A 4.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H4R9CA03	+A 4.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H4R9WA03	+A 4.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H510GA02	+A 51pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H510JA02	+A 51pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H560GA02	+A 56pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H560JA02	+A 56pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H5R0BA03	+A 5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R0CA03	+A 5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R0WA03	+A 5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R1BA03	+A 5.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R1CA03	+A 5.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R1DA03	+A 5.1pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R1WA03	+A 5.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R2BA03	+A 5.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R2CA03	+A 5.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R2DA03	+A 5.2pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R2WA03	+A 5.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R3BA03	+A 5.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R3CA03	+A 5.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R3DA03	+A 5.3pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R3WA03	+A 5.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R4BA03	+A 5.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R4CA03	+A 5.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R4DA03	+A 5.4pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R4WA03	+A 5.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R5BA03	+A 5.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R5CA03	+A 5.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R5DA03	+A 5.5pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R5WA03	+A 5.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R6BA03	+A 5.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R6CA03	+A 5.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R6DA03	+A 5.6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R6WA03	+A 5.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R7BA03	+A 5.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R7CA03	+A 5.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R7DA03	+A 5.7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R7WA03	+A 5.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R8BA03	+A 5.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1H5R8CA03 +A	5.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R8DA03 +A	5.8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R8WA03 +A	5.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H5R9BA03 +A	5.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H5R9CA03 +A	5.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H5R9DA03 +A	5.9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H5R9WA03 +A	5.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H620GA02 +A	62pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H620JA02 +A	62pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H680GA02 +A	68pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H680JA02 +A	68pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H6R0BA03 +A	6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R0CA03 +A	6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R0DA03 +A	6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R0WA03 +A	6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R1BA03 +A	6.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R1CA03 +A	6.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R1DA03 +A	6.1pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R1WA03 +A	6.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R2BA03 +A	6.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R2CA03 +A	6.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R2DA03 +A	6.2pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R2WA03 +A	6.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R3BA03 +A	6.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R3CA03 +A	6.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R3DA03 +A	6.3pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R3WA03 +A	6.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R4BA03 +A	6.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R4CA03 +A	6.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R4DA03 +A	6.4pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R4WA03 +A	6.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R5BA03 +A	6.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R5CA03 +A	6.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R5DA03 +A	6.5pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R5WA03 +A	6.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R6BA03 +A	6.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R6CA03 +A	6.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R6DA03 +A	6.6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R6WA03 +A	6.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R7BA03 +A	6.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R7CA03 +A	6.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R7DA03 +A	6.7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R7WA03 +A	6.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R8BA03 +A	6.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R8CA03 +A	6.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R8DA03 +A	6.8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R8WA03 +A	6.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H6R9BA03 +A	6.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H6R9CA03 +A	6.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H6R9DA03 +A	6.9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H6R9WA03 +A	6.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H750GA02 +A	75pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H750JA02 +A	75pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H7R0BA03 +A	7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R0CA03 +A	7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R0DA03 +A	7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R0WA03 +A	7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R1BA03 +A	7.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R1CA03 +A	7.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R1DA03 +A	7.1pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R1WA03 +A	7.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R2BA03 +A	7.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R2CA03 +A	7.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R2DA03 +A	7.2pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R2WA03 +A	7.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R3BA03 +A	7.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R3CA03 +A	7.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R3DA03 +A	7.3pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R3WA03 +A	7.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R4BA03 +A	7.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R4CA03 +A	7.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R4DA03 +A	7.4pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R4WA03 +A	7.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R5BA03 +A	7.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R5CA03 +A	7.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R5DA03 +A	7.5pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R5WA03 +A	7.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R6BA03 +A	7.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R6CA03 +A	7.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R6DA03 +A	7.6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1H7R6WA03	+7.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R7BA03	+7.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R7CA03	+7.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R7DA03	+7.7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R7WA03	+7.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R8BA03	+7.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R8CA03	+7.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R8DA03	+7.8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R8WA03	+7.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H7R9BA03	+7.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H7R9CA03	+7.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H7R9DA03	+7.9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H7R9WA03	+7.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H820GA02	+82pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H820JA02	+82pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H8R0BA03	+8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R0CA03	+8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R0DA03	+8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R0WA03	+8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R1BA03	+8.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R1CA03	+8.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R1DA03	+8.1pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R1WA03	+8.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R2BA03	+8.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R2CA03	+8.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R2DA03	+8.2pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R2WA03	+8.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R3BA03	+8.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R3CA03	+8.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R3DA03	+8.3pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R3WA03	+8.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R4BA03	+8.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R4CA03	+8.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R4DA03	+8.4pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R4WA03	+8.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R5BA03	+8.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R5CA03	+8.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R5DA03	+8.5pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R5WA03	+8.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R6BA03	+8.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R6CA03	+8.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R6DA03	+8.6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R6WA03	+8.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R7BA03	+8.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R7CA03	+8.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R7DA03	+8.7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R7WA03	+8.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R8BA03	+8.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R8CA03	+8.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R8DA03	+8.8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R8WA03	+8.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H8R9BA03	+8.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H8R9CA03	+8.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H8R9DA03	+8.9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H8R9WA03	+8.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H910GA02	+91pF	50	CH	0402M/01005	0.22	+/-2%	Ultra-small
GRM0222C1H910JA02	+91pF	50	CH	0402M/01005	0.22	+/-5%	Ultra-small
GRM0222C1H9R0BA03	+9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R0CA03	+9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R0DA03	+9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R0WA03	+9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R1BA03	+9.1pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R1CA03	+9.1pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R1DA03	+9.1pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R1WA03	+9.1pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R2BA03	+9.2pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R2CA03	+9.2pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R2DA03	+9.2pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R2WA03	+9.2pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R3BA03	+9.3pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R3CA03	+9.3pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R3DA03	+9.3pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R3WA03	+9.3pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R4BA03	+9.4pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R4CA03	+9.4pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R4DA03	+9.4pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R4WA03	+9.4pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R5BA03	+9.5pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R5CA03	+9.5pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R5DA03	+9.5pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0222C1H9R5WA03	+9.5pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R6BA03	+9.6pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R6CA03	+9.6pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R6DA03	+9.6pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R6WA03	+9.6pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R7BA03	+9.7pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R7CA03	+9.7pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R7DA03	+9.7pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R7WA03	+9.7pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R8BA03	+9.8pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R8CA03	+9.8pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R8DA03	+9.8pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R8WA03	+9.8pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0222C1H9R9BA03	+9.9pF	50	CH	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0222C1H9R9CA03	+9.9pF	50	CH	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0222C1H9R9DA03	+9.9pF	50	CH	0402M/01005	0.22	+/-0.5pF	Ultra-small
GRM0222C1H9R9WA03	+9.9pF	50	CH	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R1BA03	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R1BD05	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R1CA03	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R1CD05	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R1WA03	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R1WD05	+2.1pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R2BA03	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R2BD05	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R2CA03	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R2CD05	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R2WA03	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R2WD05	+2.2pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R3BA03	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R3BD05	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R3CA03	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R3CD05	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R3WA03	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R3WD05	+2.3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R4BA03	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R4BD05	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R4CA03	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R4CD05	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R4WA03	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R4WD05	+2.4pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R5BA03	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R5BD05	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R5CA03	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R5CD05	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R5WA03	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R5WD05	+2.5pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R6BA03	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R6BD05	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R6CA03	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R6CD05	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R6WA03	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R6WD05	+2.6pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R7BA03	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R7BD05	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R7CA03	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R7CD05	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R7WA03	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R7WD05	+2.7pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R8BA03	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R8BD05	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R8CA03	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R8CD05	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R8WA03	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R8WD05	+2.8pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R9BA03	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R9BD05	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C2R9CA03	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R9CD05	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C2R9WA03	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C2R9WD05	+2.9pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C3R0BA03	+3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C3R0BD05	+3pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C3R0CA03	+3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C3R0CD05	+3pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1C3R0WA03	+3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C3R0WD05	+3pF	16	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1C3R1BA03	+3.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C3R1BD05	+3.1pF	16	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1C3R1CA03	+3.1pF	16	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small







PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0223C1H3R8CA03 +A	3.8pF	50	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1H3R8WA03 +A	3.8pF	50	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0223C1H3R9BA03 +A	3.9pF	50	CJ	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0223C1H3R9CA03 +A	3.9pF	50	CJ	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0223C1H3R9WA03 +A	3.9pF	50	CJ	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R0BA03 +A	1pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R0BD05 +A	1pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R0CA03 +A	1pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R0CD05 +A	1pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R0WA03 +A	1pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R0WD05 +A	1pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R1BA03 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R1BD05 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R1CA03 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R1CD05 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R1WA03 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R1WD05 +A	1.1pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R2BA03 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R2BD05 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R2CA03 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R2CD05 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R2WA03 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R2WD05 +A	1.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R3BA03 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R3BD05 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R3CA03 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R3CD05 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R3WA03 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R3WD05 +A	1.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R4BA03 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R4BD05 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R4CA03 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R4CD05 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R4WA03 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R4WD05 +A	1.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R5BA03 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R5BD05 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R5CA03 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R5CD05 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R5WA03 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R5WD05 +A	1.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R6BA03 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R6BD05 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R6CA03 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R6CD05 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R6WA03 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R6WD05 +A	1.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R7BA03 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R7BD05 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R7CA03 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R7CD05 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R7WA03 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R7WD05 +A	1.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R8BA03 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R8BD05 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R8CA03 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R8CD05 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R8WA03 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R8WD05 +A	1.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R9BA03 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R9BD05 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C1R9CA03 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R9CD05 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C1R9WA03 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C1R9WD05 +A	1.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C2R0BA03 +A	2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C2R0BD05 +A	2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1C2R0CA03 +A	2pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C2R0CD05 +A	2pF	16	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1C2R0WA03 +A	2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1C2R0WD05 +A	2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR20BA03 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR20BD05 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR20WA03 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR20WD05 +A	0.2pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR30BA03 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR30BD05 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR30WA03 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR30WD05 +A	0.3pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR40BA03 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0224C1CR40BD05 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR40WA03 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR40WD05 +A	0.4pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR50BA03 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR50BD05 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR50WA03 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR50WD05 +A	0.5pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR60BA03 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR60BD05 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR60WA03 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR60WD05 +A	0.6pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR70BA03 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR70BD05 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR70WA03 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR70WD05 +A	0.7pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR80BA03 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR80BD05 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR80WA03 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR80WD05 +A	0.8pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR90BA03 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR90BD05 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1CR90WA03 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1CR90WD05 +A	0.9pF	16	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R0BA03 +A	1pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R0CA03 +A	1pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R0WA03 +A	1pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R1BA03 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R1CA03 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R1WA03 +A	1.1pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R2BA03 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R2CA03 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R2WA03 +A	1.2pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R3BA03 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R3CA03 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R3WA03 +A	1.3pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R4BA03 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R4CA03 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R4WA03 +A	1.4pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R5BA03 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R5CA03 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R5WA03 +A	1.5pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R6BA03 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R6CA03 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R6WA03 +A	1.6pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R7BA03 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R7CA03 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R7WA03 +A	1.7pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R8BA03 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R8CA03 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R8WA03 +A	1.8pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E1R9BA03 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E1R9CA03 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E1R9WA03 +A	1.9pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1E2R0BA03 +A	2pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1E2R0CA03 +A	2pF	25	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1E2R0WA03 +A	2pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER20BA03 +A	0.2pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER20WA03 +A	0.2pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER30BA03 +A	0.3pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER30WA03 +A	0.3pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER40BA03 +A	0.4pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER40WA03 +A	0.4pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER50BA03 +A	0.5pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER50WA03 +A	0.5pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER60BA03 +A	0.6pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER60WA03 +A	0.6pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER70BA03 +A	0.7pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER70WA03 +A	0.7pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER80BA03 +A	0.8pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER80WA03 +A	0.8pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1ER90BA03 +A	0.9pF	25	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1ER90WA03 +A	0.9pF	25	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R0BA03 +A	1pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R0CA03 +A	1pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R0WA03 +A	1pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R1BA03 +A	1.1pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R1CA03 +A	1.1pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R1WA03 +A	1.1pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R2BA03 +A	1.2pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R2CA03 +A	1.2pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0224C1H1R2WA03 +A	1.2pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R3BA03 +A	1.3pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R3CA03 +A	1.3pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R3WA03 +A	1.3pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R4BA03 +A	1.4pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R4CA03 +A	1.4pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R4WA03 +A	1.4pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R5BA03 +A	1.5pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R5CA03 +A	1.5pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R5WA03 +A	1.5pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R6BA03 +A	1.6pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R6CA03 +A	1.6pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R6WA03 +A	1.6pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R7BA03 +A	1.7pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R7CA03 +A	1.7pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R7WA03 +A	1.7pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R8BA03 +A	1.8pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R8CA03 +A	1.8pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R8WA03 +A	1.8pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H1R9BA03 +A	1.9pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H1R9CA03 +A	1.9pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H1R9WA03 +A	1.9pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1H2R0BA03 +A	2pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1H2R0CA03 +A	2pF	50	CK	0402M/01005	0.22	+/-0.25pF	Ultra-small
GRM0224C1H2R0WA03 +A	2pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR20BA03 +A	0.2pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR20WA03 +A	0.2pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR30BA03 +A	0.3pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR30WA03 +A	0.3pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR40BA03 +A	0.4pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR40WA03 +A	0.4pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR50BA03 +A	0.5pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR50WA03 +A	0.5pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR60BA03 +A	0.6pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR60WA03 +A	0.6pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR70BA03 +A	0.7pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR70WA03 +A	0.7pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR80BA03 +A	0.8pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR80WA03 +A	0.8pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM0224C1HR90BA03 +A	0.9pF	50	CK	0402M/01005	0.22	+/-0.1pF	Ultra-small
GRM0224C1HR90WA03 +A	0.9pF	50	CK	0402M/01005	0.22	+/-0.05pF	Ultra-small
GRM022B11A101KA01 +A	100pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A101MA01 +A	100pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A151KA01 +A	150pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A151MA01 +A	150pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A221KA01 +A	220pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A221MA01 +A	220pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A331KA01 +A	330pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A331MA01 +A	330pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A471KA01 +A	470pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A471MA01 +A	470pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B11A680KA01 +A	68pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B11A680MA01 +A	68pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J102KE19 +A	1000pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J102ME19 +A	1000pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J103KE19 +A	1000pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J103ME19 +A	1000pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J152KE19 +A	1500pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J152ME19 +A	1500pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J222KE19 +A	2200pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J222ME19 +A	2200pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J332KE19 +A	3300pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J332ME19 +A	3300pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J472KE19 +A	4700pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J472ME19 +A	4700pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J681KE19 +A	680pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J681ME19 +A	680pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B30J682KE19 +A	6800pF	6.3	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B30J682ME19 +A	6800pF	6.3	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A102KE19 +A	1000pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A102ME19 +A	1000pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A103KE19 +A	1000pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A103ME19 +A	1000pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A152KE19 +A	1500pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A152ME19 +A	1500pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A222KE19 +A	2200pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A222ME19 +A	2200pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A332KE19 +A	3300pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A332ME19 +A	3300pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A472KE19 +A	4700pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM022B31A472ME19 +A	4700pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A681KE19 +A	680pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A681ME19 +A	680pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM022B31A682KE19 +A	6800pF	10	B	0402M/01005	0.22	+/-10%	Ultra-small
GRM022B31A682ME19 +A	6800pF	10	B	0402M/01005	0.22	+/-20%	Ultra-small
GRM0332C1E102GA01 +A	1000pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E102JA01 +A	1000pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E271GA01 +A	270pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E271JA01 +A	270pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E331GA01 +A	330pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E331JA01 +A	330pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E391GA01 +A	390pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E391JA01 +A	390pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E471GA01 +A	470pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E471JA01 +A	470pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E561GA01 +A	560pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E561JA01 +A	560pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E681GA01 +A	680pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E681JA01 +A	680pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1E821GA01 +A	820pF	25	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1E821JA01 +A	820pF	25	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H100GA01 +A	10pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H100JA01 +A	10pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H101GA01 +A	100pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H101JA01 +A	100pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H110GA01 +A	11pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H110JA01 +A	11pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H120GA01 +A	12pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H120JA01 +A	12pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H121GA01 +A	120pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H121JA01 +A	120pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H130GA01 +A	13pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H130JA01 +A	13pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H150GA01 +A	15pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H150JA01 +A	15pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H151GA01 +A	150pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H151JA01 +A	150pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H160GA01 +A	16pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H160JA01 +A	16pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H180GA01 +A	18pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H180JA01 +A	18pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H181GA01 +A	180pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H181JA01 +A	180pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H200GA01 +A	20pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H200JA01 +A	20pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H220GA01 +A	22pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H220JA01 +A	22pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H221GA01 +A	220pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H221JA01 +A	220pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H240GA01 +A	24pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H240JA01 +A	24pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H270GA01 +A	27pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H270JA01 +A	27pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H300GA01 +A	30pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H300JA01 +A	30pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H330GA01 +A	33pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H330JA01 +A	33pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H360GA01 +A	36pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H360JA01 +A	36pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H390GA01 +A	39pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H390JA01 +A	39pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H430GA01 +A	43pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H430JA01 +A	43pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H470GA01 +A	47pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H470JA01 +A	47pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H4R0BA01 +A	4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R0CA01 +A	4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R0WA01 +A	4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R1BA01 +A	4.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R1CA01 +A	4.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R1WA01 +A	4.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R2BA01 +A	4.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R2CA01 +A	4.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R2WA01 +A	4.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R3BA01 +A	4.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R3CA01 +A	4.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R3WA01 +A	4.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R4BA01 +A	4.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R4CA01 +A	4.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R4WA01 +A	4.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C1H4R5BA01	+A 4.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R5CA01	+A 4.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R5WA01	+A 4.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R6BA01	+A 4.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R6CA01	+A 4.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R6WA01	+A 4.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R7BA01	+A 4.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R7CA01	+A 4.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R7WA01	+A 4.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R8BA01	+A 4.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R8CA01	+A 4.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R8WA01	+A 4.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H4R9BA01	+A 4.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H4R9CA01	+A 4.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H4R9WA01	+A 4.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H510GA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H510JA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H560GA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H560JA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H5R0BA01	+A 5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R0CA01	+A 5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R0WA01	+A 5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R1BA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R1CA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R1DA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R1WA01	+A 5.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R2BA01	+A 5.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R2CA01	+A 5.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R2DA01	+A 5.2pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R2WA01	+A 5.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R3BA01	+A 5.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R3CA01	+A 5.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R3DA01	+A 5.3pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R3WA01	+A 5.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R4BA01	+A 5.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R4CA01	+A 5.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R4DA01	+A 5.4pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R4WA01	+A 5.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R5BA01	+A 5.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R5CA01	+A 5.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R5DA01	+A 5.5pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R5WA01	+A 5.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R6BA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R6CA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R6DA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R6WA01	+A 5.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R7BA01	+A 5.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R7CA01	+A 5.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R7DA01	+A 5.7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R7WA01	+A 5.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R8BA01	+A 5.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R8CA01	+A 5.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R8DA01	+A 5.8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R8WA01	+A 5.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H5R9BA01	+A 5.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H5R9CA01	+A 5.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H5R9DA01	+A 5.9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H5R9WA01	+A 5.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H620GA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H620JA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H680GA01	+A 6.8pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H680JA01	+A 6.8pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H6R0BA01	+A 6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R0CA01	+A 6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R0DA01	+A 6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R0WA01	+A 6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R1BA01	+A 6.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R1CA01	+A 6.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R1DA01	+A 6.1pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R1WA01	+A 6.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R2BA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R2CA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R2DA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R2WA01	+A 6.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R3BA01	+A 6.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R3CA01	+A 6.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R3DA01	+A 6.3pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R3WA01	+A 6.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R4BA01	+A 6.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R4CA01	+A 6.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C1H6R4DA01 +A	6.4pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R4WA01 +A	6.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R5BA01 +A	6.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R5CA01 +A	6.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R5DA01 +A	6.5pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R5WA01 +A	6.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R6BA01 +A	6.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R6CA01 +A	6.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R6DA01 +A	6.6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R6WA01 +A	6.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R7BA01 +A	6.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R7CA01 +A	6.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R7DA01 +A	6.7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R7WA01 +A	6.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R8BA01 +A	6.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R8CA01 +A	6.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R8DA01 +A	6.8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R8WA01 +A	6.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H6R9BA01 +A	6.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H6R9CA01 +A	6.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H6R9DA01 +A	6.9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H6R9WA01 +A	6.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H750GA01 +A	75pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H750JA01 +A	75pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H7R0BA01 +A	7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R0CA01 +A	7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R0DA01 +A	7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R0WA01 +A	7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R1BA01 +A	7.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R1CA01 +A	7.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R1DA01 +A	7.1pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R1WA01 +A	7.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R2BA01 +A	7.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R2CA01 +A	7.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R2DA01 +A	7.2pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R2WA01 +A	7.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R3BA01 +A	7.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R3CA01 +A	7.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R3DA01 +A	7.3pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R3WA01 +A	7.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R4BA01 +A	7.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R4CA01 +A	7.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R4DA01 +A	7.4pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R4WA01 +A	7.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R5BA01 +A	7.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R5CA01 +A	7.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R5DA01 +A	7.5pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R5WA01 +A	7.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R6BA01 +A	7.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R6CA01 +A	7.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R6DA01 +A	7.6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R6WA01 +A	7.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R7BA01 +A	7.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R7CA01 +A	7.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R7DA01 +A	7.7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R7WA01 +A	7.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R8BA01 +A	7.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R8CA01 +A	7.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R8DA01 +A	7.8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R8WA01 +A	7.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H7R9BA01 +A	7.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H7R9CA01 +A	7.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H7R9DA01 +A	7.9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H7R9WA01 +A	7.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H820GA01 +A	82pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H820JA01 +A	82pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H8R0BA01 +A	8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R0CA01 +A	8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R0DA01 +A	8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R0WA01 +A	8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R1BA01 +A	8.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R1CA01 +A	8.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R1DA01 +A	8.1pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R1WA01 +A	8.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R2BA01 +A	8.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R2CA01 +A	8.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R2DA01 +A	8.2pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R2WA01 +A	8.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R3BA01 +A	8.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R3CA01 +A	8.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C1H8R3DA01 +A	8.3pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R3WA01 +A	8.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R4BA01 +A	8.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R4CA01 +A	8.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R4DA01 +A	8.4pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R4WA01 +A	8.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R5BA01 +A	8.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R5CA01 +A	8.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R5DA01 +A	8.5pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R5WA01 +A	8.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R6BA01 +A	8.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R6CA01 +A	8.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R6DA01 +A	8.6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R6WA01 +A	8.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R7BA01 +A	8.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R7CA01 +A	8.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R7DA01 +A	8.7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R7WA01 +A	8.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R8BA01 +A	8.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R8CA01 +A	8.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R8DA01 +A	8.8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R8WA01 +A	8.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H8R9BA01 +A	8.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H8R9CA01 +A	8.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H8R9DA01 +A	8.9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H8R9WA01 +A	8.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H910GA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C1H910JA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C1H9R0BA01 +A	9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R0CA01 +A	9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R0DA01 +A	9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R0WA01 +A	9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R1BA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R1CA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R1DA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R1WA01 +A	9.1pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R2BA01 +A	9.2pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R2CA01 +A	9.2pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R2DA01 +A	9.2pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R2WA01 +A	9.2pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R3BA01 +A	9.3pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R3CA01 +A	9.3pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R3DA01 +A	9.3pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R3WA01 +A	9.3pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R4BA01 +A	9.4pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R4CA01 +A	9.4pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R4DA01 +A	9.4pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R4WA01 +A	9.4pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R5BA01 +A	9.5pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R5CA01 +A	9.5pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R5DA01 +A	9.5pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R5WA01 +A	9.5pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R6BA01 +A	9.6pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R6CA01 +A	9.6pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R6DA01 +A	9.6pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R6WA01 +A	9.6pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R7BA01 +A	9.7pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R7CA01 +A	9.7pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R7DA01 +A	9.7pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R7WA01 +A	9.7pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R8BA01 +A	9.8pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R8CA01 +A	9.8pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R8DA01 +A	9.8pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R8WA01 +A	9.8pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C1H9R9BA01 +A	9.9pF	50	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C1H9R9CA01 +A	9.9pF	50	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C1H9R9DA01 +A	9.9pF	50	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C1H9R9WA01 +A	9.9pF	50	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A100GA01 +A	10pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A100JA01 +A	10pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A101GA01 +A	100pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A101JA01 +A	100pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A120GA01 +A	12pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A120JA01 +A	12pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A150GA01 +A	15pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A150JA01 +A	15pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A180GA01 +A	18pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A180JA01 +A	18pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A200GA01 +A	20pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A200JA01 +A	20pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C2A220GA01 +A	22pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A220JA01 +A	22pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A240GA01 +A	24pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A240JA01 +A	24pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A270GA01 +A	27pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A270JA01 +A	27pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A300GA01 +A	30pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A300JA01 +A	30pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A330GA01 +A	33pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A330JA01 +A	33pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A360GA01 +A	36pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A360JA01 +A	36pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A390GA01 +A	39pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A390JA01 +A	39pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A430GA01 +A	43pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A430JA01 +A	43pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A470GA01 +A	47pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A470JA01 +A	47pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A4R0BA01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R0CA01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R0WA01 +A	4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R1BA01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R1CA01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R1WA01 +A	4.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R2BA01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R2CA01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R2WA01 +A	4.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R3BA01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R3CA01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R3WA01 +A	4.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R4BA01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R4CA01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R4WA01 +A	4.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R5BA01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R5CA01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R5WA01 +A	4.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R6BA01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R6CA01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R6WA01 +A	4.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R7BA01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R7CA01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R7WA01 +A	4.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R8BA01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R8CA01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R8WA01 +A	4.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A4R9BA01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A4R9CA01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A4R9WA01 +A	4.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A510GA01 +A	51pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A510JA01 +A	51pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A560GA01 +A	56pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A560JA01 +A	56pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A5R0BA01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R0CA01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R0WA01 +A	5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R1BA01 +A	5.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R1CA01 +A	5.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R1DA01 +A	5.1pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R1WA01 +A	5.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R2BA01 +A	5.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R2CA01 +A	5.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R2DA01 +A	5.2pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R2WA01 +A	5.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R3BA01 +A	5.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R3CA01 +A	5.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R3DA01 +A	5.3pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R3WA01 +A	5.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R4BA01 +A	5.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R4CA01 +A	5.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R4DA01 +A	5.4pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R4WA01 +A	5.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R5BA01 +A	5.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R5CA01 +A	5.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R5DA01 +A	5.5pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R5WA01 +A	5.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R6BA01 +A	5.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R6CA01 +A	5.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R6DA01 +A	5.6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R6WA01 +A	5.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R7BA01 +A	5.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C2A5R7CA01 +A	5.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R7DA01 +A	5.7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R7WA01 +A	5.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R8BA01 +A	5.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R8CA01 +A	5.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R8DA01 +A	5.8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R8WA01 +A	5.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A5R9BA01 +A	5.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A5R9CA01 +A	5.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A5R9DA01 +A	5.9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A5R9WA01 +A	5.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A620GA01 +A	62pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A620JA01 +A	62pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A680GA01 +A	68pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A680JA01 +A	68pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A6R0BA01 +A	6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R0CA01 +A	6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R0DA01 +A	6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R0WA01 +A	6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R1BA01 +A	6.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R1CA01 +A	6.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R1DA01 +A	6.1pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R1WA01 +A	6.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R2BA01 +A	6.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R2CA01 +A	6.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R2DA01 +A	6.2pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R2WA01 +A	6.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R3BA01 +A	6.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R3CA01 +A	6.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R3DA01 +A	6.3pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R3WA01 +A	6.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R4BA01 +A	6.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R4CA01 +A	6.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R4DA01 +A	6.4pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R4WA01 +A	6.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R5BA01 +A	6.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R5CA01 +A	6.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R5DA01 +A	6.5pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R5WA01 +A	6.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R6BA01 +A	6.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R6CA01 +A	6.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R6DA01 +A	6.6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R6WA01 +A	6.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R7BA01 +A	6.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R7CA01 +A	6.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R7DA01 +A	6.7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R7WA01 +A	6.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R8BA01 +A	6.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R8CA01 +A	6.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R8DA01 +A	6.8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R8WA01 +A	6.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A6R9BA01 +A	6.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A6R9CA01 +A	6.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A6R9DA01 +A	6.9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A6R9WA01 +A	6.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A750GA01 +A	75pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A750JA01 +A	75pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A7R0BA01 +A	7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R0CA01 +A	7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R0DA01 +A	7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R0WA01 +A	7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R1BA01 +A	7.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R1CA01 +A	7.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R1DA01 +A	7.1pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R1WA01 +A	7.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R2BA01 +A	7.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R2CA01 +A	7.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R2DA01 +A	7.2pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R2WA01 +A	7.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R3BA01 +A	7.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R3CA01 +A	7.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R3DA01 +A	7.3pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R3WA01 +A	7.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R4BA01 +A	7.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R4CA01 +A	7.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R4DA01 +A	7.4pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R4WA01 +A	7.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R5BA01 +A	7.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R5CA01 +A	7.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R5DA01 +A	7.5pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C2A7R5WA01	+7.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R6BA01	+7.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R6CA01	+7.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R6DA01	+7.6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R6WA01	+7.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R7BA01	+7.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R7CA01	+7.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R7DA01	+7.7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R7WA01	+7.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R8BA01	+7.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R8CA01	+7.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R8DA01	+7.8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R8WA01	+7.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A7R9BA01	+7.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A7R9CA01	+7.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A7R9DA01	+7.9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A7R9WA01	+7.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A820GA01	+82pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A820JA01	+82pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A8R0BA01	+8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R0CA01	+8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R0DA01	+8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R0WA01	+8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R1BA01	+8.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R1CA01	+8.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R1DA01	+8.1pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R1WA01	+8.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R2BA01	+8.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R2CA01	+8.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R2DA01	+8.2pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R2WA01	+8.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R3BA01	+8.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R3CA01	+8.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R3DA01	+8.3pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R3WA01	+8.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R4BA01	+8.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R4CA01	+8.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R4DA01	+8.4pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R4WA01	+8.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R5BA01	+8.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R5CA01	+8.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R5DA01	+8.5pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R5WA01	+8.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R6BA01	+8.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R6CA01	+8.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R6DA01	+8.6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R6WA01	+8.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R7BA01	+8.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R7CA01	+8.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R7DA01	+8.7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R7WA01	+8.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R8BA01	+8.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R8CA01	+8.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R8DA01	+8.8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R8WA01	+8.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A8R9BA01	+8.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A8R9CA01	+8.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A8R9DA01	+8.9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A8R9WA01	+8.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A910GA01	+91pF	100	CH	0603M/0201	0.33	+/-2%	Ultra-small
GRM0332C2A910JA01	+91pF	100	CH	0603M/0201	0.33	+/-5%	Ultra-small
GRM0332C2A9R0BA01	+9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R0CA01	+9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R0DA01	+9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R0WA01	+9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R1BA01	+9.1pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R1CA01	+9.1pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R1DA01	+9.1pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R1WA01	+9.1pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R2BA01	+9.2pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R2CA01	+9.2pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R2DA01	+9.2pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R2WA01	+9.2pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R3BA01	+9.3pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R3CA01	+9.3pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R3DA01	+9.3pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R3WA01	+9.3pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R4BA01	+9.4pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R4CA01	+9.4pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R4DA01	+9.4pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0332C2A9R4WA01	+9.4pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R5BA01	+9.5pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R5CA01	+9.5pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R5DA01	+9.5pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R5WA01	+9.5pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R6BA01	+9.6pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R6CA01	+9.6pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R6DA01	+9.6pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R6WA01	+9.6pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R7BA01	+9.7pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R7CA01	+9.7pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R7DA01	+9.7pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R7WA01	+9.7pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R8BA01	+9.8pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R8CA01	+9.8pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R8DA01	+9.8pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R8WA01	+9.8pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0332C2A9R9BA01	+9.9pF	100	CH	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0332C2A9R9CA01	+9.9pF	100	CH	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0332C2A9R9DA01	+9.9pF	100	CH	0603M/0201	0.33	+/-0.5pF	Ultra-small
GRM0332C2A9R9WA01	+9.9pF	100	CH	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R1BA01	+2.1pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R1CA01	+2.1pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R1WA01	+2.1pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R2BA01	+2.2pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R2CA01	+2.2pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R2WA01	+2.2pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R3BA01	+2.3pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R3CA01	+2.3pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R3WA01	+2.3pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R4BA01	+2.4pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R4CA01	+2.4pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R4WA01	+2.4pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R5BA01	+2.5pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R5CA01	+2.5pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R5WA01	+2.5pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R6BA01	+2.6pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R6CA01	+2.6pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R6WA01	+2.6pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R7BA01	+2.7pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R7CA01	+2.7pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R7WA01	+2.7pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R8BA01	+2.8pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R8CA01	+2.8pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R8WA01	+2.8pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H2R9BA01	+2.9pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H2R9CA01	+2.9pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H2R9WA01	+2.9pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R0BA01	+3pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R0CA01	+3pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R0WA01	+3pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R1BA01	+3.1pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R1CA01	+3.1pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R1WA01	+3.1pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R2BA01	+3.2pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R2CA01	+3.2pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R2WA01	+3.2pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R3BA01	+3.3pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R3CA01	+3.3pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R3WA01	+3.3pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R4BA01	+3.4pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R4CA01	+3.4pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R4WA01	+3.4pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R5BA01	+3.5pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R5CA01	+3.5pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R5WA01	+3.5pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R6BA01	+3.6pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R6CA01	+3.6pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R6WA01	+3.6pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R7BA01	+3.7pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R7CA01	+3.7pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R7WA01	+3.7pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R8BA01	+3.8pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R8CA01	+3.8pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R8WA01	+3.8pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C1H3R9BA01	+3.9pF	50	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C1H3R9CA01	+3.9pF	50	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C1H3R9WA01	+3.9pF	50	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R1BA01	+2.1pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R1CA01	+2.1pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0333C2A2R1WA01	+2.1pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R2BA01	+2.2pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R2CA01	+2.2pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R2WA01	+2.2pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R3BA01	+2.3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R3CA01	+2.3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R3WA01	+2.3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R4BA01	+2.4pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R4CA01	+2.4pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R4WA01	+2.4pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R5BA01	+2.5pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R5CA01	+2.5pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R5WA01	+2.5pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R6BA01	+2.6pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R6CA01	+2.6pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R6WA01	+2.6pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R7BA01	+2.7pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R7CA01	+2.7pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R7WA01	+2.7pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R8BA01	+2.8pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R8CA01	+2.8pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R8WA01	+2.8pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A2R9BA01	+2.9pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A2R9CA01	+2.9pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A2R9WA01	+2.9pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R0BA01	+3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R0CA01	+3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R0WA01	+3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R1BA01	+3.1pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R1CA01	+3.1pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R1WA01	+3.1pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R2BA01	+3.2pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R2CA01	+3.2pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R2WA01	+3.2pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R3BA01	+3.3pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R3CA01	+3.3pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R3WA01	+3.3pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R4BA01	+3.4pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R4CA01	+3.4pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R4WA01	+3.4pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R5BA01	+3.5pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R5CA01	+3.5pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R5WA01	+3.5pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R6BA01	+3.6pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R6CA01	+3.6pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R6WA01	+3.6pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R7BA01	+3.7pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R7CA01	+3.7pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R7WA01	+3.7pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R8BA01	+3.8pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R8CA01	+3.8pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R8WA01	+3.8pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0333C2A3R9BA01	+3.9pF	100	CJ	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0333C2A3R9CA01	+3.9pF	100	CJ	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0333C2A3R9WA01	+3.9pF	100	CJ	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R0BA01	+1pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R0CA01	+1pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R0WA01	+1pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R1BA01	+1.1pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R1CA01	+1.1pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R1WA01	+1.1pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R2BA01	+1.2pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R2CA01	+1.2pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R2WA01	+1.2pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R3BA01	+1.3pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R3CA01	+1.3pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R3WA01	+1.3pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R4BA01	+1.4pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R4CA01	+1.4pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R4WA01	+1.4pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R5BA01	+1.5pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R5CA01	+1.5pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R5WA01	+1.5pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R6BA01	+1.6pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R6CA01	+1.6pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R6WA01	+1.6pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R7BA01	+1.7pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R7CA01	+1.7pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R7WA01	+1.7pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R8BA01	+1.8pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM0334C1H1R8CA01 +A	1.8pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R8WA01 +	1.8pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H1R9BA01 +A	1.9pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H1R9CA01 +A	1.9pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H1R9WA01 +	1.9pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1H2R0BA01 +A	2pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1H2R0CA01 +A	2pF	50	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C1H2R0WA01 +	2pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR10WA01 +	0.1pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR20BA01 +A	0.2pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR20WA01 +	0.2pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR30BA01 +A	0.3pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR30WA01 +	0.3pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR40BA01 +A	0.4pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR40WA01 +	0.4pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR50BA01 +A	0.5pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR50WA01 +	0.5pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR60BA01 +A	0.6pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR60WA01 +	0.6pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR70BA01 +A	0.7pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR70WA01 +	0.7pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR80BA01 +A	0.8pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR80WA01 +	0.8pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C1HR90BA01 +A	0.9pF	50	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C1HR90WA01 +	0.9pF	50	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R0BA01 +A	1pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R0CA01 +A	1pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R0WA01 +	1pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R1BA01 +A	1.1pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R1CA01 +A	1.1pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R1WA01 +	1.1pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R2BA01 +A	1.2pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R2CA01 +A	1.2pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R2WA01 +	1.2pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R3BA01 +A	1.3pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R3CA01 +A	1.3pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R3WA01 +	1.3pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R4BA01 +A	1.4pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R4CA01 +A	1.4pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R4WA01 +	1.4pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R5BA01 +A	1.5pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R5CA01 +A	1.5pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R5WA01 +	1.5pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R6BA01 +A	1.6pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R6CA01 +A	1.6pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R6WA01 +	1.6pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R7BA01 +A	1.7pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R7CA01 +A	1.7pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R7WA01 +	1.7pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R8BA01 +A	1.8pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R8CA01 +A	1.8pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R8WA01 +	1.8pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A1R9BA01 +A	1.9pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A1R9CA01 +A	1.9pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A1R9WA01 +	1.9pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2A2R0BA01 +A	2pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2A2R0CA01 +A	2pF	100	CK	0603M/0201	0.33	+/-0.25pF	Ultra-small
GRM0334C2A2R0WA01 +	2pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR10WA01 +	0.1pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR20BA01 +A	0.2pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR20WA01 +	0.2pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR30BA01 +A	0.3pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR30WA01 +	0.3pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR40BA01 +A	0.4pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR40WA01 +	0.4pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR50BA01 +A	0.5pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR50WA01 +	0.5pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR60BA01 +A	0.6pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR60WA01 +	0.6pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR70BA01 +A	0.7pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR70WA01 +	0.7pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR80BA01 +A	0.8pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR80WA01 +	0.8pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM0334C2AR90BA01 +A	0.9pF	100	CK	0603M/0201	0.33	+/-0.1pF	Ultra-small
GRM0334C2AR90WA01 +	0.9pF	100	CK	0603M/0201	0.33	+/-0.05pF	Ultra-small
GRM033B10J103KA01 +A	1000pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J152KA01 +A	1500pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J153KE01 +A	1500pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J153ME01 +A	1500pF	6.3	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J222KA01 +A	2200pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM033B10J223KE01 +A	22000pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J223ME01 +A	22000pF	6.3	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J332KA01 +A	3300pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J333KE01 +A	33000pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J333ME01 +A	33000pF	6.3	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B10J472KA01 +A	4700pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B10J682KA01 +A	6800pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A103KA01 +A	10000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A103MA01 +A	10000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11A152KA01 +A	1500pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A222KA01 +A	2200pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A332KA01 +A	3300pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A472KA01 +A	4700pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A472MA01 +A	4700pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11A682KA01 +A	6800pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11A682MA01 +A	6800pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11C101KA01 +A	100pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C102KA01 +A	1000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C151KA01 +A	150pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C152KA01 +A	1500pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C221KA01 +A	220pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C331KA01 +A	330pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C471KA01 +A	470pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11C681KA01 +A	680pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E101KA01 +A	100pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E102KA01 +A	1000pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E102MA01 +A	1000pF	25	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11E151KA01 +A	150pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E152KA01 +A	1500pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E152MA01 +A	1500pF	25	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B11E221KA01 +A	220pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E331KA01 +A	330pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E471KA01 +A	470pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B11E681KA01 +A	680pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B30G224ME15 +A	0.22uF	4.0	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B30J224ME15 +A	0.22uF	6.3	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B30J473KE18 +A	47000pF	6.3	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A104KE84 +A	0.1uF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A104ME84 +A	0.1uF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A123KE84 +A	12000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A123ME84 +A	12000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A153KE84 +A	15000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A153ME84 +A	15000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A183KE84 +A	18000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A183ME84 +A	18000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A223KE84 +A	22000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A223ME84 +A	22000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A273KE84 +A	27000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A273ME84 +A	27000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A333KE84 +A	33000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A333ME84 +A	33000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A393KE84 +A	39000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A393ME84 +A	39000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A473KE84 +A	47000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A473ME84 +A	47000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31A683KE84 +A	68000pF	10	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31A683ME84 +A	68000pF	10	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C103KA12 +A	10000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C103MA12 +A	10000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C104KE84 +A	0.1uF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C104ME84 +A	0.1uF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C153KE84 +A	15000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C153ME84 +A	15000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C222KA87 +A	2200pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C222MA87 +A	2200pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C223KE84 +A	22000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C223ME84 +A	22000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C332KA87 +A	3300pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C332MA87 +A	3300pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C333KE84 +A	33000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C333ME84 +A	33000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C473KE84 +A	47000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C473ME84 +A	47000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31C683KE84 +A	68000pF	16	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31C683ME84 +A	68000pF	16	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E103KA12 +A	10000pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31E103MA12 +A	10000pF	25	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E222KA12 +A	2200pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31E222MA12 +A	2200pF	25	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31E332KA12 +A	3300pF	25	B	0603M/0201	0.33	+/-10%	Ultra-small



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM033B31E332MA12 +A	3300pF	25	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H101KA12 +A	100pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H101MA12 +A	100pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H102KA12 +A	1000pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H102MA12 +A	1000pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H151KA12 +A	150pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H151MA12 +A	150pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H152KA12 +A	1500pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H152MA12 +A	1500pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H221KA12 +A	220pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H221MA12 +A	220pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H331KA12 +A	330pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H331MA12 +A	330pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H471KA12 +A	470pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H471MA12 +A	470pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033B31H681KA12 +A	680pF	50	B	0603M/0201	0.33	+/-10%	Ultra-small
GRM033B31H681MA12 +A	680pF	50	B	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R10J103KA01 +A	10000pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J152KA01 +A	1500pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J222KA01 +A	2200pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J332KA01 +A	3300pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J472KA01 +A	4700pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R10J682KA01 +A	6800pF	6.3	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A103KA01 +A	10000pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A103MA01 +A	10000pF	10	R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11A152KA01 +A	1500pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A222KA01 +A	2200pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A332KA01 +A	3300pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A472KA01 +A	4700pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A472MA01 +A	4700pF	10	R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11A682KA01 +A	6800pF	10	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11A682MA01 +A	6800pF	10	R	0603M/0201	0.33	+/-20%	Ultra-small
GRM033R11C101KA01 +A	100pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C102KA01 +A	1000pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C151KA01 +A	150pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C152KA01 +A	1500pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C221KA01 +A	220pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C222KA88 +A	2200pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C331KA01 +A	330pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C332KA88 +A	3300pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C471KA01 +A	470pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11C681KA01 +A	680pF	16	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E101KA01 +A	100pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E102KA01 +A	1000pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E151KA01 +A	150pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E152KA01 +A	1500pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E221KA01 +A	220pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E331KA01 +A	330pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E471KA01 +A	470pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM033R11E681KA01 +A	680pF	25	R	0603M/0201	0.33	+/-10%	Ultra-small
GRM152B30J104KE19 +A	0.1uF	6.3	B	1005M/0402	0.22	+/-10%	General Purpose
GRM152B30J104ME19 +A	0.1uF	6.3	B	1005M/0402	0.22	+/-20%	General Purpose
GRM152B30J224KE19 +A	0.22uF	6.3	B	1005M/0402	0.22	+/-10%	General Purpose
GRM152B30J224ME19 +A	0.22uF	6.3	B	1005M/0402	0.22	+/-20%	General Purpose
GRM152B30J474ME15 +A	0.47uF	6.3	B	1005M/0402	0.22	+/-20%	General Purpose
GRM152B31A104KE19 +A	0.1uF	10	B	1005M/0402	0.22	+/-10%	General Purpose
GRM152B31A104ME19 +A	0.1uF	10	B	1005M/0402	0.22	+/-20%	General Purpose
GRM152B31A224KE19 +A	0.22uF	10	B	1005M/0402	0.22	+/-10%	General Purpose
GRM152B31A224ME19 +A	0.22uF	10	B	1005M/0402	0.22	+/-20%	General Purpose
GRM153B30G225ME95 +A	2.2uF	4.0	B	1005M/0402	0.33	+/-20%	General Purpose
GRM153B30J105ME95 +A	1uF	6.3	B	1005M/0402	0.33	+/-20%	General Purpose
GRM153B30J225ME95 +A	2.2uF	6.3	B	1005M/0402	0.33	+/-20%	General Purpose
GRM153B31A105ME95 +A	1uF	10	B	1005M/0402	0.33	+/-20%	General Purpose
GRM1551X1A122JA01 +A	1200pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A152JA01 +A	1500pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A182JA01 +A	1800pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A222JA01 +A	2200pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A272JA01 +A	2700pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A332JA01 +A	3300pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A392JA01 +A	3900pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1551X1A472JA01 +A	4700pF	10	SL	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E100JA01 +A	10pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E101JA01 +A	100pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E102JA01 +A	1000pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E120JA01 +A	12pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E121JA01 +A	120pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E150JA01 +A	15pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E151JA01 +A	150pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E180JA01 +A	18pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E181JA01 +A	180pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1552C1E220JA01 +A	22pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E221JA01 +A	220pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E270JA01 +A	27pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E271JA01 +A	270pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E330JA01 +A	33pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E331JA01 +A	330pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E390JA01 +A	39pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E391JA01 +A	390pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E470JA01 +A	47pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E471JA01 +A	470pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E4R3CA01 +A	4.3pF	25	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1E4R7CA01 +A	4.7pF	25	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1E560JA01 +A	56pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E561JA01 +A	560pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E5R1DA01 +A	5.1pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E5R6DA01 +A	5.6pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E680JA01 +A	68pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E681JA01 +A	680pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E6R2DA01 +A	6.2pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E6R8DA01 +A	6.8pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E7R5DA01 +A	7.5pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E820JA01 +A	82pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E821JA01 +A	820pF	25	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1E8R2DA01 +A	8.2pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1E9R1DA01 +A	9.1pF	25	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H100GA01 +A	10pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H100JA01 +A	10pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H101GA01 +A	100pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H101JA01 +A	100pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H102GA01 +A	1000pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H102JA01 +A	1000pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H110JA01 +A	11pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H120GA01 +A	12pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H120JA01 +A	12pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H121GA01 +A	120pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H121JA01 +A	120pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H130JA01 +A	13pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H150GA01 +A	15pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H150JA01 +A	15pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H151GA01 +A	150pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H151JA01 +A	150pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H160JA01 +A	16pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H180GA01 +A	18pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H180JA01 +A	18pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H181GA01 +A	180pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H181JA01 +A	180pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H200JA01 +A	20pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H220GA01 +A	22pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H220JA01 +A	22pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H221GA01 +A	220pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H221JA01 +A	220pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H240JA01 +A	24pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H270GA01 +A	27pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H270JA01 +A	27pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H271GA01 +A	270pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H271JA01 +A	270pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H300JA01 +A	30pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H330GA01 +A	33pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H330JA01 +A	33pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H331GA01 +A	330pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H331JA01 +A	330pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H360JA01 +A	36pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H390GA01 +A	39pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H390JA01 +A	39pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H391GA01 +A	390pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H391JA01 +A	390pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H430JA01 +A	43pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H470GA01 +A	47pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H470JA01 +A	47pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H471GA01 +A	470pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H471JA01 +A	470pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H4R0BA01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R0CA01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R0WA01 +A	4pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R1BA01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R1CA01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R1WA01 +A	4.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R2BA01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R2CA01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R2WA01 +A	4.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1552C1H4R3BA01	+A 4.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R3CA01	+A 4.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R3WA01	+A 4.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R4BA01	+A 4.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R4CA01	+A 4.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R4WA01	+A 4.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R5BA01	+A 4.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R5CA01	+A 4.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R5WA01	+A 4.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R6BA01	+A 4.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R6CA01	+A 4.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R6WA01	+A 4.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R7BA01	+A 4.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R7CA01	+A 4.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R7WA01	+A 4.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R8BA01	+A 4.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R8CA01	+A 4.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R8WA01	+A 4.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H4R9BA01	+A 4.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H4R9CA01	+A 4.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H4R9WA01	+A 4.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H510JA01	+A 51pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H560GA01	+A 56pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H560JA01	+A 56pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H561GA01	+A 560pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H561JA01	+A 560pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H5R0BA01	+A 5pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R0CA01	+A 5pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R0WA01	+A 5pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R1BA01	+A 5.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R1CA01	+A 5.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R1DA01	+A 5.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R1WA01	+A 5.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R2BA01	+A 5.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R2CA01	+A 5.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R2DA01	+A 5.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R2WA01	+A 5.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R3BA01	+A 5.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R3CA01	+A 5.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R3DA01	+A 5.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R3WA01	+A 5.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R4BA01	+A 5.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R4CA01	+A 5.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R4DA01	+A 5.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R4WA01	+A 5.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R5BA01	+A 5.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R5CA01	+A 5.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R5DA01	+A 5.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R5WA01	+A 5.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R6BA01	+A 5.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R6CA01	+A 5.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R6DA01	+A 5.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R6WA01	+A 5.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R7BA01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R7CA01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R7DA01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R7WA01	+A 5.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R8BA01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R8CA01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R8DA01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R8WA01	+A 5.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H5R9BA01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H5R9CA01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H5R9DA01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H5R9WA01	+A 5.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H620JA01	+A 62pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H680GA01	+A 68pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H680JA01	+A 68pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H681GA01	+A 680pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H681JA01	+A 680pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H6R0BA01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R0CA01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R0DA01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R0WA01	+A 6pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R1BA01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R1CA01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R1DA01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R1WA01	+A 6.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R2BA01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R2CA01	+A 6.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1552C1H6R2DA01 +A	6.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R2WA01 +A	6.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R3BA01 +A	6.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R3CA01 +A	6.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R3DA01 +A	6.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R3WA01 +A	6.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R4BA01 +A	6.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R4CA01 +A	6.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R4DA01 +A	6.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R4WA01 +A	6.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R5BA01 +A	6.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R5CA01 +A	6.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R5DA01 +A	6.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R5WA01 +A	6.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R6BA01 +A	6.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R6CA01 +A	6.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R6DA01 +A	6.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R6WA01 +A	6.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R7BA01 +A	6.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R7CA01 +A	6.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R7DA01 +A	6.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R7WA01 +A	6.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R8BA01 +A	6.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R8CA01 +A	6.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R8DA01 +A	6.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R8WA01 +A	6.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H6R9BA01 +A	6.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H6R9CA01 +A	6.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H6R9DA01 +A	6.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H6R9WA01 +A	6.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H750JA01 +A	75pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H7R0BA01 +A	7pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R0CA01 +A	7pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R0DA01 +A	7pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R0WA01 +A	7pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R1BA01 +A	7.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R1CA01 +A	7.1pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R1DA01 +A	7.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R1WA01 +A	7.1pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R2BA01 +A	7.2pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R2CA01 +A	7.2pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R2DA01 +A	7.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R2WA01 +A	7.2pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R3BA01 +A	7.3pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R3CA01 +A	7.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R3DA01 +A	7.3pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R3WA01 +A	7.3pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R4BA01 +A	7.4pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R4CA01 +A	7.4pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R4DA01 +A	7.4pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R4WA01 +A	7.4pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R5BA01 +A	7.5pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R5CA01 +A	7.5pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R5DA01 +A	7.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R5WA01 +A	7.5pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R6BA01 +A	7.6pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R6CA01 +A	7.6pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R6DA01 +A	7.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R6WA01 +A	7.6pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R7BA01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R7CA01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R7DA01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R7WA01 +A	7.7pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R8BA01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R8CA01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R8DA01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R8WA01 +A	7.8pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H7R9BA01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H7R9CA01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H7R9DA01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H7R9WA01 +A	7.9pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H820GA01 +A	82pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H820JA01 +A	82pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H821GA01 +A	820pF	50	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C1H821JA01 +A	820pF	50	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C1H8R0BA01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C1H8R0CA01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C1H8R0DA01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C1H8R0WA01 +A	8pF	50	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C1H8R1BA01 +A	8.1pF	50	CH	1005M/0402	0.55	+/-0.1pF	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1552C2A120GA01 +A	12pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A120JA01 +A	12pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A150GA01 +A	15pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A150JA01 +A	15pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A180GA01 +A	18pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A180JA01 +A	18pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A220GA01 +A	22pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A220JA01 +A	22pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A270GA01 +A	27pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A270JA01 +A	27pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A330GA01 +A	33pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A330JA01 +A	33pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A390GA01 +A	39pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A390JA01 +A	39pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A470GA01 +A	47pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A470JA01 +A	47pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A4R0BA01 +A	4pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R0CA01 +A	4pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R0WA01 +A	4pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R1BA01 +A	4.1pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R1CA01 +A	4.1pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R1WA01 +A	4.1pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R2BA01 +A	4.2pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R2CA01 +A	4.2pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R2WA01 +A	4.2pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R3BA01 +A	4.3pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R3CA01 +A	4.3pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R3WA01 +A	4.3pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R4BA01 +A	4.4pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R4CA01 +A	4.4pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R4WA01 +A	4.4pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R5BA01 +A	4.5pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R5CA01 +A	4.5pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R5WA01 +A	4.5pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R6BA01 +A	4.6pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R6CA01 +A	4.6pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R6WA01 +A	4.6pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R7BA01 +A	4.7pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R7CA01 +A	4.7pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R7WA01 +A	4.7pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R8BA01 +A	4.8pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R8CA01 +A	4.8pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R8WA01 +A	4.8pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A4R9BA01 +A	4.9pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A4R9CA01 +A	4.9pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A4R9WA01 +A	4.9pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A560GA01 +A	56pF	100	CH	1005M/0402	0.55	+/-2%	General Purpose
GRM1552C2A560JA01 +A	56pF	100	CH	1005M/0402	0.55	+/-5%	General Purpose
GRM1552C2A5R0BA01 +A	5pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R0CA01 +A	5pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R0WA01 +A	5pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R1BA01 +A	5.1pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R1CA01 +A	5.1pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R1DA01 +A	5.1pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R1WA01 +A	5.1pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R2BA01 +A	5.2pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R2CA01 +A	5.2pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R2DA01 +A	5.2pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R2WA01 +A	5.2pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R3BA01 +A	5.3pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R3CA01 +A	5.3pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R3DA01 +A	5.3pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R3WA01 +A	5.3pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R4BA01 +A	5.4pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R4CA01 +A	5.4pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R4DA01 +A	5.4pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R4WA01 +A	5.4pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R5BA01 +A	5.5pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R5CA01 +A	5.5pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R5DA01 +A	5.5pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R5WA01 +A	5.5pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R6BA01 +A	5.6pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R6CA01 +A	5.6pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R6DA01 +A	5.6pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R6WA01 +A	5.6pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R7BA01 +A	5.7pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1552C2A5R7CA01 +A	5.7pF	100	CH	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1552C2A5R7DA01 +A	5.7pF	100	CH	1005M/0402	0.55	+/-0.5pF	General Purpose
GRM1552C2A5R7WA01 +A	5.7pF	100	CH	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1552C2A5R8BA01 +A	5.8pF	100	CH	1005M/0402	0.55	+/-0.1pF	General Purpose









PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1553C2A2R2WA01	+2.2pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R3BA01	+2.3pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R3CA01	+2.3pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R3WA01	+2.3pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R4BA01	+2.4pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R4CA01	+2.4pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R4WA01	+2.4pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R5BA01	+2.5pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R5CA01	+2.5pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R5WA01	+2.5pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R6BA01	+2.6pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R6CA01	+2.6pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R6WA01	+2.6pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R7BA01	+2.7pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R7CA01	+2.7pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R7WA01	+2.7pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R8BA01	+2.8pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R8CA01	+2.8pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R8WA01	+2.8pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A2R9BA01	+2.9pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A2R9CA01	+2.9pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A2R9WA01	+2.9pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R0BA01	+3pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R0CA01	+3pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R0WA01	+3pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R1BA01	+3.1pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R1CA01	+3.1pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R1WA01	+3.1pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R2BA01	+3.2pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R2CA01	+3.2pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R2WA01	+3.2pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R3BA01	+3.3pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R3CA01	+3.3pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R3WA01	+3.3pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R4BA01	+3.4pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R4CA01	+3.4pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R4WA01	+3.4pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R5BA01	+3.5pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R5CA01	+3.5pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R5WA01	+3.5pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R6BA01	+3.6pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R6CA01	+3.6pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R6WA01	+3.6pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R7BA01	+3.7pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R7CA01	+3.7pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R7WA01	+3.7pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R8BA01	+3.8pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R8CA01	+3.8pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R8WA01	+3.8pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553C2A3R9BA01	+3.9pF	100	CJ	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1553C2A3R9CA01	+3.9pF	100	CJ	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1553C2A3R9WA01	+3.9pF	100	CJ	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1553U1A122JA01	+A 1200pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A152JA01	+A 1500pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A182JA01	+A 1800pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A222JA01	+A 2200pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A272JA01	+A 2700pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A332JA01	+A 3300pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A392JA01	+A 3900pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1553U1A472JA01	+A 4700pF	10	UJ	1005M/0402	0.55	+/-5%	General Purpose
GRM1554C1E1R1CA01	+A 1.1pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E1R2CA01	+A 1.2pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E1R3CA01	+A 1.3pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E1R5CA01	+A 1.5pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E1R6CA01	+A 1.6pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E1R8CA01	+A 1.8pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1E2R0CA01	+A 2pF	25	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R0BA01	+A 1pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R0CA01	+A 1pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R0WA01	+A 1pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R1BA01	+A 1.1pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R1CA01	+A 1.1pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R1WA01	+A 1.1pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R2BA01	+A 1.2pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R2CA01	+A 1.2pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R2WA01	+A 1.2pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R3BA01	+A 1.3pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R3CA01	+A 1.3pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R3WA01	+A 1.3pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R4BA01	+A 1.4pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1554C1H1R4CA01 +A	1.4pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R4WA01 +	1.4pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R5BA01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R5CA01 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R5WA01 +	1.5pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R6BA01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R6CA01 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R6WA01 +	1.6pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R7BA01 +A	1.7pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R7CA01 +A	1.7pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R7WA01 +	1.7pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R8BA01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R8CA01 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R8WA01 +	1.8pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H1R9BA01 +A	1.9pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H1R9CA01 +A	1.9pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H1R9WA01 +	1.9pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1H2R0BA01 +A	2pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1H2R0CA01 +A	2pF	50	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C1H2R0WA01 +	2pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR10WA01 +	0.1pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR20BA01 +A	0.2pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR20WA01 +	0.2pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR30BA01 +A	0.3pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR30WA01 +	0.3pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR40BA01 +A	0.4pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR40WA01 +	0.4pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR50BA01 +A	0.5pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR50WA01 +	0.5pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR60BA01 +A	0.6pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR60WA01 +	0.6pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR70BA01 +A	0.7pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR70WA01 +	0.7pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR80BA01 +A	0.8pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR80WA01 +	0.8pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C1HR90BA01 +A	0.9pF	50	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C1HR90WA01 +	0.9pF	50	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R0BA01 +A	1pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R0CA01 +A	1pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R0WA01 +	1pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R1BA01 +A	1.1pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R1CA01 +A	1.1pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R1WA01 +	1.1pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R2BA01 +A	1.2pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R2CA01 +A	1.2pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R2WA01 +	1.2pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R3BA01 +A	1.3pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R3CA01 +A	1.3pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R3WA01 +	1.3pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R4BA01 +A	1.4pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R4CA01 +A	1.4pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R4WA01 +	1.4pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R5BA01 +A	1.5pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R5CA01 +A	1.5pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R5WA01 +	1.5pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R6BA01 +A	1.6pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R6CA01 +A	1.6pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R6WA01 +	1.6pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R7BA01 +A	1.7pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R7CA01 +A	1.7pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R7WA01 +	1.7pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R8BA01 +A	1.8pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R8CA01 +A	1.8pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R8WA01 +	1.8pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A1R9BA01 +A	1.9pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A1R9CA01 +A	1.9pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A1R9WA01 +	1.9pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2A2R0BA01 +A	2pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2A2R0CA01 +A	2pF	100	CK	1005M/0402	0.55	+/-0.25pF	General Purpose
GRM1554C2A2R0WA01 +	2pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR10WA01 +	0.1pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR20BA01 +A	0.2pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR20WA01 +	0.2pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR30BA01 +A	0.3pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR30WA01 +	0.3pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR40BA01 +A	0.4pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR40WA01 +	0.4pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR50BA01 +A	0.5pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR50WA01 +	0.5pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR60BA01 +A	0.6pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1554C2AR60WA01	+0.6pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR70BA01	+0.7pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR70WA01	+0.7pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR80BA01	+0.8pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR80WA01	+0.8pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM1554C2AR90BA01	+0.9pF	100	CK	1005M/0402	0.55	+/-0.1pF	General Purpose
GRM1554C2AR90WA01	+0.9pF	100	CK	1005M/0402	0.55	+/-0.05pF	General Purpose
GRM155B10J104KA01	+A 0.1uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J154KE01	+A 0.15uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J154ME01	+A 0.15uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B10J224KE01	+A 0.22uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J224ME01	+A 0.22uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B10J334KE01	+A 0.33uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B10J334ME01	+A 0.33uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11A104KA01	+A 0.1uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C103KA01	+A 10000pF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C103MA01	+A 10000pF	16	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11C223KA01	+A 22000pF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C333KA01	+A 33000pF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11C473KA01	+A 47000pF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E102KA01	+A 1000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E103KA01	+A 10000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E103MA01	+A 10000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E153KA61	+A 15000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E153MA61	+A 15000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E222KA01	+A 2200pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E223KA61	+A 22000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E223MA61	+A 22000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11E472KA01	+A 4700pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11E682KA01	+A 6800pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H102KA01	+A 1000pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H102MA01	+A 1000pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H152KA01	+A 1500pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H152MA01	+A 1500pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H221KA01	+A 220pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H221MA01	+A 220pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H222KA01	+A 2200pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H222MA01	+A 2200pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H331KA01	+A 330pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H331MA01	+A 330pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H332KA01	+A 3300pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H332MA01	+A 3300pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H471KA01	+A 470pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H471MA01	+A 470pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H472KA01	+A 4700pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H472MA01	+A 4700pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B11H681KA01	+A 680pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B11H681MA01	+A 680pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B30G475ME47	+A 4.7uF	4.0	B	1005M/0402	0.60	+/-20%	General Purpose
GRM155B30J105KE18	+A 1uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J105ME18	+A 1uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J225KE95	+A 2.2uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J225ME95	+A 2.2uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J474KE18	+A 0.47uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J474ME18	+A 0.47uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B30J475ME47	+A 4.7uF	6.3	B	1005M/0402	0.60	+/-20%	General Purpose
GRM155B30J475ME87	+A 4.7uF	6.3	B	1005M/0402	0.65	+/-20%	General Purpose
GRM155B30J684KE18	+A 0.68uF	6.3	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B30J684ME18	+A 0.68uF	6.3	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A105ME01	+A 1uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A154KE18	+A 0.15uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A154ME18	+A 0.15uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A224KE18	+A 0.22uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A224ME18	+A 0.22uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A225KE95	+A 2.2uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A225ME95	+A 2.2uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A334KE14	+A 0.33uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A334ME14	+A 0.33uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A474KE14	+A 0.47uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A474ME14	+A 0.47uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31A684KE15	+A 0.68uF	10	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31A684ME15	+A 0.68uF	10	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31C104KA87	+A 0.1uF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31C105KA12	+A 1uF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31C105MA12	+A 1uF	16	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31C683KA87	+A 68000pF	16	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E104KA87	+A 0.1uF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E104MA87	+A 0.1uF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E105KA12	+A 1uF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E105MA12	+A 1uF	25	B	1005M/0402	0.55	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM155B31E333KA87 +A	33000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E333MA87 +A	33000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E473KA87 +A	47000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E473MA87 +A	47000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31E683KA87 +A	68000pF	25	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31E683MA87 +A	68000pF	25	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H103KA88 +A	10000pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H103MA88 +A	10000pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H104KE14 +A	0.1uF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H104ME14 +A	0.1uF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H153KA12 +A	15000pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H153MA12 +A	15000pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H223KA12 +A	22000pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H223MA12 +A	22000pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155B31H682KA88 +A	6800pF	50	B	1005M/0402	0.55	+/-10%	General Purpose
GRM155B31H682MA88 +A	6800pF	50	B	1005M/0402	0.55	+/-20%	General Purpose
GRM155R11A104KA01 +A	0.1uF	10	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11A683KA01 +A	68000pF	10	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11A683MA01 +A	68000pF	10	R	1005M/0402	0.55	+/-20%	General Purpose
GRM155R11C104KA88 +A	0.1uF	16	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C223KA01 +A	22000pF	16	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C333KA01 +A	33000pF	16	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C473KA01 +A	47000pF	16	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11C683KA88 +A	68000pF	16	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E103KA01 +A	10000pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E153KA61 +A	15000pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E223KA61 +A	22000pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E333KA88 +A	33000pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E472KA01 +A	4700pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E473KA88 +A	47000pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11E682KA01 +A	6800pF	25	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H102KA01 +A	1000pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H103KA88 +A	10000pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H152KA01 +A	1500pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H221KA01 +A	220pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H222KA01 +A	2200pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H331KA01 +A	330pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H332KA01 +A	3300pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H471KA01 +A	470pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H472KA01 +A	4700pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H681KA01 +A	680pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM155R11H682KA88 +A	6800pF	50	R	1005M/0402	0.55	+/-10%	General Purpose
GRM15XB11C103KA86 +A	10000pF	16	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11C103MA86 +A	10000pF	16	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11C332KA86 +A	3300pF	16	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11C332MA86 +A	3300pF	16	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11C472KA86 +A	4700pF	16	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11C472MA86 +A	4700pF	16	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11C682KA86 +A	6800pF	16	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11C682MA86 +A	6800pF	16	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11E222KA86 +A	2200pF	25	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11E222MA86 +A	2200pF	25	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H102KA86 +A	1000pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H102MA86 +A	1000pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H152KA86 +A	1500pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H152MA86 +A	1500pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H221KA86 +A	220pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H221MA86 +A	220pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H331KA86 +A	330pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H331MA86 +A	330pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H471KA86 +A	470pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H471MA86 +A	470pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XB11H681KA86 +A	680pF	50	B	1005M/0402	0.30	+/-10%	General Purpose
GRM15XB11H681MA86 +A	680pF	50	B	1005M/0402	0.30	+/-20%	General Purpose
GRM15XR11C103KA86 +A	10000pF	16	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11C472KA86 +A	4700pF	16	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11E222KA86 +A	2200pF	25	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H102KA86 +A	1000pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H152KA86 +A	1500pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H221KA86 +A	220pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H331KA86 +A	330pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H471KA86 +A	470pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM15XR11H681KA86 +A	680pF	50	R	1005M/0402	0.30	+/-10%	General Purpose
GRM1851X1A103JA44 +A	10000pF	10	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1A562JA44 +A	5600pF	10	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1A682JA44 +A	6800pF	10	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1A822JA44 +A	8200pF	10	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1H222JA44 +A	2200pF	50	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1H272JA44 +A	2700pF	50	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1H332JA44 +A	3300pF	50	SL	1608M/0603	0.50	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1851X1H392JA44 +A	3900pF	50	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1851X1H472JA44 +A	4700pF	50	SL	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1A103JA44 +A	10000pF	10	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1A562JA44 +A	5600pF	10	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1A682JA44 +A	6800pF	10	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1A822JA44 +A	8200pF	10	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1H222JA44 +A	2200pF	50	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1H272JA44 +A	2700pF	50	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1H332JA44 +A	3300pF	50	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1H392JA44 +A	3900pF	50	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM1853U1H472JA44 +A	4700pF	50	UJ	1608M/0603	0.50	+/-5%	General Purpose
GRM185B30J105KE25 +A	1uF	6.3	B	1608M/0603	0.50	+/-10%	General Purpose
GRM185B31A105KE35 +A	1uF	10	B	1608M/0603	0.50	+/-10%	General Purpose
GRM185B31C105KE43 +A	1uF	16	B	1608M/0603	0.50	+/-10%	General Purpose
GRM185B31C105ME43 +A	1uF	16	B	1608M/0603	0.50	+/-20%	General Purpose
GRM185B31E105KA12 +A	1uF	25	B	1608M/0603	0.50	+/-10%	General Purpose
GRM185B31E105MA12 +A	1uF	25	B	1608M/0603	0.50	+/-20%	General Purpose
GRM1881X0J333JA01 +A	33000pF	6.3	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1A123JA01 +A	12000pF	10	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1A153JA01 +A	15000pF	10	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1A183JA01 +A	18000pF	10	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1A223JA01 +A	22000pF	10	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1A333JA01 +A	33000pF	10	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1E103JA01 +A	10000pF	25	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H103JA01 +A	10000pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H122JA01 +A	1200pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H152JA01 +A	1500pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H182JA01 +A	1800pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H222JA01 +A	2200pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H272JA01 +A	2700pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H332JA01 +A	3300pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H392JA01 +A	3900pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H472JA01 +A	4700pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H562JA01 +A	5600pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H682JA01 +A	6800pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1881X1H822JA01 +A	8200pF	50	SL	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1E102JA01 +A	1000pF	25	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1E561JA01 +A	560pF	25	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1E681JA01 +A	680pF	25	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1E821JA01 +A	820pF	25	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H100JA01 +A	10pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H101JA01 +A	100pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H102JA01 +A	1000pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H103JA01 +A	10000pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H120JA01 +A	12pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H121JA01 +A	120pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H122JA01 +A	1200pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H150JA01 +A	15pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H151JA01 +A	150pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H152JA01 +A	1500pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H180JA01 +A	18pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H181JA01 +A	180pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H182JA01 +A	1800pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H220JA01 +A	22pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H221JA01 +A	220pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H222JA01 +A	2200pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H270JA01 +A	27pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H271JA01 +A	270pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H272JA01 +A	2700pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H330JA01 +A	33pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H331JA01 +A	330pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H332JA01 +A	3300pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H390JA01 +A	39pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H391JA01 +A	390pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H392JA01 +A	3900pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H470JA01 +A	47pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H471JA01 +A	470pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H472JA01 +A	4700pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H4R0BA01 +A	4pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H4R0CA01 +A	4pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H4R0WA01 +A	4pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H4R1BA01 +A	4.1pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H4R1CA01 +A	4.1pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H4R1WA01 +A	4.1pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H4R2BA01 +A	4.2pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H4R2CA01 +A	4.2pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H4R2WA01 +A	4.2pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H4R3BA01 +A	4.3pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H4R3CA01 +A	4.3pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H4R3WA01 +A	4.3pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1882C1H6R4CA01 +A	6.4pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R4DA01 +A	6.4pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R4WA01 +A	6.4pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H6R5BA01 +A	6.5pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H6R5CA01 +A	6.5pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R5DA01 +A	6.5pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R5WA01 +A	6.5pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H6R6BA01 +A	6.6pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H6R6CA01 +A	6.6pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R6DA01 +A	6.6pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R6WA01 +A	6.6pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H6R7BA01 +A	6.7pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H6R7CA01 +A	6.7pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R7DA01 +A	6.7pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R7WA01 +A	6.7pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H6R8BA01 +A	6.8pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H6R8CA01 +A	6.8pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R8DA01 +A	6.8pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R8WA01 +A	6.8pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H6R9BA01 +A	6.9pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H6R9CA01 +A	6.9pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H6R9DA01 +A	6.9pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H6R9WA01 +A	6.9pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R0BA01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R0CA01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R0DA01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R0WA01 +A	7pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R1BA01 +A	7.1pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R1CA01 +A	7.1pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R1DA01 +A	7.1pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R1WA01 +A	7.1pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R2BA01 +A	7.2pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R2CA01 +A	7.2pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R2DA01 +A	7.2pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R2WA01 +A	7.2pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R3BA01 +A	7.3pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R3CA01 +A	7.3pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R3DA01 +A	7.3pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R3WA01 +A	7.3pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R4BA01 +A	7.4pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R4CA01 +A	7.4pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R4DA01 +A	7.4pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R4WA01 +A	7.4pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R5BA01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R5CA01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R5DA01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R5WA01 +A	7.5pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R6BA01 +A	7.6pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R6CA01 +A	7.6pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R6DA01 +A	7.6pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R6WA01 +A	7.6pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R7BA01 +A	7.7pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R7CA01 +A	7.7pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R7DA01 +A	7.7pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R7WA01 +A	7.7pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R8BA01 +A	7.8pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R8CA01 +A	7.8pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R8DA01 +A	7.8pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R8WA01 +A	7.8pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H7R9BA01 +A	7.9pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H7R9CA01 +A	7.9pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H7R9DA01 +A	7.9pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H7R9WA01 +A	7.9pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H820JA01 +A	82pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H821JA01 +A	820pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H822JA01 +A	8200pF	50	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C1H8R0BA01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R0CA01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R0DA01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R0WA01 +A	8pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R1BA01 +A	8.1pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R1CA01 +A	8.1pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R1DA01 +A	8.1pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R1WA01 +A	8.1pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R2BA01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R2CA01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R2DA01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R2WA01 +A	8.2pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R3BA01 +A	8.3pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R3CA01 +A	8.3pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1882C1H8R3DA01 +A	8.3pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R3WA01 +A	8.3pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R4BA01 +A	8.4pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R4CA01 +A	8.4pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R4DA01 +A	8.4pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R4WA01 +A	8.4pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R5BA01 +A	8.5pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R5CA01 +A	8.5pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R5DA01 +A	8.5pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R5WA01 +A	8.5pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R6BA01 +A	8.6pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R6CA01 +A	8.6pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R6DA01 +A	8.6pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R6WA01 +A	8.6pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R7BA01 +A	8.7pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R7CA01 +A	8.7pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R7DA01 +A	8.7pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R7WA01 +A	8.7pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R8BA01 +A	8.8pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R8CA01 +A	8.8pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R8DA01 +A	8.8pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R8WA01 +A	8.8pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H8R9BA01 +A	8.9pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H8R9CA01 +A	8.9pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H8R9DA01 +A	8.9pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H8R9WA01 +A	8.9pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R0BA01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R0CA01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R0DA01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R0WA01 +A	9pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R1BA01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R1CA01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R1DA01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R1WA01 +A	9.1pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R2BA01 +A	9.2pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R2CA01 +A	9.2pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R2DA01 +A	9.2pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R2WA01 +A	9.2pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R3BA01 +A	9.3pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R3CA01 +A	9.3pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R3DA01 +A	9.3pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R3WA01 +A	9.3pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R4BA01 +A	9.4pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R4CA01 +A	9.4pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R4DA01 +A	9.4pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R4WA01 +A	9.4pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R5BA01 +A	9.5pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R5CA01 +A	9.5pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R5DA01 +A	9.5pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R5WA01 +A	9.5pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R6BA01 +A	9.6pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R6CA01 +A	9.6pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R6DA01 +A	9.6pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R6WA01 +A	9.6pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R7BA01 +A	9.7pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R7CA01 +A	9.7pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R7DA01 +A	9.7pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R7WA01 +A	9.7pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R8BA01 +A	9.8pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R8CA01 +A	9.8pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R8DA01 +A	9.8pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R8WA01 +A	9.8pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C1H9R9BA01 +A	9.9pF	50	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C1H9R9CA01 +A	9.9pF	50	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C1H9R9DA01 +A	9.9pF	50	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C1H9R9WA01 +A	9.9pF	50	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A100JA01 +A	10pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A101JA01 +A	100pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A102JA01 +A	1000pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A120JA01 +A	12pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A121JA01 +A	120pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A122JA01 +A	1200pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A150JA01 +A	15pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A151JA01 +A	150pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A152JA01 +A	1500pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A180JA01 +A	18pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A181JA01 +A	180pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A182JA01 +A	1800pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A220JA01 +A	22pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A221JA01 +A	220pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1882C2A222JA01 +A	2200pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A270JA01 +A	27pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A271JA01 +A	270pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A272JA01 +A	2700pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A330JA01 +A	33pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A331JA01 +A	330pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A332JA01 +A	3300pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A390JA01 +A	39pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A391JA01 +A	390pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A392JA01 +A	3900pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A470JA01 +A	47pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A471JA01 +A	470pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A4R0BA01 +A	4pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R0CA01 +A	4pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R0WA01 +A	4pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R1BA01 +A	4.1pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R1CA01 +A	4.1pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R1WA01 +A	4.1pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R2BA01 +A	4.2pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R2CA01 +A	4.2pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R2WA01 +A	4.2pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R3BA01 +A	4.3pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R3CA01 +A	4.3pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R3WA01 +A	4.3pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R4BA01 +A	4.4pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R4CA01 +A	4.4pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R4WA01 +A	4.4pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R5BA01 +A	4.5pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R5CA01 +A	4.5pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R5WA01 +A	4.5pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R6BA01 +A	4.6pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R6CA01 +A	4.6pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R6WA01 +A	4.6pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R7BA01 +A	4.7pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R7CA01 +A	4.7pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R7WA01 +A	4.7pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R8BA01 +A	4.8pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R8CA01 +A	4.8pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R8WA01 +A	4.8pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A4R9BA01 +A	4.9pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A4R9CA01 +A	4.9pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A4R9WA01 +A	4.9pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A560JA01 +A	56pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A561JA01 +A	560pF	100	CH	1608M/0603	0.90	+/-5%	General Purpose
GRM1882C2A5R0BA01 +A	5pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R0CA01 +A	5pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R0WA01 +A	5pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R1BA01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R1CA01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R1DA01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R1WA01 +A	5.1pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R2BA01 +A	5.2pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R2CA01 +A	5.2pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R2DA01 +A	5.2pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R2WA01 +A	5.2pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R3BA01 +A	5.3pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R3CA01 +A	5.3pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R3DA01 +A	5.3pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R3WA01 +A	5.3pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R4BA01 +A	5.4pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R4CA01 +A	5.4pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R4DA01 +A	5.4pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R4WA01 +A	5.4pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R5BA01 +A	5.5pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R5CA01 +A	5.5pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R5DA01 +A	5.5pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R5WA01 +A	5.5pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R6BA01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R6CA01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R6DA01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R6WA01 +A	5.6pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R7BA01 +A	5.7pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R7CA01 +A	5.7pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R7DA01 +A	5.7pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R7WA01 +A	5.7pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R8BA01 +A	5.8pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1882C2A5R8CA01 +A	5.8pF	100	CH	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1882C2A5R8DA01 +A	5.8pF	100	CH	1608M/0603	0.90	+/-0.5pF	General Purpose
GRM1882C2A5R8WA01 +A	5.8pF	100	CH	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1882C2A5R9BA01 +A	5.9pF	100	CH	1608M/0603	0.90	+/-0.1pF	General Purpose







PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1883C2A2R6CA01 +A	2.6pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A2R6WA01 +	2.6pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A2R7BA01 +A	2.7pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A2R7CA01 +A	2.7pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A2R7WA01 +	2.7pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A2R8BA01 +A	2.8pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A2R8CA01 +A	2.8pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A2R8WA01 +	2.8pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A2R9BA01 +A	2.9pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A2R9CA01 +A	2.9pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A2R9WA01 +	2.9pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R0BA01 +A	3pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R0CA01 +A	3pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R0WA01 +	3pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R1BA01 +A	3.1pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R1CA01 +A	3.1pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R1WA01 +	3.1pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R2BA01 +A	3.2pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R2CA01 +A	3.2pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R2WA01 +	3.2pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R3BA01 +A	3.3pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R3CA01 +A	3.3pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R3WA01 +	3.3pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R4BA01 +A	3.4pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R4CA01 +A	3.4pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R4WA01 +	3.4pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R5BA01 +A	3.5pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R5CA01 +A	3.5pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R5WA01 +	3.5pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R6BA01 +A	3.6pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R6CA01 +A	3.6pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R6WA01 +	3.6pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R7BA01 +A	3.7pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R7CA01 +A	3.7pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R7WA01 +	3.7pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R8BA01 +A	3.8pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R8CA01 +A	3.8pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R8WA01 +	3.8pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883C2A3R9BA01 +A	3.9pF	100	CJ	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1883C2A3R9CA01 +A	3.9pF	100	CJ	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1883C2A3R9WA01 +	3.9pF	100	CJ	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1883U1A123JA01 +A	12000pF	10	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1A153JA01 +A	15000pF	10	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1A183JA01 +A	18000pF	10	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1A223JA01 +A	22000pF	10	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H102JA01 +A	1000pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H103JA01 +A	1000pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H122JA01 +A	1200pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H152JA01 +A	1500pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H182JA01 +A	1800pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H222JA01 +A	2200pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H272JA01 +A	2700pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H332JA01 +A	3300pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H392JA01 +A	3900pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H472JA01 +A	4700pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H562JA01 +A	5600pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H682JA01 +A	6800pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1883U1H822JA01 +A	8200pF	50	UJ	1608M/0603	0.90	+/-5%	General Purpose
GRM1884C1H1R0BA01 +A	1pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R0CA01 +A	1pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R0WA01 +	1pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R1BA01 +A	1.1pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R1CA01 +A	1.1pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R1WA01 +	1.1pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R2BA01 +A	1.2pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R2CA01 +A	1.2pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R2WA01 +	1.2pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R3BA01 +A	1.3pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R3CA01 +A	1.3pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R3WA01 +	1.3pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R4BA01 +A	1.4pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R4CA01 +A	1.4pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R4WA01 +	1.4pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R5BA01 +A	1.5pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R5CA01 +A	1.5pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R5WA01 +	1.5pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R6BA01 +A	1.6pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R6CA01 +A	1.6pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R6WA01 +	1.6pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R7BA01 +A	1.7pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM1884C1H1R7CA01 +A	1.7pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R7WA01 +A	1.7pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R8BA01 +A	1.8pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R8CA01 +A	1.8pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R8WA01 +A	1.8pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H1R9BA01 +A	1.9pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H1R9CA01 +A	1.9pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H1R9WA01 +A	1.9pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1H2R0BA01 +A	2pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1H2R0CA01 +A	2pF	50	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C1H2R0WA01 +A	2pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1HR50BA01 +A	0.5pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1HR50WA01 +A	0.5pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1HR60BA01 +A	0.6pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1HR60WA01 +A	0.6pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1HR70BA01 +A	0.7pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1HR70WA01 +A	0.7pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1HR80BA01 +A	0.8pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1HR80WA01 +A	0.8pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C1HR90BA01 +A	0.9pF	50	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C1HR90WA01 +A	0.9pF	50	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R0BA01 +A	1pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R0CA01 +A	1pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R0WA01 +A	1pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R1BA01 +A	1.1pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R1CA01 +A	1.1pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R1WA01 +A	1.1pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R2BA01 +A	1.2pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R2CA01 +A	1.2pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R2WA01 +A	1.2pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R3BA01 +A	1.3pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R3CA01 +A	1.3pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R3WA01 +A	1.3pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R4BA01 +A	1.4pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R4CA01 +A	1.4pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R4WA01 +A	1.4pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R5BA01 +A	1.5pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R5CA01 +A	1.5pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R5WA01 +A	1.5pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R6BA01 +A	1.6pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R6CA01 +A	1.6pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R6WA01 +A	1.6pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R7BA01 +A	1.7pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R7CA01 +A	1.7pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R7WA01 +A	1.7pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R8BA01 +A	1.8pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R8CA01 +A	1.8pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R8WA01 +A	1.8pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A1R9BA01 +A	1.9pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A1R9CA01 +A	1.9pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A1R9WA01 +A	1.9pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2A2R0BA01 +A	2pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2A2R0CA01 +A	2pF	100	CK	1608M/0603	0.90	+/-0.25pF	General Purpose
GRM1884C2A2R0WA01 +A	2pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2AR50BA01 +A	0.5pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2AR50WA01 +A	0.5pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2AR60BA01 +A	0.6pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2AR60WA01 +A	0.6pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2AR70BA01 +A	0.7pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2AR70WA01 +A	0.7pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2AR80BA01 +A	0.8pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2AR80WA01 +A	0.8pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM1884C2AR90BA01 +A	0.9pF	100	CK	1608M/0603	0.90	+/-0.1pF	General Purpose
GRM1884C2AR90WA01 +A	0.9pF	100	CK	1608M/0603	0.90	+/-0.05pF	General Purpose
GRM188B10J105KA01 +A	1uF	6.3	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B10J474KA01 +A	0.47uF	6.3	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A105KA61 +A	1uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A224KA01 +A	0.22uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A334KA61 +A	0.33uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A334MA61 +A	0.33uF	10	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11A474KA61 +A	0.47uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A684KA61 +A	0.68uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11A684MA61 +A	0.68uF	10	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11C104KA01 +A	0.1uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11C104MA01 +A	0.1uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11C154KA01 +A	0.15uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11C224KA01 +A	0.22uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11C224MA01 +A	0.22uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11C334KA01 +A	0.33uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11C334MA01 +A	0.33uF	16	B	1608M/0603	0.90	+/-20%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188B11E102KA01 +C	1000pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E103KA01 +C	1000pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E103MA01 +C	1000pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E104KA01 +A	0.1uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E104MA01 +A	0.1uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E152KA01 +C	1500pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E153KA01 +C	1500pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E153MA01 +C	1500pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E154KA01 +A	0.15uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E222KA01 +C	2200pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E222MA01 +C	2200pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E223KA01 +A	2200pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E223MA01 +C	2200pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E332KA01 +C	3300pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E333KA01 +A	3300pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E333MA01 +A	3300pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E472KA01 +C	4700pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E472MA01 +C	4700pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E473KA01 +A	4700pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E473MA01 +A	4700pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11E682KA01 +C	6800pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E683KA01 +A	6800pF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11E683MA01 +A	6800pF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H102KA01 +C	1000pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H102MA01 +C	1000pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H103KA01 +C	1000pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H103MA01 +C	1000pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H152KA01 +C	1500pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H152MA01 +C	1500pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H153KA01 +A	1500pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H153MA01 +A	1500pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H221KA01 +C	220pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H221MA01 +C	220pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H222KA01 +C	2200pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H222MA01 +C	2200pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H223KA01 +A	2200pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H223MA01 +A	2200pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H331KA01 +C	330pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H331MA01 +C	330pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H332KA01 +C	3300pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H332MA01 +C	3300pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H333KA61 +A	3300pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H333MA61 +A	3300pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H471KA01 +C	470pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H471MA01 +C	470pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H472KA01 +C	4700pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H472MA01 +C	4700pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H473KA61 +A	4700pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H473MA61 +A	4700pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H681KA01 +C	680pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H681MA01 +C	680pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B11H682KA01 +C	6800pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B11H682MA01 +C	6800pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B30G106ME46 +A	10uF	4.0	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B30G226MEA0 +A	22uF	4.0	B	1608M/0603	1.00	+/-20%	General Purpose
GRM188B30J106ME47 +A	10uF	6.3	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B30J106ME84 +A	10uF	6.3	B	1608M/0603	0.95	+/-20%	General Purpose
GRM188B30J225KE18 +A	2.2uF	6.3	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B30J226MEA0 +A	22uF	6.3	B	1608M/0603	1.00	+/-20%	General Purpose
GRM188B30J475KE18 +A	4.7uF	6.3	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B30J475ME18 +A	4.7uF	6.3	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B30J475ME84 +A	4.7uF	6.3	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31A106KE69 +A	10uF	10	B	1608M/0603	0.95	+/-10%	General Purpose
GRM188B31A106ME69 +A	10uF	10	B	1608M/0603	0.95	+/-20%	General Purpose
GRM188B31A225KE33 +A	2.2uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31A225ME33 +A	2.2uF	10	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31A475KE15 +A	4.7uF	10	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31A475ME15 +A	4.7uF	10	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31C105KA92 +A	1uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31C105MA92 +A	1uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31C225KE14 +A	2.2uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31C474KA75 +A	0.47uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31C474KA87 +A	0.47uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31C474MA75 +A	0.47uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31C474MA87 +A	0.47uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31C475KAAJ +A	4.7uF	16	B	1608M/0603	0.95	+/-10%	General Purpose
GRM188B31C475MAAJ +A	4.7uF	16	B	1608M/0603	0.95	+/-20%	General Purpose
GRM188B31C684KA75 +A	0.68uF	16	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31C684MA75 +A	0.68uF	16	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31E105KA75 +A	1uF	25	B	1608M/0603	0.90	+/-10%	General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM188B31E105MA75 +A	1uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31E224KA87 +A	0.22uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31E224MA87 +A	0.22uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31E225KA12 +A	2.2uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31E225MA12 +A	2.2uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31E474KA75 +A	0.47uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31E474MA75 +A	0.47uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31E684KA75 +A	0.68uF	25	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31E684MA75 +A	0.68uF	25	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31H104KA92 +A	0.1uF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31H104MA92 +A	0.1uF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31H105KAAL +A	1uF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31H105MAAL +A	1uF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31H154KAC4 +A	0.15uF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31H154MAC4 +A	0.15uF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31H224KAC4 +A	0.22uF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31H224MAC4 +A	0.22uF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188B31H683KA92 +A	68000pF	50	B	1608M/0603	0.90	+/-10%	General Purpose
GRM188B31H683MA92 +A	68000pF	50	B	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11A224KA01 +A	0.22uF	10	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C104KA01 +A	0.1uF	16	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C154KA01 +A	0.15uF	16	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C224KA01 +A	0.22uF	16	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C224MA01 +A	0.22uF	16	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11C334KA01 +A	0.33uF	16	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C474KA88 +A	0.47uF	16	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11C474MA88 +A	0.47uF	16	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E102KA01 +C	1000pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E103KA01 +C	1000pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E103MA01 +C	1000pF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E104KA01 +A	0.1uF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E104MA01 +A	0.1uF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E152KA01 +C	1500pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E153KA01 +C	1500pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E154KA01 +A	0.15uF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E222KA01 +C	2200pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E222MA01 +C	2200pF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E223KA01 +C	2200pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E223MA01 +C	2200pF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E224KA88 +A	0.22uF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E224MA88 +A	0.22uF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E332KA01 +C	3300pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E333KA01 +A	3300pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E472KA01 +C	4700pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E472MA01 +C	4700pF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E473KA01 +A	4700pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E473MA01 +A	4700pF	25	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11E682KA01 +C	6800pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11E683KA01 +A	68000pF	25	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H102KA01 +C	1000pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H102MA01 +C	1000pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H103KA01 +C	1000pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H103MA01 +C	1000pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H104KA93 +A	0.1uF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H104MA93 +A	0.1uF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H152KA01 +C	1500pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H153KA01 +A	1500pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H221KA01 +C	220pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H221MA01 +C	220pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H222KA01 +C	2200pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H222MA01 +C	2200pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H223KA01 +A	2200pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H223MA01 +A	2200pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H331KA01 +C	330pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H332KA01 +C	3300pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H333KA61 +A	3300pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H471KA01 +C	470pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H471MA01 +C	470pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H472KA01 +C	4700pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H472MA01 +C	4700pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H473KA61 +A	4700pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H473MA61 +A	4700pF	50	R	1608M/0603	0.90	+/-20%	General Purpose
GRM188R11H681KA01 +C	680pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H682KA01 +C	6800pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM188R11H683KA93 +A	68000pF	50	R	1608M/0603	0.90	+/-10%	General Purpose
GRM2161X1A223JA01 +A	22000pF	10	SL	2012M/0805	0.70	+/-5%	General Purpose
GRM2161X1A333JA01 +A	33000pF	10	SL	2012M/0805	0.70	+/-5%	General Purpose
GRM2161X1H103JA01 +A	10000pF	50	SL	2012M/0805	0.70	+/-5%	General Purpose
GRM2161X1H123JA01 +A	12000pF	50	SL	2012M/0805	0.70	+/-5%	General Purpose
GRM2161X1H153JA01 +A	15000pF	50	SL	2012M/0805	0.70	+/-5%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM2161X1H183JA01 +A	18000pF	50	SL	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H122JA01 +A	1200pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H152JA01 +A	1500pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H182JA01 +A	1800pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H222JA01 +A	2200pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H272JA01 +A	2700pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H332JA01 +A	3300pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H392JA01 +A	3900pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C1H472JA01 +A	4700pF	50	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A101JA01 +A	100pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A102JA01 +A	1000pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A121JA01 +A	120pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A122JA01 +A	1200pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A151JA01 +A	150pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A152JA01 +A	1500pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A181JA01 +A	180pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A182JA01 +A	1800pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A221JA01 +A	220pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A222JA01 +A	2200pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A271JA01 +A	270pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A272JA01 +A	2700pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A331JA01 +A	330pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A332JA01 +A	3300pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A391JA01 +A	390pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A392JA01 +A	3900pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A471JA01 +A	470pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A472JA01 +A	4700pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A561JA01 +A	560pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A681JA01 +A	680pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2162C2A821JA01 +A	820pF	100	CH	2012M/0805	0.70	+/-5%	General Purpose
GRM2163U1H103JA01 +A	10000pF	50	UJ	2012M/0805	0.70	+/-5%	General Purpose
GRM2163U1H123JA01 +A	12000pF	50	UJ	2012M/0805	0.70	+/-5%	General Purpose
GRM2163U1H153JA01 +A	15000pF	50	UJ	2012M/0805	0.70	+/-5%	General Purpose
GRM2163U1H183JA01 +A	18000pF	50	UJ	2012M/0805	0.70	+/-5%	General Purpose
GRM216B31C105KA87 +A	1uF	16	B	2012M/0805	0.70	+/-10%	General Purpose
GRM216B31E105KA75 +A	1uF	25	B	2012M/0805	0.70	+/-10%	General Purpose
GRM2191X1A473JA01 +A	47000pF	10	SL	2012M/0805	0.95	+/-5%	General Purpose
GRM2191X1A563JA01 +A	56000pF	10	SL	2012M/0805	0.95	+/-5%	General Purpose
GRM2191X1H223JA01 +A	22000pF	50	SL	2012M/0805	0.95	+/-5%	General Purpose
GRM2191X1H273JA01 +A	27000pF	50	SL	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H103JA01 +A	10000pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H123JA01 +A	12000pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H153JA01 +A	15000pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H562JA01 +A	5600pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H682JA01 +A	6800pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C1H822JA01 +A	8200pF	50	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A103JA01 +A	10000pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A123JA01 +A	12000pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A153JA01 +A	15000pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A562JA01 +A	5600pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A682JA01 +A	6800pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2192C2A822JA01 +A	8200pF	100	CH	2012M/0805	0.95	+/-5%	General Purpose
GRM2193U1A563JA01 +A	56000pF	10	UJ	2012M/0805	0.95	+/-5%	General Purpose
GRM2193U1H223JA01 +A	22000pF	50	UJ	2012M/0805	0.95	+/-5%	General Purpose
GRM2193U1H273JA01 +A	27000pF	50	UJ	2012M/0805	0.95	+/-5%	General Purpose
GRM219B11A105KA01 +A	1uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11A225KA01 +A	2.2uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11C684KA01 +A	0.68uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B11H333KA01 +C	33000pF	50	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B30G226ME66 +A	22uF	4.0	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J106KE18 +A	10uF	6.3	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B30J106ME18 +A	10uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J226ME47 +A	22uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J226MEA0 +A	22uF	6.3	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B30J475KE18 +A	4.7uF	6.3	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A106KE44 +A	10uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A106ME44 +A	10uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31A226MEA0 +A	22uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31A475KE33 +A	4.7uF	10	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31A475ME33 +A	4.7uF	10	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31C106KA73 +A	10uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31C106MA73 +A	10uF	16	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31C225KA87 +A	2.2uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31C475KE15 +A	4.7uF	16	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E105KA88 +A	1uF	25	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E106KA12 +A	10uF	25	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E106MA12 +A	10uF	25	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E225KA75 +A	2.2uF	25	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31E225MA75 +A	2.2uF	25	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E474KA88 +A	0.47uF	25	B	2012M/0805	0.95	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM219B31E474MA88 +A	0.47uF	25	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31E684KA88 -A	0.68uF	25	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H105KA73 +A	1uF	50	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H105MA73 +A	1uF	50	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31H225KE15 +A	2.2uF	50	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H225ME15 +A	2.2uF	50	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219B31H334KA87 +A	0.33uF	50	B	2012M/0805	0.95	+/-10%	General Purpose
GRM219B31H334MA87 +A	0.33uF	50	B	2012M/0805	0.95	+/-20%	General Purpose
GRM219R11C684KA01 +A	0.68uF	16	R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R11E474KA88 +A	0.47uF	25	R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R11E474MA88 +A	0.47uF	25	R	2012M/0805	0.95	+/-20%	General Purpose
GRM219R11E683KA01 +C	68000pF	25	R	2012M/0805	0.95	+/-10%	General Purpose
GRM219R11H333KA01 +C	33000pF	50	R	2012M/0805	0.95	+/-10%	General Purpose
GRM21A1X1H333JA39 +A	33000pF	50	SL	2012M/0805	1.00	+/-5%	General Purpose
GRM21A3U1H333JA39 +A	33000pF	50	UJ	2012M/0805	1.00	+/-5%	General Purpose
GRM21B1X1A104JA01 +A	0.1uF	10	SL	2012M/0805	1.35	+/-5%	General Purpose
GRM21B1X1A683JA01 +A	68000pF	10	SL	2012M/0805	1.35	+/-5%	General Purpose
GRM21B1X1A823JA01 +A	82000pF	10	SL	2012M/0805	1.35	+/-5%	General Purpose
GRM21B1X1H393JA01 +A	39000pF	50	SL	2012M/0805	1.35	+/-5%	General Purpose
GRM21B1X1H473JA01 +A	47000pF	50	SL	2012M/0805	1.35	+/-5%	General Purpose
GRM21B2C1H183JA01 +A	18000pF	50	CH	2012M/0805	1.35	+/-5%	General Purpose
GRM21B2C1H223JA01 +A	22000pF	50	CH	2012M/0805	1.35	+/-5%	General Purpose
GRM21B2C2A183JA01 +A	18000pF	100	CH	2012M/0805	1.35	+/-5%	General Purpose
GRM21B2C2A223JA01 +A	22000pF	100	CH	2012M/0805	1.35	+/-5%	General Purpose
GRM21B3U1A104JA01 +A	0.1uF	10	UJ	2012M/0805	1.35	+/-5%	General Purpose
GRM21B3U1A683JA01 +A	68000pF	10	UJ	2012M/0805	1.35	+/-5%	General Purpose
GRM21B3U1A823JA01 +A	82000pF	10	UJ	2012M/0805	1.35	+/-5%	General Purpose
GRM21B3U1H393JA01 +A	39000pF	50	UJ	2012M/0805	1.35	+/-5%	General Purpose
GRM21B3U1H473JA01 +A	47000pF	50	UJ	2012M/0805	1.35	+/-5%	General Purpose
GRM21BB10J105KC01 +A	1uF	6.3	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB10J225KA01 +A	2.2uF	6.3	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB10J475KA11 +A	4.7uF	6.3	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB10J475MA11 +A	4.7uF	6.3	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB11A105KA01 +A	1uF	10	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11A225KA01 +A	2.2uF	10	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11A225MA01 +A	2.2uF	10	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11C105KA01 +A	1uF	16	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11C224KA01 +A	0.22uF	16	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11C224MA01 +A	0.22uF	16	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11E154KA01 +A	0.15uF	25	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11E224KA01 +A	0.22uF	25	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11E224MA01 +A	0.22uF	25	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11E334KA01 +A	0.33uF	25	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H104KA01 +A	0.1uF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H104MA01 +A	0.1uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11H473KA01 +C	47000pF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB11H473MA01 +C	47000pF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB11H683KA01 +A	68000pF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB30G476ME15 +A	47uF	4.0	B	2012M/0805	1.45	+/-20%	General Purpose
GRM21BB30J106KE18 +A	10uF	6.3	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB30J106ME18 +A	10uF	6.3	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB30J226ME38 +A	22uF	6.3	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB30J476ME15 +A	47uF	6.3	B	2012M/0805	1.45	+/-20%	General Purpose
GRM21BB31A106KE18 +A	10uF	10	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31A106ME18 +A	10uF	10	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31A226ME51 +A	22uF	10	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB31A475KA74 +A	4.7uF	10	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB31A475MA74 +A	4.7uF	10	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB31C106KE15 +A	10uF	16	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31C106ME15 +A	10uF	16	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31C225KA87 +A	2.2uF	16	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31C475KA87 +A	4.7uF	16	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31D106KE15 +A	10uF	20	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31D106ME15 +A	10uF	20	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31E105KA98 +A	1uF	25	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB31E106KA73 +A	10uF	25	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB31E106MA73 +A	10uF	25	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB31E225KA75 +A	2.2uF	25	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31E225MA75 +A	2.2uF	25	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31E475KA75 +A	4.7uF	25	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31E475MA75 +A	4.7uF	25	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H105KA12 +A	1uF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H105MA12 +A	1uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H154KA88 +A	0.15uF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H154MA88 +A	0.15uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H224KA88 +A	0.22uF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H224MA88 +A	0.22uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H225KA73 +A	2.2uF	50	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB31H225MA73 +A	2.2uF	50	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB31H474KA87 +A	0.47uF	50	B	2012M/0805	1.35	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM21BB31H474MA87 +A	0.47uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BB31H475KE51 +A	4.7uF	50	B	2012M/0805	1.40	+/-10%	General Purpose
GRM21BB31H475ME51 +A	4.7uF	50	B	2012M/0805	1.40	+/-20%	General Purpose
GRM21BB31H684KAC4 +A	0.68uF	50	B	2012M/0805	1.35	+/-10%	General Purpose
GRM21BB31H684MAC4 +A	0.68uF	50	B	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR10J105KC01 +A	1uF	6.3	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11A105KA01 +A	1uF	10	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11C105KA01 +A	1uF	16	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11C224KA01 +A	0.22uF	16	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11C224MA01 +A	0.22uF	16	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E104KA01 +C	0.1uF	25	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E104MA01 +A	0.1uF	25	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E105KA99 +A	1uF	25	R	2012M/0805	1.40	+/-10%	General Purpose
GRM21BR11E154KA01 +A	0.15uF	25	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E154MA01 +A	0.15uF	25	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E224KA01 +A	0.22uF	25	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11E224MA01 +A	0.22uF	25	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11E684KA88 +A	0.68uF	25	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H104KA01 +A	0.1uF	50	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H104MA01 +A	0.1uF	50	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11H473KA01 +C	47000pF	50	R	2012M/0805	1.35	+/-10%	General Purpose
GRM21BR11H473MA01 +C	47000pF	50	R	2012M/0805	1.35	+/-20%	General Purpose
GRM21BR11H683KA01 +A	68000pF	50	R	2012M/0805	1.35	+/-10%	General Purpose
GRM316B31A475KE18 +A	4.7uF	10	B	3216M/1206	0.70	+/-10%	General Purpose
GRM316B31C225KA87 +A	2.2uF	16	B	3216M/1206	0.70	+/-10%	General Purpose
GRM316B31E225KA75 +A	2.2uF	25	B	3216M/1206	0.70	+/-10%	General Purpose
GRM3191X1H563JA01 +A	56000pF	50	SL	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H103JA01 +A	10000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H123JA01 +A	12000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H153JA01 +A	15000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H183JA01 +A	18000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H223JA01 +A	22000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H273JA01 +A	27000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H333JA01 +A	33000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H393JA01 +A	39000pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H472JA01 +A	4700pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H562JA01 +A	5600pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H682JA01 +A	6800pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C1H822JA01 +A	8200pF	50	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A103JA01 +A	10000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A123JA01 +A	12000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A153JA01 +A	15000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A182JA01 +A	1800pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A183JA01 +A	18000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A222JA01 +A	2200pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A223JA01 +A	22000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A243JA01 +A	24000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A272JA01 +A	2700pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A273JA01 +A	27000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A303JA01 +A	30000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A332JA01 +A	3300pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A333JA01 +A	33000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A363JA01 +A	36000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A392JA01 +A	3900pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A393JA01 +A	39000pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A472JA01 +A	4700pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A562JA01 +A	5600pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A682JA01 +A	6800pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3192C2A822JA01 +A	8200pF	100	CH	3216M/1206	0.95	+/-5%	General Purpose
GRM3193U1H563JA01 +A	56000pF	50	UJ	3216M/1206	0.95	+/-5%	General Purpose
GRM319B11A105KA01 +A	1uF	10	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11A225KA01 +A	2.2uF	10	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11A475KA01 +A	4.7uF	10	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C105KAA3 +A	1uF	16	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C474KA01 +A	0.47uF	16	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11C474MA01 +A	0.47uF	16	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B11E334KA01 +A	0.33uF	25	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11E474KA01 +A	0.47uF	25	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B11E474MA01 +A	0.47uF	25	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B11E684KA01 +A	0.68uF	25	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B30J106KE18 +A	10uF	6.3	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B30J226ME15 +A	22uF	6.3	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31A106KE18 +A	10uF	10	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31A106ME18 +A	10uF	10	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31A226ME15 +A	22uF	10	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C106KE15 +A	10uF	16	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31C106ME15 +A	10uF	16	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C226ME15 +A	22uF	16	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31C335KA75 +A	3.3uF	16	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31C475KA87 +A	4.7uF	16	B	3216M/1206	0.95	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM319B31E105KC45 +A	1uF	25	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31E475KA75 +A	4.7uF	25	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H225KA12 +A	2.2uF	50	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H225MA12 +A	2.2uF	50	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319B31H475KA12 +A	4.7uF	50	B	3216M/1206	0.95	+/-10%	General Purpose
GRM319B31H475MA12 +A	4.7uF	50	B	3216M/1206	0.95	+/-20%	General Purpose
GRM319R11A105KA01 +A	1uF	10	R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R11C105KAA3 +A	1uF	16	R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R11E334KA01 +A	0.33uF	25	R	3216M/1206	0.95	+/-10%	General Purpose
GRM319R11E474KA01 +A	0.47uF	25	R	3216M/1206	0.95	+/-10%	General Purpose
GRM31C1X2A104JA01 +A	0.1uF	100	SL	3216M/1206	1.80	+/-5%	General Purpose
GRM31C1X2A683JA01 +A	68000pF	100	SL	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C1C124JA01 +A	0.12uF	16	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C1E124JA01 +A	0.12uF	25	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C1H104JA01 +A	0.1uF	50	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C1H683JA01 +A	68000pF	50	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C1H823JA01 +A	82000pF	50	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A104JA01 +A	0.1uF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A563JA01 +A	56000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A623JA01 +A	62000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A683JA01 +A	68000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A753JA01 +A	75000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A823JA01 +A	82000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31C2C2A913JA01 +A	91000pF	100	CH	3216M/1206	1.80	+/-5%	General Purpose
GRM31CB10J475KA01 +A	4.7uF	6.3	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB11A475KA01 +A	4.7uF	10	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB11C475KA01 +A	4.7uF	16	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB30J226KE18 +A	22uF	6.3	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB30J226ME18 +A	22uF	6.3	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB30J476KE18 +A	47uF	6.3	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB30J476ME18 +A	47uF	6.3	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31A226KE19 +A	22uF	10	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31A226ME19 +A	22uF	10	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31A476KE15 +A	47uF	10	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31A476ME15 +A	47uF	10	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31C106KA88 +A	10uF	16	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31C226KE15 +A	22uF	16	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31C226ME15 +A	22uF	16	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31E106KA75 +A	10uF	25	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31E106MA75 +A	10uF	25	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31E226KE15 +A	22uF	25	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31E226ME15 +A	22uF	25	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31E475KA87 +A	4.7uF	25	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31H106KA12 +A	10uF	50	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31H106MA12 +A	10uF	50	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31H225KA87 +A	2.2uF	50	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31H225MA87 +A	2.2uF	50	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB31H475KA12 +A	4.7uF	50	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB31H475MA12 +A	4.7uF	50	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CB3YA106KA12 +A	10uF	35	B	3216M/1206	1.80	+/-10%	General Purpose
GRM31CB3YA106MA12 +A	10uF	35	B	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR11A106KA01 +A	10uF	10	R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR11A106MA01 +A	10uF	10	R	3216M/1206	1.80	+/-20%	General Purpose
GRM31CR11C475KA01 +A	4.7uF	16	R	3216M/1206	1.80	+/-10%	General Purpose
GRM31CR11C475MA01 +A	4.7uF	16	R	3216M/1206	1.80	+/-20%	General Purpose
GRM31M1X1H104JA01 +A	0.1uF	50	SL	3216M/1206	1.25	+/-5%	General Purpose
GRM31M1X1H683JA01 +A	68000pF	50	SL	3216M/1206	1.25	+/-5%	General Purpose
GRM31M1X1H823JA01 +A	82000pF	50	SL	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C1H473JA01 +A	47000pF	50	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C1H563JA01 +A	56000pF	50	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C2A393JA01 +A	39000pF	100	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C2A433JA01 +A	43000pF	100	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C2A473JA01 +A	47000pF	100	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C2A513JA01 +A	51000pF	100	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M2C2A563JA01 +A	56000pF	100	CH	3216M/1206	1.25	+/-5%	General Purpose
GRM31M3U1H104JA01 +A	0.1uF	50	UJ	3216M/1206	1.25	+/-5%	General Purpose
GRM31M3U1H683JA01 +A	68000pF	50	UJ	3216M/1206	1.25	+/-5%	General Purpose
GRM31M3U1H823JA01 +A	82000pF	50	UJ	3216M/1206	1.25	+/-5%	General Purpose
GRM31MB11A225KA01 +A	2.2uF	10	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11C105KA01 +A	1uF	16	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11C225KA35 +A	2.2uF	16	B	3216M/1206	1.30	+/-10%	General Purpose
GRM31MB11C225MA35 +A	2.2uF	16	B	3216M/1206	1.30	+/-20%	General Purpose
GRM31MB11C684KA01 +A	0.68uF	16	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E105KA01 +A	1uF	25	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E224KA01 +A	0.22uF	25	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11E224MA01 +A	0.22uF	25	B	3216M/1206	1.25	+/-20%	General Purpose
GRM31MB11H154KA01 +A	0.15uF	50	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11H224KA01 +A	0.22uF	50	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB11H224MA01 +A	0.22uF	50	B	3216M/1206	1.25	+/-20%	General Purpose
GRM31MB30J106KE18 +A	10uF	6.3	B	3216M/1206	1.25	+/-10%	General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GRM31MB31A106KE18 +A	10uF	10	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MB31A106ME18 +A	10uF	10	B	3216M/1206	1.25	+/-20%	General Purpose
GRM31MB31E225KA92 +A	2.2uF	25	B	3216M/1206	1.30	+/-10%	General Purpose
GRM31MB31H105KA87 +A	1uF	50	B	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR1A225KA01 +A	2.2uF	10	R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11C105KA01 +A	1uF	16	R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11C225KA35 +A	2.2uF	16	R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR11C225MA35 +A	2.2uF	16	R	3216M/1206	1.30	+/-20%	General Purpose
GRM31MR11E105KA01 +A	1uF	25	R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11E225KA93 +A	2.2uF	25	R	3216M/1206	1.30	+/-10%	General Purpose
GRM31MR11H154KA01 +A	0.15uF	50	R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11H224KA01 +A	0.22uF	50	R	3216M/1206	1.25	+/-10%	General Purpose
GRM31MR11H224MA01 +A	0.22uF	50	R	3216M/1206	1.25	+/-20%	General Purpose
GRM32AB31C106KAB6 +A	10uF	16	B	3225M/1210	1.00	+/-10%	General Purpose
GRM32DB11C106KA01 +A	10uF	16	B	3225M/1210	2.20	+/-10%	General Purpose
GRM32DB11E475KA61 +A	4.7uF	25	B	3225M/1210	2.20	+/-10%	General Purpose
GRM32DB31E106KA75 +A	10uF	25	B	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR11C106KA01 +A	10uF	16	R	3225M/1210	2.20	+/-10%	General Purpose
GRM32DR11E475KA61 +A	4.7uF	25	R	3225M/1210	2.20	+/-10%	General Purpose
GRM32EB11A106KA01 +A	10uF	10	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB30J107ME16 +A	100uF	6.3	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB30J476ME16 +A	47uF	6.3	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31A476KE20 +A	47uF	10	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB31A476ME20 +A	47uF	10	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31C226ME16 +A	22uF	16	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31C476KE15 +A	47uF	16	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB31C476ME15 +A	47uF	16	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31E226KE15 +A	22uF	25	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB31E226ME15 +A	22uF	25	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31H106KA12 +A	10uF	50	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB31H106MA12 +A	10uF	50	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32EB31H475KA87 +A	4.7uF	50	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB3YA106KA12 +A	10uF	35	B	3225M/1210	2.70	+/-10%	General Purpose
GRM32EB3YA106MA12 +A	10uF	35	B	3225M/1210	2.70	+/-20%	General Purpose
GRM32ER11A226ME20 +A	22uF	10	R	3225M/1210	2.70	+/-20%	General Purpose
GRM32MB11C225KA01 +A	2.2uF	16	B	3225M/1210	1.25	+/-10%	General Purpose
GRM32MB11H474KA01 +A	0.47uF	50	B	3225M/1210	1.25	+/-10%	General Purpose
GRM32MB11H474MA01 +A	0.47uF	50	B	3225M/1210	1.25	+/-20%	General Purpose
GRM32MR11C225KA01 +A	2.2uF	16	R	3225M/1210	1.25	+/-10%	General Purpose
GRM32NB11H684KA01 +A	0.68uF	50	B	3225M/1210	1.50	+/-10%	General Purpose
GRM32NB31A226KE19 +A	22uF	10	B	3225M/1210	1.50	+/-10%	General Purpose
GRM32NB31A226ME19 +A	22uF	10	B	3225M/1210	1.50	+/-20%	General Purpose
GRM32RB11C475KA01 +A	4.7uF	16	B	3225M/1210	2.00	+/-10%	General Purpose
GRM32RB11E225KA01 +A	2.2uF	25	B	3225M/1210	2.00	+/-10%	General Purpose
GRM32RB11H105KA01 +A	1uF	50	B	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR11C475KA01 +A	4.7uF	16	R	3225M/1210	2.00	+/-10%	General Purpose
GRM32RR11H105KA01 +A	1uF	50	R	3225M/1210	2.00	+/-10%	General Purpose
GRM43EB11C226ME01 +A	22uF	16	B	4532M/1812	2.70	+/-20%	General Purpose
GRM43EB31H475KA88 +A	4.7uF	50	B	4532M/1812	2.70	+/-10%	General Purpose
GRM43ER11E475KA01 +A	4.7uF	25	R	4532M/1812	2.70	+/-10%	General Purpose
GRM43ER11H225KA01 +A	2.2uF	50	R	4532M/1812	2.70	+/-10%	General Purpose
GRM55DB11E106KA01 +A	10uF	25	B	5750M/2220	2.10	+/-10%	General Purpose
GRM55DB31H106KA87 +A	10uF	50	B	5750M/2220	2.20	+/-10%	General Purpose
GRM55DR11E106KA01 +A	10uF	25	R	5750M/2220	2.10	+/-10%	General Purpose
GRM55EB11H475KA01 +A	4.7uF	50	B	5750M/2220	2.70	+/-10%	General Purpose
GRM55ER11H475KA01 +A	4.7uF	50	R	5750M/2220	2.70	+/-10%	General Purpose
GRM55RB11H105KA01 +A	1uF	50	B	5750M/2220	2.00	+/-10%	General Purpose
GRM55RR11H105KA01 +A	1uF	50	R	5750M/2220	2.00	+/-10%	General Purpose
GXM1552C1H100JA02 +A	10pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H101JA02 +A	100pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H102JA02 +A	1000pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H120JA02 +A	12pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H121JA02 +A	120pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H150JA02 +A	15pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H151JA02 +A	150pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H180JA02 +A	18pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H181JA02 +A	180pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H220JA02 +A	22pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H221JA02 +A	220pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H270JA02 +A	27pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H271JA02 +A	270pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H330JA02 +A	33pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H331JA02 +A	330pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H390JA02 +A	39pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H391JA02 +A	390pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H470JA02 +A	47pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H471JA02 +A	470pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H4R0CA02 +A	4pF	50	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C1H4R3CA02 +A	4.3pF	50	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C1H4R7CA02 +A	4.7pF	50	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM1552C1H560JA02 +A	56pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H561JA02 +A	560pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H5R0CA02 +A	5pF	50	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C1H5R1DA02 +A	5.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H5R6DA02 +A	5.6pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H680JA02 +A	68pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H681JA02 +A	680pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H6R0DA02 +A	6pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H6R2DA02 +A	6.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H6R8DA02 +A	6.8pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H7R0DA02 +A	7pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H7R5DA02 +A	7.5pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H820JA02 +A	82pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H821JA02 +A	820pF	50	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C1H8R0DA02 +A	8pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H8R2DA02 +A	8.2pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H9R0DA02 +A	9pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C1H9R1DA02 +A	9.1pF	50	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A100JA02 +A	10pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A101JA02 +A	100pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A120JA02 +A	12pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A150JA02 +A	15pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A180JA02 +A	18pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A220JA02 +A	22pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A270JA02 +A	27pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A330JA02 +A	33pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A390JA02 +A	39pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A470JA02 +A	47pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A4R0CA02 +A	4pF	100	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C2A4R3CA02 +A	4.3pF	100	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C2A4R7CA02 +A	4.7pF	100	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C2A560JA02 +A	56pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A5R0CA02 +A	5pF	100	CH	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1552C2A5R1DA02 +A	5.1pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A5R6DA02 +A	5.6pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A680JA02 +A	68pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A6R0DA02 +A	6pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A6R2DA02 +A	6.2pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A6R8DA02 +A	6.8pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A7R0DA02 +A	7pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A7R5DA02 +A	7.5pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A820JA02 +A	82pF	100	CH	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1552C2A8R0DA02 +A	8pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A8R2DA02 +A	8.2pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A9R0DA02 +A	9pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1552C2A9R1DA02 +A	9.1pF	100	CH	1005M/0402	0.55	+/-0.5pF	Water repellent/ General Purpose
GXM1553C1H2R2CA02 +A	2.2pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H2R4CA02 +A	2.4pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H2R7CA02 +A	2.7pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H3R0CA02 +A	3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H3R3CA02 +A	3.3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H3R6CA02 +A	3.6pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C1H3R9CA02 +A	3.9pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A2R2CA02 +A	2.2pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A2R4CA02 +A	2.4pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A2R7CA02 +A	2.7pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A3R0CA02 +A	3pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A3R3CA02 +A	3.3pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A3R6CA02 +A	3.6pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553C2A3R9CA02 +A	3.9pF	100	CJ	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1553U1A122JA02 +A	1200pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A152JA02 +A	1500pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A182JA02 +A	1800pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A222JA02 +A	2200pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A272JA02 +A	2700pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A332JA02 +A	3300pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A392JA02 +A	3900pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1553U1A472JA02 +A	4700pF	10	UJ	1005M/0402	0.55	+/-5%	Water repellent/ General Purpose
GXM1554C1H1R0CA02 +A	1pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R1CA02 +A	1.1pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R2CA02 +A	1.2pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R3CA02 +A	1.3pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R5CA02 +A	1.5pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R6CA02 +A	1.6pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H1R8CA02 +A	1.8pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1H2R0CA02 +A	2pF	50	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C1HR10WA02 +A	0.1pF	50	CK	1005M/0402	0.55	+/-0.05pF	Water repellent/ General Purpose
GXM1554C1HR20BA02 +A	0.2pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR30BA02 +A	0.3pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR40BA02 +A	0.4pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM1554C1HR50BA02 +A	0.5pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR60BA02 +A	0.6pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR70BA02 +A	0.7pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR80BA02 +A	0.8pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C1HR90BA02 +A	0.9pF	50	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2A1R0CA02 +A	1pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R1CA02 +A	1.1pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R2CA02 +A	1.2pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R3CA02 +A	1.3pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R5CA02 +A	1.5pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R6CA02 +A	1.6pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A1R8CA02 +A	1.8pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2A2R0CA02 +A	2pF	100	CK	1005M/0402	0.55	+/-0.25pF	Water repellent/ General Purpose
GXM1554C2AR10WA02 +A	0.1pF	100	CK	1005M/0402	0.55	+/-0.05pF	Water repellent/ General Purpose
GXM1554C2AR20BA02 +A	0.2pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR30BA02 +A	0.3pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR40BA02 +A	0.4pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR50BA02 +A	0.5pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR60BA02 +A	0.6pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR70BA02 +A	0.7pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR80BA02 +A	0.8pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM1554C2AR90BA02 +A	0.9pF	100	CK	1005M/0402	0.55	+/-0.1pF	Water repellent/ General Purpose
GXM155B31C105KA10 +A	1uF	16	B	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155B31C105MA10 +A	1uF	16	B	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM155B31E105KA10 +A	1uF	25	B	1005M/0402	0.55	+/-10%	Water repellent/ General Purpose
GXM155B31E105MA10 +A	1uF	25	B	1005M/0402	0.55	+/-20%	Water repellent/ General Purpose
GXM1882C1H102JA02 +A	1000pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H103JA02 +A	1000pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H122JA02 +A	1200pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H152JA02 +A	1500pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H182JA02 +A	1800pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H222JA02 +A	2200pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H271JA02 +A	270pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H272JA02 +A	2700pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H331JA02 +A	330pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H332JA02 +A	3300pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H391JA02 +A	390pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H392JA02 +A	3900pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H471JA02 +A	470pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H472JA02 +A	4700pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H561JA02 +A	560pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H562JA02 +A	5600pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H681JA02 +A	680pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H682JA02 +A	6800pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H821JA02 +A	820pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C1H822JA02 +A	8200pF	50	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A102JA02 +A	1000pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A121JA02 +A	120pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A122JA02 +A	1200pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A151JA02 +A	150pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A152JA02 +A	1500pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A181JA02 +A	180pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A221JA02 +A	220pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A271JA02 +A	270pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A331JA02 +A	330pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A391JA02 +A	390pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A471JA02 +A	470pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A561JA02 +A	560pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A681JA02 +A	680pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1882C2A821JA02 +A	820pF	100	CH	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1A123JA02 +A	1200pF	10	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1A153JA02 +A	15000pF	10	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1A183JA02 +A	18000pF	10	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1A223JA02 +A	22000pF	10	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H102JA02 +A	1000pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H103JA02 +A	1000pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H122JA02 +A	1200pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H152JA02 +A	1500pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H182JA02 +A	1800pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H222JA02 +A	2200pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H272JA02 +A	2700pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H332JA02 +A	3300pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H392JA02 +A	3900pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H472JA02 +A	4700pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H562JA02 +A	5600pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H682JA02 +A	6800pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM1883U1H822JA02 +A	8200pF	50	UJ	1608M/0603	0.90	+/-5%	Water repellent/ General Purpose
GXM188B30J106ME47 +A	10uF	6.3	B	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM188B31A106ME69 +A	10uF	10	B	1608M/0603	0.95	+/-20%	Water repellent/ General Purpose
GXM188B31E225KA10 +A	2.2uF	25	B	1608M/0603	0.90	+/-10%	Water repellent/ General Purpose



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GXM188B31E225MA10 +A	2.2uF	25	B	1608M/0603	0.90	+/-20%	Water repellent/ General Purpose
GXM2162C1H122JA02 +A	1200pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H152JA02 +A	1500pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H182JA02 +A	1800pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H222JA02 +A	2200pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H272JA02 +A	2700pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H332JA02 +A	3300pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H392JA02 +A	3900pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C1H472JA02 +A	4700pF	50	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A102JA02 +A	1000pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A121JA02 +A	120pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A122JA02 +A	1200pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A151JA02 +A	150pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A152JA02 +A	1500pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A181JA02 +A	180pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A182JA02 +A	1800pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A221JA02 +A	220pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A222JA02 +A	2200pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A271JA02 +A	270pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A272JA02 +A	2700pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A331JA02 +A	330pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A332JA02 +A	3300pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A391JA02 +A	390pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A471JA02 +A	470pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A561JA02 +A	560pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A681JA02 +A	680pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2162C2A821JA02 +A	820pF	100	CH	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2163U1H103JA02 +A	10000pF	50	UJ	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2163U1H123JA02 +A	12000pF	50	UJ	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2163U1H153JA02 +A	15000pF	50	UJ	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2163U1H183JA02 +A	18000pF	50	UJ	2012M/0805	0.70	+/-5%	Water repellent/ General Purpose
GXM2192C1H103JA02 +A	10000pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2192C1H123JA02 +A	12000pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2192C1H153JA02 +A	15000pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2192C1H562JA02 +A	5600pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2192C1H682JA02 +A	6800pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2192C1H822JA02 +A	8200pF	50	CH	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2193U1A563JA02 +A	56000pF	10	UJ	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2193U1H223JA02 +A	22000pF	50	UJ	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM2193U1H273JA02 +A	27000pF	50	UJ	2012M/0805	0.95	+/-5%	Water repellent/ General Purpose
GXM21A3U1H333JA39 +A	33000pF	50	UJ	2012M/0805	1.00	+/-5%	Water repellent/ General Purpose
GXM21B2C1H183JA02 +A	18000pF	50	CH	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B2C1H223JA02 +A	22000pF	50	CH	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B3U1A104JA02 +A	0.1uF	10	UJ	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B3U1A683JA02 +A	68000pF	10	UJ	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B3U1A823JA02 +A	82000pF	10	UJ	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B3U1H393JA02 +A	39000pF	50	UJ	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21B3U1H473JA02 +A	47000pF	50	UJ	2012M/0805	1.35	+/-5%	Water repellent/ General Purpose
GXM21BB31C106KE10 +A	10uF	16	B	2012M/0805	1.35	+/-10%	Water repellent/ General Purpose
GXM21BB31C106ME10 +A	10uF	16	B	2012M/0805	1.35	+/-20%	Water repellent/ General Purpose
GXM21BB31E106KA73 +A	10uF	25	B	2012M/0805	1.40	+/-10%	Water repellent/ General Purpose
GXM21BB31E106MA73 +A	10uF	25	B	2012M/0805	1.40	+/-20%	Water repellent/ General Purpose
GXM21BB31H475KE50 +A	4.7uF	50	B	2012M/0805	1.40	+/-10%	Water repellent/ General Purpose
GXM21BB31H475ME50 +A	4.7uF	50	B	2012M/0805	1.40	+/-20%	Water repellent/ General Purpose
GXM31C2C1C124JA02 +A	0.12uF	16	CH	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C2C1E124JA02 +A	0.12uF	25	CH	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C2C1H104JA02 +A	0.1uF	50	CH	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C2C1H683JA02 +A	68000pF	50	CH	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31C2C1H823JA02 +A	82000pF	50	CH	3216M/1206	1.80	+/-5%	Water repellent/ General Purpose
GXM31M2C1H473JA02 +A	47000pF	50	CH	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M2C1H563JA02 +A	56000pF	50	CH	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M3U1H104JA02 +A	0.1uF	50	UJ	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M3U1H683JA02 +A	68000pF	50	UJ	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose
GXM31M3U1H823JA02 +A	82000pF	50	UJ	3216M/1206	1.25	+/-5%	Water repellent/ General Purpose









PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM0334C1HR20BA01 +B	0.2pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR20WA01 +	0.2pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR30BA01 +B	0.3pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR30WA01 +	0.3pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR40BA01 +B	0.4pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR40WA01 +	0.4pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR50BA01 +B	0.5pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR50WA01 +	0.5pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR60BA01 +B	0.6pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR60WA01 +	0.6pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR70BA01 +B	0.7pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR70WA01 +	0.7pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR80BA01 +B	0.8pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR80WA01 +	0.8pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM0334C1HR90BA01 +B	0.9pF	50	CK	0603M/0201	0.33	+/-0.1pF	Powertrain/Safety for Automotive
GCM0334C1HR90WA01 +	0.9pF	50	CK	0603M/0201	0.33	+/-0.05pF	Powertrain/Safety for Automotive
GCM033R11A103KA01 +B	10000pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A152KA01 +B	1500pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A222KA01 +B	2200pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A332KA01 +B	3300pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A472KA01 +B	4700pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11A682KA01 +B	6800pF	10	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11C222KA40 +B	2200pF	16	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11C332KA40 +B	3300pF	16	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E101KA01 +B	100pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E102KA01 +B	1000pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E151KA01 +B	150pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E152KA01 +B	1500pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E221KA01 +B	220pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E331KA01 +B	330pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E471KA01 +B	470pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM033R11E681KA01 +B	680pF	25	R	0603M/0201	0.33	+/-10%	Powertrain/Safety for Automotive
GCM1552C1H100JA01 +B	10pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H101JA01 +B	100pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H102JA01 +B	1000pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H120JA01 +B	12pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H121JA01 +B	120pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H150JA01 +B	15pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H151JA01 +B	150pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H180JA01 +B	18pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H181JA01 +B	180pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H220JA01 +B	22pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H221JA01 +B	220pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H270JA01 +B	27pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H271JA01 +B	270pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H330JA01 +B	33pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H331JA01 +B	330pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H390JA01 +B	39pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H391JA01 +B	390pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H470JA01 +B	47pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H471JA01 +B	470pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H470CA01 +B	47pF	50	CH	1005M/0402	0.55	+/-0.25pF	Powertrain/Safety for Automotive
GCM1552C1H560JA01 +B	56pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H561JA01 +B	560pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H5R0CA01 +B	5pF	50	CH	1005M/0402	0.55	+/-0.25pF	Powertrain/Safety for Automotive
GCM1552C1H680JA01 +B	68pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H681JA01 +B	680pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H6R0DA01 +B	6pF	50	CH	1005M/0402	0.55	+/-0.5pF	Powertrain/Safety for Automotive
GCM1552C1H7R0DA01 +B	7pF	50	CH	1005M/0402	0.55	+/-0.5pF	Powertrain/Safety for Automotive
GCM1552C1H820JA01 +B	82pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H821JA01 +B	820pF	50	CH	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive
GCM1552C1H8R0DA01 +B	8pF	50	CH	1005M/0402	0.55	+/-0.5pF	Powertrain/Safety for Automotive
GCM1552C1H9R0DA01 +B	9pF	50	CH	1005M/0402	0.55	+/-0.5pF	Powertrain/Safety for Automotive
GCM1553C1H3R0CA01 +B	3pF	50	CJ	1005M/0402	0.55	+/-0.25pF	Powertrain/Safety for Automotive
GCM1554C1H1R0CA01 +B	1pF	50	CK	1005M/0402	0.55	+/-0.25pF	Powertrain/Safety for Automotive
GCM1554C1H2R0CA01 +B	2pF	50	CK	1005M/0402	0.55	+/-0.25pF	Powertrain/Safety for Automotive
GCM1555G1H101FA16 +A	100pF	50	X8G	1005M/0402	0.55	+/-1%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H101GA16 +A	100pF	50	X8G	1005M/0402	0.55	+/-2%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H101JA16 +A	100pF	50	X8G	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H102FA16 +A	1000pF	50	X8G	1005M/0402	0.55	+/-1%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H102GA16 +A	1000pF	50	X8G	1005M/0402	0.55	+/-2%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H102JA16 +A	1000pF	50	X8G	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H120FA16 +A	12pF	50	X8G	1005M/0402	0.55	+/-1%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H120GA16 +A	12pF	50	X8G	1005M/0402	0.55	+/-2%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H120JA16 +A	12pF	50	X8G	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H121FA16 +A	120pF	50	X8G	1005M/0402	0.55	+/-1%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H121GA16 +A	120pF	50	X8G	1005M/0402	0.55	+/-2%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H121JA16 +A	120pF	50	X8G	1005M/0402	0.55	+/-5%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H150FA16 +A	15pF	50	X8G	1005M/0402	0.55	+/-1%	Powertrain/Safety for Automotive [AEC-Q200]
GCM1555G1H150GA16 +A	15pF	50	X8G	1005M/0402	0.55	+/-2%	Powertrain/Safety for Automotive [AEC-Q200]



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM155R11A104KA01	+B 0.1uF	10	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C104KA40	+E 0.1uF	16	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C333KA01	+B 33000pF	16	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C473KA01	+E 47000pF	16	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11C683KA40	+B 68000pF	16	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E103KA01	+E 10000pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E153KA40	+B 15000pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E223KA01	+E 22000pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E333KA40	+B 33000pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E473KA40	+E 47000pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11E682KA01	+B 6800pF	25	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H102KA01	+E 1000pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H103KA40	+E 10000pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H152KA01	+E 1500pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H221KA01	+E 220pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H222KA01	+E 2200pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H331KA01	+E 330pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H332KA01	+E 3300pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H471KA01	+E 470pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H472KA01	+E 4700pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H681KA01	+E 680pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM155R11H682KA40	+B 6800pF	50	R	1005M/0402	0.55	+/-10%	Powertrain/Safety for Automotive
GCM1882C1H100JA01	+B 10pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H101JA01	+B 100pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H102JA01	+B 1000pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H103GA01	+E 10000pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H103JA01	+B 10000pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H120JA01	+B 12pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H121JA01	+B 120pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H122JA01	+B 1200pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H150JA01	+B 15pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H151JA01	+B 150pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H152JA01	+B 1500pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H180JA01	+B 18pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H181JA01	+B 180pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H182JA01	+B 1800pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H220JA01	+B 22pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H221JA01	+B 220pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H222JA01	+B 2200pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H270JA01	+B 27pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H271JA01	+B 270pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H272JA01	+B 2700pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H330JA01	+B 33pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H331JA01	+B 330pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H332JA01	+B 3300pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H390JA01	+B 39pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H391JA01	+B 390pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H392JA01	+B 3900pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H432GA01	+E 4300pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H432JA01	+B 4300pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H470JA01	+B 47pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H471JA01	+B 470pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H472GA01	+E 4700pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H472JA01	+B 4700pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H4R0CA01	+E 4pF	50	CH	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1882C1H512GA01	+E 5100pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H512JA01	+B 5100pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H560JA01	+B 56pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H561JA01	+B 560pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H562GA01	+E 5600pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H562JA01	+B 5600pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H5R0CA01	+E 5pF	50	CH	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1882C1H622GA01	+E 6200pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H622JA01	+B 6200pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H680JA01	+B 68pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H681JA01	+B 680pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H682GA01	+E 6800pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H682JA01	+B 6800pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H6R0DA01	+E 6pF	50	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C1H752GA01	+E 7500pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H752JA01	+B 7500pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H7R0DA01	+E 7pF	50	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C1H820JA01	+B 82pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H821JA01	+B 820pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H822GA01	+E 8200pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H822JA01	+B 8200pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H8R0DA01	+E 8pF	50	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C1H912GA01	+E 9100pF	50	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1H912JA01	+B 9100pF	50	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1H9R0DA01	+E 9pF	50	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive



PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM1882C1K162GA01 +E	1600pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K162JA01 +B	1600pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K182GA01 +E	1800pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K182JA01 +B	1800pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K202GA01 +E	2000pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K202JA01 +B	2000pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K222GA01 +E	2200pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K222JA01 +B	2200pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K242GA01 +E	2400pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K242JA01 +B	2400pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K272GA01 +E	2700pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K272JA01 +B	2700pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K302GA01 +E	3000pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K302JA01 +B	3000pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K332GA01 +E	3300pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K332JA01 +B	3300pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K362GA01 +E	3600pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K362JA01 +B	3600pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C1K392GA01 +E	3900pF	80	CH	1608M/0603	0.90	+/-2%	Powertrain/Safety for Automotive
GCM1882C1K392JA01 +B	3900pF	80	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A100JA01 +B	10pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A101JA01 +B	100pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A102JA01 +B	1000pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A120JA01 +B	12pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A121JA01 +B	120pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A122JA01 +B	1200pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A150JA01 +B	15pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A151JA01 +B	150pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A152JA01 +B	1500pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A180JA01 +B	18pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A181JA01 +B	180pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A220JA01 +B	22pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A221JA01 +B	220pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A270JA01 +B	27pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A271JA01 +B	270pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A330JA01 +B	33pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A331JA01 +B	330pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A390JA01 +B	39pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A391JA01 +B	390pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A470JA01 +B	47pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A471JA01 +B	470pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A4R0CA01 +E	4pF	100	CH	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1882C2A560JA01 +B	56pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A561JA01 +B	560pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A5R0CA01 +E	5pF	100	CH	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1882C2A680JA01 +B	68pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A681JA01 +B	680pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A6R0DA01 +E	6pF	100	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C2A7R0DA01 +E	7pF	100	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C2A820JA01 +B	82pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A821JA01 +B	820pF	100	CH	1608M/0603	0.90	+/-5%	Powertrain/Safety for Automotive
GCM1882C2A8R0DA01 +E	8pF	100	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1882C2A9R0DA01 +E	9pF	100	CH	1608M/0603	0.90	+/-0.5pF	Powertrain/Safety for Automotive
GCM1883C1H3R0CA01 +E	3pF	50	CJ	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1883C2A3R0CA01 +E	3pF	100	CJ	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1884C1H1R0CA01 +E	1pF	50	CK	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1884C1H2R0CA01 +E	2pF	50	CK	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1884C2A1R0CA01 +E	1pF	100	CK	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM1884C2A2R0CA01 +E	2pF	100	CK	1608M/0603	0.90	+/-0.25pF	Powertrain/Safety for Automotive
GCM188R11A224KA01 +E	0.22uF	10	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11C104KA01 +E	0.1uF	16	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11C224KA01 +E	0.22uF	16	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11C334KA01 +E	0.33uF	16	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11C474KA01 +E	0.47uF	16	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E102KA01 +D	1000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E103KA01 +D	1000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E104KA42 +E	0.1uF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E152KA01 +D	1500pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E153KA01 +E	15000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E154KA01 +E	0.15uF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E222KA01 +D	2200pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E223KA01 +E	22000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E224KA40 +E	0.22uF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E332KA01 +D	3300pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E333KA01 +E	33000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E472KA01 +D	4700pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E473KA01 +E	47000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E682KA01 +D	6800pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11E683KA42 +E	68000pF	25	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H102KA01 +D	1000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM188R11H103KA01 +D	10000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H104KA42 +E	0.1uF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H152KA01 +D	1500pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H153KA01 +E	15000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H222KA01 +D	2200pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H223KA01 +E	22000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H332KA01 +D	3300pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H333KA42 +E	33000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H472KA01 +D	4700pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H473KA40 +E	47000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H682KA01 +D	6800pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM188R11H683KA42 +E	68000pF	50	R	1608M/0603	0.90	+/-10%	Powertrain/Safety for Automotive
GCM2162C1H102JA01 +B	1000pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H122JA01 +B	1200pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H152JA01 +B	1500pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H182JA01 +B	1800pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H222JA01 +B	2200pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H272JA01 +B	2700pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H332JA01 +B	3300pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H392JA01 +B	3900pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H472JA01 +B	4700pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H561JA01 +B	560pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H681JA01 +B	680pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1H821JA01 +B	820pF	50	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1K392GA01 +E	3900pF	80	CH	2012M/0805	0.70	+/-2%	Powertrain/Safety for Automotive
GCM2162C1K392JA01 +B	3900pF	80	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1K432GA01 +E	4300pF	80	CH	2012M/0805	0.70	+/-2%	Powertrain/Safety for Automotive
GCM2162C1K432JA01 +B	4300pF	80	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C1K472GA01 +E	4700pF	80	CH	2012M/0805	0.70	+/-2%	Powertrain/Safety for Automotive
GCM2162C1K472JA01 +B	4700pF	80	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A101JA01 +B	100pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A102JA01 +B	1000pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A121JA01 +B	120pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A122JA01 +B	1200pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A151JA01 +B	150pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A152JA01 +B	1500pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A181JA01 +B	180pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A182JA01 +B	1800pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A221JA01 +B	220pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A222JA01 +B	2200pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A271JA01 +B	270pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A272JA01 +B	2700pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A331JA01 +B	330pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A332JA01 +B	3300pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A391JA01 +B	390pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A471JA01 +B	470pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A561JA01 +B	560pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A681JA01 +B	680pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2162C2A821JA01 +B	820pF	100	CH	2012M/0805	0.70	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H103JA01 +B	10000pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H123JA01 +B	12000pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H153JA01 +B	15000pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H562JA01 +B	5600pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H682JA01 +B	6800pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1H822JA01 +B	8200pF	50	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K103GA01 +E	10000pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K103JA01 +B	10000pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K113GA01 +E	11000pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K113JA01 +B	11000pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K123GA01 +E	12000pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K123JA01 +B	12000pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K133GA01 +E	13000pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K133JA01 +B	13000pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K153JA01 +B	15000pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K682GA01 +E	6800pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K682JA01 +B	6800pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2192C1K822GA01 +E	8200pF	80	CH	2012M/0805	0.95	+/-2%	Powertrain/Safety for Automotive
GCM2192C1K822JA01 +B	8200pF	80	CH	2012M/0805	0.95	+/-5%	Powertrain/Safety for Automotive
GCM2199E2A102KA04 +A	1000pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM2199E2A102KA05 +A	1000pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A102MA04 +A	1000pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive
GCM2199E2A102MA05 +A	1000pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A112KA04 +A	1100pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM2199E2A112KA05 +A	1100pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A112MA04 +A	1100pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive
GCM2199E2A112MA05 +A	1100pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A122KA04 +A	1200pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM2199E2A122KA05 +A	1200pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A122MA04 +A	1200pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive
GCM2199E2A122MA05 +A	1200pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM2199E2A132KA04 +A	1300pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM2199E2A132KA05 -A	1300pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A132MA04 +A	1300pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive
GCM2199E2A132MA05 +A	1300pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A152KA04 +A	1500pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM2199E2A152KA05 +A	1500pF	100	ZLM	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM2199E2A152MA04 +A	1500pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive
GCM2199E2A152MA05 +A	1500pF	100	ZLM	2012M/0805	0.95	+/-20%	Powertrain/Safety for Automotive [AEC-Q200]
GCM219R11A474KA01 +B	0.47uF	10	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C105KA01 +E	1uF	16	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C224KA01 +B	0.22uF	16	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11C684KA01 +E	0.68uF	16	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11E334KA01 +B	0.33uF	25	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM219R11E474KA04 +B	0.47uF	25	R	2012M/0805	0.95	+/-10%	Powertrain/Safety for Automotive
GCM21B2C1H183JA01 +B	18000pF	50	CH	2012M/0805	1.40	+/-5%	Powertrain/Safety for Automotive
GCM21B2C1H223JA01 +B	22000pF	50	CH	2012M/0805	1.40	+/-5%	Powertrain/Safety for Automotive
GCM21B2C1K183JA01 +B	18000pF	80	CH	2012M/0805	1.40	+/-5%	Powertrain/Safety for Automotive
GCM21B2C1K203JA01 +B	20000pF	80	CH	2012M/0805	1.40	+/-5%	Powertrain/Safety for Automotive
GCM21B2C1K223JA01 +B	22000pF	80	CH	2012M/0805	1.40	+/-5%	Powertrain/Safety for Automotive
GCM21BM8EE106KE08 +J	10uF	16	X8M	2012M/0805	1.45	+/-10%	Powertrain/Safety for Automotive [AEC-Q200]
GCM21BR11A105KA01 +E	1uF	10	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11C474KA01 +B	0.47uF	16	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E104KA01 +E	0.1uF	25	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E105KA42 +E	1uF	25	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E154KA01 +E	0.15uF	25	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E224KA01 +E	0.22uF	25	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11E684KA04 +E	0.68uF	25	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H104KA01 +E	0.1uF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H154KA01 +E	0.15uF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H224KA01 +E	0.22uF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H333KA01 +E	33000pF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H473KA01 +E	47000pF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM21BR11H683KA01 +E	68000pF	50	R	2012M/0805	1.40	+/-10%	Powertrain/Safety for Automotive
GCM3192C1H103JA01 +B	10000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H123JA01 +B	12000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H153JA01 +B	15000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H183JA01 +B	18000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H223JA01 +B	22000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H273JA01 +B	27000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H333JA01 +B	33000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H392JA01 +B	3900pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H393JA01 +B	39000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H472JA01 +B	47000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H562JA01 +B	56000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H682JA01 +B	68000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1H822JA01 +B	82000pF	50	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K123GA01 +E	12000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K123JA01 +B	12000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K133GA01 +E	13000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K133JA01 +B	13000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K153GA01 +E	15000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K153JA01 +B	15000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K163GA01 +E	16000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K163JA01 +B	16000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K183GA01 +E	18000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K183JA01 +B	18000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K203GA01 +E	20000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K203JA01 +B	20000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K223GA01 +E	22000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K223JA01 +B	22000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K273GA01 +E	27000pF	80	CH	3216M/1206	0.95	+/-2%	Powertrain/Safety for Automotive
GCM3192C1K273JA01 +B	27000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C1K333JA01 +B	33000pF	80	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A103JA01 +B	10000pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A182JA01 +B	1800pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A222JA01 +B	22200pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A272JA01 +B	2700pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A332JA01 +B	3300pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A392JA01 +B	3900pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A472JA01 +B	4700pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A562JA01 +B	5600pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A682JA01 +B	6800pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM3192C2A822JA01 +B	8200pF	100	CH	3216M/1206	0.95	+/-5%	Powertrain/Safety for Automotive
GCM31C2C1H104JA01 +B	0.1uF	50	CH	3216M/1206	1.80	+/-5%	Powertrain/Safety for Automotive
GCM31C2C1H683FA01 +E	68000pF	50	CH	3216M/1206	1.80	+/-1%	Powertrain/Safety for Automotive
GCM31C2C1H683GA01 +E	68000pF	50	CH	3216M/1206	1.80	+/-2%	Powertrain/Safety for Automotive
GCM31C2C1H683JA01 +B	68000pF	50	CH	3216M/1206	1.80	+/-5%	Powertrain/Safety for Automotive
GCM31C2C1H753FA01 +E	75000pF	50	CH	3216M/1206	1.80	+/-1%	Powertrain/Safety for Automotive
GCM31C2C1H753GA01 +E	75000pF	50	CH	3216M/1206	1.80	+/-2%	Powertrain/Safety for Automotive
GCM31C2C1H753JA01 +B	75000pF	50	CH	3216M/1206	1.80	+/-5%	Powertrain/Safety for Automotive

PartNumber	Capacitance (Nominal)	Rated Voltage(V)	Temperature Characteristics	Size Code (mm)/(inch)	T size (mmMax.)	Cap. Tolerance	Type
GCM31C2C1H823FA01 +B	82000pF	50	CH	3216M/1206	1.80	+/-1%	Powertrain/Safety for Automotive
GCM31C2C1H823GA01 +B	82000pF	50	CH	3216M/1206	1.80	+/-2%	Powertrain/Safety for Automotive
GCM31C2C1H823JA01 +B	82000pF	50	CH	3216M/1206	1.80	+/-5%	Powertrain/Safety for Automotive
GCM31C2C1H913FA01 +B	91000pF	50	CH	3216M/1206	1.80	+/-1%	Powertrain/Safety for Automotive
GCM31C2C1H913GA01 +B	91000pF	50	CH	3216M/1206	1.80	+/-2%	Powertrain/Safety for Automotive
GCM31C2C1H913JA01 +B	91000pF	50	CH	3216M/1206	1.80	+/-5%	Powertrain/Safety for Automotive
GCM31CR11A106KA49 +B	10uF	10	R	3216M/1206	1.80	+/-10%	Powertrain/Safety for Automotive
GCM31CR11C475KA01 +B	4.7uF	16	R	3216M/1206	1.80	+/-10%	Powertrain/Safety for Automotive
GCM31CR11H684KA01 +B	0.68uF	50	R	3216M/1206	1.80	+/-10%	Powertrain/Safety for Automotive
GCM31M2C1H473JA01 +B	47000pF	50	CH	3216M/1206	1.25	+/-5%	Powertrain/Safety for Automotive
GCM31M2C1H563JA01 +B	56000pF	50	CH	3216M/1206	1.25	+/-5%	Powertrain/Safety for Automotive
GCM31MR11A225KA36 +B	2.2uF	10	R	3216M/1206	1.30	+/-10%	Powertrain/Safety for Automotive
GCM31MR11C105KA01 +B	1uF	16	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11C225KA36 +B	2.2uF	16	R	3216M/1206	1.30	+/-10%	Powertrain/Safety for Automotive
GCM31MR11E105KA01 +B	1uF	25	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11E225KA42 +B	2.2uF	25	R	3216M/1206	1.30	+/-10%	Powertrain/Safety for Automotive
GCM31MR11H334KA01 +B	0.33uF	50	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM31MR11H474KA01 +B	0.47uF	50	R	3216M/1206	1.25	+/-10%	Powertrain/Safety for Automotive
GCM32DR11C106KA01 +B	10uF	16	R	3225M/1210	2.20	+/-10%	Powertrain/Safety for Automotive
GCM32DR11E475KA40 +B	4.7uF	25	R	3225M/1210	2.20	+/-10%	Powertrain/Safety for Automotive
GCM32ER11A226KE11 +B	22uF	10	R	3225M/1210	2.70	+/-10%	Powertrain/Safety for Automotive
GCM32ER11A226ME11 +B	22uF	10	R	3225M/1210	2.70	+/-20%	Powertrain/Safety for Automotive
GCM32ER11H105KA01 +B	1uF	50	R	3225M/1210	2.70	+/-10%	Powertrain/Safety for Automotive
GCM32RR11E105KA01 +B	1uF	25	R	3225M/1210	2.00	+/-10%	Powertrain/Safety for Automotive

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HN10NG02	10	+/-2%	500	1005	General
LQG15HN10NH02	10	+/-3%	500	1005	General
LQG15HN10NJ02	10	+/-5%	500	1005	General
LQG15HN12NG02	12	+/-2%	400	1005	General
LQG15HN12NH02	12	+/-3%	400	1005	General
LQG15HN12NJ02	12	+/-5%	400	1005	General
LQG15HN15NG02	15	+/-2%	400	1005	General
LQG15HN15NH02	15	+/-3%	400	1005	General
LQG15HN15NJ02	15	+/-5%	400	1005	General
LQG15HN18NG02	18	+/-2%	350	1005	General
LQG15HN18NH02	18	+/-3%	350	1005	General
LQG15HN18NJ02	18	+/-5%	350	1005	General
LQG15HN1N0B02	1	+/-0.1nH	1000	1005	General
LQG15HN1N0C02	1	+/-0.2nH	1000	1005	General
LQG15HN1N0S02	1	+/-0.3nH	1000	1005	General
LQG15HN1N1B02	1.1	+/-0.1nH	1000	1005	General
LQG15HN1N1C02	1.1	+/-0.2nH	1000	1005	General
LQG15HN1N1S02	1.1	+/-0.3nH	1000	1005	General
LQG15HN1N2B02	1.2	+/-0.1nH	1000	1005	General
LQG15HN1N2C02	1.2	+/-0.2nH	1000	1005	General
LQG15HN1N2S02	1.2	+/-0.3nH	1000	1005	General
LQG15HN1N3B02	1.3	+/-0.1nH	1000	1005	General
LQG15HN1N3C02	1.3	+/-0.2nH	1000	1005	General
LQG15HN1N3S02	1.3	+/-0.3nH	1000	1005	General
LQG15HN1N5B02	1.5	+/-0.1nH	1000	1005	General
LQG15HN1N5C02	1.5	+/-0.2nH	1000	1005	General
LQG15HN1N5S02	1.5	+/-0.3nH	1000	1005	General
LQG15HN1N6B02	1.6	+/-0.1nH	1000	1005	General
LQG15HN1N6C02	1.6	+/-0.2nH	1000	1005	General
LQG15HN1N6S02	1.6	+/-0.3nH	1000	1005	General
LQG15HN1N8B02	1.8	+/-0.1nH	900	1005	General
LQG15HN1N8C02	1.8	+/-0.2nH	900	1005	General
LQG15HN1N8S02	1.8	+/-0.3nH	900	1005	General
LQG15HN22NG02	22	+/-2%	350	1005	General
LQG15HN22NH02	22	+/-3%	350	1005	General
LQG15HN22NJ02	22	+/-5%	350	1005	General
LQG15HN27NG02	27	+/-2%	300	1005	General
LQG15HN27NH02	27	+/-3%	300	1005	General
LQG15HN27NJ02	27	+/-5%	300	1005	General
LQG15HN2N0B02	2	+/-0.1nH	900	1005	General
LQG15HN2N0C02	2	+/-0.2nH	900	1005	General
LQG15HN2N0S02	2	+/-0.3nH	900	1005	General
LQG15HN2N2B02	2.2	+/-0.1nH	900	1005	General
LQG15HN2N2C02	2.2	+/-0.2nH	900	1005	General
LQG15HN2N2S02	2.2	+/-0.3nH	900	1005	General
LQG15HN2N4B02	2.4	+/-0.1nH	800	1005	General
LQG15HN2N4C02	2.4	+/-0.2nH	800	1005	General
LQG15HN2N4S02	2.4	+/-0.3nH	800	1005	General
LQG15HN2N7B02	2.7	+/-0.1nH	800	1005	General
LQG15HN2N7C02	2.7	+/-0.2nH	800	1005	General
LQG15HN2N7S02	2.7	+/-0.3nH	800	1005	General
LQG15HN33NG02	33	+/-2%	300	1005	General
LQG15HN33NH02	33	+/-3%	300	1005	General
LQG15HN33NJ02	33	+/-5%	300	1005	General
LQG15HN39NG02	39	+/-2%	250	1005	General
LQG15HN39NH02	39	+/-3%	250	1005	General
LQG15HN39NJ02	39	+/-5%	250	1005	General
LQG15HN3N0B02	3	+/-0.1nH	800	1005	General
LQG15HN3N0C02	3	+/-0.2nH	800	1005	General
LQG15HN3N0S02	3	+/-0.3nH	800	1005	General
LQG15HN3N3B02	3.3	+/-0.1nH	800	1005	General
LQG15HN3N3C02	3.3	+/-0.2nH	800	1005	General
LQG15HN3N3S02	3.3	+/-0.3nH	800	1005	General
LQG15HN3N6B02	3.6	+/-0.1nH	700	1005	General
LQG15HN3N6C02	3.6	+/-0.2nH	700	1005	General
LQG15HN3N6S02	3.6	+/-0.3nH	700	1005	General
LQG15HN3N9B02	3.9	+/-0.1nH	700	1005	General
LQG15HN3N9C02	3.9	+/-0.2nH	700	1005	General
LQG15HN3N9S02	3.9	+/-0.3nH	700	1005	General
LQG15HN47NG02	47	+/-2%	250	1005	General
LQG15HN47NH02	47	+/-3%	250	1005	General
LQG15HN47NJ02	47	+/-5%	250	1005	General
LQG15HN4N3B02	4.3	+/-0.1nH	700	1005	General
LQG15HN4N3C02	4.3	+/-0.2nH	700	1005	General
LQG15HN4N3S02	4.3	+/-0.3nH	700	1005	General
LQG15HN4N7B02	4.7	+/-0.1nH	700	1005	General
LQG15HN4N7C02	4.7	+/-0.2nH	700	1005	General
LQG15HN4N7S02	4.7	+/-0.3nH	700	1005	General
LQG15HN56NG02	56	+/-2%	200	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HN56NH02	56	+/-3%	200	1005	General
LQG15HN56NJ02	56	+/-5%	200	1005	General
LQG15HN5N1B02	5.1	+/-0.1nH	600	1005	General
LQG15HN5N1C02	5.1	+/-0.2nH	600	1005	General
LQG15HN5N1S02	5.1	+/-0.3nH	600	1005	General
LQG15HN5N6B02	5.6	+/-0.1nH	600	1005	General
LQG15HN5N6C02	5.6	+/-0.2nH	600	1005	General
LQG15HN5N6S02	5.6	+/-0.3nH	600	1005	General
LQG15HN68NG02	68	+/-2%	200	1005	General
LQG15HN68NH02	68	+/-3%	200	1005	General
LQG15HN68NJ02	68	+/-5%	200	1005	General
LQG15HN6N2B02	6.2	+/-0.1nH	600	1005	General
LQG15HN6N2C02	6.2	+/-0.2nH	600	1005	General
LQG15HN6N2S02	6.2	+/-0.3nH	600	1005	General
LQG15HN6N8G02	6.8	+/-2%	600	1005	General
LQG15HN6N8H02	6.8	+/-3%	600	1005	General
LQG15HN6N8J02	6.8	+/-5%	600	1005	General
LQG15HN7N5G02	7.5	+/-2%	500	1005	General
LQG15HN7N5H02	7.5	+/-3%	500	1005	General
LQG15HN7N5J02	7.5	+/-5%	500	1005	General
LQG15HN82NG02	82	+/-2%	200	1005	General
LQG15HN82NH02	82	+/-3%	200	1005	General
LQG15HN82NJ02	82	+/-5%	200	1005	General
LQG15HN8N2G02	8.2	+/-2%	500	1005	General
LQG15HN8N2H02	8.2	+/-3%	500	1005	General
LQG15HN8N2J02	8.2	+/-5%	500	1005	General
LQG15HN9N1G02	9.1	+/-2%	500	1005	General
LQG15HN9N1H02	9.1	+/-3%	500	1005	General
LQG15HN9N1J02	9.1	+/-5%	500	1005	General
LQG15HNR10G02	100	+/-2%	200	1005	General
LQG15HNR10H02	100	+/-3%	200	1005	General
LQG15HNR10J02	100	+/-5%	200	1005	General
LQG15HNR12G02	120	+/-2%	150	1005	General
LQG15HNR12H02	120	+/-3%	150	1005	General
LQG15HNR12J02	120	+/-5%	150	1005	General
LQG15HS10NG02	10	+/-2%	500	1005	General
LQG15HS10NH02	10	+/-3%	500	1005	General
LQG15HS10NJ02	10	+/-5%	500	1005	General
LQG15HS12NG02	12	+/-2%	500	1005	General
LQG15HS12NH02	12	+/-3%	500	1005	General
LQG15HS12NJ02	12	+/-5%	500	1005	General
LQG15HS15NG02	15	+/-2%	450	1005	General
LQG15HS15NH02	15	+/-3%	450	1005	General
LQG15HS15NJ02	15	+/-5%	450	1005	General
LQG15HS18NG02	18	+/-2%	400	1005	General
LQG15HS18NH02	18	+/-3%	400	1005	General
LQG15HS18NJ02	18	+/-5%	400	1005	General
LQG15HS1N0B02	1	+/-0.1nH	1000	1005	General
LQG15HS1N0C02	1	+/-0.2nH	1000	1005	General
LQG15HS1N0S02	1	+/-0.3nH	1000	1005	General
LQG15HS1N1B02	1.1	+/-0.1nH	1000	1005	General
LQG15HS1N1C02	1.1	+/-0.2nH	1000	1005	General
LQG15HS1N1S02	1.1	+/-0.3nH	1000	1005	General
LQG15HS1N2B02	1.2	+/-0.1nH	1000	1005	General
LQG15HS1N2C02	1.2	+/-0.2nH	1000	1005	General
LQG15HS1N2S02	1.2	+/-0.3nH	1000	1005	General
LQG15HS1N3B02	1.3	+/-0.1nH	1000	1005	General
LQG15HS1N3C02	1.3	+/-0.2nH	1000	1005	General
LQG15HS1N3S02	1.3	+/-0.3nH	1000	1005	General
LQG15HS1N5B02	1.5	+/-0.1nH	1000	1005	General
LQG15HS1N5C02	1.5	+/-0.2nH	1000	1005	General
LQG15HS1N5S02	1.5	+/-0.3nH	1000	1005	General
LQG15HS1N6B02	1.6	+/-0.1nH	1000	1005	General
LQG15HS1N6C02	1.6	+/-0.2nH	1000	1005	General
LQG15HS1N6S02	1.6	+/-0.3nH	1000	1005	General
LQG15HS1N8B02	1.8	+/-0.1nH	950	1005	General
LQG15HS1N8C02	1.8	+/-0.2nH	950	1005	General
LQG15HS1N8S02	1.8	+/-0.3nH	950	1005	General
LQG15HS22NG02	22	+/-2%	350	1005	General
LQG15HS22NH02	22	+/-3%	350	1005	General
LQG15HS22NJ02	22	+/-5%	350	1005	General
LQG15HS27NG02	27	+/-2%	350	1005	General
LQG15HS27NH02	27	+/-3%	350	1005	General
LQG15HS27NJ02	27	+/-5%	350	1005	General
LQG15HS2N0B02	2	+/-0.1nH	900	1005	General
LQG15HS2N0C02	2	+/-0.2nH	900	1005	General
LQG15HS2N0S02	2	+/-0.3nH	900	1005	General
LQG15HS2N2B02	2.2	+/-0.1nH	900	1005	General
LQG15HS2N2C02	2.2	+/-0.2nH	900	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HS2N2S02	2.2	+/-0.3nH	900	1005	General
LQG15HS2N4B02	2.4	+/-0.1nH	850	1005	General
LQG15HS2N4C02	2.4	+/-0.2nH	850	1005	General
LQG15HS2N4S02	2.4	+/-0.3nH	850	1005	General
LQG15HS2N7B02	2.7	+/-0.1nH	800	1005	General
LQG15HS2N7C02	2.7	+/-0.2nH	800	1005	General
LQG15HS2N7S02	2.7	+/-0.3nH	800	1005	General
LQG15HS33NG02	33	+/-2%	350	1005	General
LQG15HS33NH02	33	+/-3%	350	1005	General
LQG15HS33NJ02	33	+/-5%	350	1005	General
LQG15HS39NG02	39	+/-2%	300	1005	General
LQG15HS39NH02	39	+/-3%	300	1005	General
LQG15HS39NJ02	39	+/-5%	300	1005	General
LQG15HS3N0B02	3	+/-0.1nH	800	1005	General
LQG15HS3N0C02	3	+/-0.2nH	800	1005	General
LQG15HS3N0S02	3	+/-0.3nH	800	1005	General
LQG15HS3N3B02	3.3	+/-0.1nH	800	1005	General
LQG15HS3N3C02	3.3	+/-0.2nH	800	1005	General
LQG15HS3N3S02	3.3	+/-0.3nH	800	1005	General
LQG15HS3N6B02	3.6	+/-0.1nH	750	1005	General
LQG15HS3N6C02	3.6	+/-0.2nH	750	1005	General
LQG15HS3N6S02	3.6	+/-0.3nH	750	1005	General
LQG15HS3N9B02	3.9	+/-0.1nH	750	1005	General
LQG15HS3N9C02	3.9	+/-0.2nH	750	1005	General
LQG15HS3N9S02	3.9	+/-0.3nH	750	1005	General
LQG15HS47NG02	47	+/-2%	300	1005	General
LQG15HS47NH02	47	+/-3%	300	1005	General
LQG15HS47NJ02	47	+/-5%	300	1005	General
LQG15HS4N3B02	4.3	+/-0.1nH	750	1005	General
LQG15HS4N3C02	4.3	+/-0.2nH	750	1005	General
LQG15HS4N3S02	4.3	+/-0.3nH	750	1005	General
LQG15HS4N7B02	4.7	+/-0.1nH	700	1005	General
LQG15HS4N7C02	4.7	+/-0.2nH	700	1005	General
LQG15HS4N7S02	4.7	+/-0.3nH	700	1005	General
LQG15HS56NG02	56	+/-2%	250	1005	General
LQG15HS56NH02	56	+/-3%	250	1005	General
LQG15HS56NJ02	56	+/-5%	250	1005	General
LQG15HS5N1B02	5.1	+/-0.1nH	650	1005	General
LQG15HS5N1C02	5.1	+/-0.2nH	650	1005	General
LQG15HS5N1S02	5.1	+/-0.3nH	650	1005	General
LQG15HS5N6B02	5.6	+/-0.1nH	650	1005	General
LQG15HS5N6C02	5.6	+/-0.2nH	650	1005	General
LQG15HS5N6S02	5.6	+/-0.3nH	650	1005	General
LQG15HS68NG02	68	+/-2%	250	1005	General
LQG15HS68NH02	68	+/-3%	250	1005	General
LQG15HS68NJ02	68	+/-5%	250	1005	General
LQG15HS6N2B02	6.2	+/-0.1nH	600	1005	General
LQG15HS6N2C02	6.2	+/-0.2nH	600	1005	General
LQG15HS6N2S02	6.2	+/-0.3nH	600	1005	General
LQG15HS6N8G02	6.8	+/-2%	600	1005	General
LQG15HS6N8H02	6.8	+/-3%	600	1005	General
LQG15HS6N8J02	6.8	+/-5%	600	1005	General
LQG15HS7N5G02	7.5	+/-2%	550	1005	General
LQG15HS7N5H02	7.5	+/-3%	550	1005	General
LQG15HS7N5J02	7.5	+/-5%	550	1005	General
LQG15HS82NG02	82	+/-2%	200	1005	General
LQG15HS82NH02	82	+/-3%	200	1005	General
LQG15HS82NJ02	82	+/-5%	200	1005	General
LQG15HS8N2G02	8.2	+/-2%	550	1005	General
LQG15HS8N2H02	8.2	+/-3%	550	1005	General
LQG15HS8N2J02	8.2	+/-5%	550	1005	General
LQG15HS9N1G02	9.1	+/-2%	500	1005	General
LQG15HS9N1H02	9.1	+/-3%	500	1005	General
LQG15HS9N1J02	9.1	+/-5%	500	1005	General
LQG15HSR10G02	100	+/-2%	200	1005	General
LQG15HSR10H02	100	+/-3%	200	1005	General
LQG15HSR10J02	100	+/-5%	200	1005	General
LQG15HSR12G02	120	+/-2%	200	1005	General
LQG15HSR12H02	120	+/-3%	200	1005	General
LQG15HSR12J02	120	+/-5%	200	1005	General
LQG15HSR15G02	150	+/-2%	150	1005	General
LQG15HSR15H02	150	+/-3%	150	1005	General
LQG15HSR15J02	150	+/-5%	150	1005	General
LQG15HSR18G02	180	+/-2%	150	1005	General
LQG15HSR18H02	180	+/-3%	150	1005	General
LQG15HSR18J02	180	+/-5%	150	1005	General
LQG15HSR22G02	220	+/-2%	120	1005	General
LQG15HSR22H02	220	+/-3%	120	1005	General
LQG15HSR22J02	220	+/-5%	120	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HSR27G02	270	+/-2%	110	1005	General
LQG15HSR27H02	270	+/-3%	110	1005	General
LQG15HSR27J02	270	+/-5%	110	1005	General
LQG18HN10NJ00	10	+/-5%	650	1608	General
LQG18HN12NJ00	12	+/-5%	600	1608	General
LQG18HN15NJ00	15	+/-5%	600	1608	General
LQG18HN18NJ00	18	+/-5%	600	1608	General
LQG18HN1N2S00	1.2	+/-0.3nH	1100	1608	General
LQG18HN1N5S00	1.5	+/-0.3nH	1100	1608	General
LQG18HN1N8S00	1.8	+/-0.3nH	1100	1608	General
LQG18HN22NJ00	22	+/-5%	500	1608	General
LQG18HN27NJ00	27	+/-5%	500	1608	General
LQG18HN2N2S00	2.2	+/-0.3nH	1100	1608	General
LQG18HN2N7S00	2.7	+/-0.3nH	1000	1608	General
LQG18HN33NJ00	33	+/-5%	500	1608	General
LQG18HN39NJ00	39	+/-5%	450	1608	General
LQG18HN3N3S00	3.3	+/-0.3nH	1000	1608	General
LQG18HN3N9S00	3.9	+/-0.3nH	900	1608	General
LQG18HN47NJ00	47	+/-5%	400	1608	General
LQG18HN4N7S00	4.7	+/-0.3nH	900	1608	General
LQG18HN56NJ00	56	+/-5%	400	1608	General
LQG18HN5N6S00	5.6	+/-0.3nH	800	1608	General
LQG18HN68NJ00	68	+/-5%	400	1608	General
LQG18HN6N8J00	6.8	+/-5%	800	1608	General
LQG18HN82NJ00	82	+/-5%	350	1608	General
LQG18HN8N2J00	8.2	+/-5%	800	1608	General
LQG18HNR10J00	100	+/-5%	350	1608	General
LQP02HQ0N4B02	0.4	+/-0.1nH	1000	0402	General
LQP02HQ0N4C02	0.4	+/-0.2nH	1000	0402	General
LQP02HQ0N4W02	0.4	+/-0.05nH	1000	0402	General
LQP02HQ0N5B02	0.5	+/-0.1nH	1000	0402	General
LQP02HQ0N5C02	0.5	+/-0.2nH	1000	0402	General
LQP02HQ0N5W02	0.5	+/-0.05nH	1000	0402	General
LQP02HQ0N6B02	0.6	+/-0.1nH	950	0402	General
LQP02HQ0N6C02	0.6	+/-0.2nH	950	0402	General
LQP02HQ0N6W02	0.6	+/-0.05nH	950	0402	General
LQP02HQ0N7B02	0.7	+/-0.1nH	900	0402	General
LQP02HQ0N7C02	0.7	+/-0.2nH	900	0402	General
LQP02HQ0N7W02	0.7	+/-0.05nH	900	0402	General
LQP02HQ0N8B02	0.8	+/-0.1nH	900	0402	General
LQP02HQ0N8C02	0.8	+/-0.2nH	900	0402	General
LQP02HQ0N8W02	0.8	+/-0.05nH	900	0402	General
LQP02HQ0N9B02	0.9	+/-0.1nH	900	0402	General
LQP02HQ0N9C02	0.9	+/-0.2nH	900	0402	General
LQP02HQ0N9W02	0.9	+/-0.05nH	900	0402	General
LQP02HQ10NH02	10	+/-3%	250	0402	General
LQP02HQ10NJ02	10	+/-5%	250	0402	General
LQP02HQ11NH02	11	+/-3%	250	0402	General
LQP02HQ11NJ02	11	+/-5%	250	0402	General
LQP02HQ12NH02	12	+/-3%	230	0402	General
LQP02HQ12NJ02	12	+/-5%	230	0402	General
LQP02HQ13NH02	13	+/-3%	210	0402	General
LQP02HQ13NJ02	13	+/-5%	210	0402	General
LQP02HQ15NH02	15	+/-3%	170	0402	General
LQP02HQ15NJ02	15	+/-5%	170	0402	General
LQP02HQ16NH02	16	+/-3%	170	0402	General
LQP02HQ16NJ02	16	+/-5%	170	0402	General
LQP02HQ18NH02	18	+/-3%	160	0402	General
LQP02HQ18NJ02	18	+/-5%	160	0402	General
LQP02HQ1N0B02	1	+/-0.1nH	900	0402	General
LQP02HQ1N0C02	1	+/-0.2nH	900	0402	General
LQP02HQ1N0W02	1	+/-0.05nH	900	0402	General
LQP02HQ1N1B02	1.1	+/-0.1nH	850	0402	General
LQP02HQ1N1C02	1.1	+/-0.2nH	850	0402	General
LQP02HQ1N1W02	1.1	+/-0.05nH	850	0402	General
LQP02HQ1N2B02	1.2	+/-0.1nH	800	0402	General
LQP02HQ1N2C02	1.2	+/-0.2nH	800	0402	General
LQP02HQ1N2W02	1.2	+/-0.05nH	800	0402	General
LQP02HQ1N3B02	1.3	+/-0.1nH	700	0402	General
LQP02HQ1N3C02	1.3	+/-0.2nH	700	0402	General
LQP02HQ1N3W02	1.3	+/-0.05nH	700	0402	General
LQP02HQ1N4B02	1.4	+/-0.1nH	700	0402	General
LQP02HQ1N4C02	1.4	+/-0.2nH	700	0402	General
LQP02HQ1N4W02	1.4	+/-0.05nH	700	0402	General
LQP02HQ1N5B02	1.5	+/-0.1nH	700	0402	General
LQP02HQ1N5C02	1.5	+/-0.2nH	700	0402	General
LQP02HQ1N5W02	1.5	+/-0.05nH	700	0402	General
LQP02HQ1N6B02	1.6	+/-0.1nH	700	0402	General
LQP02HQ1N6C02	1.6	+/-0.2nH	700	0402	General



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP02HQ1N6W02	1.6	+/-0.05nH	700	0402	General
LQP02HQ1N7B02	1.7	+/-0.1nH	700	0402	General
LQP02HQ1N7C02	1.7	+/-0.2nH	700	0402	General
LQP02HQ1N7W02	1.7	+/-0.05nH	700	0402	General
LQP02HQ1N8B02	1.8	+/-0.1nH	700	0402	General
LQP02HQ1N8C02	1.8	+/-0.2nH	700	0402	General
LQP02HQ1N8W02	1.8	+/-0.05nH	700	0402	General
LQP02HQ1N9B02	1.9	+/-0.1nH	700	0402	General
LQP02HQ1N9C02	1.9	+/-0.2nH	700	0402	General
LQP02HQ1N9W02	1.9	+/-0.05nH	700	0402	General
LQP02HQ20NH02	20	+/-3%	140	0402	General
LQP02HQ20NJ02	20	+/-5%	140	0402	General
LQP02HQ22NH02	22	+/-3%	140	0402	General
LQP02HQ22NJ02	22	+/-5%	140	0402	General
LQP02HQ24NH02	24	+/-3%	120	0402	General
LQP02HQ24NJ02	24	+/-5%	120	0402	General
LQP02HQ27NH02	27	+/-3%	120	0402	General
LQP02HQ27NJ02	27	+/-5%	120	0402	General
LQP02HQ2N0B02	2	+/-0.1nH	700	0402	General
LQP02HQ2N0C02	2	+/-0.2nH	700	0402	General
LQP02HQ2N0W02	2	+/-0.05nH	700	0402	General
LQP02HQ2N1B02	2.1	+/-0.1nH	650	0402	General
LQP02HQ2N1C02	2.1	+/-0.2nH	650	0402	General
LQP02HQ2N1W02	2.1	+/-0.05nH	650	0402	General
LQP02HQ2N2B02	2.2	+/-0.1nH	500	0402	General
LQP02HQ2N2C02	2.2	+/-0.2nH	500	0402	General
LQP02HQ2N2W02	2.2	+/-0.05nH	500	0402	General
LQP02HQ2N3B02	2.3	+/-0.1nH	450	0402	General
LQP02HQ2N3C02	2.3	+/-0.2nH	450	0402	General
LQP02HQ2N3W02	2.3	+/-0.05nH	450	0402	General
LQP02HQ2N4B02	2.4	+/-0.1nH	450	0402	General
LQP02HQ2N4C02	2.4	+/-0.2nH	450	0402	General
LQP02HQ2N4W02	2.4	+/-0.05nH	450	0402	General
LQP02HQ2N5B02	2.5	+/-0.1nH	450	0402	General
LQP02HQ2N5C02	2.5	+/-0.2nH	450	0402	General
LQP02HQ2N5W02	2.5	+/-0.05nH	450	0402	General
LQP02HQ2N6B02	2.6	+/-0.1nH	450	0402	General
LQP02HQ2N6C02	2.6	+/-0.2nH	450	0402	General
LQP02HQ2N7B02	2.7	+/-0.1nH	450	0402	General
LQP02HQ2N7C02	2.7	+/-0.2nH	450	0402	General
LQP02HQ2N8B02	2.8	+/-0.1nH	450	0402	General
LQP02HQ2N8C02	2.8	+/-0.2nH	450	0402	General
LQP02HQ2N9B02	2.9	+/-0.1nH	450	0402	General
LQP02HQ2N9C02	2.9	+/-0.2nH	450	0402	General
LQP02HQ30NH02	30	+/-3%	120	0402	General
LQP02HQ30NJ02	30	+/-5%	120	0402	General
LQP02HQ33NH02	33	+/-3%	120	0402	General
LQP02HQ33NJ02	33	+/-5%	120	0402	General
LQP02HQ36NH02	36	+/-3%	110	0402	General
LQP02HQ36NJ02	36	+/-5%	110	0402	General
LQP02HQ39NH02	39	+/-3%	110	0402	General
LQP02HQ39NJ02	39	+/-5%	110	0402	General
LQP02HQ3N0B02	3	+/-0.1nH	450	0402	General
LQP02HQ3N0C02	3	+/-0.2nH	450	0402	General
LQP02HQ3N1B02	3.1	+/-0.1nH	400	0402	General
LQP02HQ3N1C02	3.1	+/-0.2nH	400	0402	General
LQP02HQ3N2B02	3.2	+/-0.1nH	400	0402	General
LQP02HQ3N2C02	3.2	+/-0.2nH	400	0402	General
LQP02HQ3N3B02	3.3	+/-0.1nH	400	0402	General
LQP02HQ3N3C02	3.3	+/-0.2nH	400	0402	General
LQP02HQ3N4B02	3.4	+/-0.1nH	400	0402	General
LQP02HQ3N4C02	3.4	+/-0.2nH	400	0402	General
LQP02HQ3N5B02	3.5	+/-0.1nH	350	0402	General
LQP02HQ3N5C02	3.5	+/-0.2nH	350	0402	General
LQP02HQ3N6B02	3.6	+/-0.1nH	350	0402	General
LQP02HQ3N6C02	3.6	+/-0.2nH	350	0402	General
LQP02HQ3N7B02	3.7	+/-0.1nH	350	0402	General
LQP02HQ3N7C02	3.7	+/-0.2nH	350	0402	General
LQP02HQ3N8B02	3.8	+/-0.1nH	350	0402	General
LQP02HQ3N8C02	3.8	+/-0.2nH	350	0402	General
LQP02HQ3N9B02	3.9	+/-0.1nH	350	0402	General
LQP02HQ3N9C02	3.9	+/-0.2nH	350	0402	General
LQP02HQ43NH02	43	+/-3%	100	0402	General
LQP02HQ43NJ02	43	+/-5%	100	0402	General
LQP02HQ47NH02	47	+/-3%	100	0402	General
LQP02HQ47NJ02	47	+/-5%	100	0402	General
LQP02HQ4N0B02	4	+/-0.1nH	350	0402	General
LQP02HQ4N0C02	4	+/-0.2nH	350	0402	General
LQP02HQ4N1B02	4.1	+/-0.1nH	350	0402	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP02HQ4N1C02	4.1	+/-0.2nH	350	0402	General
LQP02HQ4N2B02	4.2	+/-0.1nH	350	0402	General
LQP02HQ4N2C02	4.2	+/-0.2nH	350	0402	General
LQP02HQ4N3H02	4.3	+/-3%	350	0402	General
LQP02HQ4N3J02	4.3	+/-5%	350	0402	General
LQP02HQ4N7H02	4.7	+/-3%	350	0402	General
LQP02HQ4N7J02	4.7	+/-5%	350	0402	General
LQP02HQ51NH02	51	+/-3%	100	0402	General
LQP02HQ51NJ02	51	+/-5%	100	0402	General
LQP02HQ56NH02	56	+/-3%	100	0402	General
LQP02HQ56NJ02	56	+/-5%	100	0402	General
LQP02HQ5N1H02	5.1	+/-3%	350	0402	General
LQP02HQ5N1J02	5.1	+/-5%	350	0402	General
LQP02HQ5N6H02	5.6	+/-3%	300	0402	General
LQP02HQ5N6J02	5.6	+/-5%	300	0402	General
LQP02HQ6N2H02	6.2	+/-3%	300	0402	General
LQP02HQ6N2J02	6.2	+/-5%	300	0402	General
LQP02HQ6N8H02	6.8	+/-3%	300	0402	General
LQP02HQ6N8J02	6.8	+/-5%	300	0402	General
LQP02HQ7N5H02	7.5	+/-3%	300	0402	General
LQP02HQ7N5J02	7.5	+/-5%	300	0402	General
LQP02HQ8N2H02	8.2	+/-3%	300	0402	General
LQP02HQ8N2J02	8.2	+/-5%	300	0402	General
LQP02HQ9N1H02	9.1	+/-3%	300	0402	General
LQP02HQ9N1J02	9.1	+/-5%	300	0402	General
LQP02TN0N2B02	0.2	+/-0.1nH	320	0402	General
LQP02TN0N2C02	0.2	+/-0.2nH	320	0402	General
LQP02TN0N3B02	0.3	+/-0.1nH	320	0402	General
LQP02TN0N3C02	0.3	+/-0.2nH	320	0402	General
LQP02TN0N4B02	0.4	+/-0.1nH	320	0402	General
LQP02TN0N4C02	0.4	+/-0.2nH	320	0402	General
LQP02TN0N5B02	0.5	+/-0.1nH	320	0402	General
LQP02TN0N5C02	0.5	+/-0.2nH	320	0402	General
LQP02TN0N6B02	0.6	+/-0.1nH	320	0402	General
LQP02TN0N6C02	0.6	+/-0.2nH	320	0402	General
LQP02TN0N7B02	0.7	+/-0.1nH	320	0402	General
LQP02TN0N7C02	0.7	+/-0.2nH	320	0402	General
LQP02TN0N8B02	0.8	+/-0.1nH	320	0402	General
LQP02TN0N8C02	0.8	+/-0.2nH	320	0402	General
LQP02TN0N9B02	0.9	+/-0.1nH	320	0402	General
LQP02TN0N9C02	0.9	+/-0.2nH	320	0402	General
LQP02TN10NH02	10	+/-3%	140	0402	General
LQP02TN10NJ02	10	+/-5%	140	0402	General
LQP02TN11NH02	11	+/-3%	140	0402	General
LQP02TN11NJ02	11	+/-5%	140	0402	General
LQP02TN12NH02	12	+/-3%	140	0402	General
LQP02TN12NJ02	12	+/-5%	140	0402	General
LQP02TN13NH02	13	+/-3%	140	0402	General
LQP02TN13NJ02	13	+/-5%	140	0402	General
LQP02TN15NH02	15	+/-3%	140	0402	General
LQP02TN15NJ02	15	+/-5%	140	0402	General
LQP02TN16NH02	16	+/-3%	140	0402	General
LQP02TN16NJ02	16	+/-5%	140	0402	General
LQP02TN18NH02	18	+/-3%	140	0402	General
LQP02TN18NJ02	18	+/-5%	140	0402	General
LQP02TN1N0B02	1	+/-0.1nH	220	0402	General
LQP02TN1N0C02	1	+/-0.2nH	220	0402	General
LQP02TN1N1B02	1.1	+/-0.1nH	220	0402	General
LQP02TN1N1C02	1.1	+/-0.2nH	220	0402	General
LQP02TN1N2B02	1.2	+/-0.1nH	220	0402	General
LQP02TN1N2C02	1.2	+/-0.2nH	220	0402	General
LQP02TN1N3B02	1.3	+/-0.1nH	220	0402	General
LQP02TN1N3C02	1.3	+/-0.2nH	220	0402	General
LQP02TN1N4B02	1.4	+/-0.1nH	220	0402	General
LQP02TN1N4C02	1.4	+/-0.2nH	220	0402	General
LQP02TN1N5B02	1.5	+/-0.1nH	220	0402	General
LQP02TN1N5C02	1.5	+/-0.2nH	220	0402	General
LQP02TN1N6B02	1.6	+/-0.1nH	220	0402	General
LQP02TN1N6C02	1.6	+/-0.2nH	220	0402	General
LQP02TN1N7B02	1.7	+/-0.1nH	200	0402	General
LQP02TN1N7C02	1.7	+/-0.2nH	200	0402	General
LQP02TN1N8B02	1.8	+/-0.1nH	200	0402	General
LQP02TN1N8C02	1.8	+/-0.2nH	200	0402	General
LQP02TN1N9B02	1.9	+/-0.1nH	200	0402	General
LQP02TN1N9C02	1.9	+/-0.2nH	200	0402	General
LQP02TN20NH02	20	+/-3%	120	0402	General
LQP02TN20NJ02	20	+/-5%	120	0402	General
LQP02TN22NH02	22	+/-3%	120	0402	General
LQP02TN22NJ02	22	+/-5%	120	0402	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP02TN24NH02	24	+/-3%	120	0402	General
LQP02TN24NJ02	24	+/-5%	120	0402	General
LQP02TN27NH02	27	+/-3%	120	0402	General
LQP02TN27NJ02	27	+/-5%	120	0402	General
LQP02TN2N0B02	2	+/-0.1nH	200	0402	General
LQP02TN2N0C02	2	+/-0.2nH	200	0402	General
LQP02TN2N1B02	2.1	+/-0.1nH	200	0402	General
LQP02TN2N1C02	2.1	+/-0.2nH	200	0402	General
LQP02TN2N2B02	2.2	+/-0.1nH	200	0402	General
LQP02TN2N2C02	2.2	+/-0.2nH	200	0402	General
LQP02TN2N3B02	2.3	+/-0.1nH	200	0402	General
LQP02TN2N3C02	2.3	+/-0.2nH	200	0402	General
LQP02TN2N4B02	2.4	+/-0.1nH	200	0402	General
LQP02TN2N4C02	2.4	+/-0.2nH	200	0402	General
LQP02TN2N5B02	2.5	+/-0.1nH	200	0402	General
LQP02TN2N5C02	2.5	+/-0.2nH	200	0402	General
LQP02TN2N6B02	2.6	+/-0.1nH	200	0402	General
LQP02TN2N6C02	2.6	+/-0.2nH	200	0402	General
LQP02TN2N7B02	2.7	+/-0.1nH	200	0402	General
LQP02TN2N7C02	2.7	+/-0.2nH	200	0402	General
LQP02TN2N8B02	2.8	+/-0.1nH	200	0402	General
LQP02TN2N8C02	2.8	+/-0.2nH	200	0402	General
LQP02TN2N9B02	2.9	+/-0.1nH	200	0402	General
LQP02TN2N9C02	2.9	+/-0.2nH	200	0402	General
LQP02TN30NH02	30	+/-3%	90	0402	General
LQP02TN30NJ02	30	+/-5%	90	0402	General
LQP02TN33NH02	33	+/-3%	90	0402	General
LQP02TN33NJ02	33	+/-5%	90	0402	General
LQP02TN36NH02	36	+/-3%	90	0402	General
LQP02TN36NJ02	36	+/-5%	90	0402	General
LQP02TN39NH02	39	+/-3%	90	0402	General
LQP02TN39NJ02	39	+/-5%	90	0402	General
LQP02TN3N0B02	3	+/-0.1nH	200	0402	General
LQP02TN3N0C02	3	+/-0.2nH	200	0402	General
LQP02TN3N1B02	3.1	+/-0.1nH	180	0402	General
LQP02TN3N1C02	3.1	+/-0.2nH	180	0402	General
LQP02TN3N2B02	3.2	+/-0.1nH	180	0402	General
LQP02TN3N2C02	3.2	+/-0.2nH	180	0402	General
LQP02TN3N3B02	3.3	+/-0.1nH	180	0402	General
LQP02TN3N3C02	3.3	+/-0.2nH	180	0402	General
LQP02TN3N4B02	3.4	+/-0.1nH	180	0402	General
LQP02TN3N4C02	3.4	+/-0.2nH	180	0402	General
LQP02TN3N5B02	3.5	+/-0.1nH	180	0402	General
LQP02TN3N5C02	3.5	+/-0.2nH	180	0402	General
LQP02TN3N6B02	3.6	+/-0.1nH	180	0402	General
LQP02TN3N6C02	3.6	+/-0.2nH	180	0402	General
LQP02TN3N7B02	3.7	+/-0.1nH	180	0402	General
LQP02TN3N7C02	3.7	+/-0.2nH	180	0402	General
LQP02TN3N8B02	3.8	+/-0.1nH	180	0402	General
LQP02TN3N8C02	3.8	+/-0.2nH	180	0402	General
LQP02TN3N9B02	3.9	+/-0.1nH	180	0402	General
LQP02TN3N9C02	3.9	+/-0.2nH	180	0402	General
LQP02TN4N0B02	4	+/-0.1nH	180	0402	General
LQP02TN4N0C02	4	+/-0.2nH	180	0402	General
LQP02TN4N1B02	4.1	+/-0.1nH	180	0402	General
LQP02TN4N1C02	4.1	+/-0.2nH	180	0402	General
LQP02TN4N2B02	4.2	+/-0.1nH	180	0402	General
LQP02TN4N2C02	4.2	+/-0.2nH	180	0402	General
LQP02TN4N3H02	4.3	+/-3%	180	0402	General
LQP02TN4N3J02	4.3	+/-5%	180	0402	General
LQP02TN4N7H02	4.7	+/-3%	160	0402	General
LQP02TN4N7J02	4.7	+/-5%	160	0402	General
LQP02TN5N1H02	5.1	+/-3%	160	0402	General
LQP02TN5N1J02	5.1	+/-5%	160	0402	General
LQP02TN5N6H02	5.6	+/-3%	140	0402	General
LQP02TN5N6J02	5.6	+/-5%	140	0402	General
LQP02TN6N2H02	6.2	+/-3%	140	0402	General
LQP02TN6N2J02	6.2	+/-5%	140	0402	General
LQP02TN6N8H02	6.8	+/-3%	140	0402	General
LQP02TN6N8J02	6.8	+/-5%	140	0402	General
LQP02TN7N5H02	7.5	+/-3%	140	0402	General
LQP02TN7N5J02	7.5	+/-5%	140	0402	General
LQP02TN8N2H02	8.2	+/-3%	140	0402	General
LQP02TN8N2J02	8.2	+/-5%	140	0402	General
LQP02TN9N1H02	9.1	+/-3%	140	0402	General
LQP02TN9N1J02	9.1	+/-5%	140	0402	General
LQP02TQ0N2B02	0.2	+/-0.1nH	990	0402	General
LQP02TQ0N2C02	0.2	+/-0.2nH	990	0402	General
LQP02TQ0N3B02	0.3	+/-0.1nH	990	0402	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP02TQ0N3C02	0.3	+/-0.2nH	990	0402	General
LQP02TQ0N4B02	0.4	+/-0.1nH	990	0402	General
LQP02TQ0N4C02	0.4	+/-0.2nH	990	0402	General
LQP02TQ0N5B02	0.5	+/-0.1nH	730	0402	General
LQP02TQ0N5C02	0.5	+/-0.2nH	730	0402	General
LQP02TQ0N6B02	0.6	+/-0.1nH	730	0402	General
LQP02TQ0N6C02	0.6	+/-0.2nH	730	0402	General
LQP02TQ0N7B02	0.7	+/-0.1nH	630	0402	General
LQP02TQ0N7C02	0.7	+/-0.2nH	630	0402	General
LQP02TQ0N8B02	0.8	+/-0.1nH	630	0402	General
LQP02TQ0N8C02	0.8	+/-0.2nH	630	0402	General
LQP02TQ0N9B02	0.9	+/-0.1nH	580	0402	General
LQP02TQ0N9C02	0.9	+/-0.2nH	580	0402	General
LQP02TQ10NH02	10	+/-3%	170	0402	General
LQP02TQ10NJ02	10	+/-5%	170	0402	General
LQP02TQ11NH02	11	+/-3%	140	0402	General
LQP02TQ11NJ02	11	+/-5%	140	0402	General
LQP02TQ12NH02	12	+/-3%	140	0402	General
LQP02TQ12NJ02	12	+/-5%	140	0402	General
LQP02TQ13NH02	13	+/-3%	140	0402	General
LQP02TQ13NJ02	13	+/-5%	140	0402	General
LQP02TQ15NH02	15	+/-3%	140	0402	General
LQP02TQ15NJ02	15	+/-5%	140	0402	General
LQP02TQ16NH02	16	+/-3%	140	0402	General
LQP02TQ16NJ02	16	+/-5%	140	0402	General
LQP02TQ18NH02	18	+/-3%	140	0402	General
LQP02TQ18NJ02	18	+/-5%	140	0402	General
LQP02TQ1N0B02	1	+/-0.1nH	580	0402	General
LQP02TQ1N0C02	1	+/-0.2nH	580	0402	General
LQP02TQ1N1B02	1.1	+/-0.1nH	570	0402	General
LQP02TQ1N1C02	1.1	+/-0.2nH	570	0402	General
LQP02TQ1N2B02	1.2	+/-0.1nH	550	0402	General
LQP02TQ1N2C02	1.2	+/-0.2nH	550	0402	General
LQP02TQ1N3B02	1.3	+/-0.1nH	400	0402	General
LQP02TQ1N3C02	1.3	+/-0.2nH	400	0402	General
LQP02TQ1N4B02	1.4	+/-0.1nH	400	0402	General
LQP02TQ1N4C02	1.4	+/-0.2nH	400	0402	General
LQP02TQ1N5B02	1.5	+/-0.1nH	400	0402	General
LQP02TQ1N5C02	1.5	+/-0.2nH	400	0402	General
LQP02TQ1N6B02	1.6	+/-0.1nH	390	0402	General
LQP02TQ1N6C02	1.6	+/-0.2nH	390	0402	General
LQP02TQ1N7B02	1.7	+/-0.1nH	380	0402	General
LQP02TQ1N7C02	1.7	+/-0.2nH	380	0402	General
LQP02TQ1N8B02	1.8	+/-0.1nH	380	0402	General
LQP02TQ1N8C02	1.8	+/-0.2nH	380	0402	General
LQP02TQ1N9B02	1.9	+/-0.1nH	380	0402	General
LQP02TQ1N9C02	1.9	+/-0.2nH	380	0402	General
LQP02TQ20NH02	20	+/-3%	140	0402	General
LQP02TQ20NJ02	20	+/-5%	140	0402	General
LQP02TQ22NH02	22	+/-3%	120	0402	General
LQP02TQ22NJ02	22	+/-5%	120	0402	General
LQP02TQ2N0B02	2	+/-0.1nH	380	0402	General
LQP02TQ2N0C02	2	+/-0.2nH	380	0402	General
LQP02TQ2N1B02	2.1	+/-0.1nH	380	0402	General
LQP02TQ2N1C02	2.1	+/-0.2nH	380	0402	General
LQP02TQ2N2B02	2.2	+/-0.1nH	380	0402	General
LQP02TQ2N2C02	2.2	+/-0.2nH	380	0402	General
LQP02TQ2N3B02	2.3	+/-0.1nH	370	0402	General
LQP02TQ2N3C02	2.3	+/-0.2nH	370	0402	General
LQP02TQ2N4B02	2.4	+/-0.1nH	370	0402	General
LQP02TQ2N4C02	2.4	+/-0.2nH	370	0402	General
LQP02TQ2N5B02	2.5	+/-0.1nH	370	0402	General
LQP02TQ2N5C02	2.5	+/-0.2nH	370	0402	General
LQP02TQ2N6B02	2.6	+/-0.1nH	370	0402	General
LQP02TQ2N6C02	2.6	+/-0.2nH	370	0402	General
LQP02TQ2N7B02	2.7	+/-0.1nH	370	0402	General
LQP02TQ2N7C02	2.7	+/-0.2nH	370	0402	General
LQP02TQ2N8B02	2.8	+/-0.1nH	360	0402	General
LQP02TQ2N8C02	2.8	+/-0.2nH	360	0402	General
LQP02TQ2N9B02	2.9	+/-0.1nH	360	0402	General
LQP02TQ2N9C02	2.9	+/-0.2nH	360	0402	General
LQP02TQ3N0B02	3	+/-0.1nH	360	0402	General
LQP02TQ3N0C02	3	+/-0.2nH	360	0402	General
LQP02TQ3N1B02	3.1	+/-0.1nH	290	0402	General
LQP02TQ3N1C02	3.1	+/-0.2nH	290	0402	General
LQP02TQ3N2B02	3.2	+/-0.1nH	290	0402	General
LQP02TQ3N2C02	3.2	+/-0.2nH	290	0402	General
LQP02TQ3N3B02	3.3	+/-0.1nH	290	0402	General
LQP02TQ3N3C02	3.3	+/-0.2nH	290	0402	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP02TQ3N4B02	3.4	+/-0.1nH	280	0402	General
LQP02TQ3N4C02	3.4	+/-0.2nH	280	0402	General
LQP02TQ3N5B02	3.5	+/-0.1nH	280	0402	General
LQP02TQ3N5C02	3.5	+/-0.2nH	280	0402	General
LQP02TQ3N6B02	3.6	+/-0.1nH	280	0402	General
LQP02TQ3N6C02	3.6	+/-0.2nH	280	0402	General
LQP02TQ3N7B02	3.7	+/-0.1nH	270	0402	General
LQP02TQ3N7C02	3.7	+/-0.2nH	270	0402	General
LQP02TQ3N8B02	3.8	+/-0.1nH	270	0402	General
LQP02TQ3N8C02	3.8	+/-0.2nH	270	0402	General
LQP02TQ3N9B02	3.9	+/-0.1nH	270	0402	General
LQP02TQ3N9C02	3.9	+/-0.2nH	270	0402	General
LQP02TQ4N0B02	4	+/-0.1nH	270	0402	General
LQP02TQ4N0C02	4	+/-0.2nH	270	0402	General
LQP02TQ4N1B02	4.1	+/-0.1nH	270	0402	General
LQP02TQ4N1C02	4.1	+/-0.2nH	270	0402	General
LQP02TQ4N2B02	4.2	+/-0.1nH	270	0402	General
LQP02TQ4N2C02	4.2	+/-0.2nH	270	0402	General
LQP02TQ4N3H02	4.3	+/-3%	270	0402	General
LQP02TQ4N3J02	4.3	+/-5%	270	0402	General
LQP02TQ4N7H02	4.7	+/-3%	270	0402	General
LQP02TQ4N7J02	4.7	+/-5%	270	0402	General
LQP02TQ5N1H02	5.1	+/-3%	250	0402	General
LQP02TQ5N1J02	5.1	+/-5%	250	0402	General
LQP02TQ5N6H02	5.6	+/-3%	230	0402	General
LQP02TQ5N6J02	5.6	+/-5%	230	0402	General
LQP02TQ6N2H02	6.2	+/-3%	220	0402	General
LQP02TQ6N2J02	6.2	+/-5%	220	0402	General
LQP02TQ6N8H02	6.8	+/-3%	210	0402	General
LQP02TQ6N8J02	6.8	+/-5%	210	0402	General
LQP02TQ7N5H02	7.5	+/-3%	200	0402	General
LQP02TQ7N5J02	7.5	+/-5%	200	0402	General
LQP02TQ8N2H02	8.2	+/-3%	190	0402	General
LQP02TQ8N2J02	8.2	+/-5%	190	0402	General
LQP02TQ9N1H02	9.1	+/-3%	170	0402	General
LQP02TQ9N1J02	9.1	+/-5%	170	0402	General
LQP03HQ0N6B02	0.6	+/-0.1nH	1100	0603	General
LQP03HQ0N6C02	0.6	+/-0.2nH	1100	0603	General
LQP03HQ0N6W02	0.6	+/-0.05nH	1100	0603	General
LQP03HQ0N7B02	0.7	+/-0.1nH	1100	0603	General
LQP03HQ0N7C02	0.7	+/-0.2nH	1100	0603	General
LQP03HQ0N7W02	0.7	+/-0.05nH	1100	0603	General
LQP03HQ0N8B02	0.8	+/-0.1nH	1100	0603	General
LQP03HQ0N8C02	0.8	+/-0.2nH	1100	0603	General
LQP03HQ0N8W02	0.8	+/-0.05nH	1100	0603	General
LQP03HQ0N9B02	0.9	+/-0.1nH	1100	0603	General
LQP03HQ0N9C02	0.9	+/-0.2nH	1100	0603	General
LQP03HQ0N9W02	0.9	+/-0.05nH	1100	0603	General
LQP03HQ10NH02	10	+/-3%	300	0603	General
LQP03HQ10NJ02	10	+/-5%	300	0603	General
LQP03HQ11NH02	11	+/-3%	300	0603	General
LQP03HQ11NJ02	11	+/-5%	300	0603	General
LQP03HQ12NH02	12	+/-3%	300	0603	General
LQP03HQ12NJ02	12	+/-5%	300	0603	General
LQP03HQ13NH02	13	+/-3%	300	0603	General
LQP03HQ13NJ02	13	+/-5%	300	0603	General
LQP03HQ15NH02	15	+/-3%	300	0603	General
LQP03HQ15NJ02	15	+/-5%	300	0603	General
LQP03HQ16NH02	16	+/-3%	250	0603	General
LQP03HQ16NJ02	16	+/-5%	250	0603	General
LQP03HQ18NH02	18	+/-3%	250	0603	General
LQP03HQ18NJ02	18	+/-5%	250	0603	General
LQP03HQ1N0B02	1	+/-0.1nH	1100	0603	General
LQP03HQ1N0C02	1	+/-0.2nH	1100	0603	General
LQP03HQ1N0W02	1	+/-0.05nH	1100	0603	General
LQP03HQ1N1B02	1.1	+/-0.1nH	1100	0603	General
LQP03HQ1N1C02	1.1	+/-0.2nH	1100	0603	General
LQP03HQ1N1W02	1.1	+/-0.05nH	1100	0603	General
LQP03HQ1N2B02	1.2	+/-0.1nH	1100	0603	General
LQP03HQ1N2C02	1.2	+/-0.2nH	1100	0603	General
LQP03HQ1N2W02	1.2	+/-0.05nH	1100	0603	General
LQP03HQ1N3B02	1.3	+/-0.1nH	1100	0603	General
LQP03HQ1N3C02	1.3	+/-0.2nH	1100	0603	General
LQP03HQ1N3W02	1.3	+/-0.05nH	1100	0603	General
LQP03HQ1N4B02	1.4	+/-0.1nH	1100	0603	General
LQP03HQ1N4C02	1.4	+/-0.2nH	1100	0603	General
LQP03HQ1N4W02	1.4	+/-0.05nH	1100	0603	General
LQP03HQ1N5B02	1.5	+/-0.1nH	1000	0603	General
LQP03HQ1N5C02	1.5	+/-0.2nH	1000	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03HQ1N5W02	1.5	+/-0.05nH	1000	0603	General
LQP03HQ1N6B02	1.6	+/-0.1nH	1000	0603	General
LQP03HQ1N6C02	1.6	+/-0.2nH	1000	0603	General
LQP03HQ1N6W02	1.6	+/-0.05nH	1000	0603	General
LQP03HQ1N7B02	1.7	+/-0.1nH	800	0603	General
LQP03HQ1N7C02	1.7	+/-0.2nH	800	0603	General
LQP03HQ1N7W02	1.7	+/-0.05nH	800	0603	General
LQP03HQ1N8B02	1.8	+/-0.1nH	800	0603	General
LQP03HQ1N8C02	1.8	+/-0.2nH	800	0603	General
LQP03HQ1N8W02	1.8	+/-0.05nH	800	0603	General
LQP03HQ1N9B02	1.9	+/-0.1nH	600	0603	General
LQP03HQ1N9C02	1.9	+/-0.2nH	600	0603	General
LQP03HQ1N9W02	1.9	+/-0.05nH	600	0603	General
LQP03HQ20NH02	20	+/-3%	250	0603	General
LQP03HQ20NJ02	20	+/-5%	250	0603	General
LQP03HQ22NH02	22	+/-3%	250	0603	General
LQP03HQ22NJ02	22	+/-5%	250	0603	General
LQP03HQ24NH02	24	+/-3%	170	0603	General
LQP03HQ24NJ02	24	+/-5%	170	0603	General
LQP03HQ27NH02	27	+/-3%	170	0603	General
LQP03HQ27NJ02	27	+/-5%	170	0603	General
LQP03HQ2N0B02	2	+/-0.1nH	600	0603	General
LQP03HQ2N0C02	2	+/-0.2nH	600	0603	General
LQP03HQ2N0W02	2	+/-0.05nH	600	0603	General
LQP03HQ2N1B02	2.1	+/-0.1nH	600	0603	General
LQP03HQ2N1C02	2.1	+/-0.2nH	600	0603	General
LQP03HQ2N1W02	2.1	+/-0.05nH	600	0603	General
LQP03HQ2N2B02	2.2	+/-0.1nH	600	0603	General
LQP03HQ2N2C02	2.2	+/-0.2nH	600	0603	General
LQP03HQ2N2W02	2.2	+/-0.05nH	600	0603	General
LQP03HQ2N3B02	2.3	+/-0.1nH	600	0603	General
LQP03HQ2N3C02	2.3	+/-0.2nH	600	0603	General
LQP03HQ2N3W02	2.3	+/-0.05nH	600	0603	General
LQP03HQ2N4B02	2.4	+/-0.1nH	600	0603	General
LQP03HQ2N4C02	2.4	+/-0.2nH	600	0603	General
LQP03HQ2N4W02	2.4	+/-0.05nH	600	0603	General
LQP03HQ2N5B02	2.5	+/-0.1nH	600	0603	General
LQP03HQ2N5C02	2.5	+/-0.2nH	600	0603	General
LQP03HQ2N5W02	2.5	+/-0.05nH	600	0603	General
LQP03HQ2N6B02	2.6	+/-0.1nH	600	0603	General
LQP03HQ2N6C02	2.6	+/-0.2nH	600	0603	General
LQP03HQ2N7B02	2.7	+/-0.1nH	600	0603	General
LQP03HQ2N7C02	2.7	+/-0.2nH	600	0603	General
LQP03HQ2N8B02	2.8	+/-0.1nH	600	0603	General
LQP03HQ2N8C02	2.8	+/-0.2nH	600	0603	General
LQP03HQ2N9B02	2.9	+/-0.1nH	600	0603	General
LQP03HQ2N9C02	2.9	+/-0.2nH	600	0603	General
LQP03HQ30NH02	30	+/-3%	150	0603	General
LQP03HQ30NJ02	30	+/-5%	150	0603	General
LQP03HQ33NH02	33	+/-3%	150	0603	General
LQP03HQ33NJ02	33	+/-5%	150	0603	General
LQP03HQ36NH02	36	+/-3%	150	0603	General
LQP03HQ36NJ02	36	+/-5%	150	0603	General
LQP03HQ39NH02	39	+/-3%	150	0603	General
LQP03HQ39NJ02	39	+/-5%	150	0603	General
LQP03HQ3N0B02	3	+/-0.1nH	600	0603	General
LQP03HQ3N0C02	3	+/-0.2nH	600	0603	General
LQP03HQ3N1B02	3.1	+/-0.1nH	500	0603	General
LQP03HQ3N1C02	3.1	+/-0.2nH	500	0603	General
LQP03HQ3N2B02	3.2	+/-0.1nH	500	0603	General
LQP03HQ3N2C02	3.2	+/-0.2nH	500	0603	General
LQP03HQ3N3B02	3.3	+/-0.1nH	500	0603	General
LQP03HQ3N3C02	3.3	+/-0.2nH	500	0603	General
LQP03HQ3N4B02	3.4	+/-0.1nH	500	0603	General
LQP03HQ3N4C02	3.4	+/-0.2nH	500	0603	General
LQP03HQ3N5B02	3.5	+/-0.1nH	500	0603	General
LQP03HQ3N5C02	3.5	+/-0.2nH	500	0603	General
LQP03HQ3N6B02	3.6	+/-0.1nH	500	0603	General
LQP03HQ3N6C02	3.6	+/-0.2nH	500	0603	General
LQP03HQ3N7B02	3.7	+/-0.1nH	500	0603	General
LQP03HQ3N7C02	3.7	+/-0.2nH	500	0603	General
LQP03HQ3N8B02	3.8	+/-0.1nH	500	0603	General
LQP03HQ3N8C02	3.8	+/-0.2nH	500	0603	General
LQP03HQ3N9B02	3.9	+/-0.1nH	500	0603	General
LQP03HQ3N9C02	3.9	+/-0.2nH	500	0603	General
LQP03HQ43NH02	43	+/-3%	130	0603	General
LQP03HQ43NJ02	43	+/-5%	130	0603	General
LQP03HQ47NH02	47	+/-3%	130	0603	General
LQP03HQ47NJ02	47	+/-5%	130	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03HQ4N0B02	4	+/-0.1nH	500	0603	General
LQP03HQ4N0C02	4	+/-0.2nH	500	0603	General
LQP03HQ4N1B02	4.1	+/-0.1nH	500	0603	General
LQP03HQ4N1C02	4.1	+/-0.2nH	500	0603	General
LQP03HQ4N2B02	4.2	+/-0.1nH	500	0603	General
LQP03HQ4N2C02	4.2	+/-0.2nH	500	0603	General
LQP03HQ4N3H02	4.3	+/-3%	500	0603	General
LQP03HQ4N3J02	4.3	+/-5%	500	0603	General
LQP03HQ4N7H02	4.7	+/-3%	400	0603	General
LQP03HQ4N7J02	4.7	+/-5%	400	0603	General
LQP03HQ51NH02	51	+/-3%	130	0603	General
LQP03HQ51NJ02	51	+/-5%	130	0603	General
LQP03HQ56NH02	56	+/-3%	130	0603	General
LQP03HQ56NJ02	56	+/-5%	130	0603	General
LQP03HQ5N1H02	5.1	+/-3%	400	0603	General
LQP03HQ5N1J02	5.1	+/-5%	400	0603	General
LQP03HQ5N6H02	5.6	+/-3%	400	0603	General
LQP03HQ5N6J02	5.6	+/-5%	400	0603	General
LQP03HQ62NH02	62	+/-3%	100	0603	General
LQP03HQ62NJ02	62	+/-5%	100	0603	General
LQP03HQ68NH02	68	+/-3%	100	0603	General
LQP03HQ68NJ02	68	+/-5%	100	0603	General
LQP03HQ6N2H02	6.2	+/-3%	400	0603	General
LQP03HQ6N2J02	6.2	+/-5%	400	0603	General
LQP03HQ6N8H02	6.8	+/-3%	400	0603	General
LQP03HQ6N8J02	6.8	+/-5%	400	0603	General
LQP03HQ75NH02	75	+/-3%	100	0603	General
LQP03HQ75NJ02	75	+/-5%	100	0603	General
LQP03HQ7N5H02	7.5	+/-3%	400	0603	General
LQP03HQ7N5J02	7.5	+/-5%	400	0603	General
LQP03HQ82NH02	82	+/-3%	100	0603	General
LQP03HQ82NJ02	82	+/-5%	100	0603	General
LQP03HQ8N2H02	8.2	+/-3%	300	0603	General
LQP03HQ8N2J02	8.2	+/-5%	300	0603	General
LQP03HQ91NH02	91	+/-3%	80	0603	General
LQP03HQ91NJ02	91	+/-5%	80	0603	General
LQP03HQ9N1H02	9.1	+/-3%	300	0603	General
LQP03HQ9N1J02	9.1	+/-5%	300	0603	General
LQP03HQR10H02	100	+/-3%	80	0603	General
LQP03HQR10J02	100	+/-5%	80	0603	General
LQP03HQR11H02	110	+/-3%	80	0603	General
LQP03HQR11J02	110	+/-5%	80	0603	General
LQP03HQR12H02	120	+/-3%	80	0603	General
LQP03HQR12J02	120	+/-5%	80	0603	General
LQP03HQR13H02	130	+/-3%	80	0603	General
LQP03HQR13J02	130	+/-5%	80	0603	General
LQP03HQR15H02	150	+/-3%	80	0603	General
LQP03HQR15J02	150	+/-5%	80	0603	General
LQP03PN2N2C02	2.2	+/-0.2nH	1400	0603	General
LQP03PN2N7C02	2.7	+/-0.2nH	1300	0603	General
LQP03PN3N3C02	3.3	+/-0.2nH	1200	0603	General
LQP03PN3N9C02	3.9	+/-0.2nH	1000	0603	General
LQP03PN4N7J02	4.7	+/-5%	900	0603	General
LQP03TG0N1B02	0.1	+/-0.1nH	850	0603	General
LQP03TG0N2B02	0.2	+/-0.1nH	850	0603	General
LQP03TG0N2C02	0.2	+/-0.2nH	850	0603	General
LQP03TG0N3B02	0.3	+/-0.1nH	850	0603	General
LQP03TG0N3C02	0.3	+/-0.2nH	850	0603	General
LQP03TG0N4B02	0.4	+/-0.1nH	850	0603	General
LQP03TG0N4C02	0.4	+/-0.2nH	850	0603	General
LQP03TG0N5B02	0.5	+/-0.1nH	850	0603	General
LQP03TG0N5C02	0.5	+/-0.2nH	850	0603	General
LQP03TG0N6B02	0.6	+/-0.1nH	850	0603	General
LQP03TG0N6C02	0.6	+/-0.2nH	850	0603	General
LQP03TG0N7B02	0.7	+/-0.1nH	750	0603	General
LQP03TG0N7C02	0.7	+/-0.2nH	750	0603	General
LQP03TG0N8B02	0.8	+/-0.1nH	750	0603	General
LQP03TG0N8C02	0.8	+/-0.2nH	750	0603	General
LQP03TG0N9B02	0.9	+/-0.1nH	700	0603	General
LQP03TG0N9C02	0.9	+/-0.2nH	700	0603	General
LQP03TG10NH02	10	+/-3%	190	0603	General
LQP03TG10NJ02	10	+/-5%	190	0603	General
LQP03TG11NH02	11	+/-3%	180	0603	General
LQP03TG11NJ02	11	+/-5%	180	0603	General
LQP03TG12NH02	12	+/-3%	180	0603	General
LQP03TG12NJ02	12	+/-5%	180	0603	General
LQP03TG13NH02	13	+/-3%	170	0603	General
LQP03TG13NJ02	13	+/-5%	170	0603	General
LQP03TG15NH02	15	+/-3%	170	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TG15NJ02	15	+/-5%	170	0603	General
LQP03TG16NH02	16	+/-3%	160	0603	General
LQP03TG16NJ02	16	+/-5%	160	0603	General
LQP03TG18NH02	18	+/-3%	160	0603	General
LQP03TG18NJ02	18	+/-5%	160	0603	General
LQP03TG1N0B02	1	+/-0.1nH	600	0603	General
LQP03TG1N0C02	1	+/-0.2nH	600	0603	General
LQP03TG1N1B02	1.1	+/-0.1nH	600	0603	General
LQP03TG1N1C02	1.1	+/-0.2nH	600	0603	General
LQP03TG1N2B02	1.2	+/-0.1nH	600	0603	General
LQP03TG1N2C02	1.2	+/-0.2nH	600	0603	General
LQP03TG1N3B02	1.3	+/-0.1nH	600	0603	General
LQP03TG1N3C02	1.3	+/-0.2nH	600	0603	General
LQP03TG1N4B02	1.4	+/-0.1nH	600	0603	General
LQP03TG1N4C02	1.4	+/-0.2nH	600	0603	General
LQP03TG1N5B02	1.5	+/-0.1nH	600	0603	General
LQP03TG1N5C02	1.5	+/-0.2nH	600	0603	General
LQP03TG1N6B02	1.6	+/-0.1nH	600	0603	General
LQP03TG1N6C02	1.6	+/-0.2nH	600	0603	General
LQP03TG1N7B02	1.7	+/-0.1nH	500	0603	General
LQP03TG1N7C02	1.7	+/-0.2nH	500	0603	General
LQP03TG1N8B02	1.8	+/-0.1nH	500	0603	General
LQP03TG1N8C02	1.8	+/-0.2nH	500	0603	General
LQP03TG1N9B02	1.9	+/-0.1nH	450	0603	General
LQP03TG1N9C02	1.9	+/-0.2nH	450	0603	General
LQP03TG20NH02	20	+/-3%	140	0603	General
LQP03TG20NJ02	20	+/-5%	140	0603	General
LQP03TG22NH02	22	+/-3%	140	0603	General
LQP03TG22NJ02	22	+/-5%	140	0603	General
LQP03TG24NH02	24	+/-3%	120	0603	General
LQP03TG24NJ02	24	+/-5%	120	0603	General
LQP03TG27NH02	27	+/-3%	120	0603	General
LQP03TG27NJ02	27	+/-5%	120	0603	General
LQP03TG2N0B02	2	+/-0.1nH	450	0603	General
LQP03TG2N0C02	2	+/-0.2nH	450	0603	General
LQP03TG2N1B02	2.1	+/-0.1nH	450	0603	General
LQP03TG2N1C02	2.1	+/-0.2nH	450	0603	General
LQP03TG2N2B02	2.2	+/-0.1nH	450	0603	General
LQP03TG2N2C02	2.2	+/-0.2nH	450	0603	General
LQP03TG2N3B02	2.3	+/-0.1nH	450	0603	General
LQP03TG2N3C02	2.3	+/-0.2nH	450	0603	General
LQP03TG2N4B02	2.4	+/-0.1nH	450	0603	General
LQP03TG2N4C02	2.4	+/-0.2nH	450	0603	General
LQP03TG2N5B02	2.5	+/-0.1nH	450	0603	General
LQP03TG2N5C02	2.5	+/-0.2nH	450	0603	General
LQP03TG2N6B02	2.6	+/-0.1nH	450	0603	General
LQP03TG2N6C02	2.6	+/-0.2nH	450	0603	General
LQP03TG2N7B02	2.7	+/-0.1nH	450	0603	General
LQP03TG2N7C02	2.7	+/-0.2nH	450	0603	General
LQP03TG2N8B02	2.8	+/-0.1nH	450	0603	General
LQP03TG2N8C02	2.8	+/-0.2nH	450	0603	General
LQP03TG2N9B02	2.9	+/-0.1nH	450	0603	General
LQP03TG2N9C02	2.9	+/-0.2nH	450	0603	General
LQP03TG33NJ02	33	+/-5%	110	0603	General
LQP03TG39NJ02	39	+/-5%	110	0603	General
LQP03TG3N0B02	3	+/-0.1nH	450	0603	General
LQP03TG3N0C02	3	+/-0.2nH	450	0603	General
LQP03TG3N1B02	3.1	+/-0.1nH	400	0603	General
LQP03TG3N1C02	3.1	+/-0.2nH	400	0603	General
LQP03TG3N2B02	3.2	+/-0.1nH	400	0603	General
LQP03TG3N2C02	3.2	+/-0.2nH	400	0603	General
LQP03TG3N3B02	3.3	+/-0.1nH	400	0603	General
LQP03TG3N3C02	3.3	+/-0.2nH	400	0603	General
LQP03TG3N4B02	3.4	+/-0.1nH	350	0603	General
LQP03TG3N4C02	3.4	+/-0.2nH	350	0603	General
LQP03TG3N5B02	3.5	+/-0.1nH	350	0603	General
LQP03TG3N5C02	3.5	+/-0.2nH	350	0603	General
LQP03TG3N6B02	3.6	+/-0.1nH	350	0603	General
LQP03TG3N6C02	3.6	+/-0.2nH	350	0603	General
LQP03TG3N7B02	3.7	+/-0.1nH	350	0603	General
LQP03TG3N7C02	3.7	+/-0.2nH	350	0603	General
LQP03TG3N8B02	3.8	+/-0.1nH	350	0603	General
LQP03TG3N8C02	3.8	+/-0.2nH	350	0603	General
LQP03TG3N9B02	3.9	+/-0.1nH	350	0603	General
LQP03TG3N9C02	3.9	+/-0.2nH	350	0603	General
LQP03TG47NJ02	47	+/-5%	100	0603	General
LQP03TG4N3H02	4.3	+/-3%	300	0603	General
LQP03TG4N3J02	4.3	+/-5%	300	0603	General
LQP03TG4N7H02	4.7	+/-3%	250	0603	General



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TG4N7J02	4.7	+/-5%	250	0603	General
LQP03TG56NJ02	56	+/-5%	100	0603	General
LQP03TG5N1H02	5.1	+/-3%	250	0603	General
LQP03TG5N1J02	5.1	+/-5%	250	0603	General
LQP03TG5N6H02	5.6	+/-3%	250	0603	General
LQP03TG5N6J02	5.6	+/-5%	250	0603	General
LQP03TG68NJ02	68	+/-5%	90	0603	General
LQP03TG6N2H02	6.2	+/-3%	200	0603	General
LQP03TG6N2J02	6.2	+/-5%	200	0603	General
LQP03TG6N8H02	6.8	+/-3%	200	0603	General
LQP03TG6N8J02	6.8	+/-5%	200	0603	General
LQP03TG7N5H02	7.5	+/-3%	200	0603	General
LQP03TG7N5J02	7.5	+/-5%	200	0603	General
LQP03TG82NJ02	82	+/-5%	90	0603	General
LQP03TG8N2H02	8.2	+/-3%	200	0603	General
LQP03TG8N2J02	8.2	+/-5%	200	0603	General
LQP03TG9N1H02	9.1	+/-3%	200	0603	General
LQP03TG9N1J02	9.1	+/-5%	200	0603	General
LQP03TGR10J02	100	+/-5%	80	0603	General
LQP03TGR12J02	120	+/-5%	80	0603	General
LQP03TN0N6B02	0.6	+/-0.1nH	850	0603	General
LQP03TN0N6C02	0.6	+/-0.2nH	850	0603	General
LQP03TN0N7B02	0.7	+/-0.1nH	800	0603	General
LQP03TN0N7C02	0.7	+/-0.2nH	800	0603	General
LQP03TN0N8B02	0.8	+/-0.1nH	800	0603	General
LQP03TN0N8C02	0.8	+/-0.2nH	800	0603	General
LQP03TN0N9B02	0.9	+/-0.1nH	750	0603	General
LQP03TN0N9C02	0.9	+/-0.2nH	750	0603	General
LQP03TN10NH02	10	+/-3%	250	0603	General
LQP03TN10NJ02	10	+/-5%	250	0603	General
LQP03TN11NH02	11	+/-3%	250	0603	General
LQP03TN11NJ02	11	+/-5%	250	0603	General
LQP03TN12NH02	12	+/-3%	250	0603	General
LQP03TN12NJ02	12	+/-5%	250	0603	General
LQP03TN13NH02	13	+/-3%	250	0603	General
LQP03TN13NJ02	13	+/-5%	250	0603	General
LQP03TN15NH02	15	+/-3%	250	0603	General
LQP03TN15NJ02	15	+/-5%	250	0603	General
LQP03TN16NH02	16	+/-3%	200	0603	General
LQP03TN16NJ02	16	+/-5%	200	0603	General
LQP03TN18NH02	18	+/-3%	200	0603	General
LQP03TN18NJ02	18	+/-5%	200	0603	General
LQP03TN1N0B02	1	+/-0.1nH	750	0603	General
LQP03TN1N0C02	1	+/-0.2nH	750	0603	General
LQP03TN1N1B02	1.1	+/-0.1nH	750	0603	General
LQP03TN1N1C02	1.1	+/-0.2nH	750	0603	General
LQP03TN1N2B02	1.2	+/-0.1nH	750	0603	General
LQP03TN1N2C02	1.2	+/-0.2nH	750	0603	General
LQP03TN1N3B02	1.3	+/-0.1nH	600	0603	General
LQP03TN1N3C02	1.3	+/-0.2nH	600	0603	General
LQP03TN1N4B02	1.4	+/-0.1nH	600	0603	General
LQP03TN1N4C02	1.4	+/-0.2nH	600	0603	General
LQP03TN1N5B02	1.5	+/-0.1nH	600	0603	General
LQP03TN1N5C02	1.5	+/-0.2nH	600	0603	General
LQP03TN1N6B02	1.6	+/-0.1nH	600	0603	General
LQP03TN1N6C02	1.6	+/-0.2nH	600	0603	General
LQP03TN1N7B02	1.7	+/-0.1nH	600	0603	General
LQP03TN1N7C02	1.7	+/-0.2nH	600	0603	General
LQP03TN1N8B02	1.8	+/-0.1nH	600	0603	General
LQP03TN1N8C02	1.8	+/-0.2nH	600	0603	General
LQP03TN1N9B02	1.9	+/-0.1nH	600	0603	General
LQP03TN1N9C02	1.9	+/-0.2nH	600	0603	General
LQP03TN20NH02	20	+/-3%	150	0603	General
LQP03TN20NJ02	20	+/-5%	150	0603	General
LQP03TN22NH02	22	+/-3%	150	0603	General
LQP03TN22NJ02	22	+/-5%	150	0603	General
LQP03TN24NH02	24	+/-3%	140	0603	General
LQP03TN24NJ02	24	+/-5%	140	0603	General
LQP03TN27NH02	27	+/-3%	140	0603	General
LQP03TN27NJ02	27	+/-5%	140	0603	General
LQP03TN2N0B02	2	+/-0.1nH	600	0603	General
LQP03TN2N0C02	2	+/-0.2nH	600	0603	General
LQP03TN2N1B02	2.1	+/-0.1nH	600	0603	General
LQP03TN2N1C02	2.1	+/-0.2nH	600	0603	General
LQP03TN2N2B02	2.2	+/-0.1nH	600	0603	General
LQP03TN2N2C02	2.2	+/-0.2nH	600	0603	General
LQP03TN2N3B02	2.3	+/-0.1nH	500	0603	General
LQP03TN2N3C02	2.3	+/-0.2nH	500	0603	General
LQP03TN2N4B02	2.4	+/-0.1nH	500	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TN2N4C02	2.4	+/-0.2nH	500	0603	General
LQP03TN2N5B02	2.5	+/-0.1nH	500	0603	General
LQP03TN2N5C02	2.5	+/-0.2nH	500	0603	General
LQP03TN2N6B02	2.6	+/-0.1nH	500	0603	General
LQP03TN2N6C02	2.6	+/-0.2nH	500	0603	General
LQP03TN2N7B02	2.7	+/-0.1nH	500	0603	General
LQP03TN2N7C02	2.7	+/-0.2nH	500	0603	General
LQP03TN2N8B02	2.8	+/-0.1nH	500	0603	General
LQP03TN2N8C02	2.8	+/-0.2nH	500	0603	General
LQP03TN2N9B02	2.9	+/-0.1nH	500	0603	General
LQP03TN2N9C02	2.9	+/-0.2nH	500	0603	General
LQP03TN30NH02	30	+/-3%	120	0603	General
LQP03TN30NJ02	30	+/-5%	120	0603	General
LQP03TN33NH02	33	+/-3%	120	0603	General
LQP03TN33NJ02	33	+/-5%	120	0603	General
LQP03TN36NH02	36	+/-3%	120	0603	General
LQP03TN36NJ02	36	+/-5%	120	0603	General
LQP03TN39NH02	39	+/-3%	120	0603	General
LQP03TN39NJ02	39	+/-5%	120	0603	General
LQP03TN3N0B02	3	+/-0.1nH	450	0603	General
LQP03TN3N0C02	3	+/-0.2nH	450	0603	General
LQP03TN3N1B02	3.1	+/-0.1nH	450	0603	General
LQP03TN3N1C02	3.1	+/-0.2nH	450	0603	General
LQP03TN3N2B02	3.2	+/-0.1nH	450	0603	General
LQP03TN3N2C02	3.2	+/-0.2nH	450	0603	General
LQP03TN3N3B02	3.3	+/-0.1nH	450	0603	General
LQP03TN3N3C02	3.3	+/-0.2nH	450	0603	General
LQP03TN3N4B02	3.4	+/-0.1nH	450	0603	General
LQP03TN3N4C02	3.4	+/-0.2nH	450	0603	General
LQP03TN3N5B02	3.5	+/-0.1nH	450	0603	General
LQP03TN3N5C02	3.5	+/-0.2nH	450	0603	General
LQP03TN3N6B02	3.6	+/-0.1nH	400	0603	General
LQP03TN3N6C02	3.6	+/-0.2nH	400	0603	General
LQP03TN3N7B02	3.7	+/-0.1nH	400	0603	General
LQP03TN3N7C02	3.7	+/-0.2nH	400	0603	General
LQP03TN3N8B02	3.8	+/-0.1nH	400	0603	General
LQP03TN3N8C02	3.8	+/-0.2nH	400	0603	General
LQP03TN3N9B02	3.9	+/-0.1nH	400	0603	General
LQP03TN3N9C02	3.9	+/-0.2nH	400	0603	General
LQP03TN43NH02	43	+/-3%	100	0603	General
LQP03TN43NJ02	43	+/-5%	100	0603	General
LQP03TN47NH02	47	+/-3%	100	0603	General
LQP03TN47NJ02	47	+/-5%	100	0603	General
LQP03TN4N0B02	4	+/-0.1nH	350	0603	General
LQP03TN4N0C02	4	+/-0.2nH	350	0603	General
LQP03TN4N1B02	4.1	+/-0.1nH	350	0603	General
LQP03TN4N1C02	4.1	+/-0.2nH	350	0603	General
LQP03TN4N2B02	4.2	+/-0.1nH	350	0603	General
LQP03TN4N2C02	4.2	+/-0.2nH	350	0603	General
LQP03TN4N3H02	4.3	+/-3%	350	0603	General
LQP03TN4N3J02	4.3	+/-5%	350	0603	General
LQP03TN4N7H02	4.7	+/-3%	350	0603	General
LQP03TN4N7J02	4.7	+/-5%	350	0603	General
LQP03TN51NH02	51	+/-3%	100	0603	General
LQP03TN51NJ02	51	+/-5%	100	0603	General
LQP03TN56NH02	56	+/-3%	100	0603	General
LQP03TN56NJ02	56	+/-5%	100	0603	General
LQP03TN5N1H02	5.1	+/-3%	350	0603	General
LQP03TN5N1J02	5.1	+/-5%	350	0603	General
LQP03TN5N6H02	5.6	+/-3%	350	0603	General
LQP03TN5N6J02	5.6	+/-5%	350	0603	General
LQP03TN62NH02	62	+/-3%	100	0603	General
LQP03TN62NJ02	62	+/-5%	100	0603	General
LQP03TN68NH02	68	+/-3%	100	0603	General
LQP03TN68NJ02	68	+/-5%	100	0603	General
LQP03TN6N2H02	6.2	+/-3%	300	0603	General
LQP03TN6N2J02	6.2	+/-5%	300	0603	General
LQP03TN6N8H02	6.8	+/-3%	300	0603	General
LQP03TN6N8J02	6.8	+/-5%	300	0603	General
LQP03TN75NH02	75	+/-3%	100	0603	General
LQP03TN75NJ02	75	+/-5%	100	0603	General
LQP03TN7N5H02	7.5	+/-3%	300	0603	General
LQP03TN7N5J02	7.5	+/-5%	300	0603	General
LQP03TN82NH02	82	+/-3%	100	0603	General
LQP03TN82NJ02	82	+/-5%	100	0603	General
LQP03TN8N2H02	8.2	+/-3%	250	0603	General
LQP03TN8N2J02	8.2	+/-5%	250	0603	General
LQP03TN91NH02	91	+/-3%	80	0603	General
LQP03TN91NJ02	91	+/-5%	80	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TN9N1H02	9.1	+/-3%	250	0603	General
LQP03TN9N1J02	9.1	+/-5%	250	0603	General
LQP03TNR10H02	100	+/-3%	80	0603	General
LQP03TNR10J02	100	+/-5%	80	0603	General
LQP03TNR11H02	110	+/-3%	80	0603	General
LQP03TNR11J02	110	+/-5%	80	0603	General
LQP03TNR12H02	120	+/-3%	80	0603	General
LQP03TNR12J02	120	+/-5%	80	0603	General
LQP03TNR13H02	130	+/-3%	80	0603	General
LQP03TNR13J02	130	+/-5%	80	0603	General
LQP03TNR15H02	150	+/-3%	80	0603	General
LQP03TNR15J02	150	+/-5%	80	0603	General
LQP03TNR16H02	160	+/-3%	70	0603	General
LQP03TNR16J02	160	+/-5%	70	0603	General
LQP03TNR18H02	180	+/-3%	70	0603	General
LQP03TNR18J02	180	+/-5%	70	0603	General
LQP03TNR20H02	200	+/-3%	60	0603	General
LQP03TNR20J02	200	+/-5%	60	0603	General
LQP03TNR22H02	220	+/-3%	60	0603	General
LQP03TNR22J02	220	+/-5%	60	0603	General
LQP03TNR24H02	240	+/-3%	60	0603	General
LQP03TNR24J02	240	+/-5%	60	0603	General
LQP03TNR27H02	270	+/-3%	60	0603	General
LQP03TNR27J02	270	+/-5%	60	0603	General
LQP03TQ0N6B02	0.6	+/-0.1nH	1000	0603	General
LQP03TQ0N6C02	0.6	+/-0.2nH	1000	0603	General
LQP03TQ0N6W02	0.6	+/-0.05nH	1000	0603	General
LQP03TQ0N7B02	0.7	+/-0.1nH	1000	0603	General
LQP03TQ0N7C02	0.7	+/-0.2nH	1000	0603	General
LQP03TQ0N7W02	0.7	+/-0.05nH	1000	0603	General
LQP03TQ0N8B02	0.8	+/-0.1nH	1000	0603	General
LQP03TQ0N8C02	0.8	+/-0.2nH	1000	0603	General
LQP03TQ0N8W02	0.8	+/-0.05nH	1000	0603	General
LQP03TQ0N9B02	0.9	+/-0.1nH	800	0603	General
LQP03TQ0N9C02	0.9	+/-0.2nH	800	0603	General
LQP03TQ0N9W02	0.9	+/-0.05nH	800	0603	General
LQP03TQ10NH02	10	+/-3%	250	0603	General
LQP03TQ10NJ02	10	+/-5%	250	0603	General
LQP03TQ11NH02	11	+/-3%	250	0603	General
LQP03TQ11NJ02	11	+/-5%	250	0603	General
LQP03TQ12NH02	12	+/-3%	250	0603	General
LQP03TQ12NJ02	12	+/-5%	250	0603	General
LQP03TQ13NH02	13	+/-3%	250	0603	General
LQP03TQ13NJ02	13	+/-5%	250	0603	General
LQP03TQ1N0B02	1	+/-0.1nH	800	0603	General
LQP03TQ1N0C02	1	+/-0.2nH	800	0603	General
LQP03TQ1N0W02	1	+/-0.05nH	800	0603	General
LQP03TQ1N1B02	1.1	+/-0.1nH	800	0603	General
LQP03TQ1N1C02	1.1	+/-0.2nH	800	0603	General
LQP03TQ1N1W02	1.1	+/-0.05nH	800	0603	General
LQP03TQ1N2B02	1.2	+/-0.1nH	800	0603	General
LQP03TQ1N2C02	1.2	+/-0.2nH	800	0603	General
LQP03TQ1N2W02	1.2	+/-0.05nH	800	0603	General
LQP03TQ1N3B02	1.3	+/-0.1nH	700	0603	General
LQP03TQ1N3C02	1.3	+/-0.2nH	700	0603	General
LQP03TQ1N3W02	1.3	+/-0.05nH	700	0603	General
LQP03TQ1N4B02	1.4	+/-0.1nH	700	0603	General
LQP03TQ1N4C02	1.4	+/-0.2nH	700	0603	General
LQP03TQ1N4W02	1.4	+/-0.05nH	700	0603	General
LQP03TQ1N5B02	1.5	+/-0.1nH	650	0603	General
LQP03TQ1N5C02	1.5	+/-0.2nH	650	0603	General
LQP03TQ1N5W02	1.5	+/-0.05nH	650	0603	General
LQP03TQ1N6B02	1.6	+/-0.1nH	650	0603	General
LQP03TQ1N6C02	1.6	+/-0.2nH	650	0603	General
LQP03TQ1N7B02	1.7	+/-0.1nH	650	0603	General
LQP03TQ1N7C02	1.7	+/-0.2nH	650	0603	General
LQP03TQ1N8B02	1.8	+/-0.1nH	650	0603	General
LQP03TQ1N8C02	1.8	+/-0.2nH	650	0603	General
LQP03TQ1N9B02	1.9	+/-0.1nH	650	0603	General
LQP03TQ1N9C02	1.9	+/-0.2nH	650	0603	General
LQP03TQ2N0B02	2	+/-0.1nH	650	0603	General
LQP03TQ2N0C02	2	+/-0.2nH	650	0603	General
LQP03TQ2N1B02	2.1	+/-0.1nH	650	0603	General
LQP03TQ2N1C02	2.1	+/-0.2nH	650	0603	General
LQP03TQ2N2B02	2.2	+/-0.1nH	650	0603	General
LQP03TQ2N2C02	2.2	+/-0.2nH	650	0603	General
LQP03TQ2N3B02	2.3	+/-0.1nH	550	0603	General
LQP03TQ2N3C02	2.3	+/-0.2nH	550	0603	General
LQP03TQ2N4B02	2.4	+/-0.1nH	550	0603	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TQ2N4C02	2.4	+/-0.2nH	550	0603	General
LQP03TQ2N5B02	2.5	+/-0.1nH	550	0603	General
LQP03TQ2N5C02	2.5	+/-0.2nH	550	0603	General
LQP03TQ2N6B02	2.6	+/-0.1nH	550	0603	General
LQP03TQ2N6C02	2.6	+/-0.2nH	550	0603	General
LQP03TQ2N7B02	2.7	+/-0.1nH	550	0603	General
LQP03TQ2N7C02	2.7	+/-0.2nH	550	0603	General
LQP03TQ2N8B02	2.8	+/-0.1nH	500	0603	General
LQP03TQ2N8C02	2.8	+/-0.2nH	500	0603	General
LQP03TQ2N9B02	2.9	+/-0.1nH	500	0603	General
LQP03TQ2N9C02	2.9	+/-0.2nH	500	0603	General
LQP03TQ3N0B02	3	+/-0.1nH	500	0603	General
LQP03TQ3N0C02	3	+/-0.2nH	500	0603	General
LQP03TQ3N1B02	3.1	+/-0.1nH	450	0603	General
LQP03TQ3N1C02	3.1	+/-0.2nH	450	0603	General
LQP03TQ3N2B02	3.2	+/-0.1nH	450	0603	General
LQP03TQ3N2C02	3.2	+/-0.2nH	450	0603	General
LQP03TQ3N3B02	3.3	+/-0.1nH	450	0603	General
LQP03TQ3N3C02	3.3	+/-0.2nH	450	0603	General
LQP03TQ3N4B02	3.4	+/-0.1nH	450	0603	General
LQP03TQ3N4C02	3.4	+/-0.2nH	450	0603	General
LQP03TQ3N5B02	3.5	+/-0.1nH	450	0603	General
LQP03TQ3N5C02	3.5	+/-0.2nH	450	0603	General
LQP03TQ3N6B02	3.6	+/-0.1nH	400	0603	General
LQP03TQ3N6C02	3.6	+/-0.2nH	400	0603	General
LQP03TQ3N7B02	3.7	+/-0.1nH	400	0603	General
LQP03TQ3N7C02	3.7	+/-0.2nH	400	0603	General
LQP03TQ3N8B02	3.8	+/-0.1nH	400	0603	General
LQP03TQ3N8C02	3.8	+/-0.2nH	400	0603	General
LQP03TQ3N9B02	3.9	+/-0.1nH	400	0603	General
LQP03TQ3N9C02	3.9	+/-0.2nH	400	0603	General
LQP03TQ4N0B02	4	+/-0.1nH	360	0603	General
LQP03TQ4N0C02	4	+/-0.2nH	360	0603	General
LQP03TQ4N1B02	4.1	+/-0.1nH	360	0603	General
LQP03TQ4N1C02	4.1	+/-0.2nH	360	0603	General
LQP03TQ4N2B02	4.2	+/-0.1nH	360	0603	General
LQP03TQ4N2C02	4.2	+/-0.2nH	360	0603	General
LQP03TQ4N3H02	4.3	+/-3%	360	0603	General
LQP03TQ4N3J02	4.3	+/-5%	360	0603	General
LQP03TQ4N7H02	4.7	+/-3%	350	0603	General
LQP03TQ4N7J02	4.7	+/-5%	350	0603	General
LQP03TQ5N1H02	5.1	+/-3%	350	0603	General
LQP03TQ5N1J02	5.1	+/-5%	350	0603	General
LQP03TQ5N6H02	5.6	+/-3%	350	0603	General
LQP03TQ5N6J02	5.6	+/-5%	350	0603	General
LQP03TQ6N2H02	6.2	+/-3%	300	0603	General
LQP03TQ6N2J02	6.2	+/-5%	300	0603	General
LQP03TQ6N8H02	6.8	+/-3%	300	0603	General
LQP03TQ6N8J02	6.8	+/-5%	300	0603	General
LQP03TQ7N5H02	7.5	+/-3%	300	0603	General
LQP03TQ7N5J02	7.5	+/-5%	300	0603	General
LQP03TQ8N2H02	8.2	+/-3%	250	0603	General
LQP03TQ8N2J02	8.2	+/-5%	250	0603	General
LQP03TQ9N1H02	9.1	+/-3%	250	0603	General
LQP03TQ9N1J02	9.1	+/-5%	250	0603	General
LQP15MN10NG02	10	+/-2%	100	1005	General
LQP15MN12NG02	12	+/-2%	90	1005	General
LQP15MN15NG02	15	+/-2%	90	1005	General
LQP15MN18NG02	18	+/-2%	80	1005	General
LQP15MN1N0B02	1	+/-0.1nH	400	1005	General
LQP15MN1N0W02	1	+/-0.05nH	400	1005	General
LQP15MN1N1B02	1.1	+/-0.1nH	390	1005	General
LQP15MN1N1W02	1.1	+/-0.05nH	390	1005	General
LQP15MN1N2B02	1.2	+/-0.1nH	390	1005	General
LQP15MN1N2W02	1.2	+/-0.05nH	390	1005	General
LQP15MN1N3B02	1.3	+/-0.1nH	280	1005	General
LQP15MN1N3W02	1.3	+/-0.05nH	280	1005	General
LQP15MN1N4W02	1.4	+/-0.05nH	280	1005	General
LQP15MN1N5B02	1.5	+/-0.1nH	280	1005	General
LQP15MN1N5W02	1.5	+/-0.05nH	280	1005	General
LQP15MN1N6B02	1.6	+/-0.1nH	220	1005	General
LQP15MN1N6W02	1.6	+/-0.05nH	220	1005	General
LQP15MN1N7W02	1.7	+/-0.05nH	280	1005	General
LQP15MN1N8B02	1.8	+/-0.1nH	280	1005	General
LQP15MN1N8W02	1.8	+/-0.05nH	280	1005	General
LQP15MN1N9W02	1.9	+/-0.05nH	220	1005	General
LQP15MN22NG02	22	+/-2%	70	1005	General
LQP15MN27NG02	27	+/-2%	70	1005	General
LQP15MN2N0B02	2	+/-0.1nH	220	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP15MN2N0W02	2	+/-0.05nH	220	1005	General
LQP15MN2N1W02	2.1	+/-0.05nH	220	1005	General
LQP15MN2N2B02	2.2	+/-0.1nH	220	1005	General
LQP15MN2N2W02	2.2	+/-0.05nH	220	1005	General
LQP15MN2N3W02	2.3	+/-0.05nH	220	1005	General
LQP15MN2N4B02	2.4	+/-0.1nH	220	1005	General
LQP15MN2N4W02	2.4	+/-0.05nH	220	1005	General
LQP15MN2N5W02	2.5	+/-0.05nH	220	1005	General
LQP15MN2N6W02	2.6	+/-0.05nH	220	1005	General
LQP15MN2N7B02	2.7	+/-0.1nH	220	1005	General
LQP15MN2N7W02	2.7	+/-0.05nH	220	1005	General
LQP15MN2N8W02	2.8	+/-0.05nH	190	1005	General
LQP15MN2N9W02	2.9	+/-0.05nH	190	1005	General
LQP15MN33NG02	33	+/-2%	60	1005	General
LQP15MN3N0B02	3	+/-0.1nH	190	1005	General
LQP15MN3N0W02	3	+/-0.05nH	190	1005	General
LQP15MN3N1W02	3.1	+/-0.05nH	190	1005	General
LQP15MN3N2W02	3.2	+/-0.05nH	190	1005	General
LQP15MN3N3B02	3.3	+/-0.1nH	190	1005	General
LQP15MN3N3W02	3.3	+/-0.05nH	190	1005	General
LQP15MN3N4W02	3.4	+/-0.05nH	170	1005	General
LQP15MN3N5W02	3.5	+/-0.05nH	170	1005	General
LQP15MN3N6B02	3.6	+/-0.1nH	170	1005	General
LQP15MN3N6W02	3.6	+/-0.05nH	170	1005	General
LQP15MN3N7W02	3.7	+/-0.05nH	170	1005	General
LQP15MN3N8W02	3.8	+/-0.05nH	170	1005	General
LQP15MN3N9B02	3.9	+/-0.1nH	170	1005	General
LQP15MN3N9W02	3.9	+/-0.05nH	170	1005	General
LQP15MN4N3B02	4.3	+/-0.1nH	160	1005	General
LQP15MN4N7B02	4.7	+/-0.1nH	160	1005	General
LQP15MN5N1B02	5.1	+/-0.1nH	140	1005	General
LQP15MN5N6B02	5.6	+/-0.1nH	140	1005	General
LQP15MN6N2B02	6.2	+/-0.1nH	130	1005	General
LQP15MN6N8B02	6.8	+/-0.1nH	130	1005	General
LQP15MN7N5B02	7.5	+/-0.1nH	110	1005	General
LQP15MN8N2B02	8.2	+/-0.1nH	110	1005	General
LQP15MN9N1B02	9.1	+/-0.1nH	100	1005	General
LQW03AW10NJ00	10	+/-5%	250	0603	General
LQW03AW11NJ00	11	+/-5%	260	0603	General
LQW03AW12NJ00	12.5	+/-5%	280	0603	General
LQW03AW13NJ00	13	+/-5%	280	0603	General
LQW03AW14NJ00	13.5	+/-5%	240	0603	General
LQW03AW15NJ00	15.5	+/-5%	230	0603	General
LQW03AW1N0C00	1	+/-0.2nH	900	0603	General
LQW03AW1N1C00	1.1	+/-0.2nH	660	0603	General
LQW03AW1N7C00	1.7	+/-0.2nH	600	0603	General
LQW03AW1N8C00	1.8	+/-0.2nH	520	0603	General
LQW03AW1N9C00	1.9	+/-0.2nH	620	0603	General
LQW03AW2N0C00	2	+/-0.2nH	490	0603	General
LQW03AW2N1C00	2.1	+/-0.2nH	400	0603	General
LQW03AW2N2C00	2.2	+/-0.2nH	400	0603	General
LQW03AW2N7C00	2.7	+/-0.2nH	720	0603	General
LQW03AW2N8C00	2.8	+/-0.2nH	600	0603	General
LQW03AW2N9C00	2.9	+/-0.2nH	540	0603	General
LQW03AW3N0C00	3	+/-0.2nH	350	0603	General
LQW03AW3N1C00	3.1	+/-0.2nH	720	0603	General
LQW03AW3N2C00	3.2	+/-0.2nH	580	0603	General
LQW03AW3N3C00	3.3	+/-0.2nH	520	0603	General
LQW03AW3N4C00	3.4	+/-0.2nH	440	0603	General
LQW03AW3N5C00	3.5	+/-0.2nH	440	0603	General
LQW03AW3N6C00	3.6	+/-0.2nH	340	0603	General
LQW03AW3N7C00	3.7	+/-0.2nH	340	0603	General
LQW03AW3N9C00	3.9	+/-0.2nH	650	0603	General
LQW03AW4N3J00	4.3	+/-5%	480	0603	General
LQW03AW4N7J00	4.7	+/-5%	620	0603	General
LQW03AW5N1J00	5.1	+/-5%	480	0603	General
LQW03AW5N4J00	5.4	+/-5%	420	0603	General
LQW03AW5N6J00	5.6	+/-5%	330	0603	General
LQW03AW5N8J00	5.8	+/-5%	460	0603	General
LQW03AW6N2J00	6.2	+/-5%	360	0603	General
LQW03AW6N8J00	6.8	+/-5%	460	0603	General
LQW03AW7N5J00	7.5	+/-5%	400	0603	General
LQW03AW8N2J00	8.2	+/-5%	290	0603	General
LQW03AW8N7J00	8.7	+/-5%	290	0603	General
LQW03AW9N1J00	9.1	+/-5%	460	0603	General
LQW04AN10NH00	10	+/-3%	330	0804	General
LQW04AN10NJ00	10	+/-5%	330	0804	General
LQW04AN11NH00	11	+/-3%	310	0804	General
LQW04AN11NJ00	11	+/-5%	310	0804	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW04AN12NH00	12	+/-3%	310	0804	General
LQW04AN12NJ00	12	+/-5%	310	0804	General
LQW04AN13NH00	13	+/-3%	280	0804	General
LQW04AN13NJ00	13	+/-5%	280	0804	General
LQW04AN14NH00	14	+/-3%	280	0804	General
LQW04AN14NJ00	14	+/-5%	280	0804	General
LQW04AN15NH00	15	+/-3%	240	0804	General
LQW04AN15NJ00	15	+/-5%	240	0804	General
LQW04AN16NH00	16	+/-3%	270	0804	General
LQW04AN16NJ00	16	+/-5%	270	0804	General
LQW04AN18NH00	18	+/-3%	220	0804	General
LQW04AN18NJ00	18	+/-5%	220	0804	General
LQW04AN19NH00	19	+/-3%	160	0804	General
LQW04AN19NJ00	19	+/-5%	160	0804	General
LQW04AN1N1C00	1.1	+/-0.2nH	990	0804	General
LQW04AN1N1D00	1.1	+/-0.5nH	990	0804	General
LQW04AN1N6C00	1.6	+/-0.2nH	700	0804	General
LQW04AN1N6D00	1.6	+/-0.5nH	700	0804	General
LQW04AN1N7C00	1.7	+/-0.2nH	700	0804	General
LQW04AN1N7D00	1.7	+/-0.5nH	700	0804	General
LQW04AN1N8C00	1.8	+/-0.2nH	700	0804	General
LQW04AN1N8D00	1.8	+/-0.5nH	700	0804	General
LQW04AN1N9C00	1.9	+/-0.2nH	490	0804	General
LQW04AN1N9D00	1.9	+/-0.5nH	490	0804	General
LQW04AN20NH00	20	+/-3%	210	0804	General
LQW04AN20NJ00	20	+/-5%	210	0804	General
LQW04AN22NH00	22	+/-3%	200	0804	General
LQW04AN22NJ00	22	+/-5%	200	0804	General
LQW04AN23NH00	23	+/-3%	160	0804	General
LQW04AN23NJ00	23	+/-5%	160	0804	General
LQW04AN24NH00	24	+/-3%	160	0804	General
LQW04AN24NJ00	24	+/-5%	160	0804	General
LQW04AN25NH00	25	+/-3%	160	0804	General
LQW04AN25NJ00	25	+/-5%	160	0804	General
LQW04AN27NH00	27	+/-3%	160	0804	General
LQW04AN27NJ00	27	+/-5%	160	0804	General
LQW04AN2N4C00	2.4	+/-0.2nH	570	0804	General
LQW04AN2N4D00	2.4	+/-0.5nH	570	0804	General
LQW04AN2N5C00	2.5	+/-0.2nH	490	0804	General
LQW04AN2N5D00	2.5	+/-0.5nH	490	0804	General
LQW04AN2N6C00	2.6	+/-0.2nH	620	0804	General
LQW04AN2N6D00	2.6	+/-0.5nH	620	0804	General
LQW04AN2N7C00	2.7	+/-0.2nH	570	0804	General
LQW04AN2N7D00	2.7	+/-0.5nH	570	0804	General
LQW04AN2N8C00	2.8	+/-0.2nH	620	0804	General
LQW04AN2N8D00	2.8	+/-0.5nH	620	0804	General
LQW04AN2N9C00	2.9	+/-0.2nH	490	0804	General
LQW04AN2N9D00	2.9	+/-0.5nH	490	0804	General
LQW04AN33NH00	33	+/-3%	140	0804	General
LQW04AN33NJ00	33	+/-5%	140	0804	General
LQW04AN36NJ10	36	+/-5%	200	0804	General
LQW04AN39NJ10	39	+/-5%	200	0804	General
LQW04AN3N0C00	3	+/-0.2nH	620	0804	General
LQW04AN3N0D00	3	+/-0.5nH	620	0804	General
LQW04AN3N1C00	3.1	+/-0.2nH	490	0804	General
LQW04AN3N1D00	3.1	+/-0.5nH	490	0804	General
LQW04AN3N2C00	3.2	+/-0.2nH	400	0804	General
LQW04AN3N2D00	3.2	+/-0.5nH	400	0804	General
LQW04AN3N3C00	3.3	+/-0.2nH	440	0804	General
LQW04AN3N3D00	3.3	+/-0.5nH	440	0804	General
LQW04AN3N4C00	3.4	+/-0.2nH	310	0804	General
LQW04AN3N4D00	3.4	+/-0.5nH	310	0804	General
LQW04AN3N6C00	3.6	+/-0.2nH	530	0804	General
LQW04AN3N6D00	3.6	+/-0.5nH	530	0804	General
LQW04AN3N7C00	3.7	+/-0.2nH	440	0804	General
LQW04AN3N7D00	3.7	+/-0.5nH	440	0804	General
LQW04AN3N8C00	3.8	+/-0.2nH	530	0804	General
LQW04AN3N8D00	3.8	+/-0.5nH	530	0804	General
LQW04AN3N9C00	3.9	+/-0.2nH	530	0804	General
LQW04AN3N9D00	3.9	+/-0.5nH	530	0804	General
LQW04AN43NJ10	43	+/-5%	180	0804	General
LQW04AN47NJ10	47	+/-5%	180	0804	General
LQW04AN4N0C00	4	+/-0.2nH	530	0804	General
LQW04AN4N0D00	4	+/-0.5nH	530	0804	General
LQW04AN4N1C00	4.1	+/-0.2nH	530	0804	General
LQW04AN4N1D00	4.1	+/-0.5nH	530	0804	General
LQW04AN4N2C00	4.2	+/-0.2nH	530	0804	General
LQW04AN4N2D00	4.2	+/-0.5nH	530	0804	General
LQW04AN4N3C00	4.3	+/-0.2nH	530	0804	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW04AN4N3D00	4.3	+/-0.5nH	530	0804	General
LQW04AN4N4C00	4.4	+/-0.2nH	440	0804	General
LQW04AN4N4D00	4.4	+/-0.5nH	440	0804	General
LQW04AN4N5C00	4.5	+/-0.2nH	440	0804	General
LQW04AN4N5D00	4.5	+/-0.5nH	440	0804	General
LQW04AN4N6C00	4.6	+/-0.2nH	440	0804	General
LQW04AN4N6D00	4.6	+/-0.5nH	440	0804	General
LQW04AN4N7C00	4.7	+/-0.2nH	440	0804	General
LQW04AN4N7D00	4.7	+/-0.5nH	440	0804	General
LQW04AN4N8C00	4.8	+/-0.2nH	350	0804	General
LQW04AN4N8D00	4.8	+/-0.5nH	350	0804	General
LQW04AN4N9C00	4.9	+/-0.2nH	350	0804	General
LQW04AN4N9D00	4.9	+/-0.5nH	350	0804	General
LQW04AN52NJ10	52	+/-5%	180	0804	General
LQW04AN56NJ10	56	+/-5%	180	0804	General
LQW04AN5N0C00	5	+/-0.2nH	350	0804	General
LQW04AN5N0D00	5	+/-0.5nH	350	0804	General
LQW04AN5N1C00	5.1	+/-0.2nH	470	0804	General
LQW04AN5N1D00	5.1	+/-0.5nH	470	0804	General
LQW04AN5N2C00	5.2	+/-0.2nH	390	0804	General
LQW04AN5N2D00	5.2	+/-0.5nH	390	0804	General
LQW04AN5N3C00	5.3	+/-0.2nH	390	0804	General
LQW04AN5N3D00	5.3	+/-0.5nH	390	0804	General
LQW04AN5N4C00	5.4	+/-0.2nH	390	0804	General
LQW04AN5N4D00	5.4	+/-0.5nH	390	0804	General
LQW04AN5N5C00	5.5	+/-0.2nH	470	0804	General
LQW04AN5N5D00	5.5	+/-0.5nH	470	0804	General
LQW04AN5N6C00	5.6	+/-0.2nH	470	0804	General
LQW04AN5N6D00	5.6	+/-0.5nH	470	0804	General
LQW04AN5N7C00	5.7	+/-0.2nH	390	0804	General
LQW04AN5N7D00	5.7	+/-0.5nH	390	0804	General
LQW04AN5N8C00	5.8	+/-0.2nH	390	0804	General
LQW04AN5N8D00	5.8	+/-0.5nH	390	0804	General
LQW04AN5N9C00	5.9	+/-0.2nH	390	0804	General
LQW04AN5N9D00	5.9	+/-0.5nH	390	0804	General
LQW04AN6N0C00	6	+/-0.2nH	390	0804	General
LQW04AN6N0D00	6	+/-0.5nH	390	0804	General
LQW04AN6N1C00	6.1	+/-0.2nH	390	0804	General
LQW04AN6N1D00	6.1	+/-0.5nH	390	0804	General
LQW04AN6N2C00	6.2	+/-0.2nH	390	0804	General
LQW04AN6N2D00	6.2	+/-0.5nH	390	0804	General
LQW04AN6N3C00	6.3	+/-0.2nH	390	0804	General
LQW04AN6N3D00	6.3	+/-0.5nH	390	0804	General
LQW04AN6N4C00	6.4	+/-0.2nH	390	0804	General
LQW04AN6N4D00	6.4	+/-0.5nH	390	0804	General
LQW04AN6N5C00	6.5	+/-0.2nH	390	0804	General
LQW04AN6N5D00	6.5	+/-0.5nH	390	0804	General
LQW04AN6N6C00	6.6	+/-0.2nH	390	0804	General
LQW04AN6N6D00	6.6	+/-0.5nH	390	0804	General
LQW04AN6N7C00	6.7	+/-0.2nH	390	0804	General
LQW04AN6N7D00	6.7	+/-0.5nH	390	0804	General
LQW04AN6N8C00	6.8	+/-0.2nH	440	0804	General
LQW04AN6N8D00	6.8	+/-0.5nH	440	0804	General
LQW04AN6N9C00	6.9	+/-0.2nH	440	0804	General
LQW04AN6N9D00	6.9	+/-0.5nH	440	0804	General
LQW04AN7N0C00	7	+/-0.2nH	440	0804	General
LQW04AN7N0D00	7	+/-0.5nH	440	0804	General
LQW04AN7N1C00	7.1	+/-0.2nH	440	0804	General
LQW04AN7N1D00	7.1	+/-0.5nH	440	0804	General
LQW04AN7N2C00	7.2	+/-0.2nH	440	0804	General
LQW04AN7N2D00	7.2	+/-0.5nH	440	0804	General
LQW04AN7N3C00	7.3	+/-0.2nH	440	0804	General
LQW04AN7N3D00	7.3	+/-0.5nH	440	0804	General
LQW04AN7N4C00	7.4	+/-0.2nH	440	0804	General
LQW04AN7N4D00	7.4	+/-0.5nH	440	0804	General
LQW04AN7N5C00	7.5	+/-0.2nH	440	0804	General
LQW04AN7N5D00	7.5	+/-0.5nH	440	0804	General
LQW04AN7N6C00	7.6	+/-0.2nH	350	0804	General
LQW04AN7N6D00	7.6	+/-0.5nH	350	0804	General
LQW04AN7N7C00	7.7	+/-0.2nH	350	0804	General
LQW04AN7N7D00	7.7	+/-0.5nH	350	0804	General
LQW04AN7N8C00	7.8	+/-0.2nH	350	0804	General
LQW04AN7N8D00	7.8	+/-0.5nH	350	0804	General
LQW04AN7N9C00	7.9	+/-0.2nH	350	0804	General
LQW04AN7N9D00	7.9	+/-0.5nH	350	0804	General
LQW04AN8N0C00	8	+/-0.2nH	350	0804	General
LQW04AN8N0D00	8	+/-0.5nH	350	0804	General
LQW04AN8N1C00	8.1	+/-0.2nH	350	0804	General
LQW04AN8N1D00	8.1	+/-0.5nH	350	0804	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW04AN8N2C00	8.2	+/-0.2nH	350	0804	General
LQW04AN8N2D00	8.2	+/-0.5nH	350	0804	General
LQW04AN8N3C00	8.3	+/-0.2nH	350	0804	General
LQW04AN8N3D00	8.3	+/-0.5nH	350	0804	General
LQW04AN8N4C00	8.4	+/-0.2nH	350	0804	General
LQW04AN8N4D00	8.4	+/-0.5nH	350	0804	General
LQW04AN8N5C00	8.5	+/-0.2nH	290	0804	General
LQW04AN8N5D00	8.5	+/-0.5nH	290	0804	General
LQW04AN8N6C00	8.6	+/-0.2nH	290	0804	General
LQW04AN8N6D00	8.6	+/-0.5nH	290	0804	General
LQW04AN8N7C00	8.7	+/-0.2nH	290	0804	General
LQW04AN8N7D00	8.7	+/-0.5nH	290	0804	General
LQW04AN8N8C00	8.8	+/-0.2nH	290	0804	General
LQW04AN8N8D00	8.8	+/-0.5nH	290	0804	General
LQW04AN8N9C00	8.9	+/-0.2nH	330	0804	General
LQW04AN8N9D00	8.9	+/-0.5nH	330	0804	General
LQW04AN9N0C00	9	+/-0.2nH	330	0804	General
LQW04AN9N0D00	9	+/-0.5nH	330	0804	General
LQW04AN9N1C00	9.1	+/-0.2nH	400	0804	General
LQW04AN9N1D00	9.1	+/-0.5nH	400	0804	General
LQW04AN9N2C00	9.2	+/-0.2nH	400	0804	General
LQW04AN9N2D00	9.2	+/-0.5nH	400	0804	General
LQW04AN9N3C00	9.3	+/-0.2nH	330	0804	General
LQW04AN9N3D00	9.3	+/-0.5nH	330	0804	General
LQW04AN9N4C00	9.4	+/-0.2nH	330	0804	General
LQW04AN9N4D00	9.4	+/-0.5nH	330	0804	General
LQW04AN9N5C00	9.5	+/-0.2nH	330	0804	General
LQW04AN9N5D00	9.5	+/-0.5nH	330	0804	General
LQW04AN9N6C00	9.6	+/-0.2nH	330	0804	General
LQW04AN9N6D00	9.6	+/-0.5nH	330	0804	General
LQW04AN9N7C00	9.7	+/-0.2nH	330	0804	General
LQW04AN9N7D00	9.7	+/-0.5nH	330	0804	General
LQW04AN9N8C00	9.8	+/-0.2nH	330	0804	General
LQW04AN9N8D00	9.8	+/-0.5nH	330	0804	General
LQW04AN9N9C00	9.9	+/-0.2nH	330	0804	General
LQW04AN9N9D00	9.9	+/-0.5nH	330	0804	General
LQW04CA60NK00	60	+/-10%	620	0805	General
LQW04CA90NK00	90	+/-10%	520	0805	General
LQW04CAR12K00	120	+/-10%	510	0805	General
LQW04CAR29K00	290	+/-10%	270	0805	General
LQW04CAR45K00	450	+/-10%	200	0805	General
LQW04CAR51K00	510	+/-10%	200	0805	General
LQW15AN10NG00	10	+/-2%	500	1005	General
LQW15AN10NG80	10	+/-2%	1400	1005	General
LQW15AN10NH00	10	+/-3%	500	1005	General
LQW15AN10NJ00	10	+/-5%	500	1005	General
LQW15AN10NJ80	10	+/-5%	1400	1005	General
LQW15AN11NG00	11	+/-2%	500	1005	General
LQW15AN11NG80	11	+/-2%	1400	1005	General
LQW15AN11NH00	11	+/-3%	500	1005	General
LQW15AN11NJ00	11	+/-5%	500	1005	General
LQW15AN11NJ80	11	+/-5%	1400	1005	General
LQW15AN12NG00	12	+/-2%	500	1005	General
LQW15AN12NG80	12	+/-2%	1240	1005	General
LQW15AN12NH00	12	+/-3%	500	1005	General
LQW15AN12NJ00	12	+/-5%	500	1005	General
LQW15AN12NJ80	12	+/-5%	1240	1005	General
LQW15AN13NG00	13	+/-2%	430	1005	General
LQW15AN13NG80	13	+/-2%	1240	1005	General
LQW15AN13NH00	13	+/-3%	430	1005	General
LQW15AN13NJ00	13	+/-5%	430	1005	General
LQW15AN13NJ80	13	+/-5%	1240	1005	General
LQW15AN14NG80	14	+/-2%	1150	1005	General
LQW15AN14NJ80	14	+/-5%	1150	1005	General
LQW15AN15NG00	15	+/-2%	460	1005	General
LQW15AN15NG80	15	+/-2%	1150	1005	General
LQW15AN15NH00	15	+/-3%	460	1005	General
LQW15AN15NJ00	15	+/-5%	460	1005	General
LQW15AN15NJ80	15	+/-5%	1150	1005	General
LQW15AN16NG00	16	+/-2%	370	1005	General
LQW15AN16NG80	16	+/-2%	1000	1005	General
LQW15AN16NH00	16	+/-3%	370	1005	General
LQW15AN16NJ00	16	+/-5%	370	1005	General
LQW15AN16NJ80	16	+/-5%	1000	1005	General
LQW15AN17NG80	17	+/-2%	1000	1005	General
LQW15AN17NJ80	17	+/-5%	1000	1005	General
LQW15AN18NG00	18	+/-2%	370	1005	General
LQW15AN18NG80	18	+/-2%	1050	1005	General
LQW15AN18NH00	18	+/-3%	370	1005	General



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN18NJ00	18	+/-5%	370	1005	General
LQW15AN18NJ80	18	+/-5%	1050	1005	General
LQW15AN19NG00	19	+/-2%	370	1005	General
LQW15AN19NG80	19	+/-2%	920	1005	General
LQW15AN19NH00	19	+/-3%	370	1005	General
LQW15AN19NJ00	19	+/-5%	370	1005	General
LQW15AN19NJ80	19	+/-5%	920	1005	General
LQW15AN1N3C10	1.3	+/-0.2nH	1200	1005	General
LQW15AN1N3C80	1.3	+/-0.2nH	3150	1005	General
LQW15AN1N3D10	1.3	+/-0.5nH	1200	1005	General
LQW15AN1N3D80	1.3	+/-0.5nH	3150	1005	General
LQW15AN1N4C10	1.4	+/-0.2nH	1100	1005	General
LQW15AN1N4D10	1.4	+/-0.5nH	1100	1005	General
LQW15AN1N5B00	1.5	+/-0.1nH	1000	1005	General
LQW15AN1N5C00	1.5	+/-0.2nH	1000	1005	General
LQW15AN1N5C80	1.5	+/-0.2nH	2100	1005	General
LQW15AN1N5D00	1.5	+/-0.5nH	1000	1005	General
LQW15AN1N5D80	1.5	+/-0.5nH	2100	1005	General
LQW15AN1N6C00	1.6	+/-0.2nH	750	1005	General
LQW15AN1N6C80	1.6	+/-0.2nH	1450	1005	General
LQW15AN1N6D00	1.6	+/-0.5nH	750	1005	General
LQW15AN1N6D80	1.6	+/-0.5nH	1450	1005	General
LQW15AN1N7C00	1.7	+/-0.2nH	640	1005	General
LQW15AN1N7C80	1.7	+/-0.2nH	1150	1005	General
LQW15AN1N7D00	1.7	+/-0.5nH	640	1005	General
LQW15AN1N7D80	1.7	+/-0.5nH	1150	1005	General
LQW15AN1N8C00	1.8	+/-0.2nH	460	1005	General
LQW15AN1N8D00	1.8	+/-0.5nH	460	1005	General
LQW15AN20NG00	20	+/-2%	370	1005	General
LQW15AN20NG80	20	+/-2%	800	1005	General
LQW15AN20NH00	20	+/-3%	370	1005	General
LQW15AN20NJ00	20	+/-5%	370	1005	General
LQW15AN20NJ80	20	+/-5%	800	1005	General
LQW15AN21NG80	21	+/-2%	780	1005	General
LQW15AN21NJ80	21	+/-5%	780	1005	General
LQW15AN22NG00	22	+/-2%	310	1005	General
LQW15AN22NG80	22	+/-2%	780	1005	General
LQW15AN22NH00	22	+/-3%	310	1005	General
LQW15AN22NJ00	22	+/-5%	310	1005	General
LQW15AN22NJ80	22	+/-5%	780	1005	General
LQW15AN23NG00	23	+/-2%	310	1005	General
LQW15AN23NG80	23	+/-2%	760	1005	General
LQW15AN23NH00	23	+/-3%	310	1005	General
LQW15AN23NJ00	23	+/-5%	310	1005	General
LQW15AN23NJ80	23	+/-5%	760	1005	General
LQW15AN24NG00	24	+/-2%	280	1005	General
LQW15AN24NG80	24	+/-2%	770	1005	General
LQW15AN24NH00	24	+/-3%	280	1005	General
LQW15AN24NJ00	24	+/-5%	280	1005	General
LQW15AN24NJ80	24	+/-5%	770	1005	General
LQW15AN25NG80	25	+/-2%	750	1005	General
LQW15AN25NJ80	25	+/-5%	750	1005	General
LQW15AN26NG80	26	+/-2%	720	1005	General
LQW15AN26NJ80	26	+/-5%	720	1005	General
LQW15AN27NG00	27	+/-2%	280	1005	General
LQW15AN27NG80	27	+/-2%	680	1005	General
LQW15AN27NH00	27	+/-3%	280	1005	General
LQW15AN27NJ00	27	+/-5%	280	1005	General
LQW15AN27NJ80	27	+/-5%	680	1005	General
LQW15AN2N2B80	2.2	+/-0.1nH	2530	1005	General
LQW15AN2N2C10	2.2	+/-0.2nH	1000	1005	General
LQW15AN2N2C80	2.2	+/-0.2nH	2530	1005	General
LQW15AN2N2D10	2.2	+/-0.5nH	1000	1005	General
LQW15AN2N2D80	2.2	+/-0.5nH	2530	1005	General
LQW15AN2N2G80	2.2	+/-2%	2530	1005	General
LQW15AN2N3B80	2.3	+/-0.1nH	2530	1005	General
LQW15AN2N3C10	2.3	+/-0.2nH	1000	1005	General
LQW15AN2N3C80	2.3	+/-0.2nH	2530	1005	General
LQW15AN2N3D10	2.3	+/-0.5nH	1000	1005	General
LQW15AN2N3D80	2.3	+/-0.5nH	2530	1005	General
LQW15AN2N3G80	2.3	+/-2%	2530	1005	General
LQW15AN2N4B00	2.4	+/-0.1nH	850	1005	General
LQW15AN2N4B80	2.4	+/-0.1nH	2530	1005	General
LQW15AN2N4C00	2.4	+/-0.2nH	850	1005	General
LQW15AN2N4C80	2.4	+/-0.2nH	2530	1005	General
LQW15AN2N4D00	2.4	+/-0.5nH	850	1005	General
LQW15AN2N4D10	2.4	+/-0.5nH	1000	1005	General
LQW15AN2N4D80	2.4	+/-0.5nH	2530	1005	General
LQW15AN2N4G80	2.4	+/-2%	2530	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN2N5B00	2.5	+/-0.1nH	850	1005	General
LQW15AN2N5B80	2.5	+/-0.1nH	2100	1005	General
LQW15AN2N5C00	2.5	+/-0.2nH	850	1005	General
LQW15AN2N5C80	2.5	+/-0.2nH	2100	1005	General
LQW15AN2N5D00	2.5	+/-0.5nH	850	1005	General
LQW15AN2N5D80	2.5	+/-0.5nH	2100	1005	General
LQW15AN2N5G80	2.5	+/-2%	2100	1005	General
LQW15AN2N6B00	2.6	+/-0.1nH	850	1005	General
LQW15AN2N6B80	2.6	+/-0.1nH	1950	1005	General
LQW15AN2N6C00	2.6	+/-0.2nH	850	1005	General
LQW15AN2N6C80	2.6	+/-0.2nH	1950	1005	General
LQW15AN2N6D00	2.6	+/-0.5nH	850	1005	General
LQW15AN2N6D80	2.6	+/-0.5nH	1950	1005	General
LQW15AN2N6G80	2.6	+/-2%	1950	1005	General
LQW15AN2N7B00	2.7	+/-0.1nH	850	1005	General
LQW15AN2N7B80	2.7	+/-0.1nH	1500	1005	General
LQW15AN2N7C00	2.7	+/-0.2nH	850	1005	General
LQW15AN2N7C80	2.7	+/-0.2nH	1500	1005	General
LQW15AN2N7D00	2.7	+/-0.5nH	850	1005	General
LQW15AN2N7D80	2.7	+/-0.5nH	1500	1005	General
LQW15AN2N7G80	2.7	+/-2%	1500	1005	General
LQW15AN2N8B00	2.8	+/-0.1nH	850	1005	General
LQW15AN2N8B80	2.8	+/-0.1nH	1500	1005	General
LQW15AN2N8C00	2.8	+/-0.2nH	850	1005	General
LQW15AN2N8C80	2.8	+/-0.2nH	1500	1005	General
LQW15AN2N8D00	2.8	+/-0.5nH	850	1005	General
LQW15AN2N8D80	2.8	+/-0.5nH	1500	1005	General
LQW15AN2N8G80	2.8	+/-2%	1500	1005	General
LQW15AN2N9B00	2.9	+/-0.1nH	750	1005	General
LQW15AN2N9B80	2.9	+/-0.1nH	1500	1005	General
LQW15AN2N9C00	2.9	+/-0.2nH	750	1005	General
LQW15AN2N9C80	2.9	+/-0.2nH	1500	1005	General
LQW15AN2N9D00	2.9	+/-0.5nH	750	1005	General
LQW15AN2N9D80	2.9	+/-0.5nH	1500	1005	General
LQW15AN2N9G80	2.9	+/-2%	1500	1005	General
LQW15AN30NG00	30	+/-2%	270	1005	General
LQW15AN30NG80	30	+/-2%	660	1005	General
LQW15AN30NH00	30	+/-3%	270	1005	General
LQW15AN30NJ00	30	+/-5%	270	1005	General
LQW15AN30NJ80	30	+/-5%	660	1005	General
LQW15AN33NG00	33	+/-2%	260	1005	General
LQW15AN33NG80	33	+/-2%	620	1005	General
LQW15AN33NH00	33	+/-3%	260	1005	General
LQW15AN33NJ00	33	+/-5%	260	1005	General
LQW15AN33NJ80	33	+/-5%	620	1005	General
LQW15AN36NG00	36	+/-2%	260	1005	General
LQW15AN36NG80	36	+/-2%	540	1005	General
LQW15AN36NH00	36	+/-3%	260	1005	General
LQW15AN36NJ00	36	+/-5%	260	1005	General
LQW15AN36NJ80	36	+/-5%	540	1005	General
LQW15AN39NG00	39	+/-2%	250	1005	General
LQW15AN39NG80	39	+/-2%	530	1005	General
LQW15AN39NH00	39	+/-3%	250	1005	General
LQW15AN39NJ00	39	+/-5%	250	1005	General
LQW15AN39NJ80	39	+/-5%	530	1005	General
LQW15AN3N0B00	3	+/-0.1nH	750	1005	General
LQW15AN3N0B80	3	+/-0.1nH	1350	1005	General
LQW15AN3N0C00	3	+/-0.2nH	750	1005	General
LQW15AN3N0C80	3	+/-0.2nH	1350	1005	General
LQW15AN3N0D00	3	+/-0.5nH	750	1005	General
LQW15AN3N0D80	3	+/-0.5nH	1350	1005	General
LQW15AN3N0G80	3	+/-2%	1350	1005	General
LQW15AN3N1B00	3.1	+/-0.1nH	570	1005	General
LQW15AN3N1C00	3.1	+/-0.2nH	570	1005	General
LQW15AN3N1D00	3.1	+/-0.5nH	570	1005	General
LQW15AN3N2B00	3.2	+/-0.1nH	500	1005	General
LQW15AN3N2C00	3.2	+/-0.2nH	500	1005	General
LQW15AN3N2D00	3.2	+/-0.5nH	500	1005	General
LQW15AN3N3B80	3.3	+/-0.1nH	2000	1005	General
LQW15AN3N3C80	3.3	+/-0.2nH	2000	1005	General
LQW15AN3N3D10	3.3	+/-0.5nH	900	1005	General
LQW15AN3N3D80	3.3	+/-0.5nH	2000	1005	General
LQW15AN3N3G80	3.3	+/-2%	2000	1005	General
LQW15AN3N4B80	3.4	+/-0.1nH	1950	1005	General
LQW15AN3N4C10	3.4	+/-0.2nH	900	1005	General
LQW15AN3N4C80	3.4	+/-0.2nH	1950	1005	General
LQW15AN3N4D10	3.4	+/-0.5nH	900	1005	General
LQW15AN3N4D80	3.4	+/-0.5nH	1950	1005	General
LQW15AN3N4G80	3.4	+/-2%	1950	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN3N5B80	3.5	+/-0.1nH	1950	1005	General
LQW15AN3N5C10	3.5	+/-0.2nH	900	1005	General
LQW15AN3N5C80	3.5	+/-0.2nH	1950	1005	General
LQW15AN3N5D10	3.5	+/-0.5nH	900	1005	General
LQW15AN3N5D80	3.5	+/-0.5nH	1950	1005	General
LQW15AN3N5G80	3.5	+/-2%	1950	1005	General
LQW15AN3N6B80	3.6	+/-0.1nH	1950	1005	General
LQW15AN3N6C10	3.6	+/-0.2nH	900	1005	General
LQW15AN3N6C80	3.6	+/-0.2nH	1950	1005	General
LQW15AN3N6D10	3.6	+/-0.5nH	900	1005	General
LQW15AN3N6D80	3.6	+/-0.5nH	1950	1005	General
LQW15AN3N6G80	3.6	+/-2%	1950	1005	General
LQW15AN3N7B80	3.7	+/-0.1nH	1950	1005	General
LQW15AN3N7C80	3.7	+/-0.2nH	1950	1005	General
LQW15AN3N7D80	3.7	+/-0.5nH	1950	1005	General
LQW15AN3N7G80	3.7	+/-2%	1950	1005	General
LQW15AN3N8B80	3.8	+/-0.1nH	1950	1005	General
LQW15AN3N8C10	3.8	+/-0.2nH	900	1005	General
LQW15AN3N8C80	3.8	+/-0.2nH	1950	1005	General
LQW15AN3N8D10	3.8	+/-0.5nH	900	1005	General
LQW15AN3N8D80	3.8	+/-0.5nH	1950	1005	General
LQW15AN3N8G80	3.8	+/-2%	1950	1005	General
LQW15AN3N9B00	3.9	+/-0.1nH	750	1005	General
LQW15AN3N9B80	3.9	+/-0.1nH	1950	1005	General
LQW15AN3N9C00	3.9	+/-0.2nH	750	1005	General
LQW15AN3N9C80	3.9	+/-0.2nH	1950	1005	General
LQW15AN3N9D00	3.9	+/-0.5nH	750	1005	General
LQW15AN3N9D10	3.9	+/-0.5nH	900	1005	General
LQW15AN3N9D80	3.9	+/-0.5nH	1950	1005	General
LQW15AN3N9G80	3.9	+/-2%	1950	1005	General
LQW15AN40NG00	40	+/-2%	250	1005	General
LQW15AN40NH00	40	+/-3%	250	1005	General
LQW15AN40NJ00	40	+/-5%	250	1005	General
LQW15AN43NG00	43	+/-2%	250	1005	General
LQW15AN43NG80	43	+/-2%	515	1005	General
LQW15AN43NH00	43	+/-3%	250	1005	General
LQW15AN43NJ00	43	+/-5%	250	1005	General
LQW15AN43NJ80	43	+/-5%	515	1005	General
LQW15AN47NG00	47	+/-2%	210	1005	General
LQW15AN47NG80	47	+/-2%	440	1005	General
LQW15AN47NH00	47	+/-3%	210	1005	General
LQW15AN47NJ00	47	+/-5%	210	1005	General
LQW15AN47NJ80	47	+/-5%	440	1005	General
LQW15AN4N0B80	4	+/-0.1nH	1950	1005	General
LQW15AN4N0C10	4	+/-0.2nH	800	1005	General
LQW15AN4N0C80	4	+/-0.2nH	1950	1005	General
LQW15AN4N0D10	4	+/-0.5nH	800	1005	General
LQW15AN4N0D80	4	+/-0.5nH	1950	1005	General
LQW15AN4N0G80	4	+/-2%	1950	1005	General
LQW15AN4N1B00	4.1	+/-0.1nH	750	1005	General
LQW15AN4N1B80	4.1	+/-0.1nH	1800	1005	General
LQW15AN4N1C00	4.1	+/-0.2nH	750	1005	General
LQW15AN4N1C80	4.1	+/-0.2nH	1800	1005	General
LQW15AN4N1D00	4.1	+/-0.5nH	750	1005	General
LQW15AN4N1D80	4.1	+/-0.5nH	1800	1005	General
LQW15AN4N1G80	4.1	+/-2%	1800	1005	General
LQW15AN4N2B80	4.2	+/-0.1nH	1800	1005	General
LQW15AN4N2C10	4.2	+/-0.2nH	800	1005	General
LQW15AN4N2C80	4.2	+/-0.2nH	1800	1005	General
LQW15AN4N2D10	4.2	+/-0.5nH	800	1005	General
LQW15AN4N2D80	4.2	+/-0.5nH	1800	1005	General
LQW15AN4N2G80	4.2	+/-2%	1800	1005	General
LQW15AN4N3B00	4.3	+/-0.1nH	750	1005	General
LQW15AN4N3B80	4.3	+/-0.1nH	1800	1005	General
LQW15AN4N3C00	4.3	+/-0.2nH	750	1005	General
LQW15AN4N3C80	4.3	+/-0.2nH	1800	1005	General
LQW15AN4N3D00	4.3	+/-0.5nH	750	1005	General
LQW15AN4N3D80	4.3	+/-0.5nH	1800	1005	General
LQW15AN4N3G80	4.3	+/-2%	1800	1005	General
LQW15AN4N4B00	4.4	+/-0.1nH	750	1005	General
LQW15AN4N4B80	4.4	+/-0.1nH	1600	1005	General
LQW15AN4N4C00	4.4	+/-0.2nH	750	1005	General
LQW15AN4N4C80	4.4	+/-0.2nH	1600	1005	General
LQW15AN4N4D00	4.4	+/-0.5nH	750	1005	General
LQW15AN4N4D80	4.4	+/-0.5nH	1600	1005	General
LQW15AN4N4G80	4.4	+/-2%	1600	1005	General
LQW15AN4N5B00	4.5	+/-0.1nH	750	1005	General
LQW15AN4N5B80	4.5	+/-0.1nH	1450	1005	General
LQW15AN4N5C00	4.5	+/-0.2nH	750	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN4N5C80	4.5	+/-0.2nH	1450	1005	General
LQW15AN4N5D00	4.5	+/-0.5nH	750	1005	General
LQW15AN4N5D80	4.5	+/-0.5nH	1450	1005	General
LQW15AN4N5G80	4.5	+/-2%	1450	1005	General
LQW15AN4N6B00	4.6	+/-0.1nH	750	1005	General
LQW15AN4N6B80	4.6	+/-0.1nH	1450	1005	General
LQW15AN4N6C00	4.6	+/-0.2nH	750	1005	General
LQW15AN4N6C80	4.6	+/-0.2nH	1450	1005	General
LQW15AN4N6D00	4.6	+/-0.5nH	750	1005	General
LQW15AN4N6D80	4.6	+/-0.5nH	1450	1005	General
LQW15AN4N6G80	4.6	+/-2%	1450	1005	General
LQW15AN4N7B00	4.7	+/-0.1nH	750	1005	General
LQW15AN4N7B80	4.7	+/-0.1nH	1200	1005	General
LQW15AN4N7C00	4.7	+/-0.2nH	750	1005	General
LQW15AN4N7C80	4.7	+/-0.2nH	1200	1005	General
LQW15AN4N7D00	4.7	+/-0.5nH	750	1005	General
LQW15AN4N7D10	4.7	+/-0.5nH	800	1005	General
LQW15AN4N7D80	4.7	+/-0.5nH	1200	1005	General
LQW15AN4N7G80	4.7	+/-2%	1200	1005	General
LQW15AN4N8B00	4.8	+/-0.1nH	750	1005	General
LQW15AN4N8B80	4.8	+/-0.1nH	1200	1005	General
LQW15AN4N8C00	4.8	+/-0.2nH	750	1005	General
LQW15AN4N8C80	4.8	+/-0.2nH	1200	1005	General
LQW15AN4N8D00	4.8	+/-0.5nH	750	1005	General
LQW15AN4N8D80	4.8	+/-0.5nH	1200	1005	General
LQW15AN4N8G80	4.8	+/-2%	1200	1005	General
LQW15AN4N9B00	4.9	+/-0.1nH	600	1005	General
LQW15AN4N9B80	4.9	+/-0.1nH	1200	1005	General
LQW15AN4N9C00	4.9	+/-0.2nH	600	1005	General
LQW15AN4N9C80	4.9	+/-0.2nH	1200	1005	General
LQW15AN4N9D00	4.9	+/-0.5nH	600	1005	General
LQW15AN4N9D80	4.9	+/-0.5nH	1200	1005	General
LQW15AN4N9G80	4.9	+/-2%	1200	1005	General
LQW15AN51NG00	51	+/-2%	210	1005	General
LQW15AN51NG80	51	+/-2%	415	1005	General
LQW15AN51NH00	51	+/-3%	210	1005	General
LQW15AN51NJ00	51	+/-5%	210	1005	General
LQW15AN51NJ80	51	+/-5%	415	1005	General
LQW15AN53NG80	53	+/-2%	415	1005	General
LQW15AN53NJ80	53	+/-5%	415	1005	General
LQW15AN56NG00	56	+/-2%	200	1005	General
LQW15AN56NG80	56	+/-2%	340	1005	General
LQW15AN56NH00	56	+/-3%	200	1005	General
LQW15AN56NJ00	56	+/-5%	200	1005	General
LQW15AN56NJ80	56	+/-5%	340	1005	General
LQW15AN5N0B00	5	+/-0.1nH	600	1005	General
LQW15AN5N0B80	5	+/-0.1nH	1770	1005	General
LQW15AN5N0C00	5	+/-0.2nH	600	1005	General
LQW15AN5N0C80	5	+/-0.2nH	1770	1005	General
LQW15AN5N0D00	5	+/-0.5nH	600	1005	General
LQW15AN5N0D80	5	+/-0.5nH	1770	1005	General
LQW15AN5N0G80	5	+/-2%	1770	1005	General
LQW15AN5N1B00	5.1	+/-0.1nH	600	1005	General
LQW15AN5N1B80	5.1	+/-0.1nH	1770	1005	General
LQW15AN5N1C00	5.1	+/-0.2nH	600	1005	General
LQW15AN5N1C10	5.1	+/-0.2nH	800	1005	General
LQW15AN5N1C80	5.1	+/-0.2nH	1770	1005	General
LQW15AN5N1D00	5.1	+/-0.5nH	600	1005	General
LQW15AN5N1D10	5.1	+/-0.5nH	800	1005	General
LQW15AN5N1D80	5.1	+/-0.5nH	1770	1005	General
LQW15AN5N1G80	5.1	+/-2%	1770	1005	General
LQW15AN5N2B80	5.2	+/-0.1nH	1770	1005	General
LQW15AN5N2C10	5.2	+/-0.2nH	800	1005	General
LQW15AN5N2C80	5.2	+/-0.2nH	1770	1005	General
LQW15AN5N2D10	5.2	+/-0.5nH	800	1005	General
LQW15AN5N2D80	5.2	+/-0.5nH	1770	1005	General
LQW15AN5N2G80	5.2	+/-2%	1770	1005	General
LQW15AN5N3B80	5.3	+/-0.1nH	1770	1005	General
LQW15AN5N3C10	5.3	+/-0.2nH	800	1005	General
LQW15AN5N3C80	5.3	+/-0.2nH	1770	1005	General
LQW15AN5N3D10	5.3	+/-0.5nH	800	1005	General
LQW15AN5N3D80	5.3	+/-0.5nH	1770	1005	General
LQW15AN5N3G80	5.3	+/-2%	1770	1005	General
LQW15AN5N4B80	5.4	+/-0.1nH	1770	1005	General
LQW15AN5N4C10	5.4	+/-0.2nH	800	1005	General
LQW15AN5N4C80	5.4	+/-0.2nH	1770	1005	General
LQW15AN5N4D10	5.4	+/-0.5nH	800	1005	General
LQW15AN5N4D80	5.4	+/-0.5nH	1770	1005	General
LQW15AN5N4G80	5.4	+/-2%	1770	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN5N5B80	5.5	+/-0.1nH	1770	1005	General
LQW15AN5N5C10	5.5	+/-0.2nH	800	1005	General
LQW15AN5N5C80	5.5	+/-0.2nH	1770	1005	General
LQW15AN5N5D10	5.5	+/-0.5nH	800	1005	General
LQW15AN5N5D80	5.5	+/-0.5nH	1770	1005	General
LQW15AN5N5G80	5.5	+/-2%	1770	1005	General
LQW15AN5N6B80	5.6	+/-0.1nH	1770	1005	General
LQW15AN5N6C10	5.6	+/-0.2nH	800	1005	General
LQW15AN5N6C80	5.6	+/-0.2nH	1770	1005	General
LQW15AN5N6D10	5.6	+/-0.5nH	800	1005	General
LQW15AN5N6D80	5.6	+/-0.5nH	1770	1005	General
LQW15AN5N6G80	5.6	+/-2%	1770	1005	General
LQW15AN5N7B80	5.7	+/-0.1nH	1770	1005	General
LQW15AN5N7C10	5.7	+/-0.2nH	800	1005	General
LQW15AN5N7C80	5.7	+/-0.2nH	1770	1005	General
LQW15AN5N7D10	5.7	+/-0.5nH	800	1005	General
LQW15AN5N7D80	5.7	+/-0.5nH	1770	1005	General
LQW15AN5N7G80	5.7	+/-2%	1770	1005	General
LQW15AN5N8B00	5.8	+/-0.1nH	700	1005	General
LQW15AN5N8B80	5.8	+/-0.1nH	1770	1005	General
LQW15AN5N8C00	5.8	+/-0.2nH	700	1005	General
LQW15AN5N8C80	5.8	+/-0.2nH	1770	1005	General
LQW15AN5N8D00	5.8	+/-0.5nH	700	1005	General
LQW15AN5N8D80	5.8	+/-0.5nH	1770	1005	General
LQW15AN5N8G80	5.8	+/-2%	1770	1005	General
LQW15AN5N9B80	5.9	+/-0.1nH	1770	1005	General
LQW15AN5N9C10	5.9	+/-0.2nH	760	1005	General
LQW15AN5N9C80	5.9	+/-0.2nH	1770	1005	General
LQW15AN5N9D10	5.9	+/-0.5nH	760	1005	General
LQW15AN5N9D80	5.9	+/-0.5nH	1770	1005	General
LQW15AN5N9G80	5.9	+/-2%	1770	1005	General
LQW15AN62NG00	62	+/-2%	145	1005	General
LQW15AN62NH00	62	+/-3%	145	1005	General
LQW15AN62NJ00	62	+/-5%	145	1005	General
LQW15AN68NG00	68	+/-2%	140	1005	General
LQW15AN68NG80	68	+/-2%	320	1005	General
LQW15AN68NJ00	68	+/-5%	140	1005	General
LQW15AN68NJ80	68	+/-5%	320	1005	General
LQW15AN6N0B80	6	+/-0.1nH	1600	1005	General
LQW15AN6N0C10	6	+/-0.2nH	760	1005	General
LQW15AN6N0C80	6	+/-0.2nH	1600	1005	General
LQW15AN6N0D10	6	+/-0.5nH	760	1005	General
LQW15AN6N0D80	6	+/-0.5nH	1600	1005	General
LQW15AN6N0G80	6	+/-2%	1600	1005	General
LQW15AN6N1B80	6.1	+/-0.1nH	1600	1005	General
LQW15AN6N1C10	6.1	+/-0.2nH	760	1005	General
LQW15AN6N1C80	6.1	+/-0.2nH	1600	1005	General
LQW15AN6N1D10	6.1	+/-0.5nH	760	1005	General
LQW15AN6N1D80	6.1	+/-0.5nH	1600	1005	General
LQW15AN6N1G80	6.1	+/-2%	1600	1005	General
LQW15AN6N2B00	6.2	+/-0.1nH	700	1005	General
LQW15AN6N2B80	6.2	+/-0.1nH	1600	1005	General
LQW15AN6N2C00	6.2	+/-0.2nH	700	1005	General
LQW15AN6N2C80	6.2	+/-0.2nH	1600	1005	General
LQW15AN6N2D00	6.2	+/-0.5nH	700	1005	General
LQW15AN6N2D80	6.2	+/-0.5nH	1600	1005	General
LQW15AN6N2G80	6.2	+/-2%	1600	1005	General
LQW15AN6N3B00	6.3	+/-0.1nH	700	1005	General
LQW15AN6N3C00	6.3	+/-0.2nH	700	1005	General
LQW15AN6N3D00	6.3	+/-0.5nH	700	1005	General
LQW15AN6N3G80	6.3	+/-2%	1600	1005	General
LQW15AN6N3J80	6.3	+/-5%	1600	1005	General
LQW15AN6N4B00	6.4	+/-0.1nH	700	1005	General
LQW15AN6N4C00	6.4	+/-0.2nH	700	1005	General
LQW15AN6N4D00	6.4	+/-0.5nH	700	1005	General
LQW15AN6N4G80	6.4	+/-2%	1380	1005	General
LQW15AN6N4J80	6.4	+/-5%	1380	1005	General
LQW15AN6N5B00	6.5	+/-0.1nH	700	1005	General
LQW15AN6N5C00	6.5	+/-0.2nH	700	1005	General
LQW15AN6N5D00	6.5	+/-0.5nH	700	1005	General
LQW15AN6N5G80	6.5	+/-2%	1380	1005	General
LQW15AN6N5J80	6.5	+/-5%	1380	1005	General
LQW15AN6N6B00	6.6	+/-0.1nH	700	1005	General
LQW15AN6N6C00	6.6	+/-0.2nH	700	1005	General
LQW15AN6N6D00	6.6	+/-0.5nH	700	1005	General
LQW15AN6N6G80	6.6	+/-2%	1280	1005	General
LQW15AN6N6J80	6.6	+/-5%	1280	1005	General
LQW15AN6N7B00	6.7	+/-0.1nH	700	1005	General
LQW15AN6N7C00	6.7	+/-0.2nH	700	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN6N7D00	6.7	+/-0.5nH	700	1005	General
LQW15AN6N7G80	6.7	+/-2%	1280	1005	General
LQW15AN6N7J80	6.7	+/-5%	1280	1005	General
LQW15AN6N8G00	6.8	+/-2%	700	1005	General
LQW15AN6N8G80	6.8	+/-2%	1450	1005	General
LQW15AN6N8H00	6.8	+/-3%	700	1005	General
LQW15AN6N8J00	6.8	+/-5%	700	1005	General
LQW15AN6N8J80	6.8	+/-5%	1450	1005	General
LQW15AN6N9G00	6.9	+/-2%	570	1005	General
LQW15AN6N9G80	6.9	+/-2%	1420	1005	General
LQW15AN6N9H00	6.9	+/-3%	570	1005	General
LQW15AN6N9J00	6.9	+/-5%	570	1005	General
LQW15AN6N9J80	6.9	+/-5%	1420	1005	General
LQW15AN72NG00	72	+/-2%	135	1005	General
LQW15AN72NJ00	72	+/-5%	135	1005	General
LQW15AN75NG00	75	+/-2%	135	1005	General
LQW15AN75NG80	75	+/-2%	320	1005	General
LQW15AN75NJ00	75	+/-5%	135	1005	General
LQW15AN75NJ80	75	+/-5%	320	1005	General
LQW15AN7N0G00	7	+/-2%	570	1005	General
LQW15AN7N0G80	7	+/-2%	1420	1005	General
LQW15AN7N0H00	7	+/-3%	570	1005	General
LQW15AN7N0J00	7	+/-5%	570	1005	General
LQW15AN7N0J80	7	+/-5%	1420	1005	General
LQW15AN7N1G00	7.1	+/-2%	570	1005	General
LQW15AN7N1G80	7.1	+/-2%	1420	1005	General
LQW15AN7N1H00	7.1	+/-3%	570	1005	General
LQW15AN7N1J00	7.1	+/-5%	570	1005	General
LQW15AN7N1J80	7.1	+/-5%	1420	1005	General
LQW15AN7N2G00	7.2	+/-2%	570	1005	General
LQW15AN7N2G80	7.2	+/-2%	1700	1005	General
LQW15AN7N2H00	7.2	+/-3%	570	1005	General
LQW15AN7N2J00	7.2	+/-5%	570	1005	General
LQW15AN7N2J80	7.2	+/-5%	1700	1005	General
LQW15AN7N3G00	7.3	+/-2%	570	1005	General
LQW15AN7N3G80	7.3	+/-2%	1700	1005	General
LQW15AN7N3H00	7.3	+/-3%	570	1005	General
LQW15AN7N3J00	7.3	+/-5%	570	1005	General
LQW15AN7N3J80	7.3	+/-5%	1700	1005	General
LQW15AN7N4C10	7.4	+/-0.2nH	750	1005	General
LQW15AN7N4D10	7.4	+/-0.5nH	750	1005	General
LQW15AN7N4G80	7.4	+/-2%	1700	1005	General
LQW15AN7N4J80	7.4	+/-5%	1700	1005	General
LQW15AN7N5G00	7.5	+/-2%	570	1005	General
LQW15AN7N5G80	7.5	+/-2%	1700	1005	General
LQW15AN7N5H00	7.5	+/-3%	570	1005	General
LQW15AN7N5J00	7.5	+/-5%	570	1005	General
LQW15AN7N5J80	7.5	+/-5%	1700	1005	General
LQW15AN7N6C10	7.6	+/-0.2nH	750	1005	General
LQW15AN7N6D10	7.6	+/-0.5nH	750	1005	General
LQW15AN7N6G80	7.6	+/-2%	1700	1005	General
LQW15AN7N6J80	7.6	+/-5%	1700	1005	General
LQW15AN7N7C10	7.7	+/-0.2nH	750	1005	General
LQW15AN7N7D10	7.7	+/-0.5nH	750	1005	General
LQW15AN7N7G80	7.7	+/-2%	1700	1005	General
LQW15AN7N7J80	7.7	+/-5%	1700	1005	General
LQW15AN7N8C10	7.8	+/-0.2nH	750	1005	General
LQW15AN7N8D10	7.8	+/-0.5nH	750	1005	General
LQW15AN7N8G80	7.8	+/-2%	1700	1005	General
LQW15AN7N8J80	7.8	+/-5%	1700	1005	General
LQW15AN7N9C10	7.9	+/-0.2nH	640	1005	General
LQW15AN7N9D10	7.9	+/-0.5nH	640	1005	General
LQW15AN7N9G80	7.9	+/-2%	1700	1005	General
LQW15AN7N9J80	7.9	+/-5%	1700	1005	General
LQW15AN82NG00	82	+/-2%	130	1005	General
LQW15AN82NJ00	82	+/-5%	130	1005	General
LQW15AN8N0C10	8	+/-0.2nH	640	1005	General
LQW15AN8N0D10	8	+/-0.5nH	640	1005	General
LQW15AN8N0G80	8	+/-2%	1700	1005	General
LQW15AN8N0J80	8	+/-5%	1700	1005	General
LQW15AN8N1C10	8.1	+/-0.2nH	640	1005	General
LQW15AN8N1D10	8.1	+/-0.5nH	640	1005	General
LQW15AN8N1G80	8.1	+/-2%	1500	1005	General
LQW15AN8N1J80	8.1	+/-5%	1500	1005	General
LQW15AN8N2G00	8.2	+/-2%	540	1005	General
LQW15AN8N2G80	8.2	+/-2%	1500	1005	General
LQW15AN8N2H00	8.2	+/-3%	540	1005	General
LQW15AN8N2J00	8.2	+/-5%	540	1005	General
LQW15AN8N2J80	8.2	+/-5%	1500	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN8N3C10	8.3	+/-0.2nH	640	1005	General
LQW15AN8N3D10	8.3	+/-0.5nH	640	1005	General
LQW15AN8N3G80	8.3	+/-2%	1500	1005	General
LQW15AN8N3J80	8.3	+/-5%	1500	1005	General
LQW15AN8N4C10	8.4	+/-0.2nH	640	1005	General
LQW15AN8N4D10	8.4	+/-0.5nH	640	1005	General
LQW15AN8N4G80	8.4	+/-2%	1500	1005	General
LQW15AN8N4J80	8.4	+/-5%	1500	1005	General
LQW15AN8N5G80	8.5	+/-2%	1500	1005	General
LQW15AN8N5J80	8.5	+/-5%	1500	1005	General
LQW15AN8N6G00	8.6	+/-2%	540	1005	General
LQW15AN8N6G80	8.6	+/-2%	1420	1005	General
LQW15AN8N6H00	8.6	+/-3%	540	1005	General
LQW15AN8N6J00	8.6	+/-5%	540	1005	General
LQW15AN8N6J80	8.6	+/-5%	1420	1005	General
LQW15AN8N7G00	8.7	+/-2%	540	1005	General
LQW15AN8N7G80	8.7	+/-2%	1420	1005	General
LQW15AN8N7H00	8.7	+/-3%	540	1005	General
LQW15AN8N7J00	8.7	+/-5%	540	1005	General
LQW15AN8N7J80	8.7	+/-5%	1420	1005	General
LQW15AN8N8G00	8.8	+/-2%	540	1005	General
LQW15AN8N8G80	8.8	+/-2%	1420	1005	General
LQW15AN8N8H00	8.8	+/-3%	540	1005	General
LQW15AN8N8J00	8.8	+/-5%	540	1005	General
LQW15AN8N8J80	8.8	+/-5%	1420	1005	General
LQW15AN8N9G00	8.9	+/-2%	540	1005	General
LQW15AN8N9G80	8.9	+/-2%	1420	1005	General
LQW15AN8N9H00	8.9	+/-3%	540	1005	General
LQW15AN8N9J00	8.9	+/-5%	540	1005	General
LQW15AN8N9J80	8.9	+/-5%	1420	1005	General
LQW15AN91NG00	9.1	+/-2%	125	1005	General
LQW15AN91NJ00	9.1	+/-5%	125	1005	General
LQW15AN9N0G00	9	+/-2%	540	1005	General
LQW15AN9N0G80	9	+/-2%	1420	1005	General
LQW15AN9N0H00	9	+/-3%	540	1005	General
LQW15AN9N0J00	9	+/-5%	540	1005	General
LQW15AN9N0J80	9	+/-5%	1420	1005	General
LQW15AN9N1G00	9.1	+/-2%	540	1005	General
LQW15AN9N1G80	9.1	+/-2%	1400	1005	General
LQW15AN9N1H00	9.1	+/-3%	540	1005	General
LQW15AN9N1J00	9.1	+/-5%	540	1005	General
LQW15AN9N1J80	9.1	+/-5%	1400	1005	General
LQW15AN9N2G00	9.2	+/-2%	540	1005	General
LQW15AN9N2G80	9.2	+/-2%	1400	1005	General
LQW15AN9N2H00	9.2	+/-3%	540	1005	General
LQW15AN9N2J00	9.2	+/-5%	540	1005	General
LQW15AN9N2J80	9.2	+/-5%	1400	1005	General
LQW15AN9N3G00	9.3	+/-2%	540	1005	General
LQW15AN9N3G80	9.3	+/-2%	1400	1005	General
LQW15AN9N3H00	9.3	+/-3%	540	1005	General
LQW15AN9N3J00	9.3	+/-5%	540	1005	General
LQW15AN9N3J80	9.3	+/-5%	1400	1005	General
LQW15AN9N4G00	9.4	+/-2%	540	1005	General
LQW15AN9N4G80	9.4	+/-2%	1400	1005	General
LQW15AN9N4H00	9.4	+/-3%	540	1005	General
LQW15AN9N4J00	9.4	+/-5%	540	1005	General
LQW15AN9N4J80	9.4	+/-5%	1400	1005	General
LQW15AN9N5G00	9.5	+/-2%	540	1005	General
LQW15AN9N5G80	9.5	+/-2%	1400	1005	General
LQW15AN9N5H00	9.5	+/-3%	540	1005	General
LQW15AN9N5J00	9.5	+/-5%	540	1005	General
LQW15AN9N5J80	9.5	+/-5%	1400	1005	General
LQW15AN9N6G00	9.6	+/-2%	540	1005	General
LQW15AN9N6G80	9.6	+/-2%	1400	1005	General
LQW15AN9N6H00	9.6	+/-3%	540	1005	General
LQW15AN9N6J00	9.6	+/-5%	540	1005	General
LQW15AN9N6J80	9.6	+/-5%	1400	1005	General
LQW15AN9N7G00	9.7	+/-2%	540	1005	General
LQW15AN9N7G80	9.7	+/-2%	1400	1005	General
LQW15AN9N7H00	9.7	+/-3%	540	1005	General
LQW15AN9N7J00	9.7	+/-5%	540	1005	General
LQW15AN9N7J80	9.7	+/-5%	1400	1005	General
LQW15AN9N8G00	9.8	+/-2%	540	1005	General
LQW15AN9N8G80	9.8	+/-2%	1400	1005	General
LQW15AN9N8H00	9.8	+/-3%	540	1005	General
LQW15AN9N8J00	9.8	+/-5%	540	1005	General
LQW15AN9N8J80	9.8	+/-5%	1400	1005	General
LQW15AN9N9G00	9.9	+/-2%	540	1005	General
LQW15AN9N9G80	9.9	+/-2%	1400	1005	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN9N9H00	9.9	+/-3%	540	1005	General
LQW15AN9N9J00	9.9	+/-5%	540	1005	General
LQW15AN9N9J80	9.9	+/-5%	1400	1005	General
LQW15ANR10J00	100	+/-5%	120	1005	General
LQW15ANR12J00	120	+/-5%	110	1005	General
LQW15AW51NG80	51	+/-2%	480	1005	General
LQW15AW51NH80	51	+/-3%	480	1005	General
LQW15AW51NJ80	51	+/-5%	480	1005	General
LQW15AW53NG80	53	+/-2%	480	1005	General
LQW15AW53NH80	53	+/-3%	480	1005	General
LQW15AW53NJ80	53	+/-5%	480	1005	General
LQW15AW56NG80	56	+/-2%	480	1005	General
LQW15AW56NH80	56	+/-3%	480	1005	General
LQW15AW56NJ80	56	+/-5%	480	1005	General
LQW15AW68NG80	68	+/-2%	480	1005	General
LQW15AW68NH80	68	+/-3%	480	1005	General
LQW15AW68NJ80	68	+/-5%	480	1005	General
LQW15AW75NG80	75	+/-2%	450	1005	General
LQW15AW75NH80	75	+/-3%	450	1005	General
LQW15AW75NJ80	75	+/-5%	450	1005	General
LQW15AW82NG80	82	+/-2%	370	1005	General
LQW15AW82NH80	82	+/-3%	370	1005	General
LQW15AW82NJ80	82	+/-5%	370	1005	General
LQW15AWR10G80	100	+/-2%	350	1005	General
LQW15AWR10H80	100	+/-3%	350	1005	General
LQW15AWR10J80	100	+/-5%	350	1005	General
LQW15AWR12G80	120	+/-2%	320	1005	General
LQW15AWR12H80	120	+/-3%	320	1005	General
LQW15AWR12J80	120	+/-5%	320	1005	General
LQW15AWR15G80	150	+/-2%	280	1005	General
LQW15AWR15H80	150	+/-3%	280	1005	General
LQW15AWR15J80	150	+/-5%	280	1005	General
LQW15AWR16G80	160	+/-2%	280	1005	General
LQW15AWR16H80	160	+/-3%	280	1005	General
LQW15AWR16J80	160	+/-5%	280	1005	General
LQW15AWR18G80	180	+/-2%	260	1005	General
LQW15AWR18H80	180	+/-3%	260	1005	General
LQW15AWR18J80	180	+/-5%	260	1005	General
LQW15AWR22G80	220	+/-2%	220	1005	General
LQW15AWR22H80	220	+/-3%	220	1005	General
LQW15AWR22J80	220	+/-5%	220	1005	General
LQW15CA1R0K00	1000	+/-10%	180	1005	General
LQW15CA22NJ00	22	+/-5%	1300	1005	General
LQW15CA22NK00	22	+/-10%	1300	1005	General
LQW15CA2R0K00	2000	+/-10%	130	1005	General
LQW15CA39NJ00	39	+/-5%	1100	1005	General
LQW15CA39NK00	39	+/-10%	1100	1005	General
LQW15CA59NJ00	59	+/-5%	1000	1005	General
LQW15CA59NK00	59	+/-10%	1000	1005	General
LQW15CA83NJ00	83	+/-5%	970	1005	General
LQW15CA83NK00	83	+/-10%	970	1005	General
LQW15CAR11J00	110	+/-5%	900	1005	General
LQW15CAR11K00	110	+/-10%	900	1005	General
LQW15CAR14J00	140	+/-5%	680	1005	General
LQW15CAR14K00	140	+/-10%	680	1005	General
LQW15CAR18J00	180	+/-5%	640	1005	General
LQW15CAR18K00	180	+/-10%	640	1005	General
LQW15CAR22J00	220	+/-5%	540	1005	General
LQW15CAR22K00	220	+/-10%	540	1005	General
LQW15CAR27J00	270	+/-5%	480	1005	General
LQW15CAR27K00	270	+/-10%	480	1005	General
LQW15CAR32J00	320	+/-5%	420	1005	General
LQW15CAR32K00	320	+/-10%	420	1005	General
LQW15CAR37J00	370	+/-5%	360	1005	General
LQW15CAR37K00	370	+/-10%	360	1005	General
LQW15CAR43J00	430	+/-5%	360	1005	General
LQW15CAR43K00	430	+/-10%	360	1005	General
LQW15CAR50J00	500	+/-5%	270	1005	General
LQW15CAR50K00	500	+/-10%	270	1005	General
LQW15CAR56J00	560	+/-5%	270	1005	General
LQW15CAR56K00	560	+/-10%	270	1005	General
LQW15CAR64J00	640	+/-5%	240	1005	General
LQW15CAR64K00	640	+/-10%	240	1005	General
LQW15CAR73J00	730	+/-5%	200	1005	General
LQW15CAR73K00	730	+/-10%	200	1005	General
LQW15CAR80J00	800	+/-5%	190	1005	General
LQW15CAR80K00	800	+/-10%	190	1005	General
LQW15CN18NJ00	18	+/-5%	1400	1005	General
LQW15CN1R0M10	1000	+/-20%	270	1005	General



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15CN1R5M10	1500	+/-20%	190	1005	General
LQW15CN20NJ10	20	+/-5%	2200	1005	General
LQW15CN20NK10	20	+/-10%	2200	1005	General
LQW15CN2R2M10	2200	+/-20%	170	1005	General
LQW15CN33NJ00	33	+/-5%	1300	1005	General
LQW15CN34NJ10	34	+/-5%	1800	1005	General
LQW15CN34NK10	34	+/-10%	1800	1005	General
LQW15CN3R3M10	3300	+/-20%	130	1005	General
LQW15CN48NJ00	48	+/-5%	1100	1005	General
LQW15CN53NJ10	53	+/-5%	1300	1005	General
LQW15CN53NK10	53	+/-10%	1300	1005	General
LQW15CN70NJ00	70	+/-5%	820	1005	General
LQW15CN77NJ10	77	+/-5%	1100	1005	General
LQW15CN77NK10	77	+/-10%	1100	1005	General
LQW15CN96NJ00	96	+/-5%	730	1005	General
LQW15CNR11J10	106	+/-5%	850	1005	General
LQW15CNR11K10	106	+/-10%	850	1005	General
LQW15CNR13J00	130	+/-5%	640	1005	General
LQW15CNR14J10	140	+/-5%	650	1005	General
LQW15CNR14K10	140	+/-10%	650	1005	General
LQW15CNR16J00	160	+/-5%	480	1005	General
LQW15CNR18J10	180	+/-5%	560	1005	General
LQW15CNR18K10	180	+/-10%	560	1005	General
LQW15CNR20J00	200	+/-5%	390	1005	General
LQW15CNR22J10	220	+/-5%	450	1005	General
LQW15CNR22K10	220	+/-10%	450	1005	General
LQW15CNR27J10	270	+/-5%	420	1005	General
LQW15CNR27K10	270	+/-10%	420	1005	General
LQW15CNR33J10	330	+/-5%	390	1005	General
LQW15CNR33K10	330	+/-10%	390	1005	General
LQW15CNR39J10	390	+/-5%	370	1005	General
LQW15CNR39K10	390	+/-10%	370	1005	General
LQW15CNR42J10	420	+/-5%	370	1005	General
LQW15CNR42K10	420	+/-10%	370	1005	General
LQW15CNR47J10	470	+/-5%	350	1005	General
LQW15CNR47K10	470	+/-10%	350	1005	General
LQW15CNR56J10	560	+/-5%	300	1005	General
LQW15CNR56K10	560	+/-10%	300	1005	General
LQW15CNR68M10	680	+/-20%	290	1005	General
LQW15CNR82M10	820	+/-20%	275	1005	General
LQW15DN100M00	10000	+/-20%	120	1005	General
LQW15DN150M00	15000	+/-20%	100	1005	General
LQW18AN10NG00	10	+/-2%	650	1608	General
LQW18AN10NG10	10	+/-2%	800	1608	General
LQW18AN10NG80	10	+/-2%	1600	1608	General
LQW18AN10NJ00	10	+/-5%	650	1608	General
LQW18AN10NJ10	10	+/-5%	800	1608	General
LQW18AN10NJ80	10	+/-5%	1600	1608	General
LQW18AN11NG00	11	+/-2%	650	1608	General
LQW18AN11NG80	11	+/-2%	1600	1608	General
LQW18AN11NJ00	11	+/-5%	650	1608	General
LQW18AN11NJ80	11	+/-5%	1600	1608	General
LQW18AN12NG00	12	+/-2%	600	1608	General
LQW18AN12NG10	12	+/-2%	750	1608	General
LQW18AN12NG80	12	+/-2%	1500	1608	General
LQW18AN12NJ00	12	+/-5%	600	1608	General
LQW18AN12NJ10	12	+/-5%	750	1608	General
LQW18AN12NJ80	12	+/-5%	1500	1608	General
LQW18AN13NG00	13	+/-2%	600	1608	General
LQW18AN13NG80	13	+/-2%	1500	1608	General
LQW18AN13NJ00	13	+/-5%	600	1608	General
LQW18AN13NJ80	13	+/-5%	1500	1608	General
LQW18AN15NG00	15	+/-2%	600	1608	General
LQW18AN15NG80	15	+/-2%	1400	1608	General
LQW18AN15NJ00	15	+/-5%	600	1608	General
LQW18AN15NJ10	15	+/-5%	700	1608	General
LQW18AN15NJ80	15	+/-5%	1400	1608	General
LQW18AN16NG00	16	+/-2%	550	1608	General
LQW18AN16NG80	16	+/-2%	1400	1608	General
LQW18AN16NJ00	16	+/-5%	550	1608	General
LQW18AN16NJ80	16	+/-5%	1400	1608	General
LQW18AN17NG80	17	+/-2%	1400	1608	General
LQW18AN17NJ80	17	+/-5%	1400	1608	General
LQW18AN18NG00	18	+/-2%	550	1608	General
LQW18AN18NG10	18	+/-2%	700	1608	General
LQW18AN18NG80	18	+/-2%	1400	1608	General
LQW18AN18NJ00	18	+/-5%	550	1608	General
LQW18AN18NJ10	18	+/-5%	700	1608	General
LQW18AN18NJ80	18	+/-5%	1400	1608	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AN19NG80	19	+/-2%	1400	1608	General
LQW18AN19NJ80	19	+/-5%	1400	1608	General
LQW18AN20NG00	20	+/-2%	550	1608	General
LQW18AN20NJ00	20	+/-5%	550	1608	General
LQW18AN22NG00	22	+/-2%	500	1608	General
LQW18AN22NG10	22	+/-2%	640	1608	General
LQW18AN22NG80	22	+/-2%	1300	1608	General
LQW18AN22NJ00	22	+/-5%	500	1608	General
LQW18AN22NJ10	22	+/-5%	640	1608	General
LQW18AN22NJ80	22	+/-5%	1300	1608	General
LQW18AN23NG80	23	+/-2%	1300	1608	General
LQW18AN23NJ80	23	+/-5%	1300	1608	General
LQW18AN24NG00	24	+/-2%	500	1608	General
LQW18AN24NG80	24	+/-2%	1300	1608	General
LQW18AN24NJ00	24	+/-5%	500	1608	General
LQW18AN24NJ80	24	+/-5%	1300	1608	General
LQW18AN25NG80	25	+/-2%	1200	1608	General
LQW18AN25NJ80	25	+/-5%	1200	1608	General
LQW18AN27NG00	27	+/-2%	440	1608	General
LQW18AN27NG10	27	+/-2%	590	1608	General
LQW18AN27NG80	27	+/-2%	1200	1608	General
LQW18AN27NJ00	27	+/-5%	440	1608	General
LQW18AN27NJ10	27	+/-5%	590	1608	General
LQW18AN27NJ80	27	+/-5%	1200	1608	General
LQW18AN28NG80	28	+/-2%	1200	1608	General
LQW18AN28NJ80	28	+/-5%	1200	1608	General
LQW18AN2N2C80	2.2	+/-0.2nH	3200	1608	General
LQW18AN2N2D00	2.2	+/-0.5nH	700	1608	General
LQW18AN2N2D10	2.2	+/-0.5nH	1400	1608	General
LQW18AN2N4C80	2.4	+/-0.2nH	2400	1608	General
LQW18AN30NG00	30	+/-2%	420	1608	General
LQW18AN30NG80	30	+/-2%	1100	1608	General
LQW18AN30NJ00	30	+/-5%	420	1608	General
LQW18AN30NJ80	30	+/-5%	1100	1608	General
LQW18AN31NG80	31	+/-2%	1100	1608	General
LQW18AN31NJ80	31	+/-5%	1100	1608	General
LQW18AN33NG00	33	+/-2%	420	1608	General
LQW18AN33NG80	33	+/-2%	1100	1608	General
LQW18AN33NJ00	33	+/-5%	420	1608	General
LQW18AN33NJ10	33	+/-5%	550	1608	General
LQW18AN33NJ80	33	+/-5%	1100	1608	General
LQW18AN34NG80	34	+/-2%	1050	1608	General
LQW18AN34NJ80	34	+/-5%	1050	1608	General
LQW18AN36NG00	36	+/-2%	400	1608	General
LQW18AN36NG80	36	+/-2%	910	1608	General
LQW18AN36NJ00	36	+/-5%	400	1608	General
LQW18AN36NJ80	36	+/-5%	910	1608	General
LQW18AN37NG80	37	+/-2%	910	1608	General
LQW18AN37NJ80	37	+/-5%	910	1608	General
LQW18AN39NG00	39	+/-2%	400	1608	General
LQW18AN39NG80	39	+/-2%	1000	1608	General
LQW18AN39NJ00	39	+/-5%	400	1608	General
LQW18AN39NJ80	39	+/-5%	1000	1608	General
LQW18AN3N0C80	3	+/-0.2nH	670	1608	General
LQW18AN3N6C00	3.6	+/-0.2nH	850	1608	General
LQW18AN3N6D00	3.6	+/-0.5nH	850	1608	General
LQW18AN3N9B80	3.9	+/-0.1nH	2200	1608	General
LQW18AN3N9C00	3.9	+/-0.2nH	850	1608	General
LQW18AN3N9C10	3.9	+/-0.2nH	1000	1608	General
LQW18AN3N9C80	3.9	+/-0.2nH	2200	1608	General
LQW18AN3N9D00	3.9	+/-0.5nH	850	1608	General
LQW18AN3N9D10	3.9	+/-0.5nH	1000	1608	General
LQW18AN3N9G80	3.9	+/-2%	2200	1608	General
LQW18AN41NG80	41	+/-2%	1000	1608	General
LQW18AN41NJ80	41	+/-5%	1000	1608	General
LQW18AN43NG00	43	+/-2%	380	1608	General
LQW18AN43NG80	43	+/-2%	840	1608	General
LQW18AN43NJ00	43	+/-5%	380	1608	General
LQW18AN43NJ80	43	+/-5%	840	1608	General
LQW18AN44NG80	44	+/-2%	840	1608	General
LQW18AN44NJ80	44	+/-5%	840	1608	General
LQW18AN47NG00	47	+/-2%	380	1608	General
LQW18AN47NG80	47	+/-2%	830	1608	General
LQW18AN47NJ00	47	+/-5%	380	1608	General
LQW18AN47NJ80	47	+/-5%	830	1608	General
LQW18AN48NG80	48	+/-2%	830	1608	General
LQW18AN48NJ80	48	+/-5%	830	1608	General
LQW18AN4N1B80	4.1	+/-0.1nH	2200	1608	General
LQW18AN4N1C80	4.1	+/-0.2nH	2200	1608	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AN4N1G80	4.1	+/-2%	2200	1608	General
LQW18AN4N2B80	4.2	+/-0.1nH	2200	1608	General
LQW18AN4N2C80	4.2	+/-0.2nH	2200	1608	General
LQW18AN4N2G80	4.2	+/-2%	2200	1608	General
LQW18AN4N3B80	4.3	+/-0.1nH	2100	1608	General
LQW18AN4N3C00	4.3	+/-0.2nH	850	1608	General
LQW18AN4N3C80	4.3	+/-0.2nH	2100	1608	General
LQW18AN4N3D00	4.3	+/-0.5nH	850	1608	General
LQW18AN4N3G80	4.3	+/-2%	2100	1608	General
LQW18AN4N7B80	4.7	+/-0.1nH	1500	1608	General
LQW18AN4N7C80	4.7	+/-0.2nH	1500	1608	General
LQW18AN4N7D00	4.7	+/-0.5nH	850	1608	General
LQW18AN4N7G80	4.7	+/-2%	1500	1608	General
LQW18AN4N9B80	4.9	+/-0.1nH	1200	1608	General
LQW18AN4N9C80	4.9	+/-0.2nH	1200	1608	General
LQW18AN4N9G80	4.9	+/-2%	1200	1608	General
LQW18AN51NG00	51	+/-2%	370	1608	General
LQW18AN51NG80	51	+/-2%	830	1608	General
LQW18AN51NJ00	51	+/-5%	370	1608	General
LQW18AN51NJ80	51	+/-5%	830	1608	General
LQW18AN52NG80	52	+/-2%	750	1608	General
LQW18AN52NJ80	52	+/-5%	750	1608	General
LQW18AN56NG00	56	+/-2%	360	1608	General
LQW18AN56NG80	56	+/-2%	770	1608	General
LQW18AN56NJ00	56	+/-5%	360	1608	General
LQW18AN56NJ80	56	+/-5%	770	1608	General
LQW18AN58NG80	58	+/-2%	700	1608	General
LQW18AN58NJ80	58	+/-5%	700	1608	General
LQW18AN5N6C00	5.6	+/-0.2nH	750	1608	General
LQW18AN5N6C80	5.6	+/-0.2nH	1900	1608	General
LQW18AN5N6D00	5.6	+/-0.5nH	750	1608	General
LQW18AN5N6D10	5.6	+/-0.5nH	900	1608	General
LQW18AN5N6G80	5.6	+/-2%	1900	1608	General
LQW18AN62NG00	62	+/-2%	280	1608	General
LQW18AN62NJ00	62	+/-5%	280	1608	General
LQW18AN68NG00	68	+/-2%	340	1608	General
LQW18AN68NG80	68	+/-2%	630	1608	General
LQW18AN68NJ00	68	+/-5%	340	1608	General
LQW18AN68NJ80	68	+/-5%	630	1608	General
LQW18AN69NG80	69	+/-2%	630	1608	General
LQW18AN69NJ80	69	+/-5%	630	1608	General
LQW18AN6N0C80	6	+/-0.2nH	1900	1608	General
LQW18AN6N0G80	6	+/-2%	1900	1608	General
LQW18AN6N2C00	6.2	+/-0.2nH	750	1608	General
LQW18AN6N2D00	6.2	+/-0.5nH	750	1608	General
LQW18AN6N5C80	6.5	+/-0.2nH	1900	1608	General
LQW18AN6N5G80	6.5	+/-2%	1900	1608	General
LQW18AN6N8C00	6.8	+/-0.2nH	750	1608	General
LQW18AN6N8C10	6.8	+/-0.2nH	900	1608	General
LQW18AN6N8C80	6.8	+/-0.2nH	1900	1608	General
LQW18AN6N8D00	6.8	+/-0.5nH	750	1608	General
LQW18AN6N8D10	6.8	+/-0.5nH	900	1608	General
LQW18AN6N8G80	6.8	+/-2%	1900	1608	General
LQW18AN72NG00	72	+/-2%	270	1608	General
LQW18AN72NG80	72	+/-2%	560	1608	General
LQW18AN72NJ00	72	+/-5%	270	1608	General
LQW18AN72NJ80	72	+/-5%	560	1608	General
LQW18AN73NG80	73	+/-2%	590	1608	General
LQW18AN73NJ80	73	+/-5%	590	1608	General
LQW18AN75NG00	75	+/-2%	270	1608	General
LQW18AN75NG80	75	+/-2%	590	1608	General
LQW18AN75NJ00	75	+/-5%	270	1608	General
LQW18AN75NJ80	75	+/-5%	590	1608	General
LQW18AN78NG80	78	+/-2%	590	1608	General
LQW18AN78NJ80	78	+/-5%	590	1608	General
LQW18AN7N2C80	7.2	+/-0.2nH	1900	1608	General
LQW18AN7N2G80	7.2	+/-2%	1900	1608	General
LQW18AN7N5C00	7.5	+/-0.2nH	750	1608	General
LQW18AN7N5C80	7.5	+/-0.2nH	1500	1608	General
LQW18AN7N5D00	7.5	+/-0.5nH	750	1608	General
LQW18AN7N5G80	7.5	+/-2%	1500	1608	General
LQW18AN82NG00	82	+/-2%	250	1608	General
LQW18AN82NG80	82	+/-2%	550	1608	General
LQW18AN82NJ00	82	+/-5%	250	1608	General
LQW18AN82NJ80	82	+/-5%	550	1608	General
LQW18AN83NG80	83	+/-2%	550	1608	General
LQW18AN83NJ80	83	+/-5%	550	1608	General
LQW18AN8N2C00	8.2	+/-0.2nH	650	1608	General
LQW18AN8N2C80	8.2	+/-0.2nH	1600	1608	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AN8N2D00	8.2	+/-0.5nH	650	1608	General
LQW18AN8N2D10	8.2	+/-0.5nH	800	1608	General
LQW18AN8N2G80	8.2	+/-2%	1600	1608	General
LQW18AN8N4C80	8.4	+/-0.2nH	1600	1608	General
LQW18AN8N4G80	8.4	+/-2%	1600	1608	General
LQW18AN8N7C00	8.7	+/-0.2nH	650	1608	General
LQW18AN8N7C80	8.7	+/-0.2nH	1600	1608	General
LQW18AN8N7D00	8.7	+/-0.5nH	650	1608	General
LQW18AN8N7G80	8.7	+/-2%	1600	1608	General
LQW18AN91NG00	91	+/-2%	230	1608	General
LQW18AN91NG80	91	+/-2%	520	1608	General
LQW18AN91NJ00	91	+/-5%	230	1608	General
LQW18AN91NJ80	91	+/-5%	520	1608	General
LQW18AN94NG80	94	+/-2%	490	1608	General
LQW18AN94NJ80	94	+/-5%	490	1608	General
LQW18AN9N1C00	9.1	+/-0.2nH	650	1608	General
LQW18AN9N1C80	9.1	+/-0.2nH	1600	1608	General
LQW18AN9N1D00	9.1	+/-0.5nH	650	1608	General
LQW18AN9N1G80	9.1	+/-2%	1600	1608	General
LQW18AN9N5C80	9.5	+/-0.2nH	1600	1608	General
LQW18AN9N5D00	9.5	+/-0.5nH	650	1608	General
LQW18AN9N5G80	9.5	+/-2%	1600	1608	General
LQW18AN9N9C80	9.9	+/-0.2nH	1600	1608	General
LQW18AN9N9G80	9.9	+/-2%	1600	1608	General
LQW18ANR10G00	100	+/-2%	220	1608	General
LQW18ANR10G80	100	+/-2%	490	1608	General
LQW18ANR10J00	100	+/-5%	220	1608	General
LQW18ANR10J80	100	+/-5%	490	1608	General
LQW18ANR11G00	110	+/-2%	200	1608	General
LQW18ANR11G80	110	+/-2%	450	1608	General
LQW18ANR11J00	110	+/-5%	200	1608	General
LQW18ANR11J80	110	+/-5%	450	1608	General
LQW18ANR12G00	120	+/-2%	180	1608	General
LQW18ANR12G80	120	+/-2%	450	1608	General
LQW18ANR12J00	120	+/-5%	180	1608	General
LQW18ANR12J80	120	+/-5%	450	1608	General
LQW18ANR13G00	130	+/-2%	170	1608	General
LQW18ANR13J00	130	+/-5%	170	1608	General
LQW18ANR15G00	150	+/-2%	160	1608	General
LQW18ANR15G80	150	+/-2%	420	1608	General
LQW18ANR15J00	150	+/-5%	160	1608	General
LQW18ANR15J80	150	+/-5%	420	1608	General
LQW18ANR16G00	160	+/-2%	150	1608	General
LQW18ANR16J00	160	+/-5%	150	1608	General
LQW18ANR18G00	180	+/-2%	140	1608	General
LQW18ANR18G80	180	+/-2%	310	1608	General
LQW18ANR18J00	180	+/-5%	140	1608	General
LQW18ANR18J80	180	+/-5%	310	1608	General
LQW18ANR20G00	200	+/-2%	120	1608	General
LQW18ANR20G80	200	+/-2%	290	1608	General
LQW18ANR20J00	200	+/-5%	120	1608	General
LQW18ANR20J80	200	+/-5%	290	1608	General
LQW18ANR21G80	210	+/-2%	280	1608	General
LQW18ANR21J80	210	+/-5%	280	1608	General
LQW18ANR22G00	220	+/-2%	120	1608	General
LQW18ANR22G80	220	+/-2%	280	1608	General
LQW18ANR22J00	220	+/-5%	120	1608	General
LQW18ANR22J80	220	+/-5%	280	1608	General
LQW18ANR25G80	250	+/-2%	250	1608	General
LQW18ANR25J80	250	+/-5%	250	1608	General
LQW18ANR27G00	270	+/-2%	110	1608	General
LQW18ANR27G80	270	+/-2%	260	1608	General
LQW18ANR27J00	270	+/-5%	110	1608	General
LQW18ANR27J80	270	+/-5%	260	1608	General
LQW18ANR30G80	300	+/-2%	220	1608	General
LQW18ANR30J80	300	+/-5%	220	1608	General
LQW18ANR33G00	330	+/-2%	85	1608	General
LQW18ANR33G80	330	+/-2%	190	1608	General
LQW18ANR33J00	330	+/-5%	85	1608	General
LQW18ANR33J80	330	+/-5%	190	1608	General
LQW18ANR36G80	360	+/-2%	190	1608	General
LQW18ANR36J80	360	+/-5%	190	1608	General
LQW18ANR39G00	390	+/-2%	80	1608	General
LQW18ANR39G80	390	+/-2%	190	1608	General
LQW18ANR39J00	390	+/-5%	80	1608	General
LQW18ANR39J80	390	+/-5%	190	1608	General
LQW18ANR47G00	470	+/-2%	75	1608	General
LQW18ANR47J00	470	+/-5%	75	1608	General
LQW18AS10NGOC	10	+/-2%	700	1608	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AS10NJ0C	10	+/-5%	700	1608	General
LQW18AS11NG0C	11	+/-2%	700	1608	General
LQW18AS11NJ0C	11	+/-5%	700	1608	General
LQW18AS15NG0C	15	+/-2%	700	1608	General
LQW18AS15NJ0C	15	+/-5%	700	1608	General
LQW18AS16NG0C	16	+/-2%	700	1608	General
LQW18AS16NJ0C	16	+/-5%	700	1608	General
LQW18AS18NG0C	18	+/-2%	700	1608	General
LQW18AS18NJ0C	18	+/-5%	700	1608	General
LQW18AS22NG0C	22	+/-2%	700	1608	General
LQW18AS22NJ0C	22	+/-5%	700	1608	General
LQW18AS24NG0C	24	+/-2%	700	1608	General
LQW18AS24NJ0C	24	+/-5%	700	1608	General
LQW18AS33NG0C	33	+/-2%	600	1608	General
LQW18AS33NJ0C	33	+/-5%	600	1608	General
LQW18AS4N3G0C	4.3	+/-2%	700	1608	General
LQW18AS4N3J0C	4.3	+/-5%	700	1608	General
LQW18AS56NG0C	56	+/-2%	600	1608	General
LQW18AS56NJ0C	56	+/-5%	600	1608	General
LQW18AS68NG0C	68	+/-2%	600	1608	General
LQW18AS68NJ0C	68	+/-5%	600	1608	General
LQW18AS82NG0C	82	+/-2%	400	1608	General
LQW18AS82NJ0C	82	+/-5%	400	1608	General
LQW18AS8N2G0C	8.2	+/-2%	700	1608	General
LQW18AS8N2J0C	8.2	+/-5%	700	1608	General
LQW18ASR10G0C	100	+/-2%	400	1608	General
LQW18ASR10J0C	100	+/-5%	400	1608	General
LQW18ASR12G0C	120	+/-2%	300	1608	General
LQW18ASR12J0C	120	+/-5%	300	1608	General
LQW18ASR15G0C	150	+/-2%	280	1608	General
LQW18ASR15J0C	150	+/-5%	280	1608	General
LQW18ASR18G0C	180	+/-2%	240	1608	General
LQW18ASR18J0C	180	+/-5%	240	1608	General
LQW18ASR22G0C	220	+/-2%	200	1608	General
LQW18ASR22J0C	220	+/-5%	200	1608	General
LQW18ASR27G0C	270	+/-2%	130	1608	General
LQW18ASR27J0C	270	+/-5%	130	1608	General
LQW18ASR33G0C	330	+/-2%	100	1608	General
LQW18ASR33J0C	330	+/-5%	100	1608	General
LQW18ASR39G0C	390	+/-2%	100	1608	General
LQW18ASR39J0C	390	+/-5%	100	1608	General
LQW18CA32NJ00	32	+/-5%	2200	1608	General
LQW18CA56NJ00	56	+/-5%	1850	1608	General
LQW18CA85NJ00	85	+/-5%	1650	1608	General
LQW18CAR12J00	120	+/-5%	1500	1608	General
LQW18CAR16J00	160	+/-5%	1300	1608	General
LQW18CAR21J00	210	+/-5%	1050	1608	General
LQW18CAR27J00	270	+/-5%	900	1608	General
LQW18CAR33J00	330	+/-5%	780	1608	General
LQW18CAR40J00	400	+/-5%	680	1608	General
LQW18CAR48J00	480	+/-5%	580	1608	General
LQW18CAR58J00	580	+/-5%	450	1608	General
LQW18CN15NJ00	15	+/-5%	2200	1608	General
LQW18CN33NJ00	33	+/-5%	1700	1608	General
LQW18CN4N9D00	4.9	+/-0.5nH	2600	1608	General
LQW18CN55NJ00	55	+/-5%	1500	1608	General
LQW18CN85NJ00	85	+/-5%	1400	1608	General
LQW18CNR10K00	100	+/-10%	1000	1608	General
LQW18CNR12J00	120	+/-5%	1100	1608	General
LQW18CNR16J00	160	+/-5%	1000	1608	General
LQW18CNR21J00	210	+/-5%	800	1608	General
LQW18CNR27J00	270	+/-5%	750	1608	General
LQW18CNR33J00	330	+/-5%	630	1608	General
LQW18CNR39J00	390	+/-5%	620	1608	General
LQW18CNR47J00	470	+/-5%	500	1608	General
LQW18CNR56J00	560	+/-5%	450	1608	General
LQW18CNR65J00	650	+/-5%	430	1608	General
LQW21HN1R0J00	1000	+/-5%	115	2012	General
LQW21HN1R2J00	1200	+/-5%	100	2012	General
LQW21HN1R5J00	1500	+/-5%	85	2012	General
LQW21HN1R8J00	1800	+/-5%	80	2012	General
LQW21HN2R2J00	2200	+/-5%	75	2012	General
LQW21HNR47J00	470	+/-5%	160	2012	General
LQW21HNR56J00	560	+/-5%	150	2012	General
LQW21HNR68J00	680	+/-5%	130	2012	General
LQW21HNR82J00	820	+/-5%	125	2012	General
LQW2BAN11NG00	11	+/-2%	2400	2015	General
LQW2BAN11NJ00	11	+/-5%	2400	2015	General
LQW2BAN12NG00	12	+/-2%	2400	2015	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW2BAN12NJ00	12	+/-5%	2400	2015	General
LQW2BAN13NG00	13	+/-2%	2400	2015	General
LQW2BAN13NJ00	13	+/-5%	2400	2015	General
LQW2BAN15NG00	15	+/-2%	1500	2015	General
LQW2BAN15NJ00	15	+/-5%	1500	2015	General
LQW2BAN18NG00	18	+/-2%	2200	2015	General
LQW2BAN18NJ00	18	+/-5%	2200	2015	General
LQW2BAN20NG00	20	+/-2%	2200	2015	General
LQW2BAN20NJ00	20	+/-5%	2200	2015	General
LQW2BAN22NG00	22	+/-2%	1900	2015	General
LQW2BAN22NJ00	22	+/-5%	1900	2015	General
LQW2BAN24NG00	24	+/-2%	1400	2015	General
LQW2BAN24NJ00	24	+/-5%	1400	2015	General
LQW2BAN27NG00	27	+/-2%	2000	2015	General
LQW2BAN27NJ00	27	+/-5%	2000	2015	General
LQW2BAN30NG00	30	+/-2%	2000	2015	General
LQW2BAN30NJ00	30	+/-5%	2000	2015	General
LQW2BAN33NG00	33	+/-2%	1500	2015	General
LQW2BAN33NJ00	33	+/-5%	1500	2015	General
LQW2BAN36NG00	36	+/-2%	1900	2015	General
LQW2BAN36NJ00	36	+/-5%	1900	2015	General
LQW2BAN39NG00	39	+/-2%	1900	2015	General
LQW2BAN39NJ00	39	+/-5%	1900	2015	General
LQW2BAN3N2J00	3.2	+/-5%	3800	2015	General
LQW2BAN3N6J00	3.6	+/-5%	2000	2015	General
LQW2BAN43NG00	43	+/-2%	1550	2015	General
LQW2BAN43NJ00	43	+/-5%	1550	2015	General
LQW2BAN47NG00	47	+/-2%	1250	2015	General
LQW2BAN47NJ00	47	+/-5%	1250	2015	General
LQW2BAN51NG00	51	+/-2%	1800	2015	General
LQW2BAN51NJ00	51	+/-5%	1800	2015	General
LQW2BAN56NG00	56	+/-2%	1250	2015	General
LQW2BAN56NJ00	56	+/-5%	1250	2015	General
LQW2BAN62NG00	62	+/-2%	1650	2015	General
LQW2BAN62NJ00	62	+/-5%	1650	2015	General
LQW2BAN68NG00	68	+/-2%	1250	2015	General
LQW2BAN68NJ00	68	+/-5%	1250	2015	General
LQW2BAN6N8J00	6.8	+/-5%	3000	2015	General
LQW2BAN75NG00	75	+/-2%	1100	2015	General
LQW2BAN75NJ00	75	+/-5%	1100	2015	General
LQW2BAN7N5J00	7.5	+/-5%	2400	2015	General
LQW2BAN82NG00	82	+/-2%	1200	2015	General
LQW2BAN82NJ00	82	+/-5%	1200	2015	General
LQW2BAN8N2G00	8.2	+/-2%	1500	2015	General
LQW2BAN8N2J00	8.2	+/-5%	1500	2015	General
LQW2BAN91NG00	91	+/-2%	1300	2015	General
LQW2BAN91NJ00	91	+/-5%	1300	2015	General
LQW2BANR10G00	100	+/-2%	1050	2015	General
LQW2BANR10J00	100	+/-5%	1050	2015	General
LQW2BANR11G00	110	+/-2%	970	2015	General
LQW2BANR11J00	110	+/-5%	970	2015	General
LQW2BANR12G00	120	+/-2%	970	2015	General
LQW2BANR12J00	120	+/-5%	970	2015	General
LQW2BANR13G00	130	+/-2%	950	2015	General
LQW2BANR13J00	130	+/-5%	950	2015	General
LQW2BANR15G00	150	+/-2%	930	2015	General
LQW2BANR15J00	150	+/-5%	930	2015	General
LQW2BANR16G00	160	+/-2%	930	2015	General
LQW2BANR16J00	160	+/-5%	930	2015	General
LQW2BANR18G00	180	+/-2%	800	2015	General
LQW2BANR18J00	180	+/-5%	800	2015	General
LQW2BANR20G00	200	+/-2%	750	2015	General
LQW2BANR20J00	200	+/-5%	750	2015	General
LQW2BAS10NG00	10	+/-2%	600	2015	General
LQW2BAS10NJ00	10	+/-5%	600	2015	General
LQW2BAS12NG00	12	+/-2%	600	2015	General
LQW2BAS12NJ00	12	+/-5%	600	2015	General
LQW2BAS15NG00	15	+/-2%	600	2015	General
LQW2BAS15NJ00	15	+/-5%	600	2015	General
LQW2BAS18NG00	18	+/-2%	600	2015	General
LQW2BAS18NJ00	18	+/-5%	600	2015	General
LQW2BAS22NG00	22	+/-2%	500	2015	General
LQW2BAS22NJ00	22	+/-5%	500	2015	General
LQW2BAS24NG00	24	+/-2%	500	2015	General
LQW2BAS24NJ00	24	+/-5%	500	2015	General
LQW2BAS27NG00	27	+/-2%	500	2015	General
LQW2BAS27NJ00	27	+/-5%	500	2015	General
LQW2BAS2N8J00	2.8	+/-5%	800	2015	General
LQW2BAS33NG00	33	+/-2%	500	2015	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW2BAS33NJ00	33	+/-5%	500	2015	General
LQW2BAS36NG00	36	+/-2%	500	2015	General
LQW2BAS36NJ00	36	+/-5%	500	2015	General
LQW2BAS39NG00	39	+/-2%	500	2015	General
LQW2BAS39NJ00	39	+/-5%	500	2015	General
LQW2BAS3N0J00	3	+/-5%	800	2015	General
LQW2BAS43NG00	43	+/-2%	500	2015	General
LQW2BAS43NJ00	43	+/-5%	500	2015	General
LQW2BAS47NG00	47	+/-2%	500	2015	General
LQW2BAS47NJ00	47	+/-5%	500	2015	General
LQW2BAS56NG00	56	+/-2%	500	2015	General
LQW2BAS56NJ00	56	+/-5%	500	2015	General
LQW2BAS5N6J00	5.6	+/-5%	600	2015	General
LQW2BAS68NG00	68	+/-2%	500	2015	General
LQW2BAS68NJ00	68	+/-5%	500	2015	General
LQW2BAS6N8J00	6.8	+/-5%	600	2015	General
LQW2BAS7N5J00	7.5	+/-5%	600	2015	General
LQW2BAS82NG00	82	+/-2%	400	2015	General
LQW2BAS82NJ00	82	+/-5%	400	2015	General
LQW2BAS8N2G00	8.2	+/-2%	600	2015	General
LQW2BAS8N2J00	8.2	+/-5%	600	2015	General
LQW2BAS91NG00	91	+/-2%	400	2015	General
LQW2BAS91NJ00	91	+/-5%	400	2015	General
LQW2BASR10G00	100	+/-2%	400	2015	General
LQW2BASR10J00	100	+/-5%	400	2015	General
LQW2BASR11G00	110	+/-2%	400	2015	General
LQW2BASR11J00	110	+/-5%	400	2015	General
LQW2BASR12G00	120	+/-2%	400	2015	General
LQW2BASR12J00	120	+/-5%	400	2015	General
LQW2BASR15G00	150	+/-2%	400	2015	General
LQW2BASR15J00	150	+/-5%	400	2015	General
LQW2BASR18G00	180	+/-2%	400	2015	General
LQW2BASR18J00	180	+/-5%	400	2015	General
LQW2BASR22G00	220	+/-2%	400	2015	General
LQW2BASR22J00	220	+/-5%	400	2015	General
LQW2BASR24G00	240	+/-2%	350	2015	General
LQW2BASR24J00	240	+/-5%	350	2015	General
LQW2BASR27G00	270	+/-2%	350	2015	General
LQW2BASR27J00	270	+/-5%	350	2015	General
LQW2BASR33G00	330	+/-2%	310	2015	General
LQW2BASR33J00	330	+/-5%	310	2015	General
LQW2BASR39J00	390	+/-5%	290	2015	General
LQW2BASR47J00	470	+/-5%	250	2015	General
LQW2BASR56J00	560	+/-5%	230	2015	General
LQW2BASR68J00	680	+/-5%	190	2015	General
LQW2BASR82J00	820	+/-5%	180	2015	General
LQW2UAS12NG00	12	+/-2%	1000	2520	General
LQW2UAS12NJ00	12	+/-5%	1000	2520	General
LQW2UAS18NG00	18	+/-2%	1000	2520	General
LQW2UAS18NJ00	18	+/-5%	1000	2520	General
LQW2UAS1R0F00	1000	+/-1%	370	2520	General
LQW2UAS1R0G00	1000	+/-2%	370	2520	General
LQW2UAS1R0J00	1000	+/-5%	370	2520	General
LQW2UAS1R2J00	1200	+/-5%	310	2520	General
LQW2UAS1R5J00	1500	+/-5%	330	2520	General
LQW2UAS1R8J00	1800	+/-5%	300	2520	General
LQW2UAS22NF00	22	+/-1%	1000	2520	General
LQW2UAS22NG00	22	+/-2%	1000	2520	General
LQW2UAS22NJ00	22	+/-5%	1000	2520	General
LQW2UAS27NG00	27	+/-2%	1000	2520	General
LQW2UAS27NJ00	27	+/-5%	1000	2520	General
LQW2UAS2R2J00	2200	+/-5%	280	2520	General
LQW2UAS2R7J00	2700	+/-5%	290	2520	General
LQW2UAS33NF00	33	+/-1%	1000	2520	General
LQW2UAS33NG00	33	+/-2%	1000	2520	General
LQW2UAS33NJ00	33	+/-5%	1000	2520	General
LQW2UAS39NF00	39	+/-1%	1000	2520	General
LQW2UAS39NG00	39	+/-2%	1000	2520	General
LQW2UAS39NJ00	39	+/-5%	1000	2520	General
LQW2UAS3R3J00	3300	+/-5%	290	2520	General
LQW2UAS3R9J00	3900	+/-5%	260	2520	General
LQW2UAS47NF00	47	+/-1%	1000	2520	General
LQW2UAS47NG00	47	+/-2%	1000	2520	General
LQW2UAS47NJ00	47	+/-5%	1000	2520	General
LQW2UAS4R7J00	4700	+/-5%	260	2520	General
LQW2UAS56NF00	56	+/-1%	1000	2520	General
LQW2UAS56NG00	56	+/-2%	1000	2520	General
LQW2UAS56NJ00	56	+/-5%	1000	2520	General
LQW2UAS68NF00	68	+/-1%	1000	2520	General

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW2UAS68NG00	68	+/-2%	1000	2520	General
LQW2UAS68NJ00	68	+/-5%	1000	2520	General
LQW2UAS82NF00	82	+/-1%	1000	2520	General
LQW2UAS82NG00	82	+/-2%	1000	2520	General
LQW2UAS82NJ00	82	+/-5%	1000	2520	General
LQW2UASR10F00	100	+/-1%	650	2520	General
LQW2UASR10G00	100	+/-2%	650	2520	General
LQW2UASR10J00	100	+/-5%	650	2520	General
LQW2UASR12F00	120	+/-1%	650	2520	General
LQW2UASR12G00	120	+/-2%	650	2520	General
LQW2UASR12J00	120	+/-5%	650	2520	General
LQW2UASR15F00	150	+/-1%	580	2520	General
LQW2UASR15G00	150	+/-2%	580	2520	General
LQW2UASR15J00	150	+/-5%	580	2520	General
LQW2UASR18F00	180	+/-1%	620	2520	General
LQW2UASR18G00	180	+/-2%	620	2520	General
LQW2UASR18J00	180	+/-5%	620	2520	General
LQW2UASR22F00	220	+/-1%	500	2520	General
LQW2UASR22G00	220	+/-2%	500	2520	General
LQW2UASR22J00	220	+/-5%	500	2520	General
LQW2UASR27F00	270	+/-1%	500	2520	General
LQW2UASR27G00	270	+/-2%	500	2520	General
LQW2UASR27J00	270	+/-5%	500	2520	General
LQW2UASR33F00	330	+/-1%	450	2520	General
LQW2UASR33G00	330	+/-2%	450	2520	General
LQW2UASR33J00	330	+/-5%	450	2520	General
LQW2UASR39F00	390	+/-1%	470	2520	General
LQW2UASR39G00	390	+/-2%	470	2520	General
LQW2UASR39J00	390	+/-5%	470	2520	General
LQW2UASR47F00	470	+/-1%	470	2520	General
LQW2UASR47G00	470	+/-2%	470	2520	General
LQW2UASR47J00	470	+/-5%	470	2520	General
LQW2UASR56F00	560	+/-1%	400	2520	General
LQW2UASR56G00	560	+/-2%	400	2520	General
LQW2UASR56J00	560	+/-5%	400	2520	General
LQW2UASR62F00	620	+/-1%	300	2520	General
LQW2UASR62G00	620	+/-2%	300	2520	General
LQW2UASR62J00	620	+/-5%	300	2520	General
LQW2UASR68F00	680	+/-1%	400	2520	General
LQW2UASR68G00	680	+/-2%	400	2520	General
LQW2UASR68J00	680	+/-5%	400	2520	General
LQW2UASR75F00	750	+/-1%	360	2520	General
LQW2UASR75G00	750	+/-2%	360	2520	General
LQW2UASR75J00	750	+/-5%	360	2520	General
LQW2UASR82F00	820	+/-1%	400	2520	General
LQW2UASR82G00	820	+/-2%	400	2520	General
LQW2UASR82J00	820	+/-5%	400	2520	General
LQW2UASR91F00	910	+/-1%	380	2520	General
LQW2UASR91G00	910	+/-2%	380	2520	General
LQW2UASR91J00	910	+/-5%	380	2520	General



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HH10NG02	10	+/-2%	500	1005	Powertrain/Safety
LQG15HH10NH02	10	+/-3%	500	1005	Powertrain/Safety
LQG15HH10NJ02	10	+/-5%	500	1005	Powertrain/Safety
LQG15HH12NG02	12	+/-2%	500	1005	Powertrain/Safety
LQG15HH12NH02	12	+/-3%	500	1005	Powertrain/Safety
LQG15HH12NJ02	12	+/-5%	500	1005	Powertrain/Safety
LQG15HH15NG02	15	+/-2%	450	1005	Powertrain/Safety
LQG15HH15NH02	15	+/-3%	450	1005	Powertrain/Safety
LQG15HH15NJ02	15	+/-5%	450	1005	Powertrain/Safety
LQG15HH18NG02	18	+/-2%	400	1005	Powertrain/Safety
LQG15HH18NH02	18	+/-3%	400	1005	Powertrain/Safety
LQG15HH18NJ02	18	+/-5%	400	1005	Powertrain/Safety
LQG15HH1N0B02	1	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N0C02	1	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N0S02	1	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N1B02	1.1	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N1C02	1.1	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N1S02	1.1	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N2B02	1.2	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N2C02	1.2	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N2S02	1.2	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N3B02	1.3	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N3C02	1.3	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N3S02	1.3	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N5B02	1.5	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N5C02	1.5	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N5S02	1.5	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N6B02	1.6	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15HH1N6C02	1.6	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15HH1N6S02	1.6	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15HH1N8B02	1.8	+/-0.1nH	950	1005	Powertrain/Safety
LQG15HH1N8C02	1.8	+/-0.2nH	950	1005	Powertrain/Safety
LQG15HH1N8S02	1.8	+/-0.3nH	950	1005	Powertrain/Safety
LQG15HH22NG02	22	+/-2%	350	1005	Powertrain/Safety
LQG15HH22NH02	22	+/-3%	350	1005	Powertrain/Safety
LQG15HH22NJ02	22	+/-5%	350	1005	Powertrain/Safety
LQG15HH27NG02	27	+/-2%	350	1005	Powertrain/Safety
LQG15HH27NH02	27	+/-3%	350	1005	Powertrain/Safety
LQG15HH27NJ02	27	+/-5%	350	1005	Powertrain/Safety
LQG15HH2N0B02	2	+/-0.1nH	900	1005	Powertrain/Safety
LQG15HH2N0C02	2	+/-0.2nH	900	1005	Powertrain/Safety
LQG15HH2N0S02	2	+/-0.3nH	900	1005	Powertrain/Safety
LQG15HH2N2B02	2.2	+/-0.1nH	900	1005	Powertrain/Safety
LQG15HH2N2C02	2.2	+/-0.2nH	900	1005	Powertrain/Safety
LQG15HH2N2S02	2.2	+/-0.3nH	900	1005	Powertrain/Safety
LQG15HH2N4B02	2.4	+/-0.1nH	850	1005	Powertrain/Safety
LQG15HH2N4C02	2.4	+/-0.2nH	850	1005	Powertrain/Safety
LQG15HH2N4S02	2.4	+/-0.3nH	850	1005	Powertrain/Safety
LQG15HH2N7B02	2.7	+/-0.1nH	800	1005	Powertrain/Safety
LQG15HH2N7C02	2.7	+/-0.2nH	800	1005	Powertrain/Safety
LQG15HH2N7S02	2.7	+/-0.3nH	800	1005	Powertrain/Safety
LQG15HH33NG02	33	+/-2%	350	1005	Powertrain/Safety
LQG15HH33NH02	33	+/-3%	350	1005	Powertrain/Safety
LQG15HH33NJ02	33	+/-5%	350	1005	Powertrain/Safety
LQG15HH39NG02	39	+/-2%	300	1005	Powertrain/Safety
LQG15HH39NH02	39	+/-3%	300	1005	Powertrain/Safety
LQG15HH39NJ02	39	+/-5%	300	1005	Powertrain/Safety
LQG15HH3N0B02	3	+/-0.1nH	800	1005	Powertrain/Safety
LQG15HH3N0C02	3	+/-0.2nH	800	1005	Powertrain/Safety
LQG15HH3N0S02	3	+/-0.3nH	800	1005	Powertrain/Safety
LQG15HH3N3B02	3.3	+/-0.1nH	800	1005	Powertrain/Safety
LQG15HH3N3C02	3.3	+/-0.2nH	800	1005	Powertrain/Safety
LQG15HH3N3S02	3.3	+/-0.3nH	800	1005	Powertrain/Safety
LQG15HH3N6B02	3.6	+/-0.1nH	750	1005	Powertrain/Safety
LQG15HH3N6C02	3.6	+/-0.2nH	750	1005	Powertrain/Safety
LQG15HH3N6S02	3.6	+/-0.3nH	750	1005	Powertrain/Safety
LQG15HH3N9B02	3.9	+/-0.1nH	750	1005	Powertrain/Safety
LQG15HH3N9C02	3.9	+/-0.2nH	750	1005	Powertrain/Safety
LQG15HH3N9S02	3.9	+/-0.3nH	750	1005	Powertrain/Safety
LQG15HH47NG02	47	+/-2%	300	1005	Powertrain/Safety
LQG15HH47NH02	47	+/-3%	300	1005	Powertrain/Safety
LQG15HH47NJ02	47	+/-5%	300	1005	Powertrain/Safety
LQG15HH4N3B02	4.3	+/-0.1nH	750	1005	Powertrain/Safety
LQG15HH4N3C02	4.3	+/-0.2nH	750	1005	Powertrain/Safety
LQG15HH4N3S02	4.3	+/-0.3nH	750	1005	Powertrain/Safety
LQG15HH4N7B02	4.7	+/-0.1nH	700	1005	Powertrain/Safety
LQG15HH4N7C02	4.7	+/-0.2nH	700	1005	Powertrain/Safety
LQG15HH4N7S02	4.7	+/-0.3nH	700	1005	Powertrain/Safety
LQG15HH56NG02	56	+/-2%	250	1005	Powertrain/Safety

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HH56NH02	56	+/-3%	250	1005	Powertrain/Safety
LQG15HH56NJ02	56	+/-5%	250	1005	Powertrain/Safety
LQG15HH5N1B02	5.1	+/-0.1nH	650	1005	Powertrain/Safety
LQG15HH5N1C02	5.1	+/-0.2nH	650	1005	Powertrain/Safety
LQG15HH5N1S02	5.1	+/-0.3nH	650	1005	Powertrain/Safety
LQG15HH5N6B02	5.6	+/-0.1nH	650	1005	Powertrain/Safety
LQG15HH5N6C02	5.6	+/-0.2nH	650	1005	Powertrain/Safety
LQG15HH5N6S02	5.6	+/-0.3nH	650	1005	Powertrain/Safety
LQG15HH68NG02	68	+/-2%	250	1005	Powertrain/Safety
LQG15HH68NH02	68	+/-3%	250	1005	Powertrain/Safety
LQG15HH68NJ02	68	+/-5%	250	1005	Powertrain/Safety
LQG15HH6N2B02	6.2	+/-0.1nH	600	1005	Powertrain/Safety
LQG15HH6N2C02	6.2	+/-0.2nH	600	1005	Powertrain/Safety
LQG15HH6N2S02	6.2	+/-0.3nH	600	1005	Powertrain/Safety
LQG15HH6N8G02	6.8	+/-2%	600	1005	Powertrain/Safety
LQG15HH6N8H02	6.8	+/-3%	600	1005	Powertrain/Safety
LQG15HH6N8J02	6.8	+/-5%	600	1005	Powertrain/Safety
LQG15HH7N5G02	7.5	+/-2%	550	1005	Powertrain/Safety
LQG15HH7N5H02	7.5	+/-3%	550	1005	Powertrain/Safety
LQG15HH7N5J02	7.5	+/-5%	550	1005	Powertrain/Safety
LQG15HH82NG02	82	+/-2%	200	1005	Powertrain/Safety
LQG15HH82NH02	82	+/-3%	200	1005	Powertrain/Safety
LQG15HH82NJ02	82	+/-5%	200	1005	Powertrain/Safety
LQG15HH8N2G02	8.2	+/-2%	550	1005	Powertrain/Safety
LQG15HH8N2H02	8.2	+/-3%	550	1005	Powertrain/Safety
LQG15HH8N2J02	8.2	+/-5%	550	1005	Powertrain/Safety
LQG15HH9N1G02	9.1	+/-2%	500	1005	Powertrain/Safety
LQG15HH9N1H02	9.1	+/-3%	500	1005	Powertrain/Safety
LQG15HH9N1J02	9.1	+/-5%	500	1005	Powertrain/Safety
LQG15HHR10G02	100	+/-2%	200	1005	Powertrain/Safety
LQG15HHR10H02	100	+/-3%	200	1005	Powertrain/Safety
LQG15HHR10J02	100	+/-5%	200	1005	Powertrain/Safety
LQG15HHR12G02	120	+/-2%	200	1005	Powertrain/Safety
LQG15HHR12H02	120	+/-3%	200	1005	Powertrain/Safety
LQG15HHR12J02	120	+/-5%	200	1005	Powertrain/Safety
LQG15HHR15G02	150	+/-2%	150	1005	Powertrain/Safety
LQG15HHR15H02	150	+/-3%	150	1005	Powertrain/Safety
LQG15HHR15J02	150	+/-5%	150	1005	Powertrain/Safety
LQG15HHR18G02	180	+/-2%	150	1005	Powertrain/Safety
LQG15HHR18H02	180	+/-3%	150	1005	Powertrain/Safety
LQG15HHR18J02	180	+/-5%	150	1005	Powertrain/Safety
LQG15HHR22G02	220	+/-2%	120	1005	Powertrain/Safety
LQG15HHR22H02	220	+/-3%	120	1005	Powertrain/Safety
LQG15HHR22J02	220	+/-5%	120	1005	Powertrain/Safety
LQG15HHR27G02	270	+/-2%	110	1005	Powertrain/Safety
LQG15HHR27H02	270	+/-3%	110	1005	Powertrain/Safety
LQG15HHR27J02	270	+/-5%	110	1005	Powertrain/Safety
LQG15HZ10NG02	10	+/-2%	500	1005	Infotainment
LQG15HZ10NH02	10	+/-3%	500	1005	Infotainment
LQG15HZ10NJ02	10	+/-5%	500	1005	Infotainment
LQG15HZ12NG02	12	+/-2%	500	1005	Infotainment
LQG15HZ12NH02	12	+/-3%	500	1005	Infotainment
LQG15HZ12NJ02	12	+/-5%	500	1005	Infotainment
LQG15HZ15NG02	15	+/-2%	450	1005	Infotainment
LQG15HZ15NH02	15	+/-3%	450	1005	Infotainment
LQG15HZ15NJ02	15	+/-5%	450	1005	Infotainment
LQG15HZ18NG02	18	+/-2%	400	1005	Infotainment
LQG15HZ18NH02	18	+/-3%	400	1005	Infotainment
LQG15HZ18NJ02	18	+/-5%	400	1005	Infotainment
LQG15HZ1N0B02	1	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N0C02	1	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N0S02	1	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N1B02	1.1	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N1C02	1.1	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N1S02	1.1	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N2B02	1.2	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N2C02	1.2	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N2S02	1.2	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N3B02	1.3	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N3C02	1.3	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N3S02	1.3	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N5B02	1.5	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N5C02	1.5	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N5S02	1.5	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N6B02	1.6	+/-0.1nH	1000	1005	Infotainment
LQG15HZ1N6C02	1.6	+/-0.2nH	1000	1005	Infotainment
LQG15HZ1N6S02	1.6	+/-0.3nH	1000	1005	Infotainment
LQG15HZ1N8B02	1.8	+/-0.1nH	950	1005	Infotainment
LQG15HZ1N8C02	1.8	+/-0.2nH	950	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HZ1N8S02	1.8	+/-0.3nH	950	1005	Infotainment
LQG15HZ22NG02	22	+/-2%	350	1005	Infotainment
LQG15HZ22NH02	22	+/-3%	350	1005	Infotainment
LQG15HZ22NJ02	22	+/-5%	350	1005	Infotainment
LQG15HZ27NG02	27	+/-2%	350	1005	Infotainment
LQG15HZ27NH02	27	+/-3%	350	1005	Infotainment
LQG15HZ27NJ02	27	+/-5%	350	1005	Infotainment
LQG15HZ2N0B02	2	+/-0.1nH	900	1005	Infotainment
LQG15HZ2N0C02	2	+/-0.2nH	900	1005	Infotainment
LQG15HZ2N0S02	2	+/-0.3nH	900	1005	Infotainment
LQG15HZ2N2B02	2.2	+/-0.1nH	900	1005	Infotainment
LQG15HZ2N2C02	2.2	+/-0.2nH	900	1005	Infotainment
LQG15HZ2N2S02	2.2	+/-0.3nH	900	1005	Infotainment
LQG15HZ2N4B02	2.4	+/-0.1nH	850	1005	Infotainment
LQG15HZ2N4C02	2.4	+/-0.2nH	850	1005	Infotainment
LQG15HZ2N4S02	2.4	+/-0.3nH	850	1005	Infotainment
LQG15HZ2N7B02	2.7	+/-0.1nH	800	1005	Infotainment
LQG15HZ2N7C02	2.7	+/-0.2nH	800	1005	Infotainment
LQG15HZ2N7S02	2.7	+/-0.3nH	800	1005	Infotainment
LQG15HZ33NG02	33	+/-2%	350	1005	Infotainment
LQG15HZ33NH02	33	+/-3%	350	1005	Infotainment
LQG15HZ33NJ02	33	+/-5%	350	1005	Infotainment
LQG15HZ39NG02	39	+/-2%	300	1005	Infotainment
LQG15HZ39NH02	39	+/-3%	300	1005	Infotainment
LQG15HZ39NJ02	39	+/-5%	300	1005	Infotainment
LQG15HZ3N0B02	3	+/-0.1nH	800	1005	Infotainment
LQG15HZ3N0C02	3	+/-0.2nH	800	1005	Infotainment
LQG15HZ3N0S02	3	+/-0.3nH	800	1005	Infotainment
LQG15HZ3N3B02	3.3	+/-0.1nH	800	1005	Infotainment
LQG15HZ3N3C02	3.3	+/-0.2nH	800	1005	Infotainment
LQG15HZ3N3S02	3.3	+/-0.3nH	800	1005	Infotainment
LQG15HZ3N6B02	3.6	+/-0.1nH	750	1005	Infotainment
LQG15HZ3N6C02	3.6	+/-0.2nH	750	1005	Infotainment
LQG15HZ3N6S02	3.6	+/-0.3nH	750	1005	Infotainment
LQG15HZ3N9B02	3.9	+/-0.1nH	750	1005	Infotainment
LQG15HZ3N9C02	3.9	+/-0.2nH	750	1005	Infotainment
LQG15HZ3N9S02	3.9	+/-0.3nH	750	1005	Infotainment
LQG15HZ47NG02	47	+/-2%	300	1005	Infotainment
LQG15HZ47NH02	47	+/-3%	300	1005	Infotainment
LQG15HZ47NJ02	47	+/-5%	300	1005	Infotainment
LQG15HZ4N3B02	4.3	+/-0.1nH	750	1005	Infotainment
LQG15HZ4N3C02	4.3	+/-0.2nH	750	1005	Infotainment
LQG15HZ4N3S02	4.3	+/-0.3nH	750	1005	Infotainment
LQG15HZ4N7B02	4.7	+/-0.1nH	700	1005	Infotainment
LQG15HZ4N7C02	4.7	+/-0.2nH	700	1005	Infotainment
LQG15HZ4N7S02	4.7	+/-0.3nH	700	1005	Infotainment
LQG15HZ56NG02	56	+/-2%	250	1005	Infotainment
LQG15HZ56NH02	56	+/-3%	250	1005	Infotainment
LQG15HZ56NJ02	56	+/-5%	250	1005	Infotainment
LQG15HZ5N1B02	5.1	+/-0.1nH	650	1005	Infotainment
LQG15HZ5N1C02	5.1	+/-0.2nH	650	1005	Infotainment
LQG15HZ5N1S02	5.1	+/-0.3nH	650	1005	Infotainment
LQG15HZ5N6B02	5.6	+/-0.1nH	650	1005	Infotainment
LQG15HZ5N6C02	5.6	+/-0.2nH	650	1005	Infotainment
LQG15HZ5N6S02	5.6	+/-0.3nH	650	1005	Infotainment
LQG15HZ68NG02	68	+/-2%	250	1005	Infotainment
LQG15HZ68NH02	68	+/-3%	250	1005	Infotainment
LQG15HZ68NJ02	68	+/-5%	250	1005	Infotainment
LQG15HZ6N2B02	6.2	+/-0.1nH	600	1005	Infotainment
LQG15HZ6N2C02	6.2	+/-0.2nH	600	1005	Infotainment
LQG15HZ6N2S02	6.2	+/-0.3nH	600	1005	Infotainment
LQG15HZ6N8G02	6.8	+/-2%	600	1005	Infotainment
LQG15HZ6N8H02	6.8	+/-3%	600	1005	Infotainment
LQG15HZ6N8J02	6.8	+/-5%	600	1005	Infotainment
LQG15HZ7N5G02	7.5	+/-2%	550	1005	Infotainment
LQG15HZ7N5H02	7.5	+/-3%	550	1005	Infotainment
LQG15HZ7N5J02	7.5	+/-5%	550	1005	Infotainment
LQG15HZ82NG02	82	+/-2%	200	1005	Infotainment
LQG15HZ82NH02	82	+/-3%	200	1005	Infotainment
LQG15HZ82NJ02	82	+/-5%	200	1005	Infotainment
LQG15HZ8N2G02	8.2	+/-2%	550	1005	Infotainment
LQG15HZ8N2H02	8.2	+/-3%	550	1005	Infotainment
LQG15HZ8N2J02	8.2	+/-5%	550	1005	Infotainment
LQG15HZ9N1G02	9.1	+/-2%	500	1005	Infotainment
LQG15HZ9N1H02	9.1	+/-3%	500	1005	Infotainment
LQG15HZ9N1J02	9.1	+/-5%	500	1005	Infotainment
LQG15HZR10G02	100	+/-2%	200	1005	Infotainment
LQG15HZR10H02	100	+/-3%	200	1005	Infotainment
LQG15HZR10J02	100	+/-5%	200	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15HZR12G02	120	+/-2%	200	1005	Infotainment
LQG15HZR12H02	120	+/-3%	200	1005	Infotainment
LQG15HZR12J02	120	+/-5%	200	1005	Infotainment
LQG15HZR15G02	150	+/-2%	150	1005	Infotainment
LQG15HZR15H02	150	+/-3%	150	1005	Infotainment
LQG15HZR15J02	150	+/-5%	150	1005	Infotainment
LQG15HZR18G02	180	+/-2%	150	1005	Infotainment
LQG15HZR18H02	180	+/-3%	150	1005	Infotainment
LQG15HZR18J02	180	+/-5%	150	1005	Infotainment
LQG15HZR22G02	220	+/-2%	120	1005	Infotainment
LQG15HZR22H02	220	+/-3%	120	1005	Infotainment
LQG15HZR22J02	220	+/-5%	120	1005	Infotainment
LQG15HZR27G02	270	+/-2%	110	1005	Infotainment
LQG15HZR27H02	270	+/-3%	110	1005	Infotainment
LQG15HZR27J02	270	+/-5%	110	1005	Infotainment
LQG15WH10NG02	10	+/-2%	500	1005	Powertrain/Safety
LQG15WH10NH02	10	+/-3%	500	1005	Powertrain/Safety
LQG15WH10NJ02	10	+/-5%	500	1005	Powertrain/Safety
LQG15WH11NG02	11	+/-2%	450	1005	Powertrain/Safety
LQG15WH11NH02	11	+/-3%	450	1005	Powertrain/Safety
LQG15WH11NJ02	10	+/-5%	450	1005	Powertrain/Safety
LQG15WH12NG02	12	+/-2%	450	1005	Powertrain/Safety
LQG15WH12NH02	12	+/-3%	450	1005	Powertrain/Safety
LQG15WH12NJ02	12	+/-5%	450	1005	Powertrain/Safety
LQG15WH13NG02	13	+/-2%	400	1005	Powertrain/Safety
LQG15WH13NH02	13	+/-3%	400	1005	Powertrain/Safety
LQG15WH13NJ02	13	+/-5%	400	1005	Powertrain/Safety
LQG15WH15NG02	15	+/-2%	400	1005	Powertrain/Safety
LQG15WH15NH02	15	+/-3%	400	1005	Powertrain/Safety
LQG15WH15NJ02	15	+/-5%	400	1005	Powertrain/Safety
LQG15WH1N0B02	1	+/-0.1nH	1200	1005	Powertrain/Safety
LQG15WH1N0C02	1	+/-0.2nH	1200	1005	Powertrain/Safety
LQG15WH1N0S02	1	+/-0.3nH	1200	1005	Powertrain/Safety
LQG15WH1N1B02	1.1	+/-0.1nH	1200	1005	Powertrain/Safety
LQG15WH1N1C02	1.1	+/-0.2nH	1200	1005	Powertrain/Safety
LQG15WH1N1S02	1.1	+/-0.3nH	1200	1005	Powertrain/Safety
LQG15WH1N2B02	1.2	+/-0.1nH	1200	1005	Powertrain/Safety
LQG15WH1N2C02	1.2	+/-0.2nH	1200	1005	Powertrain/Safety
LQG15WH1N2S02	1.2	+/-0.3nH	1200	1005	Powertrain/Safety
LQG15WH1N3B02	1.3	+/-0.1nH	1200	1005	Powertrain/Safety
LQG15WH1N3C02	1.3	+/-0.2nH	1200	1005	Powertrain/Safety
LQG15WH1N3S02	1.3	+/-0.3nH	1200	1005	Powertrain/Safety
LQG15WH1N5B02	1.5	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH1N5C02	1.5	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH1N5S02	1.5	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH1N6B02	1.6	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH1N6C02	1.6	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH1N6S02	1.6	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH1N8B02	1.8	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH1N8C02	1.8	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH1N8S02	1.8	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH2N0B02	2	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH2N0C02	2	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH2N0S02	2	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH2N2B02	2.2	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH2N2C02	2.2	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH2N2S02	2.2	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH2N4B02	2.4	+/-0.1nH	1000	1005	Powertrain/Safety
LQG15WH2N4C02	2.4	+/-0.2nH	1000	1005	Powertrain/Safety
LQG15WH2N4S02	2.4	+/-0.3nH	1000	1005	Powertrain/Safety
LQG15WH2N7B02	2.7	+/-0.1nH	900	1005	Powertrain/Safety
LQG15WH2N7C02	2.7	+/-0.2nH	900	1005	Powertrain/Safety
LQG15WH2N7S02	2.7	+/-0.3nH	900	1005	Powertrain/Safety
LQG15WH3N0B02	3	+/-0.1nH	900	1005	Powertrain/Safety
LQG15WH3N0C02	3	+/-0.2nH	900	1005	Powertrain/Safety
LQG15WH3N0S02	3	+/-0.3nH	900	1005	Powertrain/Safety
LQG15WH3N3B02	3.3	+/-0.1nH	900	1005	Powertrain/Safety
LQG15WH3N3C02	3.3	+/-0.2nH	900	1005	Powertrain/Safety
LQG15WH3N3S02	3.3	+/-0.3nH	900	1005	Powertrain/Safety
LQG15WH3N6B02	3.6	+/-0.1nH	900	1005	Powertrain/Safety
LQG15WH3N6C02	3.6	+/-0.2nH	900	1005	Powertrain/Safety
LQG15WH3N6S02	3.6	+/-0.3nH	900	1005	Powertrain/Safety
LQG15WH3N9B02	3.9	+/-0.1nH	900	1005	Powertrain/Safety
LQG15WH3N9C02	3.9	+/-0.2nH	900	1005	Powertrain/Safety
LQG15WH3N9S02	3.9	+/-0.3nH	900	1005	Powertrain/Safety
LQG15WH4N3B02	4.3	+/-0.1nH	800	1005	Powertrain/Safety
LQG15WH4N3C02	4.3	+/-0.2nH	800	1005	Powertrain/Safety
LQG15WH4N3S02	4.3	+/-0.3nH	800	1005	Powertrain/Safety
LQG15WH4N7B02	4.7	+/-0.1nH	800	1005	Powertrain/Safety

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15WH4N7C02	4.7	+/-0.2nH	800	1005	Powertrain/Safety
LQG15WH4N7S02	4.7	+/-0.3nH	800	1005	Powertrain/Safety
LQG15WH5N1B02	5.1	+/-0.1nH	800	1005	Powertrain/Safety
LQG15WH5N1C02	5.1	+/-0.2nH	800	1005	Powertrain/Safety
LQG15WH5N1S02	5.1	+/-0.3nH	800	1005	Powertrain/Safety
LQG15WH5N6B02	5.6	+/-0.1nH	800	1005	Powertrain/Safety
LQG15WH5N6C02	5.6	+/-0.2nH	800	1005	Powertrain/Safety
LQG15WH5N6S02	5.6	+/-0.3nH	800	1005	Powertrain/Safety
LQG15WH6N2B02	6.2	+/-0.1nH	700	1005	Powertrain/Safety
LQG15WH6N2C02	6.2	+/-0.2nH	700	1005	Powertrain/Safety
LQG15WH6N2S02	6.2	+/-0.3nH	700	1005	Powertrain/Safety
LQG15WH6N8G02	6.8	+/-2%	700	1005	Powertrain/Safety
LQG15WH6N8H02	6.8	+/-3%	700	1005	Powertrain/Safety
LQG15WH6N8J02	6.8	+/-5%	700	1005	Powertrain/Safety
LQG15WH7N5G02	7.5	+/-2%	600	1005	Powertrain/Safety
LQG15WH7N5H02	7.5	+/-3%	600	1005	Powertrain/Safety
LQG15WH7N5J02	7.5	+/-5%	600	1005	Powertrain/Safety
LQG15WH8N2G02	8.2	+/-2%	550	1005	Powertrain/Safety
LQG15WH8N2H02	8.2	+/-3%	550	1005	Powertrain/Safety
LQG15WH8N2J02	8.2	+/-5%	550	1005	Powertrain/Safety
LQG15WH9N1G02	9.1	+/-2%	550	1005	Powertrain/Safety
LQG15WH9N1H02	9.1	+/-3%	550	1005	Powertrain/Safety
LQG15WH9N1J02	9.1	+/-5%	550	1005	Powertrain/Safety
LQG15WZ10NG02	10	+/-2%	500	1005	Infotainment
LQG15WZ10NH02	10	+/-3%	500	1005	Infotainment
LQG15WZ10NJ02	10	+/-5%	500	1005	Infotainment
LQG15WZ11NG02	11	+/-2%	450	1005	Infotainment
LQG15WZ11NH02	11	+/-3%	450	1005	Infotainment
LQG15WZ11NJ02	10	+/-5%	450	1005	Infotainment
LQG15WZ12NG02	12	+/-2%	450	1005	Infotainment
LQG15WZ12NH02	12	+/-3%	450	1005	Infotainment
LQG15WZ12NJ02	12	+/-5%	450	1005	Infotainment
LQG15WZ13NG02	13	+/-2%	400	1005	Infotainment
LQG15WZ13NH02	13	+/-3%	400	1005	Infotainment
LQG15WZ13NJ02	13	+/-5%	400	1005	Infotainment
LQG15WZ15NG02	15	+/-2%	400	1005	Infotainment
LQG15WZ15NH02	15	+/-3%	400	1005	Infotainment
LQG15WZ15NJ02	15	+/-5%	400	1005	Infotainment
LQG15WZ1N0B02	1	+/-0.1nH	1200	1005	Infotainment
LQG15WZ1N0C02	1	+/-0.2nH	1200	1005	Infotainment
LQG15WZ1N0S02	1	+/-0.3nH	1200	1005	Infotainment
LQG15WZ1N1B02	1.1	+/-0.1nH	1200	1005	Infotainment
LQG15WZ1N1C02	1.1	+/-0.2nH	1200	1005	Infotainment
LQG15WZ1N1S02	1.1	+/-0.3nH	1200	1005	Infotainment
LQG15WZ1N2B02	1.2	+/-0.1nH	1200	1005	Infotainment
LQG15WZ1N2C02	1.2	+/-0.2nH	1200	1005	Infotainment
LQG15WZ1N2S02	1.2	+/-0.3nH	1200	1005	Infotainment
LQG15WZ1N3B02	1.3	+/-0.1nH	1200	1005	Infotainment
LQG15WZ1N3C02	1.3	+/-0.2nH	1200	1005	Infotainment
LQG15WZ1N3S02	1.3	+/-0.3nH	1200	1005	Infotainment
LQG15WZ1N5B02	1.5	+/-0.1nH	1000	1005	Infotainment
LQG15WZ1N5C02	1.5	+/-0.2nH	1000	1005	Infotainment
LQG15WZ1N5S02	1.5	+/-0.3nH	1000	1005	Infotainment
LQG15WZ1N6B02	1.6	+/-0.1nH	1000	1005	Infotainment
LQG15WZ1N6C02	1.6	+/-0.2nH	1000	1005	Infotainment
LQG15WZ1N6S02	1.6	+/-0.3nH	1000	1005	Infotainment
LQG15WZ1N8B02	1.8	+/-0.1nH	1000	1005	Infotainment
LQG15WZ1N8C02	1.8	+/-0.2nH	1000	1005	Infotainment
LQG15WZ1N8S02	1.8	+/-0.3nH	1000	1005	Infotainment
LQG15WZ2N0B02	2	+/-0.1nH	1000	1005	Infotainment
LQG15WZ2N0C02	2	+/-0.2nH	1000	1005	Infotainment
LQG15WZ2N0S02	2	+/-0.3nH	1000	1005	Infotainment
LQG15WZ2N2B02	2.2	+/-0.1nH	1000	1005	Infotainment
LQG15WZ2N2C02	2.2	+/-0.2nH	1000	1005	Infotainment
LQG15WZ2N2S02	2.2	+/-0.3nH	1000	1005	Infotainment
LQG15WZ2N4B02	2.4	+/-0.1nH	1000	1005	Infotainment
LQG15WZ2N4C02	2.4	+/-0.2nH	1000	1005	Infotainment
LQG15WZ2N4S02	2.4	+/-0.3nH	1000	1005	Infotainment
LQG15WZ2N7B02	2.7	+/-0.1nH	900	1005	Infotainment
LQG15WZ2N7C02	2.7	+/-0.2nH	900	1005	Infotainment
LQG15WZ2N7S02	2.7	+/-0.3nH	900	1005	Infotainment
LQG15WZ3N0B02	3	+/-0.1nH	900	1005	Infotainment
LQG15WZ3N0C02	3	+/-0.2nH	900	1005	Infotainment
LQG15WZ3N0S02	3	+/-0.3nH	900	1005	Infotainment
LQG15WZ3N3B02	3.3	+/-0.1nH	900	1005	Infotainment
LQG15WZ3N3C02	3.3	+/-0.2nH	900	1005	Infotainment
LQG15WZ3N3S02	3.3	+/-0.3nH	900	1005	Infotainment
LQG15WZ3N6B02	3.6	+/-0.1nH	900	1005	Infotainment
LQG15WZ3N6C02	3.6	+/-0.2nH	900	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQG15WZ3N6S02	3.6	+/-0.3nH	900	1005	Infotainment
LQG15WZ3N9B02	3.9	+/-0.1nH	900	1005	Infotainment
LQG15WZ3N9C02	3.9	+/-0.2nH	900	1005	Infotainment
LQG15WZ3N9S02	3.9	+/-0.3nH	900	1005	Infotainment
LQG15WZ4N3B02	4.3	+/-0.1nH	800	1005	Infotainment
LQG15WZ4N3C02	4.3	+/-0.2nH	800	1005	Infotainment
LQG15WZ4N3S02	4.3	+/-0.3nH	800	1005	Infotainment
LQG15WZ4N7B02	4.7	+/-0.1nH	800	1005	Infotainment
LQG15WZ4N7C02	4.7	+/-0.2nH	800	1005	Infotainment
LQG15WZ4N7S02	4.7	+/-0.3nH	800	1005	Infotainment
LQG15WZ5N1B02	5.1	+/-0.1nH	800	1005	Infotainment
LQG15WZ5N1C02	5.1	+/-0.2nH	800	1005	Infotainment
LQG15WZ5N1S02	5.1	+/-0.3nH	800	1005	Infotainment
LQG15WZ5N6B02	5.6	+/-0.1nH	800	1005	Infotainment
LQG15WZ5N6C02	5.6	+/-0.2nH	800	1005	Infotainment
LQG15WZ5N6S02	5.6	+/-0.3nH	800	1005	Infotainment
LQG15WZ6N2B02	6.2	+/-0.1nH	700	1005	Infotainment
LQG15WZ6N2C02	6.2	+/-0.2nH	700	1005	Infotainment
LQG15WZ6N2S02	6.2	+/-0.3nH	700	1005	Infotainment
LQG15WZ6N8G02	6.8	+/-2%	700	1005	Infotainment
LQG15WZ6N8H02	6.8	+/-3%	700	1005	Infotainment
LQG15WZ6N8J02	6.8	+/-5%	700	1005	Infotainment
LQG15WZ7N5G02	7.5	+/-2%	600	1005	Infotainment
LQG15WZ7N5H02	7.5	+/-3%	600	1005	Infotainment
LQG15WZ7N5J02	7.5	+/-5%	600	1005	Infotainment
LQG15WZ8N2G02	8.2	+/-2%	550	1005	Infotainment
LQG15WZ8N2H02	8.2	+/-3%	550	1005	Infotainment
LQG15WZ8N2J02	8.2	+/-5%	550	1005	Infotainment
LQG15WZ9N1G02	9.1	+/-2%	550	1005	Infotainment
LQG15WZ9N1H02	9.1	+/-3%	550	1005	Infotainment
LQG15WZ9N1J02	9.1	+/-5%	550	1005	Infotainment
LQP03TN0N6BZ2	0.6	+/-0.1nH	850	0603	Infotainment
LQP03TN0N6CZ2	0.6	+/-0.2nH	850	0603	Infotainment
LQP03TN0N7BZ2	0.7	+/-0.1nH	800	0603	Infotainment
LQP03TN0N7CZ2	0.7	+/-0.2nH	800	0603	Infotainment
LQP03TN0N8BZ2	0.8	+/-0.1nH	800	0603	Infotainment
LQP03TN0N8CZ2	0.8	+/-0.2nH	800	0603	Infotainment
LQP03TN0N9BZ2	0.9	+/-0.1nH	750	0603	Infotainment
LQP03TN0N9CZ2	0.9	+/-0.2nH	750	0603	Infotainment
LQP03TN10NHZ2	10	+/-3%	250	0603	Infotainment
LQP03TN10NJZ2	10	+/-5%	250	0603	Infotainment
LQP03TN11NHZ2	11	+/-3%	250	0603	Infotainment
LQP03TN11NJZ2	11	+/-5%	250	0603	Infotainment
LQP03TN12NHZ2	12	+/-3%	250	0603	Infotainment
LQP03TN12NJZ2	12	+/-5%	250	0603	Infotainment
LQP03TN13NHZ2	13	+/-3%	250	0603	Infotainment
LQP03TN13NJZ2	13	+/-5%	250	0603	Infotainment
LQP03TN15NHZ2	15	+/-3%	250	0603	Infotainment
LQP03TN15NJZ2	15	+/-5%	250	0603	Infotainment
LQP03TN16NHZ2	16	+/-3%	200	0603	Infotainment
LQP03TN16NJZ2	16	+/-5%	200	0603	Infotainment
LQP03TN18NHZ2	18	+/-3%	200	0603	Infotainment
LQP03TN18NJZ2	18	+/-5%	200	0603	Infotainment
LQP03TN1N0BZ2	1	+/-0.1nH	750	0603	Infotainment
LQP03TN1N0CZ2	1	+/-0.2nH	750	0603	Infotainment
LQP03TN1N1BZ2	1.1	+/-0.1nH	750	0603	Infotainment
LQP03TN1N1CZ2	1.1	+/-0.2nH	750	0603	Infotainment
LQP03TN1N2BZ2	1.2	+/-0.1nH	750	0603	Infotainment
LQP03TN1N2CZ2	1.2	+/-0.2nH	750	0603	Infotainment
LQP03TN1N3BZ2	1.3	+/-0.1nH	600	0603	Infotainment
LQP03TN1N3CZ2	1.3	+/-0.2nH	600	0603	Infotainment
LQP03TN1N4BZ2	1.4	+/-0.1nH	600	0603	Infotainment
LQP03TN1N4CZ2	1.4	+/-0.2nH	600	0603	Infotainment
LQP03TN1N5BZ2	1.5	+/-0.1nH	600	0603	Infotainment
LQP03TN1N5CZ2	1.5	+/-0.2nH	600	0603	Infotainment
LQP03TN1N6BZ2	1.6	+/-0.1nH	600	0603	Infotainment
LQP03TN1N6CZ2	1.6	+/-0.2nH	600	0603	Infotainment
LQP03TN1N7BZ2	1.7	+/-0.1nH	600	0603	Infotainment
LQP03TN1N7CZ2	1.7	+/-0.2nH	600	0603	Infotainment
LQP03TN1N8BZ2	1.8	+/-0.1nH	600	0603	Infotainment
LQP03TN1N8CZ2	1.8	+/-0.2nH	600	0603	Infotainment
LQP03TN1N9BZ2	1.9	+/-0.1nH	600	0603	Infotainment
LQP03TN1N9CZ2	1.9	+/-0.2nH	600	0603	Infotainment
LQP03TN20NHZ2	20	+/-3%	150	0603	Infotainment
LQP03TN20NJZ2	20	+/-5%	150	0603	Infotainment
LQP03TN22NHZ2	22	+/-3%	150	0603	Infotainment
LQP03TN22NJZ2	22	+/-5%	150	0603	Infotainment
LQP03TN24NHZ2	24	+/-3%	140	0603	Infotainment
LQP03TN24NJZ2	24	+/-5%	140	0603	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TN27NHZ2	27	+/-3%	140	0603	Infotainment
LQP03TN27NJZ2	27	+/-5%	140	0603	Infotainment
LQP03TN2N0BZ2	2	+/-0.1nH	600	0603	Infotainment
LQP03TN2N0CZ2	2	+/-0.2nH	600	0603	Infotainment
LQP03TN2N1BZ2	2.1	+/-0.1nH	600	0603	Infotainment
LQP03TN2N1CZ2	2.1	+/-0.2nH	600	0603	Infotainment
LQP03TN2N2BZ2	2.2	+/-0.1nH	600	0603	Infotainment
LQP03TN2N2CZ2	2.2	+/-0.2nH	600	0603	Infotainment
LQP03TN2N3BZ2	2.3	+/-0.1nH	500	0603	Infotainment
LQP03TN2N3CZ2	2.3	+/-0.2nH	500	0603	Infotainment
LQP03TN2N4BZ2	2.4	+/-0.1nH	500	0603	Infotainment
LQP03TN2N4CZ2	2.4	+/-0.2nH	500	0603	Infotainment
LQP03TN2N5BZ2	2.5	+/-0.1nH	500	0603	Infotainment
LQP03TN2N5CZ2	2.5	+/-0.2nH	500	0603	Infotainment
LQP03TN2N6BZ2	2.6	+/-0.1nH	500	0603	Infotainment
LQP03TN2N6CZ2	2.6	+/-0.2nH	500	0603	Infotainment
LQP03TN2N7BZ2	2.7	+/-0.1nH	500	0603	Infotainment
LQP03TN2N7CZ2	2.7	+/-0.2nH	500	0603	Infotainment
LQP03TN2N8BZ2	2.8	+/-0.1nH	500	0603	Infotainment
LQP03TN2N8CZ2	2.8	+/-0.2nH	500	0603	Infotainment
LQP03TN2N9BZ2	2.9	+/-0.1nH	500	0603	Infotainment
LQP03TN2N9CZ2	2.9	+/-0.2nH	500	0603	Infotainment
LQP03TN30NHZ2	30	+/-3%	120	0603	Infotainment
LQP03TN30NJZ2	30	+/-5%	120	0603	Infotainment
LQP03TN33NHZ2	33	+/-3%	120	0603	Infotainment
LQP03TN33NJZ2	33	+/-5%	120	0603	Infotainment
LQP03TN36NHZ2	36	+/-3%	120	0603	Infotainment
LQP03TN36NJZ2	36	+/-5%	120	0603	Infotainment
LQP03TN39NHZ2	39	+/-3%	120	0603	Infotainment
LQP03TN39NJZ2	39	+/-5%	120	0603	Infotainment
LQP03TN3N0BZ2	3	+/-0.1nH	450	0603	Infotainment
LQP03TN3N0CZ2	3	+/-0.2nH	450	0603	Infotainment
LQP03TN3N1BZ2	3.1	+/-0.1nH	450	0603	Infotainment
LQP03TN3N1CZ2	3.1	+/-0.2nH	450	0603	Infotainment
LQP03TN3N2BZ2	3.2	+/-0.1nH	450	0603	Infotainment
LQP03TN3N2CZ2	3.2	+/-0.2nH	450	0603	Infotainment
LQP03TN3N3BZ2	3.3	+/-0.1nH	450	0603	Infotainment
LQP03TN3N3CZ2	3.3	+/-0.2nH	450	0603	Infotainment
LQP03TN3N4BZ2	3.4	+/-0.1nH	450	0603	Infotainment
LQP03TN3N4CZ2	3.4	+/-0.2nH	450	0603	Infotainment
LQP03TN3N5BZ2	3.5	+/-0.1nH	450	0603	Infotainment
LQP03TN3N5CZ2	3.5	+/-0.2nH	450	0603	Infotainment
LQP03TN3N6BZ2	3.6	+/-0.1nH	400	0603	Infotainment
LQP03TN3N6CZ2	3.6	+/-0.2nH	400	0603	Infotainment
LQP03TN3N7BZ2	3.7	+/-0.1nH	400	0603	Infotainment
LQP03TN3N7CZ2	3.7	+/-0.2nH	400	0603	Infotainment
LQP03TN3N8BZ2	3.8	+/-0.1nH	400	0603	Infotainment
LQP03TN3N8CZ2	3.8	+/-0.2nH	400	0603	Infotainment
LQP03TN3N9BZ2	3.9	+/-0.1nH	400	0603	Infotainment
LQP03TN3N9CZ2	3.9	+/-0.2nH	400	0603	Infotainment
LQP03TN43NHZ2	43	+/-3%	100	0603	Infotainment
LQP03TN43NJZ2	43	+/-5%	100	0603	Infotainment
LQP03TN47NHZ2	47	+/-3%	100	0603	Infotainment
LQP03TN47NJZ2	47	+/-5%	100	0603	Infotainment
LQP03TN4N0BZ2	4	+/-0.1nH	350	0603	Infotainment
LQP03TN4N0CZ2	4	+/-0.2nH	350	0603	Infotainment
LQP03TN4N1BZ2	4.1	+/-0.1nH	350	0603	Infotainment
LQP03TN4N1CZ2	4.1	+/-0.2nH	350	0603	Infotainment
LQP03TN4N2BZ2	4.2	+/-0.1nH	350	0603	Infotainment
LQP03TN4N2CZ2	4.2	+/-0.2nH	350	0603	Infotainment
LQP03TN4N3HZ2	4.3	+/-3%	350	0603	Infotainment
LQP03TN4N3JZ2	4.3	+/-5%	350	0603	Infotainment
LQP03TN4N7HZ2	4.7	+/-3%	350	0603	Infotainment
LQP03TN4N7JZ2	4.7	+/-5%	350	0603	Infotainment
LQP03TN51NHZ2	51	+/-3%	100	0603	Infotainment
LQP03TN51NJZ2	51	+/-5%	100	0603	Infotainment
LQP03TN56NHZ2	56	+/-3%	100	0603	Infotainment
LQP03TN56NJZ2	56	+/-5%	100	0603	Infotainment
LQP03TN5N1HZ2	5.1	+/-3%	350	0603	Infotainment
LQP03TN5N1JZ2	5.1	+/-5%	350	0603	Infotainment
LQP03TN5N6HZ2	5.6	+/-3%	350	0603	Infotainment
LQP03TN5N6JZ2	5.6	+/-5%	350	0603	Infotainment
LQP03TN62NHZ2	62	+/-3%	100	0603	Infotainment
LQP03TN62NJZ2	62	+/-5%	100	0603	Infotainment
LQP03TN68NHZ2	68	+/-3%	100	0603	Infotainment
LQP03TN68NJZ2	68	+/-5%	100	0603	Infotainment
LQP03TN6N2HZ2	6.2	+/-3%	300	0603	Infotainment
LQP03TN6N2JZ2	6.2	+/-5%	300	0603	Infotainment
LQP03TN6N8HZ2	6.8	+/-3%	300	0603	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQP03TN6N8JZ2	6.8	+/-5%	300	0603	Infotainment
LQP03TN75NHZ2	75	+/-3%	100	0603	Infotainment
LQP03TN75NJZ2	75	+/-5%	100	0603	Infotainment
LQP03TN7N5HZ2	7.5	+/-3%	300	0603	Infotainment
LQP03TN7N5JZ2	7.5	+/-5%	300	0603	Infotainment
LQP03TN82NHZ2	82	+/-3%	100	0603	Infotainment
LQP03TN82NJZ2	82	+/-5%	100	0603	Infotainment
LQP03TN8N2HZ2	8.2	+/-3%	250	0603	Infotainment
LQP03TN8N2JZ2	8.2	+/-5%	250	0603	Infotainment
LQP03TN91NHZ2	91	+/-3%	80	0603	Infotainment
LQP03TN91NJZ2	91	+/-5%	80	0603	Infotainment
LQP03TN9N1HZ2	9.1	+/-3%	250	0603	Infotainment
LQP03TN9N1JZ2	9.1	+/-5%	250	0603	Infotainment
LQP03TNR10HZ2	100	+/-3%	80	0603	Infotainment
LQP03TNR10JZ2	100	+/-5%	80	0603	Infotainment
LQP03TNR11HZ2	110	+/-3%	80	0603	Infotainment
LQP03TNR11JZ2	110	+/-5%	80	0603	Infotainment
LQP03TNR12HZ2	120	+/-3%	80	0603	Infotainment
LQP03TNR12JZ2	120	+/-5%	80	0603	Infotainment
LQW15AN10NG0Z	10	+/-2%	500	1005	Infotainment
LQW15AN10NG8Z	10	+/-2%	1400	1005	Infotainment
LQW15AN10NH0Z	10	+/-3%	500	1005	Infotainment
LQW15AN10NJ0Z	10	+/-5%	500	1005	Infotainment
LQW15AN10NJ8Z	10	+/-5%	1400	1005	Infotainment
LQW15AN11NG0Z	11	+/-2%	500	1005	Infotainment
LQW15AN11NG8Z	11	+/-2%	1400	1005	Infotainment
LQW15AN11NH0Z	11	+/-3%	500	1005	Infotainment
LQW15AN11NJ0Z	11	+/-5%	500	1005	Infotainment
LQW15AN11NJ8Z	11	+/-5%	1400	1005	Infotainment
LQW15AN12NG0Z	12	+/-2%	500	1005	Infotainment
LQW15AN12NG8Z	12	+/-2%	1240	1005	Infotainment
LQW15AN12NH0Z	12	+/-3%	500	1005	Infotainment
LQW15AN12NJ0Z	12	+/-5%	500	1005	Infotainment
LQW15AN12NJ8Z	12	+/-5%	1240	1005	Infotainment
LQW15AN13NG0Z	13	+/-2%	430	1005	Infotainment
LQW15AN13NG8Z	13	+/-2%	1240	1005	Infotainment
LQW15AN13NH0Z	13	+/-3%	430	1005	Infotainment
LQW15AN13NJ0Z	13	+/-5%	430	1005	Infotainment
LQW15AN13NJ8Z	13	+/-5%	1240	1005	Infotainment
LQW15AN14NG8Z	14	+/-2%	1150	1005	Infotainment
LQW15AN14NJ8Z	14	+/-5%	1150	1005	Infotainment
LQW15AN15NG0Z	15	+/-2%	460	1005	Infotainment
LQW15AN15NG8Z	15	+/-2%	1150	1005	Infotainment
LQW15AN15NH0Z	15	+/-3%	460	1005	Infotainment
LQW15AN15NJ0Z	15	+/-5%	460	1005	Infotainment
LQW15AN15NJ8Z	15	+/-5%	1150	1005	Infotainment
LQW15AN16NG0Z	16	+/-2%	370	1005	Infotainment
LQW15AN16NG8Z	16	+/-2%	1000	1005	Infotainment
LQW15AN16NH0Z	16	+/-3%	370	1005	Infotainment
LQW15AN16NJ0Z	16	+/-5%	370	1005	Infotainment
LQW15AN16NJ8Z	16	+/-5%	1000	1005	Infotainment
LQW15AN17NG8Z	17	+/-2%	1000	1005	Infotainment
LQW15AN17NJ8Z	17	+/-5%	1000	1005	Infotainment
LQW15AN18NG0Z	18	+/-2%	370	1005	Infotainment
LQW15AN18NG8Z	18	+/-2%	1050	1005	Infotainment
LQW15AN18NH0Z	18	+/-3%	370	1005	Infotainment
LQW15AN18NJ0Z	18	+/-5%	370	1005	Infotainment
LQW15AN18NJ8Z	18	+/-5%	1050	1005	Infotainment
LQW15AN19NG0Z	19	+/-2%	370	1005	Infotainment
LQW15AN19NG8Z	19	+/-2%	920	1005	Infotainment
LQW15AN19NH0Z	19	+/-3%	370	1005	Infotainment
LQW15AN19NJ0Z	19	+/-5%	370	1005	Infotainment
LQW15AN19NJ8Z	19	+/-5%	920	1005	Infotainment
LQW15AN1N3C1Z	1.3	+/-0.2nH	1200	1005	Infotainment
LQW15AN1N3C8Z	1.3	+/-0.2nH	3150	1005	Infotainment
LQW15AN1N3D1Z	1.3	+/-0.5nH	1200	1005	Infotainment
LQW15AN1N3D8Z	1.3	+/-0.5nH	3150	1005	Infotainment
LQW15AN1N4C1Z	1.4	+/-0.2nH	1100	1005	Infotainment
LQW15AN1N4D1Z	1.4	+/-0.5nH	1100	1005	Infotainment
LQW15AN1N5B0Z	1.5	+/-0.1nH	1000	1005	Infotainment
LQW15AN1N5C0Z	1.5	+/-0.2nH	1000	1005	Infotainment
LQW15AN1N5C8Z	1.5	+/-0.2nH	2100	1005	Infotainment
LQW15AN1N5D0Z	1.5	+/-0.5nH	1000	1005	Infotainment
LQW15AN1N5D8Z	1.5	+/-0.5nH	2100	1005	Infotainment
LQW15AN1N6C0Z	1.6	+/-0.2nH	750	1005	Infotainment
LQW15AN1N6C8Z	1.6	+/-0.2nH	1450	1005	Infotainment
LQW15AN1N6D0Z	1.6	+/-0.5nH	750	1005	Infotainment
LQW15AN1N6D8Z	1.6	+/-0.5nH	1450	1005	Infotainment
LQW15AN1N7C0Z	1.7	+/-0.2nH	640	1005	Infotainment



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN1N7C8Z	1.7	+/-0.2nH	1150	1005	Infotainment
LQW15AN1N7D0Z	1.7	+/-0.5nH	640	1005	Infotainment
LQW15AN1N7D8Z	1.7	+/-0.5nH	1150	1005	Infotainment
LQW15AN1N8C0Z	1.8	+/-0.2nH	460	1005	Infotainment
LQW15AN1N8D0Z	1.8	+/-0.5nH	460	1005	Infotainment
LQW15AN20NG0Z	20	+/-2%	370	1005	Infotainment
LQW15AN20NG8Z	20	+/-2%	800	1005	Infotainment
LQW15AN20NH0Z	20	+/-3%	370	1005	Infotainment
LQW15AN20NJ0Z	20	+/-5%	370	1005	Infotainment
LQW15AN20NJ8Z	20	+/-5%	800	1005	Infotainment
LQW15AN21NG8Z	21	+/-2%	780	1005	Infotainment
LQW15AN21NJ8Z	21	+/-5%	780	1005	Infotainment
LQW15AN22NG0Z	22	+/-2%	310	1005	Infotainment
LQW15AN22NG8Z	22	+/-2%	780	1005	Infotainment
LQW15AN22NH0Z	22	+/-3%	310	1005	Infotainment
LQW15AN22NJ0Z	22	+/-5%	310	1005	Infotainment
LQW15AN22NJ8Z	22	+/-5%	780	1005	Infotainment
LQW15AN23NG0Z	23	+/-2%	310	1005	Infotainment
LQW15AN23NG8Z	23	+/-2%	760	1005	Infotainment
LQW15AN23NH0Z	23	+/-3%	310	1005	Infotainment
LQW15AN23NJ0Z	23	+/-5%	310	1005	Infotainment
LQW15AN23NJ8Z	23	+/-5%	760	1005	Infotainment
LQW15AN24NG0Z	24	+/-2%	280	1005	Infotainment
LQW15AN24NG8Z	24	+/-2%	770	1005	Infotainment
LQW15AN24NH0Z	24	+/-3%	280	1005	Infotainment
LQW15AN24NJ0Z	24	+/-5%	280	1005	Infotainment
LQW15AN24NJ8Z	24	+/-5%	770	1005	Infotainment
LQW15AN25NG8Z	25	+/-2%	750	1005	Infotainment
LQW15AN25NJ8Z	25	+/-5%	750	1005	Infotainment
LQW15AN26NG8Z	26	+/-2%	720	1005	Infotainment
LQW15AN26NJ8Z	26	+/-5%	720	1005	Infotainment
LQW15AN27NG0Z	27	+/-2%	280	1005	Infotainment
LQW15AN27NG8Z	27	+/-2%	680	1005	Infotainment
LQW15AN27NH0Z	27	+/-3%	280	1005	Infotainment
LQW15AN27NJ0Z	27	+/-5%	280	1005	Infotainment
LQW15AN27NJ8Z	27	+/-5%	680	1005	Infotainment
LQW15AN2N2B8Z	2.2	+/-0.1nH	2530	1005	Infotainment
LQW15AN2N2C1Z	2.2	+/-0.2nH	1000	1005	Infotainment
LQW15AN2N2C8Z	2.2	+/-0.2nH	2530	1005	Infotainment
LQW15AN2N2D1Z	2.2	+/-0.5nH	1000	1005	Infotainment
LQW15AN2N2D8Z	2.2	+/-0.5nH	2530	1005	Infotainment
LQW15AN2N2G8Z	2.2	+/-2%	2530	1005	Infotainment
LQW15AN2N3B8Z	2.3	+/-0.1nH	2530	1005	Infotainment
LQW15AN2N3C1Z	2.3	+/-0.2nH	1000	1005	Infotainment
LQW15AN2N3C8Z	2.3	+/-0.2nH	2530	1005	Infotainment
LQW15AN2N3D1Z	2.3	+/-0.5nH	1000	1005	Infotainment
LQW15AN2N3D8Z	2.3	+/-0.5nH	2530	1005	Infotainment
LQW15AN2N3G8Z	2.3	+/-2%	2530	1005	Infotainment
LQW15AN2N4B0Z	2.4	+/-0.1nH	850	1005	Infotainment
LQW15AN2N4B8Z	2.4	+/-0.1nH	2530	1005	Infotainment
LQW15AN2N4C0Z	2.4	+/-0.2nH	850	1005	Infotainment
LQW15AN2N4C8Z	2.4	+/-0.2nH	2530	1005	Infotainment
LQW15AN2N4D0Z	2.4	+/-0.5nH	850	1005	Infotainment
LQW15AN2N4D1Z	2.4	+/-0.5nH	1000	1005	Infotainment
LQW15AN2N4D8Z	2.4	+/-0.5nH	2530	1005	Infotainment
LQW15AN2N4G8Z	2.4	+/-2%	2530	1005	Infotainment
LQW15AN2N5B0Z	2.5	+/-0.1nH	850	1005	Infotainment
LQW15AN2N5B8Z	2.5	+/-0.1nH	2100	1005	Infotainment
LQW15AN2N5C0Z	2.5	+/-0.2nH	850	1005	Infotainment
LQW15AN2N5C8Z	2.5	+/-0.2nH	2100	1005	Infotainment
LQW15AN2N5D0Z	2.5	+/-0.5nH	850	1005	Infotainment
LQW15AN2N5D8Z	2.5	+/-0.5nH	2100	1005	Infotainment
LQW15AN2N5G8Z	2.5	+/-2%	2100	1005	Infotainment
LQW15AN2N6B0Z	2.6	+/-0.1nH	850	1005	Infotainment
LQW15AN2N6B8Z	2.6	+/-0.1nH	1950	1005	Infotainment
LQW15AN2N6C0Z	2.6	+/-0.2nH	850	1005	Infotainment
LQW15AN2N6C8Z	2.6	+/-0.2nH	1950	1005	Infotainment
LQW15AN2N6D0Z	2.6	+/-0.5nH	850	1005	Infotainment
LQW15AN2N6D8Z	2.6	+/-0.5nH	1950	1005	Infotainment
LQW15AN2N6G8Z	2.6	+/-2%	1950	1005	Infotainment
LQW15AN2N7B0Z	2.7	+/-0.1nH	850	1005	Infotainment
LQW15AN2N7B8Z	2.7	+/-0.1nH	1500	1005	Infotainment
LQW15AN2N7C0Z	2.7	+/-0.2nH	850	1005	Infotainment
LQW15AN2N7C8Z	2.7	+/-0.2nH	1500	1005	Infotainment
LQW15AN2N7D0Z	2.7	+/-0.5nH	850	1005	Infotainment
LQW15AN2N7D8Z	2.7	+/-0.5nH	1500	1005	Infotainment
LQW15AN2N7G8Z	2.7	+/-2%	1500	1005	Infotainment
LQW15AN2N8B0Z	2.8	+/-0.1nH	850	1005	Infotainment
LQW15AN2N8B8Z	2.8	+/-0.1nH	1500	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN2N8C0Z	2.8	+/-0.2nH	850	1005	Infotainment
LQW15AN2N8C8Z	2.8	+/-0.2nH	1500	1005	Infotainment
LQW15AN2N8D0Z	2.8	+/-0.5nH	850	1005	Infotainment
LQW15AN2N8D8Z	2.8	+/-0.5nH	1500	1005	Infotainment
LQW15AN2N8G8Z	2.8	+/-2%	1500	1005	Infotainment
LQW15AN2N9B0Z	2.9	+/-0.1nH	750	1005	Infotainment
LQW15AN2N9B8Z	2.9	+/-0.1nH	1500	1005	Infotainment
LQW15AN2N9C0Z	2.9	+/-0.2nH	750	1005	Infotainment
LQW15AN2N9C8Z	2.9	+/-0.2nH	1500	1005	Infotainment
LQW15AN2N9D0Z	2.9	+/-0.5nH	750	1005	Infotainment
LQW15AN2N9D8Z	2.9	+/-0.5nH	1500	1005	Infotainment
LQW15AN2N9G8Z	2.9	+/-2%	1500	1005	Infotainment
LQW15AN30NG0Z	30	+/-2%	270	1005	Infotainment
LQW15AN30NG8Z	30	+/-2%	660	1005	Infotainment
LQW15AN30NH0Z	30	+/-3%	270	1005	Infotainment
LQW15AN30NJ0Z	30	+/-5%	270	1005	Infotainment
LQW15AN30NJ8Z	30	+/-5%	660	1005	Infotainment
LQW15AN33NG0Z	33	+/-2%	260	1005	Infotainment
LQW15AN33NG8Z	33	+/-2%	620	1005	Infotainment
LQW15AN33NH0Z	33	+/-3%	260	1005	Infotainment
LQW15AN33NJ0Z	33	+/-5%	260	1005	Infotainment
LQW15AN33NJ8Z	33	+/-5%	620	1005	Infotainment
LQW15AN36NG0Z	36	+/-2%	260	1005	Infotainment
LQW15AN36NG8Z	36	+/-2%	540	1005	Infotainment
LQW15AN36NH0Z	36	+/-3%	260	1005	Infotainment
LQW15AN36NJ0Z	36	+/-5%	260	1005	Infotainment
LQW15AN36NJ8Z	36	+/-5%	540	1005	Infotainment
LQW15AN39NG0Z	39	+/-2%	250	1005	Infotainment
LQW15AN39NG8Z	39	+/-2%	530	1005	Infotainment
LQW15AN39NH0Z	39	+/-3%	250	1005	Infotainment
LQW15AN39NJ0Z	39	+/-5%	250	1005	Infotainment
LQW15AN39NJ8Z	39	+/-5%	530	1005	Infotainment
LQW15AN3N0B0Z	3	+/-0.1nH	750	1005	Infotainment
LQW15AN3N0B8Z	3	+/-0.1nH	1350	1005	Infotainment
LQW15AN3N0C0Z	3	+/-0.2nH	750	1005	Infotainment
LQW15AN3N0C8Z	3	+/-0.2nH	1350	1005	Infotainment
LQW15AN3N0D0Z	3	+/-0.5nH	750	1005	Infotainment
LQW15AN3N0D8Z	3	+/-0.5nH	1350	1005	Infotainment
LQW15AN3N0G8Z	3	+/-2%	1350	1005	Infotainment
LQW15AN3N1B0Z	3.1	+/-0.1nH	570	1005	Infotainment
LQW15AN3N1C0Z	3.1	+/-0.2nH	570	1005	Infotainment
LQW15AN3N1D0Z	3.1	+/-0.5nH	570	1005	Infotainment
LQW15AN3N2B0Z	3.2	+/-0.1nH	500	1005	Infotainment
LQW15AN3N2C0Z	3.2	+/-0.2nH	500	1005	Infotainment
LQW15AN3N2D0Z	3.2	+/-0.5nH	500	1005	Infotainment
LQW15AN3N3B8Z	3.3	+/-0.1nH	2000	1005	Infotainment
LQW15AN3N3C8Z	3.3	+/-0.2nH	2000	1005	Infotainment
LQW15AN3N3D1Z	3.3	+/-0.5nH	900	1005	Infotainment
LQW15AN3N3D8Z	3.3	+/-0.5nH	2000	1005	Infotainment
LQW15AN3N3G8Z	3.3	+/-2%	2000	1005	Infotainment
LQW15AN3N4B8Z	3.4	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N4C1Z	3.4	+/-0.2nH	900	1005	Infotainment
LQW15AN3N4C8Z	3.4	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N4D1Z	3.4	+/-0.5nH	900	1005	Infotainment
LQW15AN3N4D8Z	3.4	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N4G8Z	3.4	+/-2%	1950	1005	Infotainment
LQW15AN3N5B8Z	3.5	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N5C1Z	3.5	+/-0.2nH	900	1005	Infotainment
LQW15AN3N5C8Z	3.5	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N5D1Z	3.5	+/-0.5nH	900	1005	Infotainment
LQW15AN3N5D8Z	3.5	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N5G8Z	3.5	+/-2%	1950	1005	Infotainment
LQW15AN3N6B8Z	3.6	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N6C1Z	3.6	+/-0.2nH	900	1005	Infotainment
LQW15AN3N6C8Z	3.6	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N6D1Z	3.6	+/-0.5nH	900	1005	Infotainment
LQW15AN3N6D8Z	3.6	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N6G8Z	3.6	+/-2%	1950	1005	Infotainment
LQW15AN3N7B8Z	3.7	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N7C8Z	3.7	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N7D8Z	3.7	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N7G8Z	3.7	+/-2%	1950	1005	Infotainment
LQW15AN3N8B8Z	3.8	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N8C1Z	3.8	+/-0.2nH	900	1005	Infotainment
LQW15AN3N8C8Z	3.8	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N8D1Z	3.8	+/-0.5nH	900	1005	Infotainment
LQW15AN3N8D8Z	3.8	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N8G8Z	3.8	+/-2%	1950	1005	Infotainment
LQW15AN3N9B0Z	3.9	+/-0.1nH	750	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN3N9B8Z	3.9	+/-0.1nH	1950	1005	Infotainment
LQW15AN3N9C0Z	3.9	+/-0.2nH	750	1005	Infotainment
LQW15AN3N9C8Z	3.9	+/-0.2nH	1950	1005	Infotainment
LQW15AN3N9D0Z	3.9	+/-0.5nH	750	1005	Infotainment
LQW15AN3N9D1Z	3.9	+/-0.5nH	900	1005	Infotainment
LQW15AN3N9D8Z	3.9	+/-0.5nH	1950	1005	Infotainment
LQW15AN3N9G8Z	3.9	+/-2%	1950	1005	Infotainment
LQW15AN40NG0Z	40	+/-2%	250	1005	Infotainment
LQW15AN40NH0Z	40	+/-3%	250	1005	Infotainment
LQW15AN40NJ0Z	40	+/-5%	250	1005	Infotainment
LQW15AN43NG0Z	43	+/-2%	250	1005	Infotainment
LQW15AN43NG8Z	43	+/-2%	515	1005	Infotainment
LQW15AN43NH0Z	43	+/-3%	250	1005	Infotainment
LQW15AN43NJ0Z	43	+/-5%	250	1005	Infotainment
LQW15AN43NJ8Z	43	+/-5%	515	1005	Infotainment
LQW15AN47NG0Z	47	+/-2%	210	1005	Infotainment
LQW15AN47NG8Z	47	+/-2%	440	1005	Infotainment
LQW15AN47NH0Z	47	+/-3%	210	1005	Infotainment
LQW15AN47NJ0Z	47	+/-5%	210	1005	Infotainment
LQW15AN47NJ8Z	47	+/-5%	440	1005	Infotainment
LQW15AN4N0B8Z	4	+/-0.1nH	1950	1005	Infotainment
LQW15AN4N0C1Z	4	+/-0.2nH	800	1005	Infotainment
LQW15AN4N0C8Z	4	+/-0.2nH	1950	1005	Infotainment
LQW15AN4N0D1Z	4	+/-0.5nH	800	1005	Infotainment
LQW15AN4N0D8Z	4	+/-0.5nH	1950	1005	Infotainment
LQW15AN4N0G8Z	4	+/-2%	1950	1005	Infotainment
LQW15AN4N1B0Z	4.1	+/-0.1nH	750	1005	Infotainment
LQW15AN4N1B8Z	4.1	+/-0.1nH	1800	1005	Infotainment
LQW15AN4N1C0Z	4.1	+/-0.2nH	750	1005	Infotainment
LQW15AN4N1C8Z	4.1	+/-0.2nH	1800	1005	Infotainment
LQW15AN4N1D0Z	4.1	+/-0.5nH	750	1005	Infotainment
LQW15AN4N1D8Z	4.1	+/-0.5nH	1800	1005	Infotainment
LQW15AN4N1G8Z	4.1	+/-2%	1800	1005	Infotainment
LQW15AN4N2B8Z	4.2	+/-0.1nH	1800	1005	Infotainment
LQW15AN4N2C1Z	4.2	+/-0.2nH	800	1005	Infotainment
LQW15AN4N2C8Z	4.2	+/-0.2nH	1800	1005	Infotainment
LQW15AN4N2D1Z	4.2	+/-0.5nH	800	1005	Infotainment
LQW15AN4N2D8Z	4.2	+/-0.5nH	1800	1005	Infotainment
LQW15AN4N2G8Z	4.2	+/-2%	1800	1005	Infotainment
LQW15AN4N3B0Z	4.3	+/-0.1nH	750	1005	Infotainment
LQW15AN4N3B8Z	4.3	+/-0.1nH	1800	1005	Infotainment
LQW15AN4N3C0Z	4.3	+/-0.2nH	750	1005	Infotainment
LQW15AN4N3C8Z	4.3	+/-0.2nH	1800	1005	Infotainment
LQW15AN4N3D0Z	4.3	+/-0.5nH	750	1005	Infotainment
LQW15AN4N3D8Z	4.3	+/-0.5nH	1800	1005	Infotainment
LQW15AN4N3G8Z	4.3	+/-2%	1800	1005	Infotainment
LQW15AN4N4B0Z	4.4	+/-0.1nH	750	1005	Infotainment
LQW15AN4N4B8Z	4.4	+/-0.1nH	1600	1005	Infotainment
LQW15AN4N4C0Z	4.4	+/-0.2nH	750	1005	Infotainment
LQW15AN4N4C8Z	4.4	+/-0.2nH	1600	1005	Infotainment
LQW15AN4N4D0Z	4.4	+/-0.5nH	750	1005	Infotainment
LQW15AN4N4D8Z	4.4	+/-0.5nH	1600	1005	Infotainment
LQW15AN4N4G8Z	4.4	+/-2%	1600	1005	Infotainment
LQW15AN4N5B0Z	4.5	+/-0.1nH	750	1005	Infotainment
LQW15AN4N5B8Z	4.5	+/-0.1nH	1450	1005	Infotainment
LQW15AN4N5C0Z	4.5	+/-0.2nH	750	1005	Infotainment
LQW15AN4N5C8Z	4.5	+/-0.2nH	1450	1005	Infotainment
LQW15AN4N5D0Z	4.5	+/-0.5nH	750	1005	Infotainment
LQW15AN4N5D8Z	4.5	+/-0.5nH	1450	1005	Infotainment
LQW15AN4N5G8Z	4.5	+/-2%	1450	1005	Infotainment
LQW15AN4N6B0Z	4.6	+/-0.1nH	750	1005	Infotainment
LQW15AN4N6B8Z	4.6	+/-0.1nH	1450	1005	Infotainment
LQW15AN4N6C0Z	4.6	+/-0.2nH	750	1005	Infotainment
LQW15AN4N6C8Z	4.6	+/-0.2nH	1450	1005	Infotainment
LQW15AN4N6D0Z	4.6	+/-0.5nH	750	1005	Infotainment
LQW15AN4N6D8Z	4.6	+/-0.5nH	1450	1005	Infotainment
LQW15AN4N6G8Z	4.6	+/-2%	1450	1005	Infotainment
LQW15AN4N7B0Z	4.7	+/-0.1nH	750	1005	Infotainment
LQW15AN4N7B8Z	4.7	+/-0.1nH	1200	1005	Infotainment
LQW15AN4N7C0Z	4.7	+/-0.2nH	750	1005	Infotainment
LQW15AN4N7C8Z	4.7	+/-0.2nH	1200	1005	Infotainment
LQW15AN4N7D0Z	4.7	+/-0.5nH	750	1005	Infotainment
LQW15AN4N7D1Z	4.7	+/-0.5nH	800	1005	Infotainment
LQW15AN4N7D8Z	4.7	+/-0.5nH	1200	1005	Infotainment
LQW15AN4N7G8Z	4.7	+/-2%	1200	1005	Infotainment
LQW15AN4N8B0Z	4.8	+/-0.1nH	750	1005	Infotainment
LQW15AN4N8B8Z	4.8	+/-0.1nH	1200	1005	Infotainment
LQW15AN4N8C0Z	4.8	+/-0.2nH	750	1005	Infotainment
LQW15AN4N8C8Z	4.8	+/-0.2nH	1200	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN4N8D0Z	4.8	+/-0.5nH	750	1005	Infotainment
LQW15AN4N8D8Z	4.8	+/-0.5nH	1200	1005	Infotainment
LQW15AN4N8G8Z	4.8	+/-2%	1200	1005	Infotainment
LQW15AN4N9B0Z	4.9	+/-0.1nH	600	1005	Infotainment
LQW15AN4N9B8Z	4.9	+/-0.1nH	1200	1005	Infotainment
LQW15AN4N9C0Z	4.9	+/-0.2nH	600	1005	Infotainment
LQW15AN4N9C8Z	4.9	+/-0.2nH	1200	1005	Infotainment
LQW15AN4N9D0Z	4.9	+/-0.5nH	600	1005	Infotainment
LQW15AN4N9D8Z	4.9	+/-0.5nH	1200	1005	Infotainment
LQW15AN4N9G8Z	4.9	+/-2%	1200	1005	Infotainment
LQW15AN51NG0Z	51	+/-2%	210	1005	Infotainment
LQW15AN51NG8Z	51	+/-2%	415	1005	Infotainment
LQW15AN51NH0Z	51	+/-3%	210	1005	Infotainment
LQW15AN51NJ0Z	51	+/-5%	210	1005	Infotainment
LQW15AN51NJ8Z	51	+/-5%	415	1005	Infotainment
LQW15AN53NG8Z	53	+/-2%	415	1005	Infotainment
LQW15AN53NJ8Z	53	+/-5%	415	1005	Infotainment
LQW15AN56NG0Z	56	+/-2%	200	1005	Infotainment
LQW15AN56NG8Z	56	+/-2%	340	1005	Infotainment
LQW15AN56NH0Z	56	+/-3%	200	1005	Infotainment
LQW15AN56NJ0Z	56	+/-5%	200	1005	Infotainment
LQW15AN56NJ8Z	56	+/-5%	340	1005	Infotainment
LQW15AN5N0B0Z	5	+/-0.1nH	600	1005	Infotainment
LQW15AN5N0B8Z	5	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N0C0Z	5	+/-0.2nH	600	1005	Infotainment
LQW15AN5N0C8Z	5	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N0D0Z	5	+/-0.5nH	600	1005	Infotainment
LQW15AN5N0D8Z	5	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N0G8Z	5	+/-2%	1770	1005	Infotainment
LQW15AN5N1B0Z	5.1	+/-0.1nH	600	1005	Infotainment
LQW15AN5N1B8Z	5.1	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N1C0Z	5.1	+/-0.2nH	600	1005	Infotainment
LQW15AN5N1C1Z	5.1	+/-0.2nH	800	1005	Infotainment
LQW15AN5N1C8Z	5.1	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N1D0Z	5.1	+/-0.5nH	600	1005	Infotainment
LQW15AN5N1D1Z	5.1	+/-0.5nH	800	1005	Infotainment
LQW15AN5N1D8Z	5.1	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N1G8Z	5.1	+/-2%	1770	1005	Infotainment
LQW15AN5N2B8Z	5.2	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N2C1Z	5.2	+/-0.2nH	800	1005	Infotainment
LQW15AN5N2C8Z	5.2	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N2D1Z	5.2	+/-0.5nH	800	1005	Infotainment
LQW15AN5N2D8Z	5.2	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N2G8Z	5.2	+/-2%	1770	1005	Infotainment
LQW15AN5N3B8Z	5.3	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N3C1Z	5.3	+/-0.2nH	800	1005	Infotainment
LQW15AN5N3C8Z	5.3	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N3D1Z	5.3	+/-0.5nH	800	1005	Infotainment
LQW15AN5N3D8Z	5.3	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N3G8Z	5.3	+/-2%	1770	1005	Infotainment
LQW15AN5N4B8Z	5.4	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N4C1Z	5.4	+/-0.2nH	800	1005	Infotainment
LQW15AN5N4C8Z	5.4	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N4D1Z	5.4	+/-0.5nH	800	1005	Infotainment
LQW15AN5N4D8Z	5.4	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N4G8Z	5.4	+/-2%	1770	1005	Infotainment
LQW15AN5N5B8Z	5.5	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N5C1Z	5.5	+/-0.2nH	800	1005	Infotainment
LQW15AN5N5C8Z	5.5	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N5D1Z	5.5	+/-0.5nH	800	1005	Infotainment
LQW15AN5N5D8Z	5.5	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N5G8Z	5.5	+/-2%	1770	1005	Infotainment
LQW15AN5N6B8Z	5.6	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N6C1Z	5.6	+/-0.2nH	800	1005	Infotainment
LQW15AN5N6C8Z	5.6	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N6D1Z	5.6	+/-0.5nH	800	1005	Infotainment
LQW15AN5N6D8Z	5.6	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N6G8Z	5.6	+/-2%	1770	1005	Infotainment
LQW15AN5N7B8Z	5.7	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N7C1Z	5.7	+/-0.2nH	800	1005	Infotainment
LQW15AN5N7C8Z	5.7	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N7D1Z	5.7	+/-0.5nH	800	1005	Infotainment
LQW15AN5N7D8Z	5.7	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N7G8Z	5.7	+/-2%	1770	1005	Infotainment
LQW15AN5N8B0Z	5.8	+/-0.1nH	700	1005	Infotainment
LQW15AN5N8B8Z	5.8	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N8C0Z	5.8	+/-0.2nH	700	1005	Infotainment
LQW15AN5N8C8Z	5.8	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N8D0Z	5.8	+/-0.5nH	700	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN5N8D8Z	5.8	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N8G8Z	5.8	+/-2%	1770	1005	Infotainment
LQW15AN5N9B8Z	5.9	+/-0.1nH	1770	1005	Infotainment
LQW15AN5N9C1Z	5.9	+/-0.2nH	760	1005	Infotainment
LQW15AN5N9C8Z	5.9	+/-0.2nH	1770	1005	Infotainment
LQW15AN5N9D1Z	5.9	+/-0.5nH	760	1005	Infotainment
LQW15AN5N9D8Z	5.9	+/-0.5nH	1770	1005	Infotainment
LQW15AN5N9G8Z	5.9	+/-2%	1770	1005	Infotainment
LQW15AN62NG0Z	62	+/-2%	145	1005	Infotainment
LQW15AN62NH0Z	62	+/-3%	145	1005	Infotainment
LQW15AN62NJ0Z	62	+/-5%	145	1005	Infotainment
LQW15AN68NG0Z	68	+/-2%	140	1005	Infotainment
LQW15AN68NG8Z	68	+/-2%	320	1005	Infotainment
LQW15AN68NJ0Z	68	+/-5%	140	1005	Infotainment
LQW15AN68NJ8Z	68	+/-5%	320	1005	Infotainment
LQW15AN6N0B8Z	6	+/-0.1nH	1600	1005	Infotainment
LQW15AN6N0C1Z	6	+/-0.2nH	760	1005	Infotainment
LQW15AN6N0C8Z	6	+/-0.2nH	1600	1005	Infotainment
LQW15AN6N0D1Z	6	+/-0.5nH	760	1005	Infotainment
LQW15AN6N0D8Z	6	+/-0.5nH	1600	1005	Infotainment
LQW15AN6N0G8Z	6	+/-2%	1600	1005	Infotainment
LQW15AN6N1B8Z	6.1	+/-0.1nH	1600	1005	Infotainment
LQW15AN6N1C1Z	6.1	+/-0.2nH	760	1005	Infotainment
LQW15AN6N1C8Z	6.1	+/-0.2nH	1600	1005	Infotainment
LQW15AN6N1D1Z	6.1	+/-0.5nH	760	1005	Infotainment
LQW15AN6N1D8Z	6.1	+/-0.5nH	1600	1005	Infotainment
LQW15AN6N1G8Z	6.1	+/-2%	1600	1005	Infotainment
LQW15AN6N2B0Z	6.2	+/-0.1nH	700	1005	Infotainment
LQW15AN6N2B8Z	6.2	+/-0.1nH	1600	1005	Infotainment
LQW15AN6N2C0Z	6.2	+/-0.2nH	700	1005	Infotainment
LQW15AN6N2C8Z	6.2	+/-0.2nH	1600	1005	Infotainment
LQW15AN6N2D0Z	6.2	+/-0.5nH	700	1005	Infotainment
LQW15AN6N2D8Z	6.2	+/-0.5nH	1600	1005	Infotainment
LQW15AN6N2G8Z	6.2	+/-2%	1600	1005	Infotainment
LQW15AN6N3B0Z	6.3	+/-0.1nH	700	1005	Infotainment
LQW15AN6N3C0Z	6.3	+/-0.2nH	700	1005	Infotainment
LQW15AN6N3D0Z	6.3	+/-0.5nH	700	1005	Infotainment
LQW15AN6N3G8Z	6.3	+/-2%	1600	1005	Infotainment
LQW15AN6N3J8Z	6.3	+/-5%	1600	1005	Infotainment
LQW15AN6N4B0Z	6.4	+/-0.1nH	700	1005	Infotainment
LQW15AN6N4C0Z	6.4	+/-0.2nH	700	1005	Infotainment
LQW15AN6N4D0Z	6.4	+/-0.5nH	700	1005	Infotainment
LQW15AN6N4G8Z	6.4	+/-2%	1380	1005	Infotainment
LQW15AN6N4J8Z	6.4	+/-5%	1380	1005	Infotainment
LQW15AN6N5B0Z	6.5	+/-0.1nH	700	1005	Infotainment
LQW15AN6N5C0Z	6.5	+/-0.2nH	700	1005	Infotainment
LQW15AN6N5D0Z	6.5	+/-0.5nH	700	1005	Infotainment
LQW15AN6N5G8Z	6.5	+/-2%	1380	1005	Infotainment
LQW15AN6N5J8Z	6.5	+/-5%	1380	1005	Infotainment
LQW15AN6N6B0Z	6.6	+/-0.1nH	700	1005	Infotainment
LQW15AN6N6C0Z	6.6	+/-0.2nH	700	1005	Infotainment
LQW15AN6N6D0Z	6.6	+/-0.5nH	700	1005	Infotainment
LQW15AN6N6G8Z	6.6	+/-2%	1280	1005	Infotainment
LQW15AN6N6J8Z	6.6	+/-5%	1280	1005	Infotainment
LQW15AN6N7B0Z	6.7	+/-0.1nH	700	1005	Infotainment
LQW15AN6N7C0Z	6.7	+/-0.2nH	700	1005	Infotainment
LQW15AN6N7D0Z	6.7	+/-0.5nH	700	1005	Infotainment
LQW15AN6N7G8Z	6.7	+/-2%	1280	1005	Infotainment
LQW15AN6N7J8Z	6.7	+/-5%	1280	1005	Infotainment
LQW15AN6N8G0Z	6.8	+/-2%	700	1005	Infotainment
LQW15AN6N8G8Z	6.8	+/-2%	1450	1005	Infotainment
LQW15AN6N8H0Z	6.8	+/-3%	700	1005	Infotainment
LQW15AN6N8J0Z	6.8	+/-5%	700	1005	Infotainment
LQW15AN6N8J8Z	6.8	+/-5%	1450	1005	Infotainment
LQW15AN6N9G0Z	6.9	+/-2%	570	1005	Infotainment
LQW15AN6N9G8Z	6.9	+/-2%	1420	1005	Infotainment
LQW15AN6N9H0Z	6.9	+/-3%	570	1005	Infotainment
LQW15AN6N9J0Z	6.9	+/-5%	570	1005	Infotainment
LQW15AN6N9J8Z	6.9	+/-5%	1420	1005	Infotainment
LQW15AN72NG0Z	72	+/-2%	135	1005	Infotainment
LQW15AN72NJ0Z	72	+/-5%	135	1005	Infotainment
LQW15AN75NG0Z	75	+/-2%	135	1005	Infotainment
LQW15AN75NG8Z	75	+/-2%	320	1005	Infotainment
LQW15AN75NJ0Z	75	+/-5%	135	1005	Infotainment
LQW15AN75NJ8Z	75	+/-5%	320	1005	Infotainment
LQW15AN7N0G0Z	7	+/-2%	570	1005	Infotainment
LQW15AN7N0G8Z	7	+/-2%	1420	1005	Infotainment
LQW15AN7N0H0Z	7	+/-3%	570	1005	Infotainment
LQW15AN7N0J0Z	7	+/-5%	570	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN7N0J8Z	7	+/-5%	1420	1005	Infotainment
LQW15AN7N1G0Z	7.1	+/-2%	570	1005	Infotainment
LQW15AN7N1G8Z	7.1	+/-2%	1420	1005	Infotainment
LQW15AN7N1H0Z	7.1	+/-3%	570	1005	Infotainment
LQW15AN7N1J0Z	7.1	+/-5%	570	1005	Infotainment
LQW15AN7N1J8Z	7.1	+/-5%	1420	1005	Infotainment
LQW15AN7N2G0Z	7.2	+/-2%	570	1005	Infotainment
LQW15AN7N2G8Z	7.2	+/-2%	1700	1005	Infotainment
LQW15AN7N2H0Z	7.2	+/-3%	570	1005	Infotainment
LQW15AN7N2J0Z	7.2	+/-5%	570	1005	Infotainment
LQW15AN7N2J8Z	7.2	+/-5%	1700	1005	Infotainment
LQW15AN7N3G0Z	7.3	+/-2%	570	1005	Infotainment
LQW15AN7N3G8Z	7.3	+/-2%	1700	1005	Infotainment
LQW15AN7N3H0Z	7.3	+/-3%	570	1005	Infotainment
LQW15AN7N3J0Z	7.3	+/-5%	570	1005	Infotainment
LQW15AN7N3J8Z	7.3	+/-5%	1700	1005	Infotainment
LQW15AN7N4C1Z	7.4	+/-0.2nH	750	1005	Infotainment
LQW15AN7N4D1Z	7.4	+/-0.5nH	750	1005	Infotainment
LQW15AN7N4G8Z	7.4	+/-2%	1700	1005	Infotainment
LQW15AN7N4J8Z	7.4	+/-5%	1700	1005	Infotainment
LQW15AN7N5G0Z	7.5	+/-2%	570	1005	Infotainment
LQW15AN7N5G8Z	7.5	+/-2%	1700	1005	Infotainment
LQW15AN7N5H0Z	7.5	+/-3%	570	1005	Infotainment
LQW15AN7N5J0Z	7.5	+/-5%	570	1005	Infotainment
LQW15AN7N5J8Z	7.5	+/-5%	1700	1005	Infotainment
LQW15AN7N6C1Z	7.6	+/-0.2nH	750	1005	Infotainment
LQW15AN7N6D1Z	7.6	+/-0.5nH	750	1005	Infotainment
LQW15AN7N6G8Z	7.6	+/-2%	1700	1005	Infotainment
LQW15AN7N6J8Z	7.6	+/-5%	1700	1005	Infotainment
LQW15AN7N7C1Z	7.7	+/-0.2nH	750	1005	Infotainment
LQW15AN7N7D1Z	7.7	+/-0.5nH	750	1005	Infotainment
LQW15AN7N7G8Z	7.7	+/-2%	1700	1005	Infotainment
LQW15AN7N7J8Z	7.7	+/-5%	1700	1005	Infotainment
LQW15AN7N8C1Z	7.8	+/-0.2nH	750	1005	Infotainment
LQW15AN7N8D1Z	7.8	+/-0.5nH	750	1005	Infotainment
LQW15AN7N8G8Z	7.8	+/-2%	1700	1005	Infotainment
LQW15AN7N8J8Z	7.8	+/-5%	1700	1005	Infotainment
LQW15AN7N9C1Z	7.9	+/-0.2nH	640	1005	Infotainment
LQW15AN7N9D1Z	7.9	+/-0.5nH	640	1005	Infotainment
LQW15AN7N9G8Z	7.9	+/-2%	1700	1005	Infotainment
LQW15AN7N9J8Z	7.9	+/-5%	1700	1005	Infotainment
LQW15AN82NG0Z	82	+/-2%	130	1005	Infotainment
LQW15AN82NJ0Z	82	+/-5%	130	1005	Infotainment
LQW15AN8N0C1Z	8	+/-0.2nH	640	1005	Infotainment
LQW15AN8N0D1Z	8	+/-0.5nH	640	1005	Infotainment
LQW15AN8N0G8Z	8	+/-2%	1700	1005	Infotainment
LQW15AN8N0J8Z	8	+/-5%	1700	1005	Infotainment
LQW15AN8N1C1Z	8.1	+/-0.2nH	640	1005	Infotainment
LQW15AN8N1D1Z	8.1	+/-0.5nH	640	1005	Infotainment
LQW15AN8N1G8Z	8.1	+/-2%	1500	1005	Infotainment
LQW15AN8N1J8Z	8.1	+/-5%	1500	1005	Infotainment
LQW15AN8N2G0Z	8.2	+/-2%	540	1005	Infotainment
LQW15AN8N2G8Z	8.2	+/-2%	1500	1005	Infotainment
LQW15AN8N2H0Z	8.2	+/-3%	540	1005	Infotainment
LQW15AN8N2J0Z	8.2	+/-5%	540	1005	Infotainment
LQW15AN8N2J8Z	8.2	+/-5%	1500	1005	Infotainment
LQW15AN8N3C1Z	8.3	+/-0.2nH	640	1005	Infotainment
LQW15AN8N3D1Z	8.3	+/-0.5nH	640	1005	Infotainment
LQW15AN8N3G8Z	8.3	+/-2%	1500	1005	Infotainment
LQW15AN8N3J8Z	8.3	+/-5%	1500	1005	Infotainment
LQW15AN8N4C1Z	8.4	+/-0.2nH	640	1005	Infotainment
LQW15AN8N4D1Z	8.4	+/-0.5nH	640	1005	Infotainment
LQW15AN8N4G8Z	8.4	+/-2%	1500	1005	Infotainment
LQW15AN8N4J8Z	8.4	+/-5%	1500	1005	Infotainment
LQW15AN8N5G8Z	8.5	+/-2%	1500	1005	Infotainment
LQW15AN8N5J8Z	8.5	+/-5%	1500	1005	Infotainment
LQW15AN8N6G0Z	8.6	+/-2%	540	1005	Infotainment
LQW15AN8N6G8Z	8.6	+/-2%	1420	1005	Infotainment
LQW15AN8N6H0Z	8.6	+/-3%	540	1005	Infotainment
LQW15AN8N6J0Z	8.6	+/-5%	540	1005	Infotainment
LQW15AN8N6J8Z	8.6	+/-5%	1420	1005	Infotainment
LQW15AN8N7G0Z	8.7	+/-2%	540	1005	Infotainment
LQW15AN8N7G8Z	8.7	+/-2%	1420	1005	Infotainment
LQW15AN8N7H0Z	8.7	+/-3%	540	1005	Infotainment
LQW15AN8N7J0Z	8.7	+/-5%	540	1005	Infotainment
LQW15AN8N7J8Z	8.7	+/-5%	1420	1005	Infotainment
LQW15AN8N8G0Z	8.8	+/-2%	540	1005	Infotainment
LQW15AN8N8G8Z	8.8	+/-2%	1420	1005	Infotainment
LQW15AN8N8H0Z	8.8	+/-3%	540	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15AN8N8J0Z	8.8	+/-5%	540	1005	Infotainment
LQW15AN8N8J8Z	8.8	+/-5%	1420	1005	Infotainment
LQW15AN8N9G0Z	8.9	+/-2%	540	1005	Infotainment
LQW15AN8N9G8Z	8.9	+/-2%	1420	1005	Infotainment
LQW15AN8N9H0Z	8.9	+/-3%	540	1005	Infotainment
LQW15AN8N9J0Z	8.9	+/-5%	540	1005	Infotainment
LQW15AN8N9J8Z	8.9	+/-5%	1420	1005	Infotainment
LQW15AN91NG0Z	91	+/-2%	125	1005	Infotainment
LQW15AN91NJ0Z	91	+/-5%	125	1005	Infotainment
LQW15AN9N0G0Z	9	+/-2%	540	1005	Infotainment
LQW15AN9N0G8Z	9	+/-2%	1420	1005	Infotainment
LQW15AN9N0H0Z	9	+/-3%	540	1005	Infotainment
LQW15AN9N0J0Z	9	+/-5%	540	1005	Infotainment
LQW15AN9N0J8Z	9	+/-5%	1420	1005	Infotainment
LQW15AN9N1G0Z	9.1	+/-2%	540	1005	Infotainment
LQW15AN9N1G8Z	9.1	+/-2%	1400	1005	Infotainment
LQW15AN9N1H0Z	9.1	+/-3%	540	1005	Infotainment
LQW15AN9N1J0Z	9.1	+/-5%	540	1005	Infotainment
LQW15AN9N1J8Z	9.1	+/-5%	1400	1005	Infotainment
LQW15AN9N2G0Z	9.2	+/-2%	540	1005	Infotainment
LQW15AN9N2G8Z	9.2	+/-2%	1400	1005	Infotainment
LQW15AN9N2H0Z	9.2	+/-3%	540	1005	Infotainment
LQW15AN9N2J0Z	9.2	+/-5%	540	1005	Infotainment
LQW15AN9N2J8Z	9.2	+/-5%	1400	1005	Infotainment
LQW15AN9N3G0Z	9.3	+/-2%	540	1005	Infotainment
LQW15AN9N3G8Z	9.3	+/-2%	1400	1005	Infotainment
LQW15AN9N3H0Z	9.3	+/-3%	540	1005	Infotainment
LQW15AN9N3J0Z	9.3	+/-5%	540	1005	Infotainment
LQW15AN9N3J8Z	9.3	+/-5%	1400	1005	Infotainment
LQW15AN9N4G0Z	9.4	+/-2%	540	1005	Infotainment
LQW15AN9N4G8Z	9.4	+/-2%	1400	1005	Infotainment
LQW15AN9N4H0Z	9.4	+/-3%	540	1005	Infotainment
LQW15AN9N4J0Z	9.4	+/-5%	540	1005	Infotainment
LQW15AN9N4J8Z	9.4	+/-5%	1400	1005	Infotainment
LQW15AN9N5G0Z	9.5	+/-2%	540	1005	Infotainment
LQW15AN9N5G8Z	9.5	+/-2%	1400	1005	Infotainment
LQW15AN9N5H0Z	9.5	+/-3%	540	1005	Infotainment
LQW15AN9N5J0Z	9.5	+/-5%	540	1005	Infotainment
LQW15AN9N5J8Z	9.5	+/-5%	1400	1005	Infotainment
LQW15AN9N6G0Z	9.6	+/-2%	540	1005	Infotainment
LQW15AN9N6G8Z	9.6	+/-2%	1400	1005	Infotainment
LQW15AN9N6H0Z	9.6	+/-3%	540	1005	Infotainment
LQW15AN9N6J0Z	9.6	+/-5%	540	1005	Infotainment
LQW15AN9N6J8Z	9.6	+/-5%	1400	1005	Infotainment
LQW15AN9N7G0Z	9.7	+/-2%	540	1005	Infotainment
LQW15AN9N7G8Z	9.7	+/-2%	1400	1005	Infotainment
LQW15AN9N7H0Z	9.7	+/-3%	540	1005	Infotainment
LQW15AN9N7J0Z	9.7	+/-5%	540	1005	Infotainment
LQW15AN9N7J8Z	9.7	+/-5%	1400	1005	Infotainment
LQW15AN9N8G0Z	9.8	+/-2%	540	1005	Infotainment
LQW15AN9N8G8Z	9.8	+/-2%	1400	1005	Infotainment
LQW15AN9N8H0Z	9.8	+/-3%	540	1005	Infotainment
LQW15AN9N8J0Z	9.8	+/-5%	540	1005	Infotainment
LQW15AN9N8J8Z	9.8	+/-5%	1400	1005	Infotainment
LQW15AN9N9G0Z	9.9	+/-2%	540	1005	Infotainment
LQW15AN9N9G8Z	9.9	+/-2%	1400	1005	Infotainment
LQW15AN9N9H0Z	9.9	+/-3%	540	1005	Infotainment
LQW15AN9N9J0Z	9.9	+/-5%	540	1005	Infotainment
LQW15AN9N9J8Z	9.9	+/-5%	1400	1005	Infotainment
LQW15ANR10J0Z	100	+/-5%	120	1005	Infotainment
LQW15ANR12J0Z	120	+/-5%	110	1005	Infotainment
LQW15CN18NJ0Z	18	+/-5%	1400	1005	Infotainment
LQW15CN20NJ1Z	20	+/-5%	2200	1005	Infotainment
LQW15CN20NK1Z	20	+/-10%	2200	1005	Infotainment
LQW15CN33NJ0Z	33	+/-5%	1300	1005	Infotainment
LQW15CN34NJ1Z	34	+/-5%	1800	1005	Infotainment
LQW15CN34NK1Z	34	+/-10%	1800	1005	Infotainment
LQW15CN48NJ0Z	48	+/-5%	1100	1005	Infotainment
LQW15CN53NJ1Z	53	+/-5%	1300	1005	Infotainment
LQW15CN53NK1Z	53	+/-10%	1300	1005	Infotainment
LQW15CN70NJ0Z	70	+/-5%	820	1005	Infotainment
LQW15CN77NJ1Z	77	+/-5%	1100	1005	Infotainment
LQW15CN77NK1Z	77	+/-10%	1100	1005	Infotainment
LQW15CN96NJ0Z	96	+/-5%	730	1005	Infotainment
LQW15CNR11J1Z	106	+/-5%	850	1005	Infotainment
LQW15CNR11K1Z	106	+/-10%	850	1005	Infotainment
LQW15CNR13J0Z	130	+/-5%	640	1005	Infotainment
LQW15CNR14J1Z	140	+/-5%	650	1005	Infotainment
LQW15CNR14K1Z	140	+/-10%	650	1005	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW15CNR16J0Z	160	+/-5%	480	1005	Infotainment
LQW15CNR18J1Z	180	+/-5%	560	1005	Infotainment
LQW15CNR18K1Z	180	+/-10%	560	1005	Infotainment
LQW15CNR20J0Z	200	+/-5%	390	1005	Infotainment
LQW15CNR22J1Z	220	+/-5%	450	1005	Infotainment
LQW15CNR22K1Z	220	+/-10%	450	1005	Infotainment
LQW15CNR27J1Z	270	+/-5%	420	1005	Infotainment
LQW15CNR27K1Z	270	+/-10%	420	1005	Infotainment
LQW15CNR33J1Z	330	+/-5%	390	1005	Infotainment
LQW15CNR33K1Z	330	+/-10%	390	1005	Infotainment
LQW15CNR39J1Z	390	+/-5%	370	1005	Infotainment
LQW15CNR39K1Z	390	+/-10%	370	1005	Infotainment
LQW15CNR42J1Z	420	+/-5%	370	1005	Infotainment
LQW15CNR42K1Z	420	+/-10%	370	1005	Infotainment
LQW15CNR47J1Z	470	+/-5%	350	1005	Infotainment
LQW15CNR47K1Z	470	+/-10%	350	1005	Infotainment
LQW15CNR56J1Z	560	+/-5%	300	1005	Infotainment
LQW15CNR56K1Z	560	+/-10%	300	1005	Infotainment
LQW18AN10NG0Z	10	+/-2%	650	1608	Infotainment
LQW18AN10NG1Z	10	+/-2%	800	1608	Infotainment
LQW18AN10NG8Z	10	+/-2%	1600	1608	Infotainment
LQW18AN10NJ0Z	10	+/-5%	650	1608	Infotainment
LQW18AN10NJ1Z	10	+/-5%	800	1608	Infotainment
LQW18AN10NJ8Z	10	+/-5%	1600	1608	Infotainment
LQW18AN11NG0Z	11	+/-2%	650	1608	Infotainment
LQW18AN11NG8Z	11	+/-2%	1600	1608	Infotainment
LQW18AN11NJ0Z	11	+/-5%	650	1608	Infotainment
LQW18AN11NJ8Z	11	+/-5%	1600	1608	Infotainment
LQW18AN12NG0Z	12	+/-2%	600	1608	Infotainment
LQW18AN12NG1Z	12	+/-2%	750	1608	Infotainment
LQW18AN12NG8Z	12	+/-2%	1500	1608	Infotainment
LQW18AN12NJ0Z	12	+/-5%	600	1608	Infotainment
LQW18AN12NJ1Z	12	+/-5%	750	1608	Infotainment
LQW18AN12NJ8Z	12	+/-5%	1500	1608	Infotainment
LQW18AN13NG0Z	13	+/-2%	600	1608	Infotainment
LQW18AN13NG8Z	13	+/-2%	1500	1608	Infotainment
LQW18AN13NJ0Z	13	+/-5%	600	1608	Infotainment
LQW18AN13NJ8Z	13	+/-5%	1500	1608	Infotainment
LQW18AN15NG0Z	15	+/-2%	600	1608	Infotainment
LQW18AN15NG8Z	15	+/-2%	1400	1608	Infotainment
LQW18AN15NJ0Z	15	+/-5%	600	1608	Infotainment
LQW18AN15NJ1Z	15	+/-5%	700	1608	Infotainment
LQW18AN15NJ8Z	15	+/-5%	1400	1608	Infotainment
LQW18AN16NG0Z	16	+/-2%	550	1608	Infotainment
LQW18AN16NG8Z	16	+/-2%	1400	1608	Infotainment
LQW18AN16NJ0Z	16	+/-5%	550	1608	Infotainment
LQW18AN16NJ8Z	16	+/-5%	1400	1608	Infotainment
LQW18AN17NG8Z	17	+/-2%	1400	1608	Infotainment
LQW18AN17NJ8Z	17	+/-5%	1400	1608	Infotainment
LQW18AN18NG0Z	18	+/-2%	550	1608	Infotainment
LQW18AN18NG1Z	18	+/-2%	700	1608	Infotainment
LQW18AN18NG8Z	18	+/-2%	1400	1608	Infotainment
LQW18AN18NJ0Z	18	+/-5%	550	1608	Infotainment
LQW18AN18NJ1Z	18	+/-5%	700	1608	Infotainment
LQW18AN18NJ8Z	18	+/-5%	1400	1608	Infotainment
LQW18AN19NG8Z	19	+/-2%	1400	1608	Infotainment
LQW18AN19NJ8Z	19	+/-5%	1400	1608	Infotainment
LQW18AN20NG0Z	20	+/-2%	550	1608	Infotainment
LQW18AN20NJ0Z	20	+/-5%	550	1608	Infotainment
LQW18AN22NG0Z	22	+/-2%	500	1608	Infotainment
LQW18AN22NG1Z	22	+/-2%	640	1608	Infotainment
LQW18AN22NG8Z	22	+/-2%	1300	1608	Infotainment
LQW18AN22NJ0Z	22	+/-5%	500	1608	Infotainment
LQW18AN22NJ1Z	22	+/-5%	640	1608	Infotainment
LQW18AN22NJ8Z	22	+/-5%	1300	1608	Infotainment
LQW18AN23NG8Z	23	+/-2%	1300	1608	Infotainment
LQW18AN23NJ8Z	23	+/-5%	1300	1608	Infotainment
LQW18AN24NG0Z	24	+/-2%	500	1608	Infotainment
LQW18AN24NG8Z	24	+/-2%	1300	1608	Infotainment
LQW18AN24NJ0Z	24	+/-5%	500	1608	Infotainment
LQW18AN24NJ8Z	24	+/-5%	1300	1608	Infotainment
LQW18AN25NG8Z	25	+/-2%	1200	1608	Infotainment
LQW18AN25NJ8Z	25	+/-5%	1200	1608	Infotainment
LQW18AN27NG0Z	27	+/-2%	440	1608	Infotainment
LQW18AN27NG1Z	27	+/-2%	590	1608	Infotainment
LQW18AN27NG8Z	27	+/-2%	1200	1608	Infotainment
LQW18AN27NJ0Z	27	+/-5%	440	1608	Infotainment
LQW18AN27NJ1Z	27	+/-5%	590	1608	Infotainment
LQW18AN27NJ8Z	27	+/-5%	1200	1608	Infotainment



Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AN28NG8Z	28	+/-2%	1200	1608	Infotainment
LQW18AN28NJ8Z	28	+/-5%	1200	1608	Infotainment
LQW18AN2N2C8Z	2.2	+/-0.2nH	3200	1608	Infotainment
LQW18AN2N2D0Z	2.2	+/-0.5nH	700	1608	Infotainment
LQW18AN2N2D1Z	2.2	+/-0.5nH	1400	1608	Infotainment
LQW18AN2N4C8Z	2.4	+/-0.2nH	2400	1608	Infotainment
LQW18AN30NG0Z	30	+/-2%	420	1608	Infotainment
LQW18AN30NG8Z	30	+/-2%	1100	1608	Infotainment
LQW18AN30NJ0Z	30	+/-5%	420	1608	Infotainment
LQW18AN30NJ8Z	30	+/-5%	1100	1608	Infotainment
LQW18AN31NG8Z	31	+/-2%	1100	1608	Infotainment
LQW18AN31NJ8Z	31	+/-5%	1100	1608	Infotainment
LQW18AN33NG0Z	33	+/-2%	420	1608	Infotainment
LQW18AN33NG8Z	33	+/-2%	1100	1608	Infotainment
LQW18AN33NJ0Z	33	+/-5%	420	1608	Infotainment
LQW18AN33NJ1Z	33	+/-5%	550	1608	Infotainment
LQW18AN33NJ8Z	33	+/-5%	1100	1608	Infotainment
LQW18AN34NG8Z	34	+/-2%	1050	1608	Infotainment
LQW18AN34NJ8Z	34	+/-5%	1050	1608	Infotainment
LQW18AN36NG0Z	36	+/-2%	400	1608	Infotainment
LQW18AN36NG8Z	36	+/-2%	910	1608	Infotainment
LQW18AN36NJ0Z	36	+/-5%	400	1608	Infotainment
LQW18AN36NJ8Z	36	+/-5%	910	1608	Infotainment
LQW18AN37NG8Z	37	+/-2%	910	1608	Infotainment
LQW18AN37NJ8Z	37	+/-5%	910	1608	Infotainment
LQW18AN39NG0Z	39	+/-2%	400	1608	Infotainment
LQW18AN39NG8Z	39	+/-2%	1000	1608	Infotainment
LQW18AN39NJ0Z	39	+/-5%	400	1608	Infotainment
LQW18AN39NJ8Z	39	+/-5%	1000	1608	Infotainment
LQW18AN3N0C8Z	3	+/-0.2nH	670	1608	Infotainment
LQW18AN3N6C0Z	3.6	+/-0.2nH	850	1608	Infotainment
LQW18AN3N6D0Z	3.6	+/-0.5nH	850	1608	Infotainment
LQW18AN3N9B8Z	3.9	+/-0.1nH	2200	1608	Infotainment
LQW18AN3N9C0Z	3.9	+/-0.2nH	850	1608	Infotainment
LQW18AN3N9C1Z	3.9	+/-0.2nH	1000	1608	Infotainment
LQW18AN3N9C8Z	3.9	+/-0.2nH	2200	1608	Infotainment
LQW18AN3N9D0Z	3.9	+/-0.5nH	850	1608	Infotainment
LQW18AN3N9D1Z	3.9	+/-0.5nH	1000	1608	Infotainment
LQW18AN3N9G8Z	3.9	+/-2%	2200	1608	Infotainment
LQW18AN41NG8Z	41	+/-2%	1000	1608	Infotainment
LQW18AN41NJ8Z	41	+/-5%	1000	1608	Infotainment
LQW18AN43NG0Z	43	+/-2%	380	1608	Infotainment
LQW18AN43NG8Z	43	+/-2%	840	1608	Infotainment
LQW18AN43NJ0Z	43	+/-5%	380	1608	Infotainment
LQW18AN43NJ8Z	43	+/-5%	840	1608	Infotainment
LQW18AN44NG8Z	44	+/-2%	840	1608	Infotainment
LQW18AN44NJ8Z	44	+/-5%	840	1608	Infotainment
LQW18AN47NG0Z	47	+/-2%	380	1608	Infotainment
LQW18AN47NG8Z	47	+/-2%	830	1608	Infotainment
LQW18AN47NJ0Z	47	+/-5%	380	1608	Infotainment
LQW18AN47NJ8Z	47	+/-5%	830	1608	Infotainment
LQW18AN48NG8Z	48	+/-2%	830	1608	Infotainment
LQW18AN48NJ8Z	48	+/-5%	830	1608	Infotainment
LQW18AN4N1B8Z	4.1	+/-0.1nH	2200	1608	Infotainment
LQW18AN4N1C8Z	4.1	+/-0.2nH	2200	1608	Infotainment
LQW18AN4N1G8Z	4.1	+/-2%	2200	1608	Infotainment
LQW18AN4N2B8Z	4.2	+/-0.1nH	2200	1608	Infotainment
LQW18AN4N2C8Z	4.2	+/-0.2nH	2200	1608	Infotainment
LQW18AN4N2G8Z	4.2	+/-2%	2200	1608	Infotainment
LQW18AN4N3B8Z	4.3	+/-0.1nH	2100	1608	Infotainment
LQW18AN4N3C0Z	4.3	+/-0.2nH	850	1608	Infotainment
LQW18AN4N3C8Z	4.3	+/-0.2nH	2100	1608	Infotainment
LQW18AN4N3D0Z	4.3	+/-0.5nH	850	1608	Infotainment
LQW18AN4N3G8Z	4.3	+/-2%	2100	1608	Infotainment
LQW18AN4N7B8Z	4.7	+/-0.1nH	1500	1608	Infotainment
LQW18AN4N7C8Z	4.7	+/-0.2nH	1500	1608	Infotainment
LQW18AN4N7D0Z	4.7	+/-0.5nH	850	1608	Infotainment
LQW18AN4N7G8Z	4.7	+/-2%	1500	1608	Infotainment
LQW18AN4N9B8Z	4.9	+/-0.1nH	1200	1608	Infotainment
LQW18AN4N9C8Z	4.9	+/-0.2nH	1200	1608	Infotainment
LQW18AN4N9G8Z	4.9	+/-2%	1200	1608	Infotainment
LQW18AN51NG0Z	51	+/-2%	370	1608	Infotainment
LQW18AN51NG8Z	51	+/-2%	830	1608	Infotainment
LQW18AN51NJ0Z	51	+/-5%	370	1608	Infotainment
LQW18AN51NJ8Z	51	+/-5%	830	1608	Infotainment
LQW18AN52NG8Z	52	+/-2%	750	1608	Infotainment
LQW18AN52NJ8Z	52	+/-5%	750	1608	Infotainment
LQW18AN56NG0Z	56	+/-2%	360	1608	Infotainment
LQW18AN56NG8Z	56	+/-2%	770	1608	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18AN56NJ0Z	56	+/-5%	360	1608	Infotainment
LQW18AN56NJ8Z	56	+/-5%	770	1608	Infotainment
LQW18AN58NG8Z	58	+/-2%	700	1608	Infotainment
LQW18AN58NJ8Z	58	+/-5%	700	1608	Infotainment
LQW18AN5N6C0Z	5.6	+/-0.2nH	750	1608	Infotainment
LQW18AN5N6C8Z	5.6	+/-0.2nH	1900	1608	Infotainment
LQW18AN5N6D0Z	5.6	+/-0.5nH	750	1608	Infotainment
LQW18AN5N6D1Z	5.6	+/-0.5nH	900	1608	Infotainment
LQW18AN5N6G8Z	5.6	+/-2%	1900	1608	Infotainment
LQW18AN62NG0Z	62	+/-2%	280	1608	Infotainment
LQW18AN62NJ0Z	62	+/-5%	280	1608	Infotainment
LQW18AN68NG0Z	68	+/-2%	340	1608	Infotainment
LQW18AN68NG8Z	68	+/-2%	630	1608	Infotainment
LQW18AN68NJ0Z	68	+/-5%	340	1608	Infotainment
LQW18AN68NJ8Z	68	+/-5%	630	1608	Infotainment
LQW18AN69NG8Z	69	+/-2%	630	1608	Infotainment
LQW18AN69NJ8Z	69	+/-5%	630	1608	Infotainment
LQW18AN6N0C8Z	6	+/-0.2nH	1900	1608	Infotainment
LQW18AN6N0G8Z	6	+/-2%	1900	1608	Infotainment
LQW18AN6N2C0Z	6.2	+/-0.2nH	750	1608	Infotainment
LQW18AN6N2D0Z	6.2	+/-0.5nH	750	1608	Infotainment
LQW18AN6N5C8Z	6.5	+/-0.2nH	1900	1608	Infotainment
LQW18AN6N5G8Z	6.5	+/-2%	1900	1608	Infotainment
LQW18AN6N8C0Z	6.8	+/-0.2nH	750	1608	Infotainment
LQW18AN6N8C1Z	6.8	+/-0.2nH	900	1608	Infotainment
LQW18AN6N8C8Z	6.8	+/-0.2nH	1900	1608	Infotainment
LQW18AN6N8D0Z	6.8	+/-0.5nH	750	1608	Infotainment
LQW18AN6N8D1Z	6.8	+/-0.5nH	900	1608	Infotainment
LQW18AN6N8G8Z	6.8	+/-2%	1900	1608	Infotainment
LQW18AN72NG0Z	72	+/-2%	270	1608	Infotainment
LQW18AN72NG8Z	72	+/-2%	560	1608	Infotainment
LQW18AN72NJ0Z	72	+/-5%	270	1608	Infotainment
LQW18AN72NJ8Z	72	+/-5%	560	1608	Infotainment
LQW18AN73NG8Z	73	+/-2%	590	1608	Infotainment
LQW18AN73NJ8Z	73	+/-5%	590	1608	Infotainment
LQW18AN75NG0Z	75	+/-2%	270	1608	Infotainment
LQW18AN75NG8Z	75	+/-2%	590	1608	Infotainment
LQW18AN75NJ0Z	75	+/-5%	270	1608	Infotainment
LQW18AN75NJ8Z	75	+/-5%	590	1608	Infotainment
LQW18AN78NG8Z	78	+/-2%	590	1608	Infotainment
LQW18AN78NJ8Z	78	+/-5%	590	1608	Infotainment
LQW18AN7N2C8Z	7.2	+/-0.2nH	1900	1608	Infotainment
LQW18AN7N2G8Z	7.2	+/-2%	1900	1608	Infotainment
LQW18AN7N5C0Z	7.5	+/-0.2nH	750	1608	Infotainment
LQW18AN7N5C8Z	7.5	+/-0.2nH	1500	1608	Infotainment
LQW18AN7N5D0Z	7.5	+/-0.5nH	750	1608	Infotainment
LQW18AN7N5G8Z	7.5	+/-2%	1500	1608	Infotainment
LQW18AN82NG0Z	82	+/-2%	250	1608	Infotainment
LQW18AN82NG8Z	82	+/-2%	550	1608	Infotainment
LQW18AN82NJ0Z	82	+/-5%	250	1608	Infotainment
LQW18AN82NJ8Z	82	+/-5%	550	1608	Infotainment
LQW18AN83NG8Z	83	+/-2%	550	1608	Infotainment
LQW18AN83NJ8Z	83	+/-5%	550	1608	Infotainment
LQW18AN8N2C0Z	8.2	+/-0.2nH	650	1608	Infotainment
LQW18AN8N2C8Z	8.2	+/-0.2nH	1600	1608	Infotainment
LQW18AN8N2D0Z	8.2	+/-0.5nH	650	1608	Infotainment
LQW18AN8N2D1Z	8.2	+/-0.5nH	800	1608	Infotainment
LQW18AN8N2G8Z	8.2	+/-2%	1600	1608	Infotainment
LQW18AN8N4C8Z	8.4	+/-0.2nH	1600	1608	Infotainment
LQW18AN8N4G8Z	8.4	+/-2%	1600	1608	Infotainment
LQW18AN8N7C0Z	8.7	+/-0.2nH	650	1608	Infotainment
LQW18AN8N7C8Z	8.7	+/-0.2nH	1600	1608	Infotainment
LQW18AN8N7D0Z	8.7	+/-0.5nH	650	1608	Infotainment
LQW18AN8N7G8Z	8.7	+/-2%	1600	1608	Infotainment
LQW18AN91NG0Z	91	+/-2%	230	1608	Infotainment
LQW18AN91NG8Z	91	+/-2%	520	1608	Infotainment
LQW18AN91NJ0Z	91	+/-5%	230	1608	Infotainment
LQW18AN91NJ8Z	91	+/-5%	520	1608	Infotainment
LQW18AN94NG8Z	94	+/-2%	490	1608	Infotainment
LQW18AN94NJ8Z	94	+/-5%	490	1608	Infotainment
LQW18AN9N1C0Z	9.1	+/-0.2nH	650	1608	Infotainment
LQW18AN9N1C8Z	9.1	+/-0.2nH	1600	1608	Infotainment
LQW18AN9N1D0Z	9.1	+/-0.5nH	650	1608	Infotainment
LQW18AN9N1G8Z	9.1	+/-2%	1600	1608	Infotainment
LQW18AN9N5C8Z	9.5	+/-0.2nH	1600	1608	Infotainment
LQW18AN9N5D0Z	9.5	+/-0.5nH	650	1608	Infotainment
LQW18AN9N5G8Z	9.5	+/-2%	1600	1608	Infotainment
LQW18AN9N9C8Z	9.9	+/-0.2nH	1600	1608	Infotainment
LQW18AN9N9G8Z	9.9	+/-2%	1600	1608	Infotainment

Part Number	Inductance (nH)	L Tolerance	Rated Current (mA)	Size Code (mm)	Application
LQW18ANR10G0Z	100	+/-2%	220	1608	Infotainment
LQW18ANR10G8Z	100	+/-2%	490	1608	Infotainment
LQW18ANR10J0Z	100	+/-5%	220	1608	Infotainment
LQW18ANR10J8Z	100	+/-5%	490	1608	Infotainment
LQW18ANR11G0Z	110	+/-2%	200	1608	Infotainment
LQW18ANR11G8Z	110	+/-2%	450	1608	Infotainment
LQW18ANR11J0Z	110	+/-5%	200	1608	Infotainment
LQW18ANR11J8Z	110	+/-5%	450	1608	Infotainment
LQW18ANR12G0Z	120	+/-2%	180	1608	Infotainment
LQW18ANR12G8Z	120	+/-2%	450	1608	Infotainment
LQW18ANR12J0Z	120	+/-5%	180	1608	Infotainment
LQW18ANR12J8Z	120	+/-5%	450	1608	Infotainment
LQW18ANR13G0Z	130	+/-2%	170	1608	Infotainment
LQW18ANR13J0Z	130	+/-5%	170	1608	Infotainment
LQW18ANR15G0Z	150	+/-2%	160	1608	Infotainment
LQW18ANR15G8Z	150	+/-2%	420	1608	Infotainment
LQW18ANR15J0Z	150	+/-5%	160	1608	Infotainment
LQW18ANR15J8Z	150	+/-5%	420	1608	Infotainment
LQW18ANR16G0Z	160	+/-2%	150	1608	Infotainment
LQW18ANR16J0Z	160	+/-5%	150	1608	Infotainment
LQW18ANR18G0Z	180	+/-2%	140	1608	Infotainment
LQW18ANR18G8Z	180	+/-2%	310	1608	Infotainment
LQW18ANR18J0Z	180	+/-5%	140	1608	Infotainment
LQW18ANR18J8Z	180	+/-5%	310	1608	Infotainment
LQW18ANR20G0Z	200	+/-2%	120	1608	Infotainment
LQW18ANR20G8Z	200	+/-2%	290	1608	Infotainment
LQW18ANR20J0Z	200	+/-5%	120	1608	Infotainment
LQW18ANR20J8Z	200	+/-5%	290	1608	Infotainment
LQW18ANR21G8Z	210	+/-2%	280	1608	Infotainment
LQW18ANR21J8Z	210	+/-5%	280	1608	Infotainment
LQW18ANR22G0Z	220	+/-2%	120	1608	Infotainment
LQW18ANR22G8Z	220	+/-2%	280	1608	Infotainment
LQW18ANR22J0Z	220	+/-5%	120	1608	Infotainment
LQW18ANR22J8Z	220	+/-5%	280	1608	Infotainment
LQW18ANR25G8Z	250	+/-2%	250	1608	Infotainment
LQW18ANR25J8Z	250	+/-5%	250	1608	Infotainment
LQW18ANR27G0Z	270	+/-2%	110	1608	Infotainment
LQW18ANR27G8Z	270	+/-2%	260	1608	Infotainment
LQW18ANR27J0Z	270	+/-5%	110	1608	Infotainment
LQW18ANR27J8Z	270	+/-5%	260	1608	Infotainment
LQW18ANR30G8Z	300	+/-2%	220	1608	Infotainment
LQW18ANR30J8Z	300	+/-5%	220	1608	Infotainment
LQW18ANR33G0Z	330	+/-2%	85	1608	Infotainment
LQW18ANR33G8Z	330	+/-2%	190	1608	Infotainment
LQW18ANR33J0Z	330	+/-5%	85	1608	Infotainment
LQW18ANR33J8Z	330	+/-5%	190	1608	Infotainment
LQW18ANR36G8Z	360	+/-2%	190	1608	Infotainment
LQW18ANR36J8Z	360	+/-5%	190	1608	Infotainment
LQW18ANR39G0Z	390	+/-2%	80	1608	Infotainment
LQW18ANR39G8Z	390	+/-2%	190	1608	Infotainment
LQW18ANR39J0Z	390	+/-5%	80	1608	Infotainment
LQW18ANR39J8Z	390	+/-5%	190	1608	Infotainment
LQW18ANR47G0Z	470	+/-2%	75	1608	Infotainment
LQW18ANR47J0Z	470	+/-5%	75	1608	Infotainment