



3 Apr.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

NO.	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1									
2									

NO.	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1									
2									

NO.	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1									
2									

PART NO.	NUMBER OF CONTACTS	E	F	G	H	J
CL686-0037-6-56	10	16	-	7.5	7.6	16.4
CL686-0038-9-56	20	24	-	11.5	12.6	24.4
CL686-0039-1-56	30	32	28.4	14.2	17.6	32.4
CL686-0040-0-56	40	44	40.4	20.2	22.6	44.4
CL686-0041-3-56	50	44	40.4	20.2	27.6	44.4

TO	
----	--

STYLE AND DIMENTION OF REEL (FREE)

DETAIL OF PART NO. LABEL

SUPPLIER QUANTITY PART NO. CODE NO. DATE OF MANUFACTURED

生産月日	年月日
図番	CL686-***-**-56
品名	DF20G-*DP-1V(56)
納入数量	1000 Ko
納入者	ヒロセ電機(株)

NOTES: PER REEL 1000 CONNECTORS

5: AT THE BEGINING OF THE REEL, 30 COMPONENTS SHALL BE EMPTY.

AT THE END OF REEL, 20 COMPONENTS SHALL BE EMPTY.

WHEN THE TAPE WIDTH IS 16 OR 24mm, SPROCKET HOLES SHALL BE SET ON THE UPPER SIDE OF REEL AS SHOWN ON THIS DRAWING.

CODE NO. (OLD)	CL	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
		A. MIURA	T. Numagami	H. Umeda	J. Ota	
		05.08.08	05.08.11	05.08.11	05.08.12	

DRAWING NO.	EDC3-164847-02	PART NO.	DF20G-*DP-1V(56)
SCALE	5 : 1	CODE NO.	CL686-
UNITS	mm		