

X-CON BRAND

CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

PRODUCT SPECIFICATION 規格書

CUSTOMER: DATE:

(客戶): (日期):2016-08-19

CATEGORY (品名) : CONDUCTIVE POLYMER ALUMINUM

SOLID CAPACITORS

DESCRIPTION (型号) : ULR 16V270 μ F (φ6.3x11)

VERSION (版本) : 01

Customer P/N : /

SUPPLIER : /

SUPPLIER			
PREPARED (拟定)	CHECKED (审核)		
韩武杰	王国华		

CUSTOMER		
APPROVAL (批准)	SIGNATURE (签名)	



SPECIFICATION				ALTERNATION HISTORY			
	ULR SERIES					ECORDS	
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	1
STANDARD MANUAL				



CONTENTS

CONTENTS	
	Sheet
1. Application	3
2. Part Number System	3
3. Construction	4
4. Characteristics	5~11
4.1 Rated voltage & Surge voltage	0 11
4.2 Capacitance (Tolerance)	
4.3 Leakage current	
4.4 Tangent of loss angle	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test	
4.8 Surge test	
4.9 Damp heat test	
4.10 Maximum permissible ripple current	
4.11 Rapid change of temperature	
4.12 Lead strength	
4.13 Resistance to vibration	
4.14 Solderability	
4.15 Resistance to soldering heat	
5. Product Marking	12
6. Product Dimensions, Impedance & Maximum Permissible Ripple Curr	
7. Application Guideline	14~15
7-1 Circuit design	
7-2 Voltage	
7-3 Sudden charge and discharge restricted	
7-4 Ripple current	
7-5 Leakage current	
7-6 Failure rate	
7-7 Capacitor insulation	
7-8 Precautions for using capacitors	
8. Mounting Precautions	15
9. List of "Environment-related Substances to be Controlled ('Controlled Substances')" 16


Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	2
STANDARD MANUAL				



1. Application

This specification applies to conductive polymer aluminum solid capacitors used in electronic equipment.

2. Part Number System



2.1 <u>Capacitance code</u>

Code	277
Capacitance (µ F)	270

2.2 Rated voltage code

Code	1C
Voltage (W.V.)	16

2.3 <u>Type</u>

Code	RR
Туре	Bulk

2.4 Capacitance tolerance

"M" stands for $-20\% \sim +20\%$

2.5 <u>Diameter</u>

Code	E
Diameter	6.3

2.6 <u>Case length</u>


11=11mm

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	3
STANDARD MANUAL				



3. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
1	Lead Line	Tinned Copper Line or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

Issue Date : 2016-08-19	Name	Specification Sheet – ULR				
Version	01		Page	4		
STANDARD MANUAL						



4. Characteristics

Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows:

Ambient temperature: 15°C to 35°C Relative humidity : 45% to 75% Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

Ambient temperature: $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55°C to 105°C.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR				
Version	01		Page	5		
	STANDARD MANUAL					



ITEM		PERFORMANCE
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC) 16 SV (V.DC) 18.4
4.2	Nominal capacitance (Tolerance)	Condition> Measuring Frequency : 120Hz±12Hz Measuring Voltage : Not more than 0.5Vrms Measuring Temperature : 20±2°C Criteria> Shall be within the specified capacitance tolerance.
4.3	Leakage current	Condition> After DC Voltage is applied to capacitors through the series protective resistor (1k $\Omega \pm 10\Omega$) so that terminal voltage may reach the rated voltage .The leakage current when measured after 2 minutes shall not exceed the values of the following equation. In case leakage current value exceed the value shown in Table 3, remeasure after voltage treatment that applies the rated voltage shown in 4.1 for 120minutes at 105 °C Criteria> See Table 3
4.4	tan δ	<pre><condition> See 4.2, for measuring frequency, voltage and temperature. </condition></pre> <pre><criteria></criteria></pre> <pre>Working voltage (v) 16</pre> <pre>tan δ (max.) 0.10</pre>
4.5	ESR	Condition> Measuring frequency : 100kHz to 300kHz; Measuring temperature:20±2℃ Measuring point : 2mm max from the surface of a sealing resin on the lead wire Criteria> (20℃)Less than the initial limit(See Table 3).

Issue Date : 2016-08-19	Name	Specification Sheet – ULR					
Version	01		Page	6			
	STANDARD MANUAL						



		STEP	Temperature(°C)	Item	Characteristics			
		1	20±2	Measure: Capacitance tanδ Impedance				
		2	-55+3	Z-55°C / 20°C	≤1.25			
	Temperature	3	Keep at 15 to 35°C f	or				
4.6	characteristic	4	105 ± 2	Z105°C / 20°C	≤1.25			
				∆ C/C 20°C	Within $\pm 5\%$ of step1			
		5	20±2	tanδ	Less than or equal to the value of item 4.4			
		The C voltag		emperature of 105 $\pm 2^\circ$ s. The result should mee				
		Item		erformance				
					anagitanga			
		tan 8	L	Within $\pm 20\%$ of initial capacitance Less than or equal to 1.5 times of the value of item 4.4				
	Load	Load	Load	ESR		Less than or equal to 1.5 times of the value of item 4.5		
1.7	life	Leak	tage current L	Less than or equal to the value of item 4.3				
	test	App	earance N	Notable changes shall not be found.				

Issue Date : 2016-08-19	Name	Specification Sheet – ULR				
Version	01		Page	7		
STANDARD MANUAL						



		seconds in every 5 minute	d the surge voltage through $1k\Omega$ resistor in series for 30 ± 5 es 30 s at $15\sim35^{\circ}C$. Procedure shall be repeated 1000 times. Eleft under normal humidity for 1-2hours before measurement.
	Surge	Item	Performance
4.8	test	Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tan δ	Less than or equal to 1.5 times of the value of item 4.4
		ESR	Less than or equal to 1.5 times of the value of item 4.5
		Leakage current	Less than or equal to the value of item 4.3 nulates over voltage at abnormal situation, and not be
		<condition> Humidity Test:</condition>	
		-	xposed for 1000 ± 48 hours in an atmosphere of $90 \sim 95\%$ RH at istic change shall meet the following requirement. Performance
		Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tan δ	Less than or equal to 1.5 times of the value of item 4.4
	Damp	ESR	Less than or equal to 1.5 times of the value of item 4.5
4.9	heat test	Leakage current	Less than or equal to the value of item 4.3
	test	Appearance	Notable changes shall not be found.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR				
Version	01		Page	8		
	STANDARD MANUAL					



		Condition> The maximum pe At 100kHz and ca Table 3 The combined val rated voltage and Frequency Multip	an be applied at lue of D.C volta shall not revers	maximum open	rating temperatur	re see
	Maximum permissible	Frequency	f<1kHz	f<10kHz	f<100kHz	f<500kHz
4.10	(ripple current)	Coefficient	0.05	0.30	0.70	1.00
		Applied voltage: w Cycle number: 5 cy Test diagram: Fig.1	ycles	30±3 min 3 m	Rooi	5 ± 2 °C m temperature ±3 °C
				1 cyc	cle	
4.11	Rapid change of temperature	Performance: The office of the latest term Capacitance chan tan δ	Performange Within ±	nce 10% of initial	capacitance	n after 5 cycles.
		Leakage curren	Less than	Less than or equal to value of item 4.4 Less than or equal to the value of item 4.3 (after voltage treatment)		

Issue Date : 2016-08-19	Name	Specification Sheet – ULR					
Version	01		Page	9			
	STANDARD MANUAL						



		a) Lead pull strength
		A static load force shall be applied to the terminal in the axial direction and acting
		in a direction away from the body for 10 ± 1 s.
		Lead wire diameter (mm) Load force (N)
		$0.5 < d \le 0.8$ 10
		b) Lead bending
		When the capacitor is placed in a vertical position and the weight specified in the
		table above is applied to one lead and then the capacitor is slowly rotated 90^0 to a
4.12	Lead strength	horizontal position and then returned to a vertical position thus completing bends
	8	for 2~3 seconds.
		The additional bends are made in the opposite direction
		Lead wire diameter (mm) Load force (N)
		$0.5 < d \le 0.8$
		Performance: The characteristic shall meet the following value after a) or b) test.
		Item Performance
		Leakage current Less than or equal to the value of item4.3
		Outward Appearance No cutting and slack of lead terminals
4.13	Resistance to vibration	Amplitude: 0.75mm(Total excursion 1.5mm) Direction: X、Y、Z(3 axes) Duration: 2hours/ axial (Total 6 hours) The capacitors are supported as the following Fig2 Fig2 Derformance: Caracticana valve shell not show doubte shours a commond to the initial shows a common to the initial sh
		Performance: Capacitance value shall not show drastic change compared to the initial capacitance when the value is measured within 30 minutes. Prior to the completion of exam, Capacitance difference shall be within $\pm5\%$ compared to the initial value the exam.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR				
Version	01		Page	10		
	STANDARD MANUAL					



The capacitor shall be tested under the following conditions: Solder : Sn-3Ag-0.5Cu Soldering temperature: 245±3°C Immersing time : 3±0.5s Immersing depth : 1.5~ 2.0mm from the root. Flux : Approx .25% rosin Performance: At least 95% of the dipped portion of the terminal shall be covered new solder.	with
A) Solder bath method Lead terminals of a capacitor are placed on the heat isolation board with thicknes 1.6±0.5mm. It will dip into the flux of isopropylaehol solution of colophony. Then it will be immersed at the surface of the solder with the following condition: Solder Soldering temperature 10±1s Heat protector: t=1.6mm glass -epoxy board B) Soldering iron method Bit temperature 400±10°C Application time 3+1/-0s Heat protector: t=1.6mm glass -epoxy board For both methods, after the capacitor at thermal stability, the following items shall be measured: Item	

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	11	
STANDARD MANUAL					



5. Product Marking

Marking Sample:

Code




 Table 1

 Code
 B
 C
 D
 F

 Year
 2012
 2013
 2014
 2016

— Manufactured week: see Table 2
- Manufactured vear: see Table 1

 $\underline{\mathbf{O}}$

<u>R</u>

Table 2						Iviaiiu	iacturc	a year.	sec rao	10 1	
Week	1	2	3	4	5	6	7	8	9	10	11
Code	A	В	C	D	Е	F	G	Н	I	J	K
	1										
Week	12	13	14	15	16	17	18	19	20	21	22
Code	L	M	N	О	P	Q	R	S	T	U	V
Week	23	24	25	26	27	28	29	30	31	32	33
Code	W	X	Y	Z	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>	<u>G</u>
Week	34	35	36	37	38	39	40	41	42	43	44


F A


Week	45	46	47	48	49	50	51	52
Code	<u>S</u>	<u>T</u>	<u>U</u>	<u>V</u>	$\underline{\mathbf{W}}$	<u>X</u>	<u>Y</u>	<u>Z</u>

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	12	
STANDARD MANUAL					



6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm





фD	6.3
L	11
F	2.5
фd	0.6

Table 3

Voltage (V)	Capacitance (µF)	(D×L, mm)	ripple current at 105°C 100kHz (mA rms)	at 20°C 100kHz to300kHz (mΩ)	current (μ A) 2min
16	270	6.3x11	3100	20	864

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	13	
STANDARD MANUAL					



7. Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

- 1) Time constant circuits
- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current
- 4) High impedance voltage retention circuits.

7-2. Voltage

1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits. Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the peak Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit.

- 2) Applied voltage
- ① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.
- ② When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.
- ③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tumid off or the source is switched.

7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

- 1) The rush current exceeds 10A
- 2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor (1K Ω) must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e.wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

7-7 Capacitor insulation

- 1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.
- 2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	14	
STANDARD MANUAL					



7-8 Precautions for using capacitors

- X-CON capacitors should not be used in the following environments.
- 1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.
- 2) Environments where capacitors are exposed to direct sunlight.
- 3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.
 - 4) Environments where the capacitor is in contact with chemically active gases.
 - 5) Acid or alkaline environments.
 - 6) Environment subject to high-frequency induction.
 - 7) Environment subject to excessive vibration and shock.

8. Mounting Precautions

Mounting phase	Things to note before mounting	Disposal
	1) Used X-CON capacitors	Not reused
	2) LC-increased X-CON capacitors	Apply them with rated voltage in series with 1K Ω
	after long storage	resistance for 1 hour at the range between 60 and 70°C
	3) X-CON capacitors dropped to the	Not reused
	floor	
Before mounting	4) Precautions on polar, capacitance	Products without remarkable polar, capacitance and rated
Defore mounting	and rated voltage	voltage shouldn't be available
	5) Precautions on the pitch between	The products can be used only when said pitch is matched
	lead terminal and PCB	
	6) Precautions on the stress that lead	The products can be used for production only when lead
	terminal and body of X-CON	terminal and body are not subject stress.
	capacitors enduring in mounting	
	1) Soldering with a soldering iron	Both temperature and duration in mounting should meet
		the requirements of out-going SPEC; no stress should be
		allowed to occur in mounting; Don't let the tip of the
Mounting	2) Flour goldoning	soldering iron touch the X-CON itself. X-CON capacitor body should be prohibited to submerge
Widuming	2) Flow soldering	in melted solder; both temperature and duration in
		mounting should meet the requirements of out-going
		SPEC; The rosin is not allowed to adhere to any where
		other than lead terminal.
	1) Precautions on mounting status	Do not tilt, bend twists X-CON; Do not allow other matter
		touch X-CON.
	2) Washing the PCB (available	Used immersion or ultrasonic waves to clean for a total of
	cleaning agent 1)high quality	less than 5 minutes and the temperature be less than 60°C;
After mounting	alcohol-based cleaning fluid such as	The conductivity, PH, specific gravity and water cleaning,
	st-100s, 750L,750M;2) Detergents	X-CON products should be dried with hot air (less than
	including substitute freon such as	the maximum operating temperature).
	AK-225AES and IPA)	

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	15	
STANDARD MANUAL					



9. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances					
	Cadmium and cadmium compounds					
Heavy metals	Lead and lead compounds					
ricavy metais	Mercury and mercury compounds					
	Hexavalent chromium compounds					
	Polychlorinated biphenyls (PCB)					
Chloinated	Polychlorinated naphthalenes (PCN)					
organic	Polychlorinated terphenyls (PCT)					
compounds	Short-chain chlorinated paraffins(SCCP)					
	Other chlorinated organic compounds					
D : 1	Polybrominated biphenyls (PBB)					
Brominated .	Polybrominated diphenylethers(PBDE) (including					
organic	decabromodiphenyl ether[DecaBDE])					
compounds	Other brominated organic compounds					
Tributyltin comp	ounds(TBT)					
Triphenyltin com	apounds(TPT)					
Asbestos						
Specific azo com	pounds					
Formaldehyde						
Polyvinyl chlorid	le (PVC) and PVC blevds					
Beryllium oxide						
Beryllium copp	er					
Specific phthalat	es (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)					
Hydrofluorocarb	on (HFC), Perfluorocarbon (PFC)					
Perfluorooctane s	sulfonates (PFOS)					
Specific Benzotri	iazole					

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	16
STANDARD MANUAL				