


MMBTSC4098W

NPN Silicon Epitaxial Planar Transistor

for AM/FM amplifier and local oscillator of FM/VHF tuner applications.




1.Base 2.Emitter 3.Collector
SOT-323 Plastic Package

Absolute Maximum Ratings ($T_a = 25^\circ\text{C}$)

Parameter	Symbol	Value	Unit
Collector Base Voltage	V_{CBO}	40	V
Collector Emitter Voltage	V_{CEO}	25	V
Emitter Base Voltage	V_{EBO}	5	V
Collector Current	I_C	50	mA
Power Dissipation	P_{tot}	200	mW
Junction Temperature	T_j	150	$^\circ\text{C}$
Storage Temperature Range	T_{stg}	- 55 to + 150	$^\circ\text{C}$

Characteristics at $T_a = 25^\circ\text{C}$

Parameter	Symbol	Min.	Typ.	Max.	Unit
DC Current Gain at $V_{CE} = 6\text{ V}$, $I_C = 1\text{ mA}$	h_{FE}	82	-	180	-
Collector Cutoff Current at $V_{CB} = 24\text{ V}$	I_{CBO}	-	-	0.5	μA
Emitter Cutoff Current at $V_{EB} = 3\text{ V}$	I_{EBO}	-	-	0.5	μA
Collector Base Breakdown Voltage at $I_C = 50\text{ }\mu\text{A}$	$V_{(BR)CBO}$	40	-	-	V
Collector Emitter Breakdown Voltage at $I_C = 1\text{ mA}$	$V_{(BR)CEO}$	25	-	-	V
Emitter Base Breakdown Voltage at $I_E = 50\text{ }\mu\text{A}$	$V_{(BR)EBO}$	5	-	-	V
Collector Emitter Saturation Voltage at $I_C = 10\text{ mA}$, $I_B = 1\text{ mA}$	$V_{CE(sat)}$	-	-	0.3	V
Collector Base Capacitance at $V_{CB} = 6\text{ V}$, $f = 1\text{ MHz}$	C_{ob}	-	1.3	2.2	pF
Gain Bandwidth Product at $V_{CE} = 6\text{ V}$, $I_E = 1\text{ mA}$, $f = 100\text{ MHz}$	f_T	150	300	-	MHz



SEMTECH ELECTRONICS LTD.



ISO/TS 16949 : 2009
Certificate No. 16073000



ISO14001 : 2004
Certificate No. 7116



ISO 9001 : 2008
Certificate No. 5075910



BS-OHSAS 18001 : 2007
Certificate No. 7116



IECQ QC 080000
Certificate No. PRC-HSP4-1483




Fig.1 Ground emitter output characteristics




Fig.2 Ground emitter propagation characteristics




Fig.3 DC current gain





Fig.4 Collector-emitter saturation voltage



SEMTECH ELECTRONICS LTD.



ISO/TS 16949:2009 Certificate No. 16073000 | ISO14001:2004 Certificate No. 7116 | ISO 9001:2008 Certificate No. 5073910 | BS-OHSAS 18001:2007 Certificate No. 7116 | IECQ QC 080000 Certificate No. PRC-HSP4-1483