


PINNING

PIN	DESCRIPTION
1	Cathode
2	Anode



Absolute Maximum Ratings ($T_a = 25\text{ }^\circ\text{C}$)

Parameter	Symbol	Value	Unit	
Reverse Voltage	V_R	B5817WS	20	V
		B5818WS	30	
		B5819WS	40	
Average Forward Rectified Current	$I_{F(AV)}$	1	A	
Non-Repetitive Peak Forward Surge Current (t = 8.3 ms)	I_{FSM}	9	A	
Power Dissipation	P_{tot}	450	mW	
Operating Temperature Range	T_j	- 55 to + 125	$^\circ\text{C}$	
Storage Temperature Range	T_{stg}	- 55 to + 125	$^\circ\text{C}$	

Characteristics at $T_a = 25\text{ }^\circ\text{C}$

Parameter	Symbol	Min.	Max.	Unit	
Reverse Breakdown Voltage at $I_R = 1\text{ mA}$	$V_{(BR)R}$	B5817WS	20	-	V
		B5818WS	30	-	
		B5819WS	40	-	
Forward Voltage at $I_F = 1\text{ A}$ at $I_F = 3\text{ A}$	V_F	B5817WS	-	0.45	V
		B5818WS	-	0.55	
		B5819WS	-	0.6	
		B5817WS	-	0.75	
		B5818WS	-	0.875	
		B5819WS	-	0.9	
Reverse Voltage Leakage Current at $V_R = 20\text{ V}$ at $V_R = 30\text{ V}$ at $V_R = 40\text{ V}$	I_R	B5817WS	-	1	mA
		B5818WS	-	1	
		B5819WS	-	1	
Total Capacitance at $V_R = 4\text{ V}$, f = 1 MHz	C_{tot}	-	120	pF	

电话: 0755-82568882 82568883

邮箱: idchip@indreamchip.com

传真: 0755-82568886

网址: www.idchip.cn

公司地址: 深圳市福田区滨河大道联合广场 A 座 1308

B5817WS~B5819WS

Fig. 1 - Forward Current Derating Curve




Fig. 2 - Maximum Non-Repetitive Peak Forward Surge Current




Fig. 3 - Typical Instantaneous Forward Characteristics




Fig. 4 - Typical Reverse Characteristics




Fig. 5 - Typical Junction Capacitance





Fig. 6 - Typical Transient Thermal Impedance



电话: 0755-82568882 82568883

传真: 0755-82568886

公司地址: 深圳市福田区滨河大道联合广场 A 座 1308



邮箱: idchip@indreamchip.com

网址: www.idchip.cn

PACKAGE OUTLINE B5817WS~B5819WS

Plastic surface mounted package; 2 leads

SOD-323



UNIT	A	b _p	C	D	E	H _E	A ₁	L _p
mm	1.20	0.40	0.15	1.80	1.35	2.80	0.10	0.50
	0.90	0.25	0.10	1.60	1.15	2.30	0.01	0.20

电话: 0755-82568882 82568883

邮箱: idchip@indreamchip.com

传真: 0755-82568886

网址: www.idchip.cn

公司地址: 深圳市福田区滨河大道联合广场 A 座 1308