

Customer:

胜丰電子有限公司

APPROVAL SHEET

Customer P/N:		SF 12025SM24V	
Description:		DC FAN	
Model NO.:		SF 12025SM24V	
Version.:	Α	Issue NO.: SF160515	
Issue date: 20	16-05-15 (Quantity: 300pcs	
Please sign bad Thanks!	ck this spe	ecification for our record upon your appi	roval.
Company Stamp		CUSTOMER	
		APPROVAL	
		Stamp	
制作:郑家	濠	承认:	
复核:姚嵩	梓	核准:	
核准:陈远	井鑫	日期:	

地址:深圳市龙岗区布吉镇京南路京南工业区

电话: 0755-82716358 82579709 传真: 22636467

免费咨询和订购热线:400-9920-988 官方网站 http://www.fancool.net/

E-Mail: fancool8@163.com

1.0: 一般规格 (General Speci fication)

	- ,, u,, i, i, i i i i i i i i i i i i i			
项目(Item)		·	各/条件	
		(Specification/Condition)		
1	型号(Mode1 No.)	SF 12025SM24V		
2	外型尺寸(Outline. Dimension)	120*120*25		
3	工作電压 (Operating Voltage)	DC 17.0-26.5V		
4	額定電压(Rated .voltage)	DC 24.0 V		
5	起动電压 Starting Voltage	DC ≤13.0V on/off		
6	额定电流(Rated current)	0.13A	a. 額定電压(Rated .voltage)	
7	消耗功率(Power consumption)	3.12W	b. 25°C 65% RH	
8	转速 (Speed)	1900±10%RPM	C. After testing for 5 minutes	
	最大风量:(Max Airflow)	76.51CFM	a. 额定电压(Rated .voltage)	
9	最大静压:(Air .Static Pressure)	2.43mmH2O	b. AMCA 标准 (Standard)	
	AXX (HIVE: (VIII : Static Fressare)		C. 额定电流(Rated current) a. 额定电压 (Rated Voltage)	
10	最大噪音(Max Noise)	Max:36.50Db-A	b. 18dB无响室(18dB Non-Echo Chamber) c. 标准(Standard):CNS 8753 / ISO 3744 d. Test Condition :ISO 7779 e. 距离(Distance): 1.0 M	
11	Life expectancy(期望寿命)	25000 hrs at temp40°C Humidity5%-95%	MTTF (Mean Time To Failure) Conf. Level 90%)	
12	扇叶数 (No.of.Blade)	7叶		
13	极数 (No.of.Pole)	4 极		
14	运转方向(Rotating Direction)	逆时针/运转方向是从扇叶面	面看	
15	锁住保护 Lock Protection	□无 NO		
16 极性保护 Polarity Protection		□无 NO	_	
17	过流保护 (Over current protection)	□无 NO		
18	恒速功能	□无 NO		

	fixed constant speed Function	
19	PWM 功能 PWM function	□无 NO

2.0:主要材料/零件规格 (Main Materials/parts Specification)

材料/零件(Materials/parts)		规格(Spec	ification)
1	塑料材料/扇叶 外框 (Plastic Material/Blade, Housing)	PBT 黑色方框七叶	
2	轴承 (Bearing Type)	含油轴承(Sleeve Beari	ng)
3	引線 (Lead Wire)	UL1061#26#180mm 红	黑分线两 PIN2.54 正端
4	端子 (Connector)	黑(GND)	红(VCC)

3.0 電性規格 (Electrical Specifically)

1	绝缘阻抗 Insulation Resistance	10MΩ/裸线与外框间测量,500VDC/min 10MΩ/between unshackled wire and frame at 500VDC/min
2	绝缘耐压 Dielectric Strength	5Ma Max./导线与外框间测量,500VAC/min 5Ma Max./Measured between lead wire(+)and frame at 500VAC/min
3	防水等级 Waterproof level	IP X0


4.0 环境测试 (Environmental Specification)

1	运转 温 /湿 度范 围	温度/Temperature:-10℃ - +70℃
	Operating Temp .Range	湿度/Humidity:5% - 95%RH
2	保存温/湿度范围	温度/Temperature:-40℃ - +75℃
	Storage Temperature	湿度/Humidity:5% - 95%RH
3	耐湿性	电气规格依据 MIL-STD 202F Method 103B
	Humidity	湿度:95%RH 温度:40±2℃
4	热冲击	电气规格依据 MIL-STD 202F Method 107D
	Thermal Shock	Per MIL-STD 202F Method 107D,Condition D
5	绝缘阶段	UL: A 级
	Insulation Shock	UL: Class A

6	包装耐振动试验	包装后, XYZ 三方向施 1.1G load vibration test for
	Packing Vibration Test	30min .No serious damage
	包装耐冲击试验	捆包后,高60公分,1棱角3边6面自然落下,无
	Packing Shock Proof Test	严重损坏.
7		1comer,3edges, 6faces natural drop from 60cm high packing No serious damage


5.0 在无响室额定电压下之噪音测试


(Noise is measured at rated voltage in anechoic



(在背景噪音不超过 18dB(A)的无响室内,将待测风扇通入额定的工作电压,悬掉入空中,将麦克风放于风扇同一平面且离待测风扇进风口一米处进行测试其 B&K 值)

Noise is measured rated voltage in free air in anechoic chamber with B&K sound level meter with microphone at a distance of one meter from the fan intake. The background noise is 18Db(A) max.





注意事项 (NOTES)

1 Before use, make sure the supply voltage to meet the use of the product range, line-powered load exceeds the maximum power consumption of this product 120%. And the voltage is stable without clutter

(使用前,确认供电电压能满足本产品的使用范围,供电电路负载超过本产品的最大功耗的120%。且电压是稳定不含杂波干扰)

2 Please when ventilator circular telegram normal work do not use the hand to bump touches fan blade border

(请在风扇通电正常运转时不要用手碰触扇叶边沿)

3 Please do not touch the impeller and never carry the fan the lead wires. The bearings and the lead wires may be damaged. Additionally, static electricity may damage the internal ciruits of the fan

(请不要碰触扇叶和拉扯线材,以免损坏轴承及导线。此外,静电可能损坏内部的风扇元件)

4 Please do not use the fan in the environment of corrosive gas or liquid.

(请不要将风扇置于腐蚀的气体和液体内)

5 Please do not store the an in the environmet of high humidity. Please avoid storage of the fan over 6months. For long term storage, please connect power to the fan shortly every 6 months even through the fan is stored in room temperature.

(请不要将风扇储存在高湿度的环境中,请尽量避免将风扇储存期超过6个月。如果要长期储存,请将其在室温的环境下。且每隔6个月须上电源让风扇短时间运转。)



CERTIFICATE OF EMC COMPLIANCE

According to Directive: **2004/108/EC**Ref. No.: **2012NT0507825**

Product:

Cooling Fan

Applicant:

Qingdao Shengfeng Electronics Co., Ltd.

Address:

Houjin Community, Xifu Town, Chengyang Area, Qingdao City,

China

Manufacturer:

Qingdao Shengfeng Electronics Co., Ltd.

Address:

Houjin Community, Xifu Town, Chengyang Area, Qingdao City,

China

Model:

Refer to attachment

Rating:

48V===, 0.75A

The test sample of product has been passed, the test according to requirements of the following standards:

Standard(s):

Test report(s) No.:

EN 55022:2010

NTEK-2012NT0507825E

EN 55024:2010

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the requirements of the EC directive.

The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and compliance with all relevant EC directives.

CE

Approved by/Date:

PROVED Ma

May 11, 2012

Department Manager

NTEK Testing Technology Co., Ltd.

Address: 1/F, Building E, Fenda Science Park, Sanwei Community, Xixiang Street, Bao' an District, Shenzhen P.R. China Tel: (86)-0755-61156588 Fax: (86)-0755-61156599 Http: www.ntek.org.cn



VERIFICATION OF CONFORMITY

According to FCC part 15
Ref. No.: 2012NT0507826

Product:

Cooling Fan

Applicant:

Qingdao Shengfeng Electronics Co., Ltd.

Address:

Houjin Community, Xifu Town, Chengyang Area, Qingdao City,

China

Manufacturer:

Qingdao Shengfeng Electronics Co., Ltd.

Address:

Houjin Community, Xifu Town, Chengyang Area, Qingdao City,

China

Model:

Refer to attachment

Rating:

48V = --, 0.75A

The test sample of product has been passed, the test according to requirements of the following standards:

Standard(s):

Test report(s) No.:

CFR, Title 47 FCC Part 15: 2010

NTEK-2012NT0507826E

The Sample was tested to conform to the applicable FCC Rules and Regulations. The method of testing was in accordance to the most accurate measurement standards possible, and that all necessary steps have been enforced to assure that all production units of the same equipment will continue to comply with the Federal Comminications Commission's requirements.



Approved by/Date:

Department Marrager

NTEK Testing Technology Co., Ltd.

Address: 1/F, Building E, Fenda Science Park, Sanwei Community, Xixiang Street, Bao' an District, Shenzhen P.R. China Tel: (86)-0755-61156588 Fax: (86)-0755-61156599 Http: www.ntek.org.cn