## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

	S	SPECIFICAT KP SERIE			ALTERNA R	ATION HIST ECORDS	ORY
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver
TCV.	Bute	TYTETIN	1 uge	Contents	rurpose	Diane	ripprover


Name		Specification Sheet – KP		
Version	01		Page	1
	ST	ANDARD MANUAL		

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

### Table 1 Product Dimensions and Characteristics

#### **Z-TYPE**



### Table 1

No	SAMXON Part No.	WV (Vdc)	Cap. (μF)	Cap. tolerance	Temp. range(°C)	tan <b>δ</b> (120Hz, 20°C)	Leakage Current (µA,5min)	Max Ripple Current at 105°C 120Hz (A rms)	Load lifetime (Hrs)	_	ension mm) F	Sleeve
1	EKP477M2WP50SZSHP	450	470	-20%~+20%	-25~105	0.25	1380	1.69	3000	30X50	10±1.0	PET


Issued-date: 2019-12-28		Specification Sheet – KP		
Version	01		Page	2
		STANDARD MAI	NUAL	

## **ELECTROLYTIC CAPACITOR SPECIFICATION** KP SERIES

CONTENTS	Sheet
1. Application	4
2. Part Number System	4
3. Construction	5
4. Characteristics	6~13
4.1 Rated voltage & Surge voltage	0 15
4.2 Capacitance (Tolerance)	
4.3. Leakage current	
$4.4 \tan \delta$	
4.5 Terminal strength	
4.6 Temperature characteristics	
4.7 Load life test	
4.8 Shelf life test	
4.9 Surge test	
4.10 Vibration	
4.11 Solderability test	
4.12 Resistance to solder heat	
4.13 Change of temperature	
4.14 Damp heat test	
4.15 Vent test	
4.16 Maximum permissible (ripple current)	
5. List of "Environment-related Substances to be Controlled ('Controlled	14
Substances')" Attachment: Application Guidelines	15~20
remainment. repriemtion duractines	15 20

Name		Specification Sheet – KP		
Version	01		Page	3
	STA	ANDARD MANUAL		•

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES




Name		Specification Sheet – KP	Specification Sheet – KP					
Version	01		Page	4				
	STA	ANDARD MANUAL						

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

## 3. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be impregnated with electrolyte will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber, then finished by putting on the vinyl sleeve.



No	Component	Material
1	Case	Aluminum case
2	Sleeve	PET
3	Terminal	Solder coated copper clad steel
4	Seal	Rubber-laminated bakelite
5	Rivet	Aluminum
6	Washer	Aluminum
7	Tab	Aluminum
8	Element	Aluminum foil & Electrolyte paper

Name		Specification Sheet – KP		
Version	01		Page	5
	STA	ANDARD MANUAL		

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

#### 4. Characteristics

Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is

as follows:

Ambient temperature :15°C to 35°C
Relative humidity : 45% to 85%
Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

 $\begin{array}{lll} \mbox{Ambient temperature} & : 20^{\circ}\mbox{C} \pm 2^{\circ}\mbox{C} \\ \mbox{Relative humidity} & : 60\% \ \mbox{to } 70\% \\ \mbox{Air Pressure} & : 86\mbox{kPa} \ \mbox{to } 106\mbox{kPa} \\ \end{array}$ 

Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage See table 1 temperature range.

As to the detailed information, please refer to table 2

Name		Specification Sheet – KP					
Version	01		Page	6			
	STA	ANDARD MANUAL					

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

Γable 2	ITEM				PER	RFORM	IANCE	Ξ				
			I		ı	1						
	Rated voltage	WV (V .DC)	10	16	25	35	50	63	80	0	100	160
4.1	(WV)	SV (V .DC)	13	20	32	44	63	79	10	00	125	200
4.1		WV (V.DC)	180	200	220	250	315	350	400	420	0 450	
	Surge voltage (SV)	SV (V.DC)	225	250	270	300	365	400	450	470	500	
4.2	Nominal capacitance (Tolerance)	Condition> Measuring From Measuring Vor Measuring Te  Criteria> Shall be withing	ltage mperat	: N ture : 2	Not mo 20±2°		0.5Vri					
4.3	Leakage current	Condition> Connecting the minutes, and the second connecting the minutes, and the second connection is a second connecting the minutes.	hen, m		-			stor (1	lkΩ ±	10Ω	) in se	ries for :
4.4	tanδ	<condition> See 4.2, Norm <criteria> Refer to table</criteria></condition>	-	vitance,	for me	easuring	g frequ	ency, v	oltage/	and	temper	ature.

Name		Specification Sheet – KP		
Version	01		Page	7
	STA	ANDARD MANUAL		

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

		<b>Condition&gt;</b> A static load of 25N (2.5kgf) shall be applied to the lead wire terminal in the axial direction away from the capacitor body for 30s <b>Criteria&gt;</b> There shall be no intermittent contacts, open or short circuit and there shall be no mechanical damage such as terminal damage.						
4.5	Terminal strength							
		<condition></condition>						
		STEP Testing Ter	nperature(°	C) Tir	ne			
		1 20	$\pm 2$	Tir	ne to rea	ch thermal e	quilibrium	
		2 -40(	-25)±3	Tir	ne to rea	ch thermal e	quilibrium	
		3 20	<u>±2</u>	Tir	ne to rea	ch thermal e	quilibrium	
		4 10	5±2	Tir	ne to rea	ch thermal e	quilibrium	
		5 20	<u>±2</u>	Tir	ne to rea	ch thermal e	quilibrium	
4.6	Temperature characteristics	<ul> <li>a. In step 5, tanδ shall The leakage current</li> <li>b. At-40°C (-25°C), impe</li> </ul>	shall not m	ore than	the spec	ified value	e of the	
		following table:			1			
		Working Voltage (V)	10~25	35	50	63~100	160~450	
		Z-25°C/Z+20°C	6	6	4	3	8	
		$Z-40^{\circ}C/Z+20^{\circ}C$ Capacitance, $tan\delta$ , and	15	15	15	15		

Name		Specification Sheet – KP				
Version	01		Page	8		
STANDARD MANUAL						

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

1.5	Load	temperature of 105 °C ±2 3000 +48/0 hours. (The su working voltage) Then the time at atmospheric condi-	4No.4.13 methods, The capacitor is stored at a 2 with DC bias voltage plus the rated ripple current for am of DC and ripple peak voltage shall not exceed the reproduct should be tested after 16 hours recovering itions. The result should meet the following table:	
4.7	life test	Leakage current Capacitance Change tanδ Appearance	Value in 4.3 shall be satisfied  Within $\pm 20\%$ of initial value.  Not more than 200% of the specified value.  There shall be no leakage of electrolyte	
4.8	Shelf life test	for 1000+48/0 hours. Following this period the allowed to stabilized at roo Next they shall be connect voltage applied for 30min. tested the characteristics.  < Criteria> The characteristic shall make Leakage current Capacitance Change tanδ Appearance	red with no voltage applied at a temperature of $105\pm$ capacitors shall be removed from the test chamber and temperature for $4{\sim}8$ hours. The ed to a series limiting resistor ( $1k\pm100\Omega$ ) with D.C. in After which the capacitors shall be discharged, and the eet the following requirements.  Value in 4.3 shall be satisfied  Within $\pm15\%$ of initial value.  Not more than 150% of the specified value.  There shall be no leakage of electrolyte  are stored more than 1 year, the leakage current may	d be

Name		Specification Sheet – KP				
Version	01		Page	9		
STANDARD MANUAL						

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

4.9	Surge test	<b>Condition&gt;</b> Applied a surge voltage to the capacitor connected with a (100 0±50)/C <sub>R</sub> (kΩ) resistor. The capacitor shall be submitted to 1000 cycles, each consisting of charge of 30 ±5s, followed discharge of 5 min 30S. The test temperature shall be 15~35°C. C <sub>R</sub> :Nominal Capacitance (μ F) <b>Criteria&gt;</b> Leakage current Not more than the specified value. Capacitance Change Within ±15% of initial value.
		tanδ Not more than the specified value.  Appearance There shall be no leakage of electrolyte  Attention:  This test simulates over voltage at abnormal situation, and not be hypothesizing that over voltage is always applied.
4.10	Vibration test	The following conditions shall be applied for 2 hours in each 3 mutually perpendicular directions.  Vibration frequency range: 10Hz ~ 55Hz Peak to peak amplitude: 1.5mm Sweep rate: 10Hz ~ 55Hz ~ 10Hz in about 1 minute <criteria> After the test, the following items shall be tested:    No mechanical damage in terminal. No leakage of electrolyte or swelling of the case. The markings shall be legible.   Inner</criteria>

Name		Specification Sheet – KP					
Version	01		Page	10			
STANDARD MANUAL							

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

4.11	Solderability test	Soldering temperature Dipping depth Dipping speed Dipping time <criteria>  Coating quality</criteria>	d under the following conditions:  : 245±3°C  : 2mm  : 25±2.5mm/s  : 3±0.5s  A minimum of 95% of the surface being immersed
		260±5°C for 10±1 seconds the body of capacitor.  Then the capacitor shall be humidity for 1~2 hours bef <criteria>  Leakage current</criteria>	Not more than the specified value.
4.12	Resistance to solder heat test	Capacitance Change tanδ Appearance	Within ±10% of initial value.  Not more than the specified value.  There shall be no leakage of electrolyte

Name		Specification Sheet – KP					
Version	01		Page	11			
STANDARD MANUAL							

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

	Change of temperature test	(2)Rated low temperature (-40°C) (-25°C) 30±2 M (3)Rated high temperature (+105°C) 30±2 M (1) to (3)=1 cycle, total 5 cycle <b>Criteria&gt;</b> The characteristic shall meet the following requirement Leakage current Not more than the specified value tanδ Not more than the specified value.	Minutes Minutes Minutes  Minutes  Lue.  Lue.			
	temperature	(2)Rated low temperature(-40°C) (-25°C) 30±2 M (3)Rated high temperature (+105°C) 30±2 M (1) to (3)=1 cycle, total 5 cycle   Criteria> The characteristic shall meet the following requirement  Leakage current Not more than the specified value tanδ Not more than the specified value tanδ	Minutes Minutes  lue. lue.			
	temperature	(1) to (3)=1 cycle, total 5 cycle <criteria> The characteristic shall meet the following requirement  Leakage current Not more than the specified value of the control of</criteria>	lue.			
	temperature	Criteria> The characteristic shall meet the following requirement Leakage current Not more than the specified value tanδ Not more than the specified value	lue.			
	temperature	The characteristic shall meet the following requirement  Leakage current  Not more than the specified value tanδ  Not more than the specified value.	lue.			
		The characteristic shall meet the following requirement  Leakage current  Not more than the specified value. $tan\delta$ Not more than the specified value.				
		<condition> Humidity Test: According to IEC60384-4No.4.12methods, capacitor shall be exposed for 500±8 hours in an atmosphere of 90~95%1 40±2°C, the characteristic change shall meet the following <criteria></criteria></condition>	R H .at			
4.14	Damp heat test	Leakage current       Not more than the specified value         Capacitance Change       Within $\pm 20\%$ of initial value . $tanδ$ Not more than 120% of the specified value         Appearance       There shall be no leakage of electric shall be no leakage of electric shall be no leakage	fied value.			

Name		Specification Sheet – KP					
Version	01		Page	12			
STANDARD MANUAL							

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

Ve 4.15 tes		D.C. test The capacitor is cor a current selected fr <table 3=""> Diameter (mm)  22.4 or less Over 22.4</table>	DC Current (A)		ed to a DC	power source.	Ther
		Diameter (mm) 22.4 or less					
		0 701 22.1	10				
		<criteria> The vent shall opera of pieces of the cap</criteria>		us condition	ns such as	flames or dispe	ersior
		<b>Condition&gt;</b> The maximum perm at 120Hz and can be Table-1 The combined value rated voltage and shared frequency Multiple	of D.C voltage and nall not reverse volt	um operating	g temperat	ture	ed the
	ximum		Hz) 60	120	1k	10k~50k	
4 In -	nissible ipple	10~100V	0.90	1.00	1.15	1.25	
	rrent )	160~250V	0.80	1.00	1.25	1.47	
		315~450V	0.80	1.00	1.30	1.47	

Name		Specification Sheet – KP				
Version	01		Page	13		
STANDARD MANUAL						

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

5. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances					
	Cadmium and cadmium compounds					
Heavy metals	Lead and lead compounds					
	Mercury and mercury compounds					
	Hexavalent chromium compounds					
	Polychlorinated biphenyls (PCB)					
Chloinated	Polychlorinated naphthalenes (PCN)					
organic	Polychlorinated terphenyls (PCT)					
compounds	Short-chain chlorinated paraffins(SCCP)					
	Other chlorinated organic compounds					
D	Polybrominated biphenyls (PBB)					
Brominated organic	Polybrominated diphenylethers(PBDE) (including					
	decabromodiphenyl ether[DecaBDE])					
compounds	Other brominated organic compounds					
Tributyltin comp	ounds(TBT)					
Triphenyltin com	npounds(TPT)					
Asbestos						
Specific azo com	pounds					
Formaldehyde						
Polyvinyl chloric	de (PVC) and PVC blevds					
Beryllium oxide						
Beryllium copp	er					
Specific phthalat	es (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)					
Hydrofluorocarb	on (HFC), Perfluorocarbon (PFC)					
Perfluorooctane	sulfonates (PFOS)					
Specific Benzotr	iazole					

Name		Specification Sheet – KP			
Version	01 Page 14		14		
STANDARD MANUAL					

## ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

**Attachment: Application Guidelines** 

#### 1. Circuit Design

1.1 Operating Temperature and Frequency

Electrolytic capacitor electrical parameters are normally specified at  $20^{\circ}$ C temperature and 120Hz frequency. These parameters vary with changes in temperature and frequency. Circuit designers should take these changes into consideration.

- (1) Effects of operating temperature on electrical parameters
  - a) At higher temperatures, leakage current and capacitance increase while equivalent series resistance (ESR) decreases.
  - b) At lower temperatures, leakage current and capacitance decrease while equivalent series resistance (ESR) increases.
- (2) Effects of frequency on electrical parameters
  - a) At higher frequencies capacitance and impedance decrease while  $tan\delta$  increases.
  - b) At lower frequencies, ripple current generated heat will rise due to an increase in equivalent series resistance (ESR).
- 1.2 Operating Temperature and Life Expectancy

See the file: Life calculation of aluminum electrolytic capacitor

1.3 Common Application Conditions to Avoid

The following misapplication load conditions will cause rapid deterioration to capacitor electrical parameters. In addition, rapid heating and gas generation within the capacitor can occur causing the pressure relief vent to operate and resultant leakage of electrolyte. Under Leaking electrolyte is combustible and electrically conductive.

Name		Specification Sheet – KP			
Version	01		Page	15	
STANDARD MANUAL					

### ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

#### (1) Reverse Voltage

DC capacitors have polarity. Verify correct polarity before insertion. For circuits with changing or uncertain polarity, use DC bipolar capacitors. DC bipolar capacitors are not suitable for use in AC circuits.

#### (2) Charge / Discharge Applications

Standard capacitors are not suitable for use in repeating charge / discharge applications. For charge / discharge applications consult us and advise actual conditions.

#### (3) Over voltage

Do not apply voltages exceeding the maximum specified rated voltage. Voltages up to the surge voltage rating are acceptable for short periods of time. Ensure that the sum of the DC voltage and the superimposed AC ripple voltage does not exceed the rated voltage.

#### (4) Ripple Current

Do not apply ripple currents exceeding the maximum specified value. For high ripple current applications, use a capacitor designed for high ripple currents or contact us with your requirements.

Ensure that allowable ripple currents superimposed on low DC bias voltages do not cause reverse voltage conditions.

#### 1.4 Using Two or More Capacitors in Series or Parallel

#### (1) Capacitors Connected in Parallel

The circuit resistance can closely approximate the series resistance of the capacitor causing an imbalance of ripple current loads within the capacitors. Careful design of wiring methods can minimize the possibility of excessive ripple currents applied to a capacitor.

#### (2) Capacitors Connected in Series

Normal DC leakage current differences among capacitors can cause voltage imbalances. The use of voltage divider shunt resistors with consideration to leakage current can prevent capacitor voltage imbalances.

#### 1.5 Capacitor Mounting Considerations

### (1) Double Sided Circuit Boards

Avoid wiring pattern runs, which pass between the mounted capacitor and the circuit board.

When dipping into a solder bath, excess solder may collect under the capacitor by capillary action and short circuit the anode and cathode terminals.

#### (2) Circuit Board Hole Positioning

The vinyl sleeve of the capacitor can be damaged if solder passes through a lead hole for subsequently processed parts. Special care when locating hole positions in proximity to capacitors is recommended.

#### (3) Circuit Board Hole Spacing

The circuit board holes spacing should match the capacitor lead wire spacing within the specified tolerances. Incorrect spacing can cause excessive lead wire stress during the insertion process. This may result in premature capacitor failure due to short or open circuit, increased leakage current, or electrolyte leakage.

Name		Specification Sheet – KP			
Version	01		Page	16	
STANDARD MANUAL					

### ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

#### (4) Clearance for Case Mounted Pressure Relief vents

Capacitors with case mounted pressure relief vents require sufficient clearance to allow for proper vent operation. The minimum clearances are dependent on capacitor diameters as proper vent operation. The minimum clearances are dependent on capacitor diameters as follows.

φ 6.3~φ 16mm:2mm minimum, φ 18~φ 35mm:3mm minimum, φ 40mm or greater:5mm minimum.

#### (5) Clearance for Seal Mounted Pressure Relief Vents

A hole in the circuit board directly under the seal vent location is required to allow proper release of pressure.

#### (6) Wiring Near the Pressure Relief Vent

Avoid locating high voltage or high current wiring or circuit board paths above the pressure relief vent. Flammable, high temperature gas exceeding  $100^{\circ}$ C may be released which could dissolve the wire insulation and ignite.

#### (7) Circuit Board patterns Under the Capacitor

Avoid circuit board runs under the capacitor as electrolyte leakage could cause an electrical short.

#### (8) Screw Terminal Capacitor Mounting

Do not orient the capacitor with the screw terminal side of the capacitor facing downwards.

Tighten the terminal and mounting bracket screws within the torque range specified in the specification.

#### 1.6 Electrical Isolation of the Capacitor

Completely isolate the capacitor as follows.

- (1) Between the cathode and the case (except for axially leaded B types) and between the anode terminal and other circuit paths
- (3) Between the extra mounting terminals (on T types) and the anode terminal, cathode terminal, and other circuit paths.
- 1.7 The Product characteristic should take the sample as the standard.

#### 1.8 Capacitor Sleeve

The vinyl sleeve or laminate coating is intended for marking and identification purposes and is not meant to electrically insulate the capacitor.

The sleeve may split or crack if immersed into solvents such as toluene or xylene, and then exposed to high temperatures.

#### CAUTION!

Always consider safety when designing equipment and circuits. Plan for worst case failure modes such as short circuits and open circuits which could occur during use.

- (1) Provide protection circuits and protection devices to allow safe failure modes.
- (2) Design redundant or secondary circuits where possible to assure continued operation in case of main circuit failure.

Name		Specification Sheet – KP			
Version	01		Page	17	
STANDARD MANUAL					

### ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

### 2. Capacitor Handling Techniques

- 2.1 Considerations Before Using
- (1) Capacitors have a finite life. Do not reuse or recycle capacitors from used equipment.
- (2) Transient recovery voltage may be generated in the capacitor due to dielectric absorption. If required, this voltage can be discharged with a resistor with a value of about  $1k\Omega$ .
- (3) Capacitors stored for long periods of time may exhibit an increase in leakage current. This can be corrected by gradually applying rated voltage in series with a resistor of approximately  $1k\Omega$ .
- (4) If capacitors are dropped, they can be damaged mechanically or electrically. Avoid using dropped capacitors.
- (5) Dented or crushed capacitors should not be used. The seal integrity can be compromised and loss of electrolyte / shortened life can result.

### 2.2 Capacitor Insertion

- \* (1) Verify the correct capacitance and rated voltage of the capacitor.
- \* (2) Verify the correct polarity of the capacitor before inserting.
- \* (3) Verify the correct hole spacing before insertion (land pattern size on chip type) to avoid stress on the terminals.
  - (4) Ensure that the auto insertion equipment lead clinching operation does not stress the capacitor leads where they enter the seal of the capacitor.

For chip type capacitors, excessive mounting pressure can cause high leakage current, short circuit, or disconnection.

#### 2.3 Manual Soldering

- (1) Observe temperature and time soldering specifications or do not exceed temperatures of 400 °C for 3 seconds or less.
- (2) If lead wires must be formed to meet terminal board hole spacing, avoid stress on the lead wire where it enters the capacitor seal.
- (3) If a soldered capacitor must be removed and reinserted, avoid excessive stress to the capacitor leads.
- (4) Avoid touching the tip of the soldering iron to the capacitor, to prevent melting of the vinyl sleeve.

#### 2.4 Flow Soldering

- (1) Do not immerse the capacitor body into the solder bath as excessive internal pressure could result.
- (2) Observe proper soldering conditions (temperature, time, etc.) Do not exceed the specified limits.
- (3) Do not allow other parts or components to touch the capacitor during soldering.

#### 2.5 Other Soldering Considerations

Rapid temperature rises during the preheat operation and resin bonding operation can cause cracking of the capacitor vinyl sleeve.

For heat curing, do not exceed 150  $^\circ\!\mathrm{C}$  for a maximum time of 2 minutes.

Name		Specification Sheet – KP			
Version	01		Page	18	
STANDARD MANUAL					

### ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

#### 2.6 Capacitor Handling after Solder

- (1). Avoid movement of the capacitor after soldering to prevent excessive stress on the lead wires where they enter the seal.
- (2). Do not use capacitor as a handle when moving the circuit board assembly.
- (3). Avoid striking the capacitor after assembly to prevent failure due to excessive shock.

#### 2.7 Circuit Board Cleaning

\* (1) Circuit boards can be immersed or ultrasonically cleaned using suitable cleaning solvents for up 5 minutes and up to 60°C maximum temperatures. The boards should be thoroughly rinsed and dried.

The use of ozone depleting cleaning agents is not recommended in the interest of protecting the environment.

- \* (2) Avoid using the following solvent groups unless specifically allowed for in the specification;
- Halogenated cleaning solvents: except for solvent resistant capacitor types, halogenated solvents can permeate the seal and cause internal capacitor corrosion and failure. For solvent resistant capacitors, carefully follow the temperature and time requirements of the specification. 1-1-1 trichloroethane should never be used on any aluminum electrolytic capacitor.
- Alkali solvents : could attack and dissolve the aluminum case.
- Petroleum based solvents: deterioration of the rubber seal could result.
- Xylene : deterioration of the rubber seal could result.
- . Acetone : removal of the ink markings on the vinyl sleeve could result.
- \* (3) A thorough drying after cleaning is required to remove residual cleaning solvents which may be trapped between the capacitor and the circuit board. Avoid drying temperatures, which exceed the maximum rated temperature of the capacitor.
- \* (4) Monitor the contamination levels of the cleaning solvents during use by electrical conductivity, pH, specific gravity, or water content. Chlorine levels can rise with contamination and adversely affect the performance of the capacitor.

Please consult us for additional information about acceptable cleaning solvents or cleaning methods.

#### 2.8 Mounting Adhesives and Coating Agents

When using mounting adhesives or coating agents to control humidity, avoid using materials containing halogenated solvents. Also, avoid the use of chloroprene based polymers.

After applying adhesives or coatings, dry thoroughly to prevent residual solvents from being trapped between the capacitor and the circuit board.

#### 3. Precautions for using capacitors

#### 3.1 Environmental Conditions

Capacitors should not be stored or used in the following environments.

- \* (1) Temperature exposure above the maximum rated or below the minimum rated temperature of the capacitor.
- \* (2) Direct contact with water, salt water, or oil.
- \* (3) High humidity conditions where water could condense on the capacitor.

Name		Specification Sheet – KP			
Version	01		Page	19	
STANDARD MANUAL					

### ELECTROLYTIC CAPACITOR SPECIFICATION KP SERIES

## **SAMXON**

- \* (4) Exposure to toxic gases such as hydrogen sulfide, sulfuric acid, nitric acid chlorine, or ammonia.
- \* (5) Exposure to ozone, radiation, or ultraviolet rays.
- \* (6) Vibration and shock conditions exceeding specified requirements.

#### 3.2 Electrical Precautions

- (1) Avoid touching the terminals of the capacitor as possible electric shock could result. The exposed aluminum case is not insulated and could also cause electric shock if touched.
- (2) Avoid short circuit the area between the capacitor terminals with conductive materials including liquids such as acids or alkaline solutions.

#### 4. Emergency Procedures

- (1) If the pressure relief vent of the capacitor operates, immediately turn off the equipment and disconnect form the power source. This will minimize additional damage caused by the vaporizing electrolyte.
- (2) Avoid contact with the escaping electrolyte gas which can exceed 100°C temperatures.
  - If electrolyte or gas enters the eye, immediately flush the eyes with large amounts of water.
  - If electrolyte or gas is ingested by month, gargle with water.
  - If electrolyte contacts the skin, wash with soap and water.

#### 5. Long Term Storage

Leakage current of a capacitor increases with long storage times. The aluminum oxide film deteriorates as a function of temperature and time. If used without reconditioning, an abnormally high current will be required to restore the oxide film. This current surge could cause the circuit or the capacitor to fail.

After one year, a capacitor should be reconditioned by applying rated voltage in series with a  $1000\Omega$ , current limiting resistor for a time period of 30 minutes .

#### 5.1 Environmental Conditions

The capacitor shall be not use in the following condition:

- (1) Temperature exposure above the maximum rated or below the minimum rated temperature of the capacitor.
- (2) Direct contact with water, salt water, or oil.
- (3) High humidity conditions where water could condense on the capacitor.
- (4) Exposure to toxic gases such as hydrogen sulfide, sulfuric acid, nitric acid, chlorine, or ammonia.
- (5) Exposure to ozone, radiation, or ultraviolet rays.
- (6) Vibration and shock conditions exceeding specified requirements.

#### 6. Capacitor Disposal

When disposing of capacitors, use one of the following methods.

- \* Incinerate after crushing the capacitor or puncturing the can wall (to prevent explosion due to internal pressure rise). Capacitors should be incinerated at high temperatures to prevent the release of toxic gases such as chlorine from the polyvinyl chloride sleeve, etc.
- \* Dispose of as solid waste.

NOTE: Local laws may have specific disposal requirements, which must be followed.

Remark:5G outdoor power system is not applicable

Name		Specification Sheet – KP			
Version	01		Page	20	
STANDARD MANUAL					