

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of DLW5BTZ101TQ2# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DLW5BTZ101TQ2%23

"#" indicates a package specification code.











< List of part numbers with package codes >

DLW5BTZ101TQ2B


DLW5BTZ101TQ2K

DLW5BTZ101TQ2L



Appearance & Shape









Infotainment



Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|---------------------|---------------------------------|
| В | Bulk(Bag) | 100 |
| K | 330mm Embossed Tape | 2500 |
| L | 180mm Embossed Tape | 700 |



Features

Features

- 1. Low profile (h=2.5mm)
- 2. Small size (5.0x5.0mm) and high rated current (1.5 to 4A)
- 3. High common mode Impedance (max. 1400 ohm, at 100MHz)
- 4 ·Operating Temperature Range -40°C to +105°C

1 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





IOVATOR IN FLECTRONICS

DLW5BTZ101TQ2#

Note: This datasheet may be out of date.

Please download the latest datasheet of DLW5BTZ101TQ2# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DLW5BTZ101TQ2%23

"#" indicates a package specification code.



Specifications

| Shape | SMD |
|--|----------------|
| Size Code (in mm) | 5050 |
| Size Code (in inch) | 2020 |
| Length | 5.0mm |
| Length Tolerance | ±0.3mm |
| Width | 5.0mm |
| Width Tolerance | ±0.3mm |
| Thickness | 2.35mm |
| Thickness Tolerance | ±0.15mm |
| Common Mode Impedance (at 100MHz) | 100Ω |
| Common Mode Impedance (at 100MHz) Tolerance | (Тур.) |
| Common Mode Impedance (at 10MHz) | 10Ω |
| Common Mode Impedance (at 10MHz) Tolerance | min. |
| Rated Current | 4A |
| Derating of Rated Current | No |
| Rated Voltage | 100Vdc |
| Withstanding Voltage | 250Vdc |
| DC Resistance(max.) | 0.013Ω |
| DC Resistance | 0.013Ω max. |
| Insulation Resistance(min.) | 10ΜΩ |
| Operating Temperature Range | -40°C to 105°C |
| Mass(typ.) | 0.21g |
| Number of Circuit | 1 |

| Operating Temperature | |
|-----------------------------|----|
| Range(Self-temperature rise | No |
| is included) | |

2 of 3

Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

^{2.} This datasheet has only typical specifications because there is no space for detailed specifications.

Please download the latest datasheet of DLW5BTZ101TQ2# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DLW5BTZ101TQ2%23


Note: This datasheet may be out of date.

"#" indicates a package specification code.

DLW5BTZ101TQ2#








Impedance-Frequency Characteristics

Impedance-Frequency Characteristics (Main Items)



Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

