

PRODUCT-DETAILS

GS201 AC-C16/0.03

GS201 AC-C16/0.03 Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GS201 AC-C16/0.03
Product ID	2TAZ210111R2164
EAN	6940342287094
Catalog Description	GS201 AC-C16/0.03 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GS201 AC-C16/0.03

Technical	
Standards	IEC 61009 GB 16917
Tripping Characteristic	С
Type of Residual Current	AC type
Rated Operational Voltage	230 V AC
Rated Current (I _n)	16 A
Rated Residual Current	30 mA
Rated Short-Circuit Capacity (I _{cn})	6 kA
Maximum Breaking Capacity	6 kA
Number of Poles	1+N
Number of Protected Poles	1
Number of Earth Leakage Circuit Breakers	1

GS201 AC-C16/0.03

Operating Characteristic	Instantaneous
Position of Neutral	Right
Terminals	
Release Type	С
Accessories Available	Yes

Technical UL/CSA

Short-Circuit Current 30 mA Rating (SCCR)

Dimensions

Product Net Width	69 mm
Product Net Height	0.085 m
Product Net Depth / Length	70 mm
Product Net Weight	0.203 kg

Container Information

Package Level 1 EAN 6940342287094

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363010
Country of Origin	China (CN)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE

Instructions and No document needed Manuals

No document needed

Popular Downloads

Data Sheet, Technical Information	1SXF400005C2013
Instructions and	No document needed
Manuals	

Classifications

ETIM 7	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010

GS201 AC-C16/0.03

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Current\ Circuit\ Breakers\ with\ Overcurrent\ Protection\ RCBO$

