

4

3

2

1

THIS DRAWING IS UNPUBLISHED.  
QUESTO DISEGNO NON DEVE ESSERE DIVULGATO O RIPRODOTTORELEASED FOR PUBLICATION  
E' CONSENTITA LA DIVULGAZIONE

2009

ALL RIGHTS RESERVED.  
TUTTI I DIRITTI SONO RISERVATI

© COPYRIGHT 2009

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
1	-		AB2	ADDED P/N, ET00-0211-04	19/10/04	H.Y.	G.T.
			AB3	REVISED PER ECO-09-026346	26NOV09	KK	AEG
			AB4	ECR-10-022530	05FEB11	KK	HMR

SEZ. PARZIALE B-B  
PARTIAL SECT. B-BSEZ. A-A  
SECT. A-A



TIPICA CAVITA' PER TERMINALE AMP  
FASTIN-FASTON SR.6.35mm.  
(TYPICAL CAVITY FOR AMP  
FASTIN-FASTON .250 SR.)

1 NUMERO DI IMPRONTA STAMPO  
(MOULD CAVITY IDENTIFICATION NO.)

2 MARCHIO DI FABBRICA ( TRADE MARK)

3 VERSIONE IN ACCORDO ALLA IEC 60695-2-11, IEC 60335-1 (GLOW WIRE)  
(VERSION ACCORDING TO IEC 60695-2-11, IEC 60335-1, GLOW WIRE)

4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

NOTE	COLORE (COLOUR)	MATERIALE (MATERIAL)	NUMERO (PART NUMBER)	
	3	NATURALE (NATURAL)	PA6 UNFILLED	1-180905-0
OBSOLETE		ARANCIO (ORANGE)	PA 6.6 (PA 6.6 UNFILLED)	<del>180905-9</del>
		VIOLETTO (VIOLET)		<del>180905-8</del>
	GRIGIO (GRAY)	180905-7		
	MARRONE (BROWN)	180905-6		
OBSOLETE		NERO (BLACK)		<del>180905-5</del>
		BLU (BLUE)		180905-3
	VERDE (GREEN)	180905-2		
	ROSSO (RED)	180905-1		
	NATURALE (NATURAL)	180905-0		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F.BORIN 22JUN98	TE Connectivity	
DIMENSIONS: mm		CHK C.TARTARI 22JUN98		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME FASTIN-FASTON™ CONNECTOR .250 SRS. FEMALE HOUSING, 1 POS.	
0 PLC ±		PRODUCT SPEC 108-20020	SIZE A3	
1 PLC ±		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO 180905
2 PLC ±		WEIGHT -	RESTRICTED TO -	
3 PLC ±				
4 PLC ±				
ANGLES ±°				
FINISH -				
MATERIAL SEE TABLE		CUSTOMER DRAWING	DISEGNO PER CLIENTE SOLO PER RIFERIMENTO	
			SCALE 3:1	SHEET 1 OF 1
			REV AB4	

1470-19 (3/11)

Pro/ENGINEER DRAWING