

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -









ALL RIGHTS RESERVED.

LOC -

DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	13.AUG.'13	KT	HG



NOTE

- 1. GENERAL TOLERANCE:  $\pm 0.3$ ,  $\pm 3^\circ$
- 2. MATERIAL: Copper-Nickel-Silicon (CuNiSi / UNS C64750), H04
- 3. FINISH: PRE-TINNED
- 4. THIS PRODUCT IS DESIGNED TO BE COMPATIBLE WITH UN-SEALED APPLICATIONS.
- 5. APPLICATOR FEED: 7.5MM

$\phi 1.1-1.7$	0.3-0.5 SQ	$\triangle 3$	$\triangle 2$	.025 TAB (S)	2188445-2
$\phi 0.9-1.05$	0.13-0.22 SQ	$\triangle 3$	$\triangle 2$	.025 TAB (SS)	2188445-1
INSULATION RANGE	WIRE RANGE (NOMINAL SIZE)	FINISH	MATERIAL	DESCRIPTION	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KT JUNG
DIMENSIONS: mm		CHK KT LIM
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD HG CHO
0 PLC	$\pm$	PRODUCT SPEC
1 PLC	$\pm$	-
2 PLC	$\pm$	APPLICATION SPEC
3 PLC	$\pm$	114-61030
4 PLC	$\pm$	WEIGHT
ANGLES	$\pm$	-
MATERIAL	FINISH	CUSTOMER DRAWING

<b>STE</b> TE Connectivity			
NAME .025 TAB CONTACTS			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	2188445	-
SCALE 8:1		SHEET 1 OF 1	REV A