











ONET2804TLP

ZHCSGK6-JULY 2017

# ONET2804TLP 低功耗 28 Gbps、4 通道限幅 TIA


## 特性

- 4 通道多速率操作: 高达 28Gbps
- 电源为 3V 时的功耗: 每通道 90mW
- 差动互阻抗: 7.5kΩ
- 带宽: 17.5GHz
- 输入噪声: 2μA<sub>rms</sub>
- 输入过载电流: 3.2mApp
- 可编程输出电压
- 可调增益和带宽
- 每通道的接收信号强度指示器 (RSSI)
- 通道之间的隔离(仅限于裸片): 40 dB
- 单电源: 2.8V 至 3.3V
- 增耗垫控制或2线控制
- 片上滤波电容器
- 运行温度范围: -40°C 至 +100°C
- 裸片尺寸: 3250μm × 1450μm, 通道间距为 750µm

# 2 应用

- 100G 以太网光发射器
- ITU OTL4.4
- 具有内部重定时功能的 CFP2、CFP4 和 QSFP28 模块

#### LP38690 的



## 3 说明

ONET2804TLP 器件是一款用于并行光互联的高增 益、限幅互阻抗放大器 (TIA),数据速率高达 28Gbps。此器件与 750μm 间距光电二极管阵列结合 使用,可将光信号转换为差分输出电压。由内部电路提 供光电二极管反向偏置电压并感测提供给各光电二极管 的平均光电流。

该器件可配合引脚控制或两线制串口使用, 从而实现对 输出幅值、增益、带宽和输入阈值的控制。

ONET2804TLP 具有 17.5GHz 带宽、7.5kΩ 增益、 2μA<sub>rms</sub> 输入参考噪声和每通道的接收信号强度指示器 (RSSI)。通道间的 40dB 隔离可降低接收器中的串扰。


该器件需要单个 2.8V 至 3.3V 电源,每通道典型功耗 为 90mW, 差分输出幅度为 300 mV<sub>PP</sub>。该器件工作温 度范围为 -40°C 至 +100°C, 采用裸片形式, 通道间 距为 750μm。

#### 器件信息(1)

器件型号	封装	封装尺寸 (标称值)
ONET2804TLP	采用叠片封装的裸片	3250µm × 1450µm

(1) 如需了解所有可用封装,请参阅数据表末尾的可订购产品附

# 眼图







_	$\Rightarrow$
_	ملب
_	w

_	a to ta		_, _ , _ , , , , , , ,	
1	特性 1		7.4 Device Functional Modes	
2	应用 1		7.5 Programming	13
3	说明 1		7.6 Register Maps	18
4	修订历史记录 2	8	Application and Implementation	2 <sup>2</sup>
5	Pin Configuration and Functions3		8.1 Application Information	
6	Specifications5		8.2 Typical Applications	2°
·	6.1 Absolute Maximum Ratings	9	Power Supply Recommendations	23
	6.2 ESD Ratings	10	Layout	24
	6.3 Recommended Operating Conditions		10.1 Layout Guidelines	24
	6.4 DC Electrical Characteristics		10.2 Layout Example	24
	6.5 AC Electrical Characteristics	11	器件和文档支持	2
	6.6 Timing Requirements		11.1 接收文档更新通知	2 <sup>-</sup>
	6.7 Typical Characteristics: General		11.2 社区资源	2 <sup>-</sup>
	6.8 Typical Characteristics: Eye Diagrams		11.3 商标	2 <sup>-</sup>
7	Detailed Description		11.4 静电放电警告	2 <sup>-</sup>
•	7.1 Overview		11.5 Glossary	2 <sup>-</sup>
	7.2 Functional Block Diagram	12	机械、封装和可订购信息	2 <sup>-</sup>
	7.3 Feature Description			


# 4 修订历史记录

日期	修订版本	注意
2017年7月	*	初始发行版。

www.ti.com.cn ZHCSGK6 – JULY 2017

# 5 Pin Configuration and Functions

#### ONET2804TLP Bond Pad Assignment: Y Package 76-Pad Die Top View



#### **Bond Pad Functions**

P	AD					
NAME	NO.	I/O	DESCRIPTION			
ADR0	54	Digital input	2-wire interface address programming pin. Leave this pad open for a default address of 0001100. Grounding this pad changes the first address bit to a 1 (0001101).			
ADR1	53	Digital input	2-wire interface address programming pin. Leave this pad open for a default address of 0001100. Grounding this pad changes the second address bit to a 1 (0001110).			
AMPL	6	Digital input	3-state input for amplitude control of all four channels.  V <sub>CC</sub> : 500-mV <sub>PP</sub> differential output swing  Open: 300-mV <sub>PP</sub> differential output swing (default)  GND: 250-mV <sub>PP</sub> differential output swing			
FILTER1 12, 14						
FILTER2 FILTER3	19, 21	Analog	FILTERx is the bias voltage for the photodiode cathode. These pads are biased to $V_{CC}$ – 100 mV.			
	26, 28	output				
FILTER4	33, 35					
GAIN	8	Digital input	3-state input for gain control of all four channels.  V <sub>CC</sub> : Minimum transimpedance  Open: Default transimpedance  GND: Medium transimpedance			
GND	11, 15, 18, 22, 25, 29, 32, 36, 47, 48, 51, 52, 55, 56, 59, 60, 63, 64, 67, 68, 71, 72, 75, 76	Supply	Circuit ground. All GND pads are connected on the die. Bonding all pads is recommended, except for pads 11, 15, 18, 22, 25, 29, 32, and 36.			

# **Bond Pad Functions (continued)**

P	AD					
NAME	NO.	1/0	DESCRIPTION			
I2CENA	5	Digital input	2-wire control option. Leave the pad unconnected for pad control of the device.  Two-wire control can be enabled by applying a high signal to the pad.			
IN1	13					
IN2	Analog INx is the data input to corresponding TIA channel (connect to photodic					
IN3 27 INx is the data in			INx is the data input to corresponding TIA channel (connect to photodiode anode)			
IN4	34					
NC	16, 17, 23, 24, 30, 31, 42, 61, 62, 69	No connection	Do not connect			
NRESET	70	Digital input	Used to reset the 2-wire state machine and registers.  Leave open for normal operation and set low to reset the 2-wire interface.			
OUT1-	73					
OUT2-	65	Analog				
OUT3-	57	output	Inverted CML data output for channel x. On-chip, $50-\Omega$ , back-terminated to $V_{CC}$ .			
OUT4-	49					
OUT1+	74					
OUT2+	66	Analog	Noninverted CML data output for channel x. On-chip, 50- $\Omega$ , back-terminated to V <sub>CC</sub> .			
OUT3+	58	output				
OUT4+	50					
RATE	7	Digital input	S-state input for bandwidth control of all four channels.  /cc: Increase the bandwidth  Dpen: 21-GHz bandwidth (default)  GND: Reduce the bandwidth			
RSSI1	9					
RSSI2	10	Analog	Indicates the strength of the received signal (RSSI) for channel x if the photodiode is biased from FILTERx. The analog output current is proportional to the input data amplitude. Connect to an			
RSSI3	37	output	external resistor to ground (GND). For proper operation, ensure that the voltage at the RSSIx pages.			
RSSI4	38		does not exceed $V_{CC}$ – 0.65 V. If the RSSI feature is not used, leave these pads open.			
SCL	40	Digital input	2-wire interface serial clock input. Includes a 10-k $\Omega$ pullup resistor to $V_{CC}$ .			
SDA	39	Digital input/output	2-wire interface serial data input. Includes a 10-k $\Omega$ pullup resistor to $V_{CC}$ .			
TRSH	41	Digital input	3-state input for the threshold control.  V <sub>CC</sub> : Crossing point shifted down  Open: No threshold adjustment (default)  GND: Crossing point shifted up			
V <sub>CC</sub> I1	4					
V <sub>CC</sub> I2	3	C	2.0.1/4s 2.47.1/ symply yellone for the imput TIA.			
V <sub>CC</sub> I3	44	Supply	2.8 V to 3.47 V supply voltage for the input TIAx stage.			
V <sub>CC</sub> I4	43					
V <sub>CC</sub> O1	1					
V <sub>CC</sub> O2	2	C	2.0.1/4= 2.47.1/ supply uplicate for the ACOu and CMU and CMU and CMU			
V <sub>CC</sub> O3	45	Supply	2.8 V to 3.47 V supply voltage for the AGCx and CMLx amplifiers.			
V <sub>CC</sub> O4	46					



# 6 Specifications

www.ti.com.cn

# 6.1 Absolute Maximum Ratings

over operating free-air temperature range (unless otherwise noted) (1)

		MIN	MAX	UNIT
Supply voltage <sup>(1)</sup>	$V_{CC}Ix$ , $V_{CC}Ox$	-0.3	4	V
Voltage <sup>(1)</sup>	FILTERX, OUTX+, OUTX-, RSSIX, SCL, SDA, I2CENA, ICC_ADJ, AMPL, RATE, GAIN, TRSH, ADR1, ADR0, and NRESET	-0.3	4	V
Average input ourrent	INx	-0.7	5	mA
Average input current	FILTERx	-8	8	mA
Continuous current at outputs	OUTx+, OUTx-	-8	8	mA
Maximum junction temperature,	, T <sub>J</sub>		125	°C
Storage temperature, T <sub>stg</sub>		-65	150	°C

<sup>(1)</sup> All voltage values are with respect to network ground terminal.

# 6.2 ESD Ratings

				VALUE	UNIT
V	Floatroatatio diacharge	Human-body model (HBM), per	All pins except INx	±1000	\/
V <sub>(ESD)</sub>	Electrostatic discharge	ANSI/ESDA/JEDEC JS-001 (1)	INx pins	±500	V

<sup>(1)</sup> JEDEC document JEP155 states that 500-V HBM allows safe manufacturing with a standard ESD control process.

## **6.3 Recommended Operating Conditions**

over operating free-air temperature range (unless otherwise noted)

				MIN	NOM	MAX	UNIT
V <sub>CC</sub>	Supply voltage			2.8	3.3	3.47	V
I <sub>(INx)</sub>	Average input current					2.7	mA
T <sub>A</sub>	Operating backside die temp	perature		-40		100	°C
L <sub>(FILTER)</sub> , L <sub>(IN)</sub>	Wire-bond inductance at the	FILTERx and INx pins			0.3		nΗ
C <sub>(PD)</sub>	Photodiode capacitance				0.1		pF
V <sub>IH</sub>	Digital input high voltage	SDA, SCL		2			V
V <sub>IL</sub>	Digital input low voltage	SDA, SCL				0.8	V
	3-state input high voltage		V <sub>CC</sub> -	- 0.4			V
	3-state input low voltage					0.4	V



#### 6.4 DC Electrical Characteristics

over recommended operating conditions with  $V_{OD}$  = 300 m $V_{PP}$  (unless otherwise noted); typical values are at  $V_{CC}$  = 3.3 V and  $T_A$  = 25°C

	PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT	TEST LEVEL <sup>(1)</sup>
V <sub>CC</sub>	Supply voltage		2.8	3.3	3.47	V	Α
		Per channel, 30-μA <sub>PP</sub> input, 27°C	22		42		Α
I <sub>CC</sub>	Supply current	Per channel, 30-μA <sub>PP</sub> input, maximum 85°C		30		mA	С
		Per channel, 30-μA <sub>PP</sub> input, maximum 100°C		36			С
		Per channel, 30-μA <sub>PP</sub> input, 27°C	73		139		Α
P <sub>(RX)</sub>	Receiver power dissipation	Per channel, 30-μA <sub>PP</sub> input, maximum 85°C		99		mW	С
		Per channel, 30-μA <sub>PP</sub> input, maximum 100°C		118			С
V <sub>IN</sub>	Input bias voltage		0.75	0.85	0.98	V	А
R <sub>OUT</sub>	Output resistance	Single-ended to V <sub>CC</sub>	40	50	60	Ω	А
V <sub>(FILTER)</sub>	Photodiode bias voltage <sup>(2)</sup>		2.8	3.2		V	А
A <sub>(RSSI_IB)</sub>	RSSI gain	Resistive load to GND <sup>(3)</sup>	0.49	0.5	0.54	A/A	Α
	RSSIx feature output offset current (no light)		0		2.5	μA	А

<sup>(1)</sup> Test levels: (A) 100% tested at 25°C. Overtemperature limits set by characterization and simulation. (B) Limits set by characterization and simulation. (C) Typical value only for information.

#### 6.5 AC Electrical Characteristics

over recommended operating conditions with  $V_{OD}$  = 300 mV<sub>PP</sub> (unless otherwise noted); typical values are at  $V_{CC}$  = 3.3 V and  $T_A$  = 25°C

	PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT	TEST LEVEL <sup>(1)</sup>
Z <sub>21</sub>	Small-signal transimpedance	25-μA <sub>PP</sub> input signal		7.5		kΩ	С
f <sub>(3dB-H)</sub>	-3-dB bandwidth	25-μA <sub>PP</sub> input signal <sup>(2)</sup>		17.5		GHz	С
f <sub>(3dB-L)</sub>	Low-frequency, -3-dB bandwidth			30		kHz	С
i <sub>N(IN)</sub>	Input-referred RMS noise	CPD = 0.1 pF, 28-GHz BT4 filter <sup>(3)</sup>		2		μΑ	С
		$35 \mu A_{PP} < i_{IN} < 250 \mu A_{PP}$ (27.95 Gbps, PRBS9 pattern)		2		ps <sub>PP</sub>	С
DJ	Deterministic jitter	250 μA <sub>PP</sub> < i <sub>IN</sub> < 500 μA <sub>PP</sub> (27.95 Gbps, PRBS9 pattern)		2			С
		500 μA <sub>PP</sub> < i <sub>IN</sub> < 2900 μA <sub>PP</sub> (27.95 Gbps, PRBS9 pattern)		4			С
V <sub>OD</sub>	Differential output voltage	500-mV <sub>PP</sub> setting	250	500	700	$mV_{PP}$	С
	Crosstalk	Between adjacent channels, up to 20 GHz <sup>(4)</sup>		-40		dB	С
	RSSIx response time			1		μS	С
PSRR	Power-supply rejection ratio	f < 10 MHz <sup>(5)</sup>		-15		dB	С

<sup>(1)</sup> Test levels: (A) 100% tested at 25°C. Overtemperature limits set by characterization and simulation. (B) Limits set by characterization and simulation. (C) Typical value only for information.

<sup>(2)</sup> Regulated voltage is typically 100 mV lower than V<sub>CC</sub>.

<sup>(3)</sup> The RSSIx output is a current output that requires a resistive load to ground (GND). The voltage gain can be adjusted for the intended application by choosing the external resistor; however, for proper operation, ensure that the voltage at RSSIx does not exceed V<sub>CC</sub> – 0.65 V.

<sup>(2)</sup> The small-signal bandwidth is specified over process corners, temperature, and supply voltage variation. The assumed photodiode capacitance is 0.1 pF and the bond-wire inductance is 0.3 nH. The small-signal bandwidth strongly depends on environmental parasitics. Careful attention to layout parasitics and external components is necessary to achieve optimal performance.

<sup>(3)</sup> Input-referred RMS noise is (RMS output noise) / (gain at 100 MHz).

<sup>(4)</sup> Die only, no wire bonds.

<sup>(5)</sup> PSRR is the differential output amplitude divided by the voltage ripple on the supply. No input current at INx.




6.6 Timing Requirements

		MIN	NOM	MAX	UNIT
f <sub>SCK</sub>	SCK clock frequency			400	kHz
t <sub>BUF</sub>	Bus free time between START and STOP conditions	1.3			μs
t <sub>HDSTA</sub>	Hold time after repeated START condition. After this period, the first clock pulse is generated.	0.6			μs
t <sub>LOW</sub>	Low period of the SCK clock	1.3			μs
t <sub>HIGH</sub>	High period of the SCK clock	0.6			μs
t <sub>SUSTA</sub>	Setup time for a repeated START condition	0.6			μs
t <sub>HDDAT</sub>	Data hold time	0			μs
t <sub>SUDAT</sub>	Data setup time	100			ns
t <sub>R</sub>	Rise time of both SDA and SCK signals			300	ns
t <sub>F</sub>	Fall time of both SDA and SCK signals			300	ns
t <sub>SUSTO</sub>	Setup time for STOP condition	0.6			μs

# TEXAS INSTRUMENTS

# 6.7 Typical Characteristics: General


typical operating condition is at  $V_{CC} = 3.3 \text{ V}$ ,  $T_A = 25^{\circ}\text{C}$ , and  $V_{OD} = 300 \text{ mV}_{PP}$  (unless otherwise noted)





# **Typical Characteristics: General (continued)**

typical operating condition is at  $V_{CC} = 3.3 \text{ V}$ ,  $T_A = 25^{\circ}\text{C}$ , and  $V_{OD} = 300 \text{ mV}_{PP}$  (unless otherwise noted)







Figure 7. Input-Referred Noise vs Ambient Temperature

Figure 8. RSSIx Output Current vs Average Input Current

# 6.8 Typical Characteristics: Eye Diagrams

typical operating condition is at  $V_{CC}$  = 3.3 V,  $T_A$  = 25°C, and  $V_{OD}$  = 500 m $V_{PP}$  (unless otherwise noted)






Figure 10. Output Eye-Diagram, 500-µA<sub>PP</sub> Input Current




Figure 11. Output Eye-Diagram, 1.5-mA<sub>PP</sub> Input Current




Figure 12. Output Eye-Diagram, 2.5-mA<sub>PP</sub> Input Current



www.ti.com.cn ZHCSGK6 – JULY 2017

# 7 Detailed Description

#### 7.1 Overview

The Functional Block Diagram section shows a simplified block diagram for one channel of the ONET2804TLP.


The ONET2804TLP consists of the signal path, supply filters, a control block for dc input bias, automatic gain control (AGC) and received signal strength indication (RSSI), an analog reference block and a two-wire serial interface and control logic block.

The signal path consists of a transimpedance amplifier (TIA) stage, a voltage amplifier, and a current-mode logic (CML) output buffer. The on-chip filter circuit provides a filtered  $V_{CC}$  for the PIN photodiode and for the transimpedance amplifier. The RSSI provides the bias for the TIA stage and control for the AGC.

The DC input bias circuit and automatic gain control use internal low-pass filters to cancel the DC current on the input and to adjust the transimpedance amplifier gain. Furthermore, circuitry is provided to monitor the received signal strength.

The output amplitude, gain, bandwidth, and input threshold can be globally controlled through pin settings or each channel can be individually controlled through the two-wire interface.

### 7.2 Functional Block Diagram



# TEXAS INSTRUMENTS

#### 7.3 Feature Description

#### 7.3.1 Signal Path

The first stage of the signal path is a transimpedance amplifier that converts the photodiode current into a voltage. If the input signal current exceeds a certain value, the transimpedance gain is reduced by means of a nonlinear AGC circuit to limit the signal amplitude.

The second stage is a limiting voltage amplifier that provides additional limiting gain and converts the single-ended input voltage into a differential data signal. The output stage provides CML outputs with an on-chip,  $50-\Omega$  termination to  $V_{CC}$ .

The TIA has adjustable gain, amplitude, bandwidth, and input threshold that can be globally controlled through pad settings or each channel can be individually controlled through the two-wire interface. The default mode of operation is pad control where the state (open, high, or low) of the AMPL, BW, GAIN, and TRSH pads sets the respective parameter. To enable two-wire control, set the I2CENA pad high and the functionality of each channel can be controlled individually through the two-wire interface.

#### 7.3.2 Gain Adjustment

The gain of all TIAs can be adjusted using the GAIN pad (pad 8) in pad control mode. Gain is set to default if the pad is left open. Gain is reduced by approximately 4 dB if the pad is tied to ground, and reduced by approximately 8 dB if the pad is tied to  $V_{CC}$ . In two-wire control mode, the gain of each channel can be adjusted from minimum to default. Gain is controlled with the GAIN[1:0] bits in registers 2, 8, 14, and 20 for channels 1, 2, 3, and 4, respectively.

#### 7.3.3 Amplitude Adjustment

The output amplifier of all buffers can be adjusted using the AMPL pad (pad 6) in pad control mode. The amplitude is set to 300 mV<sub>PP</sub> differential if the pad is left open, 250 mV<sub>PP</sub> if the pad is tied to ground, and 450 mV<sub>PP</sub> if the pad is tied to V<sub>CC</sub> voltage (recommended mode of operation). In two-wire control mode, the amplitude of each channel can be adjusted from 0 mV<sub>PP</sub> to 600 mV<sub>PP</sub>. The amplitude is controlled with the AMPL[3:0] bits in registers 1, 7, 13, and 19 for channels 1, 2, 3, and 4, respectively.

#### 7.3.4 Rate Select

The small-signal bandwidth can be adjusted using the RATE pad (pad 7) in pad control mode. Bandwidth is typically 20 GHz if the pad is left open. Bandwidth is reduced by approximately 0.4 GHz if the pad is tied to ground, and increased by approximately 0.4 GHz if the pad is tied to  $V_{CC}$ . In two-wire control mode, the bandwidth of each channel can be adjusted up or down using the RATE[3:0] register settings in registers 1, 7, 13, and 19 for channels 1, 2, 3, and 4, respectively.

#### 7.3.5 Threshold Adjustment

The TIAs have DC offset cancellation to maintain a 50% crossing point; however, the crossing point can be adjusted using the TRSH pad (pad 41) in pad control mode. No threshold adjustment is applied if the pad is left open. The crossing point is shifted up approximately 12% if the pad is tied to ground, and is shifted down by approximately 12% if the pad is tied to  $V_{CC}$ . In two-wire control mode, the crossing point can be adjusted up or down using the TH[3:0] register settings in registers 2, 8, 14, and 20 for channels 1, 2, 3, and 4, respectively.

#### 7.3.6 Filter Circuitry

The FILTERx pins provide a regulated and filtered  $V_{CC}$  for a PIN photodiode bias. The supply voltages for the transimpedance amplifier have on-chip capacitors but external filter capacitors are recommended to be used as well for best performance. The input stage has a separate  $V_{CC}$  supply ( $V_{CC}$ Ix) that is not connected on-chip to the supply of the limiting and CML stages ( $V_{CC}$ Ox).

#### 7.3.7 AGC and RSSI

The voltage drop across the regulated photodiode FET is monitored by the bias and RSSI control circuit block in the case where a PIN diode is biased using the FILTERx pins.



Easture Description (continued)

# Feature Description (continued)

If the DC input current exceeds a certain level then this current is partially cancelled by means of a controlled current source. This cancellation keeps the transimpedance amplifier stage within sufficient operating limits for optimum performance.

The automatic gain control circuitry adjusts the voltage gain of the AGC amplifier to ensure limiting behavior of the complete amplifier.

Finally, this circuit block senses the current through the FILTERx FET and generates a mirrored current that is proportional to the input signal strength. The mirrored currents are available at the RSSIx outputs and can be sunk to ground (GND) using an external resistor. For proper operation, ensure that the voltage at the RSSIx pad does not exceed  $V_{\rm CC} - 0.65 \ V$ .

#### 7.4 Device Functional Modes

The device has two functional modes of operation: pad control mode and two-wire interface control mode.

#### 7.4.1 Pad Control

The default mode of operation is pad control and the amplitude is recommended to be increased to the  $450~\text{mV}_{PP}$  setting by bonding AMPL (pad 6) to  $V_{CC}$ . If further adjustment is desired as described previously, then the RATE (pad 7), GAIN (pad 8), and TRSH (pad 41) control pads and can be bonded to either ground (GND) or  $V_{CC}$ .

#### 7.4.2 Two-Wire Interface Control

To enable two-wire interface, the I2CENA (pad 5) control pad must be bonded to  $V_{CC}$ . In this mode of operation, pad control is not functional and all control is initiated through the two-wire interface as described in the *Programming* section.

# 7.5 Programming

The ONET2804TLP uses a two-wire serial interface for digital control. For example, the two circuit inputs (SDA and SCK) are driven by the serial data and serial clock from a microcontroller. Both inputs include 10-k $\Omega$  pullup resistors to  $V_{CC}$ . For driving these inputs, an open-drain output is recommended. The two-wire interface allows write access to the internal memory map to modify control registers and read access to read out control and status signals. The ONET2804TLP is a slave device only, which means that the device cannot initiate a transmission, but always relies on the availability of the SCK signal for the duration of the transmission. The master device provides the clock signal as well as the START and STOP commands. The device is recommended to be used on a bus with only one master. The protocol for a data transmission is as follows:

- 1. START command
- 2. 7-bit slave address (0001100) followed by an eighth bit that is the data direction bit (R/W). A zero indicates a write operation and a 1 indicates a read operation.
- 3. 8-bit register address
- 4. 8-bit register data word
- 5. STOP command

Regarding timing, the ONET2804TLP is I<sup>2</sup>C compatible. Figure 13 illustrates the typical timing and Figure 14 illustrates a complete data transfer. Parameters for Figure 13 are defined in the *Timing Requirements* table.

ZHCSGK6 – JULY 2017 www.ti.com.cn

# TEXAS INSTRUMENTS

# **Programming (continued)**




Figure 13. I<sup>2</sup>C Timing Diagram




Figure 14. Data Transfer

#### 7.5.1 Bus Idle

Both the SDA and SCK lines remain high.

#### 7.5.2 Start Data Transfer

A change in the state of the SDA line from high to low when the SCK line is high defines a START condition (S). Each data transfer is initiated with a START condition.

#### 7.5.3 Stop Data Transfer

A change in the state of the SDA line from low to high when the SCK line is high defines a STOP condition (P). Each data transfer is terminated with a STOP condition; however, to continue communication on the bus, the master can generate a repeated START condition and address another slave without first generating a STOP condition.



# **Programming (continued)**

#### 7.5.4 Data Transfer

Only one data byte can be transferred between a START and a STOP condition. The receiver acknowledges the transfer of data.

#### 7.5.5 Acknowledge

Each receiving device, when addressed, is obliged to generate an acknowledge bit. The transmitter releases the SDA line and a device that acknowledges must pull down the SDA line during the acknowledge clock pulse in such a way that the SDA line is stable low during the high period of the acknowledge clock pulse. Setup and hold times must be taken into account. When a slave-receiver does not acknowledge the slave address, the data line must be left high by the slave. The master can then generate a STOP condition to abort the transfer. If the slave-receiver does acknowledge the slave address but some time later in the transfer cannot receive any more data bytes, the master must abort the transfer. This requirement is indicated by the slave generating a not acknowledge on the first subsequent byte. The slave leaves the data line high and the master generates the STOP condition.

# 7.6 Register Maps

Table 1 lists the registers for the ONET2804TLP.

Table 1. Register Map

REGIS	STER				REGISTE	R DATA			
NAME	ADDRESS	7	6	5	4	3	2	1	0
Register 0	00h	RESET	PD	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	PWRITE
Register 1	01h	RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
Register 2	02h	PD	DIS	DIS GAIN1		TH3	TH2	TH1	TH0
Register 3	03h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 4	04h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 5	05h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 6	06h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 7	07h	RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
Register 8	08h	PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
Register 9	09h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 10	0Ah	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 11	0Bh	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 12	0Ch	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 13	0Dh	RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
Register 14	0Eh	PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
Register 15	0Fh	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 16	10h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 17	11h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 18	12h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 19	13h	RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
Register 20	14h	PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
Register 21	15h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 22	16h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 23	17h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 24	18h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Register 25	19h	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED

ZHCSGK6 – JULY 2017 www.ti.com.cn

# TEXAS INSTRUMENTS

#### 7.6.1 Register Descriptions

This section describes the circuit functionality based on the register settings. Table 2 defines the various register bit field types used in this document.

## Table 2. Register Bit Field Types

SYMBOL	DESCRIPTION	ACCESS, READ ACTION, WRITE VALUE			
R	Read	Read-only			
R/W	Read, write, or both	Read-write			
W	Write	Write-only			

## 7.6.2 Register 0: Control Settings (address = 00h) [reset = 0h]

# Figure 15. Register 0

7	6	5	4	3	2	1	0
RESET	PD	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	PWRITE
W-0h	R/W-0h	R-Xh	R-Xh	R-Xh	R-Xh	R-Xh	R/W-0h

#### Table 3. Register 0 Field Descriptions

Bit	Field	Туре	Reset	Description
7	RESET	W	0h	Reset registers bit.  1 = Resets all registers to default values  0 = Normal operation
6	PD	R/W	0h	Power-down bit.  1 = Power down all channels (I <sub>CC</sub> is approximately 4 mA)  0 = Normal operation
5-1	Reserved	R	Undefined	Reserved. Read-only.
0	PWRITE	R/W	0h	Parallel write mode bit.  1 = Parallel write enabled (write register value to all channels)  0 = Serial write

## 7.6.3 Register 1: Amplitude and Rate for Channel 1 (address = 01h) [reset = 0h]

### Figure 16. Register 1

7	6	5	4	3	2	1	0
RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
R/W-0h							

# Table 4. Register 1 Field Descriptions

Bit	Field	Туре	Reset	Description
7-4	RATE[3:0]	R/W	Oh	Rate adjustments bits for channel 1.  0000 = 21 GHz (default)  0111 = BW decrease of approximately 0.4 GHz  1111 = BW increase of approximately 0.4 GHz  All others: Do not use
3-0	AMP[3:0]	R/W	0h	Amplitude adjustment bits for channel 1.  Table 5 lists the bit settings for AMP[3:0].



# Table 5. AMP[3:0] Bit Settings

BITS	AMPLITUDE ADJUSTMENT (mV <sub>PP</sub> )	BITS	AMPLITUDE ADJUSTMENT (mV <sub>PP</sub> )
0000	0 (default)	1000	250
0001	50	1001	300
0010	100	1010	350
0011	150	1011	400
0100	200	1100	450
0101	250	1101	500
0110	300	1110	550
0111	350	1111	600

# 7.6.4 Register 2: Threshold and Gain for Channel 1 (address = 02h) [reset = 0h]

# Figure 17. Register 2

7	6	5	4	3	2	1	0
PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
R/W-0h							

# **Table 6. Register 2 Field Descriptions**

Bit	Field	Туре	Reset	Description
7	PD	R/W	0h	Power-down bit for channel 1.  1 = Power down channel 1.  0 = Normal operation
6	DIS	R/W	0h	Disable output buffer for channel 1.  1 = Disable channel 1 output buffer  0 = Normal operation
5-4	GAIN[1:0]	R/W	Oh	Gain adjustment bits for channel 1.  00 = Default 01 = Do not use 10 = Medium (-4 dB) 11 = Minimum (-8 dB)
3-0	TH[3:0]	R/W	Oh	Threshold adjustment bits for channel 1.  0000 = Zero shift  0001 = Minimum positive shift  0111 = Maximum positive shift  1000 = Zero shift  1001 = Minimum negative shift  1111 = Maximum negative shift





# 7.6.5 Register 7: Amplitude and Rate for Channel 2 (address = 07h) [reset = 0h]

# Figure 18. Register 7

7	6	5	4	3	2	1	0
RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
R/W-0h							

# Table 7. Register 7 Field Descriptions

Bit	Field	Туре	Reset	Description
7-4	RATE[3:0]	R/W	Oh	Rate adjustments bits for channel 2.  0000 = 21 GHz (default)  0111 = BW decreases by approximately 0.4 GHz  1111 = BW increases by approximately 0.4 GHz
3-0	AMP[3:0]	R/W	0h	Amplitude adjustment bits for channel 2. Table 5 lists the bit settings for AMP[3:0].

# 7.6.6 Register 8: Threshold and Gain for Channel 1 (address = 08h) [reset = 0h]

# Figure 19. Register 8

7	6	5	4	3	2	1	0
PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
R/W-0h							

# **Table 8. Register 8 Field Descriptions**

Bit	Field	Туре	Reset	Description
7	PD	R/W	0h	Power-down bit for channel 2.  1 = Power down channel 2  0 = Normal operation
6	DIS	R/W	0h	Disable output buffer for channel 2.  1 = Disable channel 2 output buffer  0 = Normal operation
5-4	GAIN[1:0]	R/W	0h	Gain adjustment bits for channel 2.  00 = Default 01 = Do not use 10 = Medium (-4 dB) 11 = Minimum (-8 dB)
3-0	TH[3:0]	R/W	Oh	Threshold adjustment bits for channel 2.  0000 = Zero shift  0001 = Minimum positive shift  0111 = Maximum positive shift  1000 = Zero shift  1001 = Minimum negative shift  1111 = Maximum negative shift



www.ti.com.cn ZHCSGK6 – JULY 2017

# 7.6.7 Register 13: Amplitude and Rate for Channel 3 (address = 0Dh) [reset = 0h]

# Figure 20. Register 13

7	6	5	4	3	2	1	0
RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
R/W-0h							

# Table 9. Register 13 Field Descriptions

Bit	Field	Туре	Reset	Description
7-4	RATE[3:0]	R/W	Oh	Rate adjustments bits for channel 3.  0000 = 21 GHz (default)  0111 = BW decreases by approximately 0.4 GHz  1111 = BW increases by approximately 0.4 GHz
3-0	AMP[3:0]	R/W	0h	Amplitude adjustment bits for channel 3. Table 5 lists the bit settings for AMP[3:0].

# 7.6.8 Register 14: Threshold and Gain for Channel 3 (address = 0Eh) [reset = 0h]

# Figure 21. Register 14

7	6	5	4	3	2	1	0
PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
R/W-0h							

# **Table 10. Register 14 Field Descriptions**

Bit	Field	Туре	Reset	Description		
7	PD	R/W	0h	Power-down bit for channel 3.  1 = Power down channel 3.  0 = Normal operation		
6	DIS	R/W	0h	Disable output buffer for channel 3.  1 = Disable channel 3 output buffer  0 = Normal operation		
5-4	GAIN[1:0]	R/W	Oh	Gain adjustment bits for channel 3.  00 = Default 01 = Do not use 10 = Medium (-4 dB) 11 = Minimum (-8 dB)		
3-0	TH[3:0]	R/W	0h	Threshold adjustment bits for channel 3.  0000 = Zero shift 0001 = Minimum positive shift 0111 = Maximum positive shift 1000 = Zero shift 1001 = Minimum negative shift 1111 = Maximum negative shift		





# 7.6.9 Register 19: Amplitude and Rate for Channel 4 (address = 13h) [reset = 0h]

# Figure 22. Register 19

7	6	5	4	3	2	1	0
RATE3	RATE2	RATE1	RATE0	AMP3	AMP2	AMP1	AMP0
R/W-0h							

# Table 11. Register 19 Field Descriptions

Bit	Field	Туре	Reset	Description
7-4	RATE[3:0]	R/W	Oh	Rate adjustments bits for channel 4.  0000 = 21 GHz (default)  0111 = BW decreases by approximately 0.4 GHz  1111 = BW increases by approximately 0.4 GHz
3-0	AMP[3:0]	R/W	0h	Amplitude adjustment bits for channel 4. Table 5 lists the bit settings for AMP[3:0].

# 7.6.10 Register 20: Threshold and Gain for Channel 4 (address = 14h) [reset = 0h]

# Figure 23. Register 20

7	6	5	4	3	2	1	0
PD	DIS	GAIN1	GAIN0	TH3	TH2	TH1	TH0
R/W-0h							

# **Table 12. Register 20 Field Descriptions**

Bit	Field	Туре	Reset	Description		
7	PD	R/W	0h	Power-down bit for channel 4.  1 = Power down channel 4.  0 = Normal operation		
6	DIS	R/W	Oh	Disable output buffer for channel 4.  1 = Disable channel 4 output buffer  0 = Normal operation		
5-4	GAIN[1:0]	R/W	Oh	Gain adjustment bits for channel 4.  00 = Default 01 = Do not use 10 = Medium (-4 dB) 11 = Minimum (-8 dB)		
3-0	TH[3:0]	R/W	Oh	Threshold adjustment bits for channel 4.  0000 = Zero shift  0001 = Minimum positive shift  0111 = Maximum positive shift  1000 = Zero shift  1001 = Minimum negative shift  1111 = Maximum negative shift		

www.ti.com.cn ZHCSGK6-JULY 2017

# **Application and Implementation**

#### NOTE

Information in the following applications sections is not part of the TI component specification, and TI does not warrant its accuracy or completeness. TI's customers are responsible for determining suitability of components for their purposes. Customers should validate and test their design implementation to confirm system functionality.

#### 8.1 Application Information

Figure 24 shows the ONET2804TLP being used in a fiber optic receiver application with four channels running at 25 Gbps each and with pin control. Figure 27 illustrates the device being used with two-wire control. The ONET2804TLP converts the electrical current generated by the PIN photodiode into a differential output voltage. The FILTERx inputs provide a DC bias voltage for the PIN that is low-pass filtered. The photodiode must be connected to the FILTERx pads for the bias circuit to function correctly because the voltage drop across the photodiode FET is sensed and used by the bias circuit.

The RSSIx outputs are used to mirror the photodiode output current and can be connected via resistors to GND. The voltage gain can be adjusted for the intended application by choosing the external resistor; however, for proper operation of the ONET2804TLP, ensure that the voltage at RSSIx never exceeds  $V_{CC}$  – 0.65 V. If the RSSIx outputs are not used when using the internal PD bias, then leave these outputs open.

The OUTx+ and OUTx- pins are internally terminated by 50- $\Omega$  pullup resisters to V<sub>CC</sub>. The outputs must be AC coupled (for example, by using 0.1-uF capacitors) to the succeeding device.

#### 8.2 Typical Applications

#### 8.2.1 Pad Control Application




Figure 24. Basic Application Circuit with Pad Control

# TEXAS INSTRUMENTS

# **Typical Applications (continued)**

#### 8.2.1.1 Design Requirements

**Table 13. Design Parameters** 


PARAMETER	VALUE		
Input voltage	3.3 V		
Output voltage	300 mV <sub>PP</sub>		

#### 8.2.1.2 Detailed Design Procedure

The ONET2804TLP is designed to be used in conjunction with a 750- $\mu$ m pitch photodiode array or individual photodiodes and assembled into a receiver optical subassembly (ROSA). The TIA is typically mounted on a ceramic substrate with etched connections for  $V_{CC}$ , RSSIx, and  $100-\Omega$  differential transmission lines for the output voltage. The photodiode converts the optical input signal into a current that is supplied to the TIA through wire bonds. The TIA then converts the input current into a voltage and further amplifies the signal. TI recommends setting the output amplitude to the  $300-mV_{PP}$  level by leaving AMPL (pad 6) floating.

The ROSA is typically mounted on a printed circuit board (PCB) with  $100-\Omega$  differential transmission lines and RF connectors [such as GPPO® or 2.4-mm subminiature version A (SMA) connectors]. When measuring the output from the ROSA mounted on the PCB, the frequency dependent loss of the transmission lines affects the frequency response. The loss can be de-embedded from the measurement to determine the actual frequency response at the output of the ROSA.

#### 8.2.1.3 Application Curves






Figure 25. Gain vs Frequency (Without De-Embedding)

Figure 26. Gain vs Frequency (With De-Embedding)



8.2.2 Two-Wire Control Application

# CHANNEL 1 CHANNEL 2 CHANNEL 3 CHANNEL 4 RSSI1 RSSI2 RSSI3

Figure 27. Basic Application Circuit with Two-Wire Control

750 µm Pitch Photodiode Array

#### 8.2.2.1 Design Requirements

Substrate

Table 14 lists the design requirements for this application.

Table 14. Design Parameters

PARAMETER	VALUE		
I2CENA pin voltage	3.3 V		
Output voltage	300 mV <sub>PP</sub>		

#### 8.2.2.2 Detailed Design Procedure

As described in the *Detailed Design Procedure* section on the pad control application, TI generally recommends setting the output voltage of the device to the  $300\text{-mV}_{PP}$  setting. The output voltage setting can be controlled by bonding specific device pads as detailed in the *Pad Control Application* section, but can alternatively be controlled using the device  $I^2C$  interface. To set the output amplitude via the  $I^2C$  interface, the I2CENA pad must be connected to  $V_{CC}$ , which enables the  $I^2C$  control and disables pad control. The output amplitude can then be set to the  $300\text{-mV}_{PP}$  mode by writing the value 0110 to bits[3:0] of the amplitude control registers for each channel as described in the *Register Maps* section. Requirements to operate the  $I^2C$  interface are detailed in the *Programming* section.

# 9 Power Supply Recommendations

The ONET2804TLP is designed to operate from an input supply voltage range between 2.8 V and 3.47 V. There are a total of eight power-supply pads ( $V_{CC}I[4:1]$  and  $V_{CC}O[4:0]$ ) that must be connected for proper operation.  $V_{CC}I[4:1]$  are used to supply power to the input transimpedance amplifier stages and  $V_{CC}O[4:1]$  are used to supply power to the voltage amplifiers and output buffers. Each amplifier is powered up separately but there are some common internal connections for support circuitry (such as the two-wire interface). Therefore, if only one channel is being evaluated, all eight supply pads must be connected. Use two single-layer ceramic (SLC) capacitors in the range of 270 pF to 680 pF for power-supply decoupling.  $V_{CC}I1$ ,  $V_{CC}I2$ ,  $V_{CC}O1$ , and  $V_{CC}O2$  should be bonded to one capacitor and  $V_{CC}I3$ ,  $V_{CC}I4$ ,  $V_{CC}O3$ , and  $V_{CC}O4$  should be bonded to the other capacitor; see Figure 24 and Figure 27 for reference.

# 10 Layout

## 10.1 Layout Guidelines

Careful attention to assembly parasitics and external components is necessary to achieve optimal performance.

- Minimize the total capacitance on the INx pad by using a low capacitance photodiode (100 fF) and pay attention to stray capacitances. Place the photodiode close to the ONET2804TLP die and keep the wire bond inductance in the range of 300 pH to 400 pH.
- Use identical termination and symmetrical transmission lines at the AC-coupled differential output pins (OUTx+ and OUTx-).
- Use short bond wire connections for the supply pins V<sub>CC</sub>Ix, V<sub>CC</sub>Ox, and GND. Supply voltage filtering is provided on-chip but filtering can be improved by using an additional external capacitor.
- The die has backside metal and conductive epoxy must be used to attach the die to ground.

#### 10.2 Layout Example

The device dimensions are shown in Figure 28 and Table 15 provides the pad locations. The device is designed for wire bonding not flip chip layouts.




Figure 28. Device Dimensions and Pad Locations

Die thickness: 203  $\mu$ m ± 13  $\mu$ m Pad dimensions: 105  $\mu$ m × 65  $\mu$ m

Die size: 3250  $\mu$ m ± 40  $\mu$ m × 1450  $\mu$ m ± 40  $\mu$ m

# **Layout Example (continued)**

# **Table 15. Bond Pad Coordinates**

	COORD	INATES			
PAD	(Reference	d to Pad 1)	SYMBOL	TYPE	DESCRIPTION
	Χ (μm)	Y (µm)			
1	0	0	V <sub>CC</sub> O1	Supply	3.3-V supply voltage
2	0	-94	V <sub>CC</sub> O2	Supply	3.3-V supply voltage
3	0	-188	V <sub>CC</sub> I2	Supply	3.3-V supply voltage
4	0	-282	V <sub>CC</sub> I1	Supply	3.3-V supply voltage
5	0	-376	I2CENA	Digital input	I <sup>2</sup> C enable
6	0	<del>-47</del> 0	AMPL	Digital input	Amplitude control
7	0	-580	RATE	Digital input	Rate selection
8	0	-704	GAIN	Digital input	Gain control
9	0	-814	RSSI1	Analog output	Receiver signal strength indicator for channel 1
10	0	-908	RSSI2	Analog output	Receiver signal strength indicator for channel 2
11	180	-1110	GND	Supply	Circuit ground
12	290	-1110	FILTER1	Analog output	Bias voltage for photodiode 1
13	400	-1110	IN1	Analog input	TIA input for channel 1
14	510	-1110	FILTER1	Analog output	Bias voltage for photodiode 1
15	620	-1110	GND	Supply	Circuit ground
16	720	-1110	NC	No connection	Do not connect
17	829	-1110	NC	No connection	Do not connect
18	929	-1110	GND	Supply	Circuit ground
19	1039	-1110	FILTER2	Analog output	Bias voltage for photodiode 2
20	1149	-1110	IN2	Analog input	TIA input for channel 2
21	1259	-1110	FILTER2	Analog output	Bias voltage for photodiode 2
22	1369	-1110	GND	Supply	Circuit ground
23	1469	-1110	NC	No connect	Do not connect
24	1580	-1110	NC	No connect	Do not connect
25	1680	-1110	GND	Supply	Circuit ground
26	1790	-1110	FILTER3	Analog output	Bias voltage for photodiode 3
27	1900	-1110	IN3	Analog input	TIA input for channel 3
28	2010	-1110	FILTER3	Analog output	Bias voltage for photodiode 3
29	2120	-1110	GND	Supply	Circuit ground
30	2239	-1110	NC	No connect	Do not connect
31	2329	-1110	NC	No connect	Do not connect
32	2429	-1110	GND	Supply	Circuit ground
33	2539	-1110	FILTER4	Analog output	Bias voltage for photodiode 4
34	2649	-1110	IN4	Analog input	TIA input for channel 4
35	2759	-1110	FILTER4	Analog output	Bias voltage for photodiode 4
36	2869	-1110	GND	Supply	Circuit ground
37	3051	-908	RSSI3	Analog output	Receiver signal strength indicator for channel 3
38	3051	-814	RSSI4	Analog output	Receiver signal strength indicator for channel 4
39	3051	-704	SDA	Digital input/output	2-wire data
40	3051	<b>–</b> 579	SCL	Digital input	2-wire clock
41	3051	-470	TRSH	Digital input	Input threshold control (cross-point)
42	3051	-376	NC	No connect	Do not connect
43	3051	-282	V <sub>CC</sub> I4	Supply	3.3-V supply voltage
44	3051	-188	V <sub>CC</sub> I3	Supply	3.3-V supply voltage

# TEXAS INSTRUMENTS

# **Layout Example (continued)**

# **Table 15. Bond Pad Coordinates (continued)**

PAD	COORDINATES (Referenced to Pad 1)		SYMBOL	TYPE	DESCRIPTION				
	X (µm)	Y (µm)							
45	3051	-94	V <sub>CC</sub> O3	Supply	3.3-V supply voltage				
46	3051	0	V <sub>CC</sub> O4	Supply	3.3-V supply voltage				
47	2888	140	GND	Supply	Circuit ground				
48	2799	140	GND	Supply	Circuit ground				
49	2699	140	OUT4-	Analog output	Inverted data output for channel 4				
50	2599	140	OUT4+	Analog output	Noninverted data output for channel 4				
51	2499	140	GND	Supply	Circuit ground				
52	2410	140	GND	Supply	Circuit ground				
53	2322	140	ADR1	Digital input	2-wire address bit 1 control				
54	2228	140	ADR0	Digital input	2-wire address bit 0 control				
55	2139	140	GND	Supply	Circuit ground				
56	2050	140	GND	Supply	Circuit ground				
57	1950	140	OUT3-	Analog output	Inverted data output for channel 3				
58	1850	140	OUT3+	Analog output	Noninverted data output for channel 3				
59	1750	140	GND	Supply	Circuit ground				
60	1661	140	GND	Supply	Circuit ground				
61	1572	140	NC	No connection	Do not connect				
62	1477	140	NC	No connection	Do not connect				
63	1388	140	GND	Supply	Circuit ground				
64	1299	140	GND	Supply	Circuit ground				
65	1199	140	OUT2-	Analog output	Inverted data output for channel 2				
66	1099	140	OUT2+	Analog output	Noninverted data output for channel 2				
67	999	140	GND	Supply	Circuit ground				
68	910	140	GND	Supply	Circuit ground				
69	821	140	NC	No connect	Do not connect				
70	728	140	NRESET	Digital input	2-wire negative reset				
71	639	140	GND	Supply	Circuit ground				
72	550	140	GND	Supply	Circuit ground				
73	450	140	OUT1-	Analog output	Inverted data output for channel 1				
74	350	140	OUT1+	Analog output	Noninverted data output for channel 1				
75	250	140	GND	Supply	Circuit ground				
76	161	140	GND	Supply	Circuit ground				



ZHCSGK6-JULY 2017 www.ti.com.cn

#### 11 器件和文档支持

#### 11.1 接收文档更新通知

要接收文档更新通知,请导航至德州仪器 Tl.com.cn 上的器件产品文件夹。请单击右上角的通知我 进行注册,即可 收到任意产品信息更改每周摘要。有关更改的详细信息,请查看任意已修订文档中包含的修订历史记录。

#### 11.2 社区资源

下列链接提供到 TI 社区资源的连接。链接的内容由各个分销商"按照原样"提供。这些内容并不构成 TI 技术规范, 并且不一定反映 TI 的观点:请参阅 TI 的 《使用条款》。

TI E2E™ 在线社区 TI 的工程师对工程师 (E2E) 社区。此社区的创建目的在于促进工程师之间的协作。在 e2e.ti.com 中,您可以咨询问题、分享知识、拓展思路并与同行工程师一道帮助解决问题。

设计支持 TI 参考设计支持 可帮助您快速查找有帮助的 E2E 论坛、设计支持工具以及技术支持的联系信息。

#### 11.3 商标

E2E is a trademark of Texas Instruments.

GPPO is a registered trademark of Gilbert Incorporated.

All other trademarks are the property of their respective owners.

#### 11.4 静电放电警告



ESD 可能会损坏该集成电路。德州仪器 (TI) 建议通过适当的预防措施处理所有集成电路。如果不遵守正确的处理措施和安装程序,可 能会损坏集成电路。



ESD 的损坏小至导致微小的性能降级,大至整个器件故障。 精密的集成电路可能更容易受到损坏,这是因为非常细微的参数更改都可 能会导致器件与其发布的规格不相符。

#### 11.5 Glossary

SLYZ022 — TI Glossary.

This glossary lists and explains terms, acronyms, and definitions.

#### 12 机械、封装和可订购信息

以下页面包括机械、封装和可订购信息。这些信息是指定器件的最新可用数据。这些数据发生变化时,我们可能不 会另行通知或修订此文档。如欲获取此产品说明书的浏览器版本,请参阅左侧的导航栏。



# PACKAGE OPTION ADDENDUM

24-Apr-2019

#### PACKAGING INFORMATION

Orderable Device	Status	Package Type	Package	Pins	Package	Eco Plan	Lead/Ball Finish	MSL Peak Temp	Op Temp (°C)	Device Marking	Samples
	(1)		Drawing		Qty	(2)	(6)	(3)		(4/5)	
ONET2804TLPY	ACTIVE	DIESALE	Y	0	135	TBD	Call TI	Call TI	-40 to 100		Samples

(1) The marketing status values are defined as follows:

ACTIVE: Product device recommended for new designs.

LIFEBUY: TI has announced that the device will be discontinued, and a lifetime-buy period is in effect.

NRND: Not recommended for new designs. Device is in production to support existing customers, but TI does not recommend using this part in a new design.

PREVIEW: Device has been announced but is not in production. Samples may or may not be available.

**OBSOLETE:** TI has discontinued the production of the device.

(2) RoHS: TI defines "RoHS" to mean semiconductor products that are compliant with the current EU RoHS requirements for all 10 RoHS substances, including the requirement that RoHS substance do not exceed 0.1% by weight in homogeneous materials. Where designed to be soldered at high temperatures, "RoHS" products are suitable for use in specified lead-free processes. TI may reference these types of products as "Pb-Free".

RoHS Exempt: TI defines "RoHS Exempt" to mean products that contain lead but are compliant with EU RoHS pursuant to a specific EU RoHS exemption.

**Green:** TI defines "Green" to mean the content of Chlorine (CI) and Bromine (Br) based flame retardants meet JS709B low halogen requirements of <=1000ppm threshold. Antimony trioxide based flame retardants must also meet the <=1000ppm threshold requirement.

- (3) MSL, Peak Temp. The Moisture Sensitivity Level rating according to the JEDEC industry standard classifications, and peak solder temperature.
- (4) There may be additional marking, which relates to the logo, the lot trace code information, or the environmental category on the device.
- (5) Multiple Device Markings will be inside parentheses. Only one Device Marking contained in parentheses and separated by a "~" will appear on a device. If a line is indented then it is a continuation of the previous line and the two combined represent the entire Device Marking for that device.
- (6) Lead/Ball Finish Orderable Devices may have multiple material finish options. Finish options are separated by a vertical ruled line. Lead/Ball Finish values may wrap to two lines if the finish value exceeds the maximum column width.

Important Information and Disclaimer: The information provided on this page represents TI's knowledge and belief as of the date that it is provided. TI bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. TI has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

In no event shall TI's liability arising out of such information exceed the total purchase price of the TI part(s) at issue in this document sold by TI to Customer on an annual basis.

#### 重要声明和免责声明

TI 均以"原样"提供技术性及可靠性数据(包括数据表)、设计资源(包括参考设计)、应用或其他设计建议、网络工具、安全信息和其他资源,不保证其中不含任何瑕疵,且不做任何明示或暗示的担保,包括但不限于对适销性、适合某特定用途或不侵犯任何第三方知识产权的暗示担保。

所述资源可供专业开发人员应用TI产品进行设计使用。您将对以下行为独自承担全部责任: (1)针对您的应用选择合适的TI产品; (2)设计、验证并测试您的应用; (3)确保您的应用满足相应标准以及任何其他安全、安保或其他要求。所述资源如有变更,恕不另行通知。TI对您使用所述资源的授权仅限于开发资源所涉及TI产品的相关应用。除此之外不得复制或展示所述资源,也不提供其它TI或任何第三方的知识产权授权许可。如因使用所述资源而产生任何索赔、赔偿、成本、损失及债务等,TI对此概不负责,并且您须赔偿由此对TI及其代表造成的损害。

TI 所提供产品均受TI 的销售条款 (http://www.ti.com.cn/zh-cn/legal/termsofsale.html) 以及ti.com.cn上或随附TI产品提供的其他可适用条款的约束。TI提供所述资源并不扩展或以其他方式更改TI 针对TI 产品所发布的可适用的担保范围或担保免责声明。

邮寄地址: 上海市浦东新区世纪大道 1568 号中建大厦 32 楼,邮政编码: 200122 Copyright © 2019 德州仪器半导体技术(上海)有限公司