



#### V: 2020.12

# **A7682E**

## SIMCom LTE Cat 1 Module





## **Product Description**

A7682E is the LTE Cat 1 module that supports wireless communication modes of LTE-FDD/GSM/GPRS/EDGE. It supports maximum 10Mbps downlink rate and 5Mbps uplink rate.

A7682E adopts LCC+LGA form factor and is compatible with SIM800C, SIM868series (GSM/GPRS modules), which enables smooth migration from 2G products to LTE products, and greatly facilitates more compatible product design for the customer needs.

A7682E supports multiple built-in network protocols, supports drivers for main operation systems (USB driver for Windows, Linux and Android etc.) and software function. AT commands are compatible with the SIM800 series modules. Meanwhile A7682E integrates main industrial standard interfaces, with powerful expansibility, including abundant interfaces such as UART, USB, I2C, GPIO, which is suitable for main IOT applications such as telematics, surveillance devices, industrial routers, and remote diagnostics etc.

# **Key Benefits**

- ♦ LCC+LGA form factor with abundant interfaces
- Suitable for LTE and GSM networks
- Abundant software functions: FOTA, LBS, SSL
- Compatible with the SIM800C,SIM868 series modules



## **General Features**

Frequency Bands	LTE-FDD B1/B3/B5/B7/B8/B20			
Danus	GSM/GPRS/EDGE 900/1800 MHz			
Supply Voltage	3.4V ~ 4.2V, Typ: 3.8V			
Control Via AT	Commands			
Operation temperature	-40°C ~ +85°C			
Dimensions	19.6*19.6*2.4mm			
Weight	1.9g±0.1			

## **Other Features**

USB Driver	for Micro	soft Wind	dows 7/8/10		
USB Driver	for Linux	/Android			
RIL suppor	ting for A	ndroid 5.0	0/6. <mark>0/7.</mark> 0/8.0/	9.0	
Firmware u	pdate via	USB/FO	TA		
TCP/IP/IPV	/4/IPV6/N	lulti-PDP/	FTP/FTPS/F	HTTP/HTTP	S/DNS
RNDIS/PPI	P/ECM				
SMS					0
SSL					

## **Data Transfer**

LTE Cat 1	Uplink up to 5Mbps	
	Downlink up to10Mbps	
EDGE	Uplink/Downlink up to 236.8Kbps	
GPRS	Uplink/Downlink up to 85.6Kbps	

#### **Interfaces**

USB2.0	
UART	
(U)SIM card(1.8V/3V)	
Analog audio	
ADC	
I2C	
GPIO	
Antenna: Primary	

## **Certifications**

CE#/RoHS#/REACH#

## Note

- \*: optional
- #: on going