EL7646-000 - ACTIVE

TMS-CT

TE Internal #: EL7646-000 Printable Tubing, Continuous, Military, 3:1 Shrink Ratio, Yellow, . 25in [6.4mm] Expanded Inside Diameter, TMS-CT View on TE.com >



Identification & Labeling > Printable Tubing > Continuous Tube, Military Grade TMS-CT



Printable Tubing Type: **Continuous** Printable Tubing Grade: **Military** Shrink Ratio: **3:1** Primary Product Color: **Yellow**

Expanded Inside Diameter (Min): 6.4 mm [.25 in]

All Continuous Tube, Military Grade TMS-CT (30)

Features

Product Type Features

Printable Tubing Type

Printable Tubing Grade

Continuous

Military

J		

Body Features

Shrink Ratio	3:1	
Primary Product Color	Yellow	
Dimensions		
Expanded Inside Diameter (Min)	6.4 mm[.25 in]	
Recovered Inside Diameter (Max)	2.1 mm[.083 in]	
Compatible Cable Diameter Range	2.3 – 5.5 mm[.091 – .215 in]	
Usage Conditions		
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]	
Printer/Label Features		
Printer Technology	Thermal Transfer	
Packaging Features		
Packaging Quantity	50	

EL7646-000

Printable Tubing, Continuous, Military, 3:1 Shrink Ratio, Yellow, .25in [6.4mm] Expanded Inside Diameter, TMS-CT



Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



TMS-CCUV-CT-50M-3-OUT-X


T6112DS-PRINTER

EL7646-000

Printable Tubing, Continuous, Military, 3:1 Shrink Ratio, Yellow, .25in [6.4mm] Expanded Inside Diameter, TMS-CT



Also in the Series | TMS-CT



Customers Also Bought



	= TE	ETE	-= TE
TE Part #38943-22L	TE Part #YDTS24F25-35SAV001	TE Part #ZPF000000000107200	TE Part #EL7644-000
CONT SOC ASSY	RECP ASSY	787-8055-11M	TMS-CT-50M-1/8-OUT-4

TE Part #ZPF000000000011505	TE Part #605704-ZZ
BJE 118	CONT SKT.SIZE 24.

Documents

Product Drawings

TMS-CT-50M-1/4-OUT-4

English

Datasheets & Catalog Pages

Printable Continuous Tubing

English

EL7646-000

Printable Tubing, Continuous, Military, 3:1 Shrink Ratio, Yellow, .25in [6.4mm] Expanded Inside Diameter, TMS-CT



TMS-CT, Continuous Military Grade Heat Shrink Identification Tube.

English

Product Specifications

Product Specification

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets Instruction Sheet (non U.S.)

English