

SACC-DSI-M12FS-8CON-M16/1,5SCO - Device connector, rear mounting



1416340

<https://www.phoenixcontact.com/us/products/1416340>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector, rear mounting, 8-position-SPEEDCON, coding: A, on free cable end, Rear mounting, Individual wires, Alternative product in accordance with RoHS II without Exemption 6c (Pb <0.1%) item no.: 1239114

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 1416340 |
| Packing unit | 1 pc |
| Minimum order quantity | 50 pc |
| Sales key | AB24 |
| Product key | ABQCHB |
| GTIN | 4055626071916 |
| Weight per piece (including packing) | 55.4 g |
| Weight per piece (excluding packing) | 55.4 g |
| Customs tariff number | 85444290 |
| Country of origin | DE |

SACC-DSI-M12FS-8CON-M16/1,5SCO - Device connector, rear mounting



1416340

<https://www.phoenixcontact.com/us/products/1416340>

Technical data

Notes

| | |
|---------|---|
| General | Lock nut is included in the scope of delivery |
|---------|---|

Mounting

| | |
|-------------------|------------------|
| Mounting type | Rear mounting |
| Connection method | Individual wires |

Product properties

| | |
|---------------------|-----------------------------------|
| Product type | Circular connectors (device side) |
| Number of positions | 8 |
| Coding | A |
| Thread type | M12 |

Connection data

Conductor connection

| | |
|-------------------------|------------------|
| Connection method | Individual wires |
| Contact connection type | Socket |

Connector

Connection 2

| | |
|-------------|----------------|
| Head design | free cable end |
|-------------|----------------|

SACC-DSI-M12FS-8CON-M16/1,5SCO - Device connector, rear mounting





1416340

<https://www.phoenixcontact.com/us/products/1416340>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1416340>

|  UL Recognized Approval ID: E118976-20100522 | | | | |
|---|-----------------------|-----------------------|-------------------|----------------------|
| | Nominal voltage U_N | Nominal current I_N | Cross section AWG | Cross section mm^2 |
| | 30 V | 2 A | - 24 | - |

|  EAC Approval ID: B.01687 | | | | |
|--|--|--|--|--|
|--|--|--|--|--|

|  cULus Recognized Approval ID: E221474-20140616 | | | | |
|--|-----------------------|-----------------------|-------------------|----------------------|
| | Nominal voltage U_N | Nominal current I_N | Cross section AWG | Cross section mm^2 |
| | 30 V | 2 A | 24 - 22 | - |

SACC-DSI-M12FS-8CON-M16/1,5SCO - Device connector, rear mounting



1416340

<https://www.phoenixcontact.com/us/products/1416340>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27440103 |
| ECLASS-12.0 | 27440103 |
| ECLASS-13.0 | 27440103 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC003570 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

SACC-DSI-M12FS-8CON-M16/1,5SCO - Device connector, rear mounting



1416340

<https://www.phoenixcontact.com/us/products/1416340>

Environmental product compliance

| | |
|------------|--|
| REACH SVHC | Lead 7439-92-1 |
| China RoHS | Environmentally Friendly Use Period = 50 years |
| | For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com