1825174-3 ✓ ACTIVE

Alcoswitch | Alcoswitch APA

TE Internal #: 1825174-3

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile,

Alcoswitch APA

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Single Pole - Double Throw

Push Button Switch Product Type: Switch

Number of Actuators: Single
Actuator Profile: Extended
Bushing Style: Unthreaded

Features

Product Type Features

Switch Type	Pushbutton
Dust Proof	No
Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Round

Configuration Features

ESD Grounding Terminal	Without
Ganged	No
Configuration (Pole-Throw)	Single Pole - Double Throw
Number of Actuators	Single
Snap Action	Without
Support Bracket	Without
Tactile	No
Operating Function	Momentary

Electrical Characteristics

Push Button Switch Voltage Rating	48 VDC
-----------------------------------	--------

Body Features

Case Material	Polyester
	r ory color



Actuator Material	Polyester
Actuator Profile	Extended
Bushing Style	Unthreaded
Actuator Color	Black
Contact Features	
Contact Base Material	Phosphor Bronze
Push Button Switch Contact Current Rating	.05 A
Switch Contact Plating Material	Gold over Nickel
Termination Features	
Termination Type	Printed Circuit
Mechanical Attachment	
Mounting Angle	Right Angle
Push Button Switch Mounting Type	Through Hole
Housing Features	
Low Profile	No
Process Sealed	No
Dimensions	
Actuator Length	3.05 mm[.12 in]
Button Width	2.46 mm[.097 in]
Usage Conditions	
Temperature Rating	Standard
Packaging Features	

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233)

Bulk



$D_{\alpha\alpha\alpha}$	not co	ntain	REACH	SV/LIC
DOES	not co	ntain	KFAUH	SVHU

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Alcoswitch APA



Customers Also Bought

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Alcoswitch APA





















Documents

Product Drawings

APA1FGRA04

English

CAD Files

Customer View Model

ENG_CVM_CVM_1825174-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1825174-3_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1825174-3_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Alcoswitch APA



SWITCHES_CORE_PROGRAM_CATALOG

English