

RF Attenuator, 2.92mm Male to 2.92mm Female, 40 GHz, 20 dB, 2 Watts. VSWR up to 40 GHz is 1.25 max.

Product Features

P1dB's P1AT-29MF-40G2W-20 is a 50 Ohm coaxial attenuator operating to 40 GHz. The connectors are 2.92mm male to 2.92mm female. Attenuation is 20 dB.

Max VSWR to 40 GHz is 1.25. Maximum input power is 2 Watts. The attenuator body is passivated stainless steel.




Electrical Specification: T _{Ambient} = 25° C

| Parameter | Frequency Range | Units | Min | Typical | Max | Notes |
|-----------------|-----------------|-------|-----|---------|------|-------|
| Frequency Range | | GHz | DC | | 40.0 | |

Mechanical And Environmental Specifications:

| Parameter | Description | Notes | |
|-----------------|---------------|-------|--|
| Connector 1 | 2.92mm Male | | |
| Connector 2 | 2.92mm Female | | |
| RoHS Compliance | Yes | | |

Drawing





P1AT-29MF-40G2W-20

RF Attenuator, 2.92mm Male to 2.92mm Female, 40 GHz, 20 dB, 2 Watts. VSWR up to 40 Ghz is 1.25 max.

Product Notes