

TECHNICAL DATA SHEET

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM



Features:

- Low profile, only 1.8" tall
- Up to 6-lead Configuration
 - LTE(2x) MIMO
 - WiFi(3x) MIMO-|2.4/5.x GHz
 - GPS/GNSS (1x)
- Frequency of Operation:
 - 698-960MHz,1710-2690MHz
 - 2400-2500MHz,5150-5925MHz
 - 1559-1606MHz

Applications:

- Telematics, Navigation
- First Responders(Police, Fire, Ambulance/EMS)
- Energy, Utility, Construction
- Fleet Management
- DSRC(Dedicated Short Range Communications)
- Available Configurations:
 - Black, White
 - Magnetic mount
 - For direct mount seep/N: ARMXXXXDM



Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

XXXXMM

PART NUMBER: ARMXXXXXMM

This document covers all product variants of the following product family

| Product | Total Cable Leads | LTE Cable Leads | WiFi Cable Leads | GPS Cable Leads | Housing Color | Mounting |
|------------|----------------------|--------------------|---------------------|--------------------|------------------|--|
| ARM62311MM | 6 | 2 | 3 | 1 | Black | |
| ARM62312MM | 6 | 2 | 3 | 1 | White | Magnetic Mount; Pull Force: 100N, 22lbf min. (Tested on 3mm thick steel plate) |
| ARM52211MM | 5 | 2 | 2 | 1 | Black | |
| ARM52212MM | 5 | 2 | 2 | 1 | White | |
| ARM42111MM | 4 | 2 | 1 | 1 | Black | |
| ARM42112MM | 4 | 2 | 1 | 1 | White | |
| ARM22001MM | 2 | 2 | 0 | 0 | Black | |
| ARM22002MM | 2 | 2 | 0 | 0 | White | |

Product Numbering

Vehicular Multiband Antenna with Direct Mount

(Part Number)

| | Product ID: ARMADILLO |
|----------|----------------------------------|
| ۲ | Total Number of Cable leads |
| @ | Total Number of LTE Cable Leads |
| ۲ | Total Number of WiFi Cable Leads |
| (| Total Number of GPS Cable Leads |
| | The Color of the Plastic Housing |
| • | 1=Black; 2= White |
| 8 | Mounting: Magnetic Mount |

| | ARMXXXXXMM | CABLE | CABLE LENGTH | CONNECTOR |
|---|-------------------|-----------|---------------------|--------------------|
| 1 | LTE-1 Cable Assy | | | SMA Male |
| 2 | WiFi-1 Cable Assy | LMR-195 * | | RP-SMA Male |
| 3 | WiFi-3 Cable Assy | LIVIR-195 | 5181 mm / 204" / | RP-SMA Male |
| 4 | WiFi-2 Cable Assy | - | | RP-SMA Male |
| 5 | GPS Cable Assy | LMR-100 * | 17 FT | SMA Male |
| 6 | LTE-2 Cable Assy | LMR-195 * | | SMA Male |

* or equivalent

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary.





Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

| ELECTRICAL SPECIFICATIONS | | | | |
|----------------------------|----------------------------|--|--|--|
| Frequency | 698-960MHz, 1710-2690MHz | | | |
| | 2400-2500MHz, 5150-5925MHz | | | |
| Nominal Impedance | 50 Ω | | | |
| VSWR* | | | | |
| 698-960MHz | <2.5 | | | |
| 1710-2690MHz | <2.5 | | | |
| 2400-2500MHz | <2.5 | | | |
| 5150-5925MHz | <2.5 | | | |
| Isolation* | | | | |
| 698-960MHz, 1710-2690MHz | -8dB | | | |
| 2400-2500MHz, 5150-5925MHz | -12dB | | | |
| Radiation Pattern | Omni | | | |
| Average Peak Gain** | | | | |
| 698-960MHz | 4.6dBi | | | |
| 1710-2690MHz | 5dBi | | | |
| 2400-2500MHz | 4.1dBi | | | |
| 5150-5925MHz | 6.3dBi | | | |
| Polarization | Vertical | | | |

*Test on 500mm ground plane with 17ft(5.2m) LMR195 cable **Test on 500mm ground plane with 1ft(304.8) LMR195 cable

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



CDS Antonna

TECHNICAL DATA SHEET

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

ELECTRICAL SPECIFICATIONS

| GPS Antenna | |
|--------------------------|---|
| Frequency | 1561.098±2.046MHz/ 1575.42±1.023MHz/ 1602.5625±4MHz |
| Nominal Impedance | 50 Ω |
| VSWR | <2 |
| Gain (Radiating Element) | 1 dBic±1 dB |
| Gain (LNA Gain) | 30 dB± 2 dB |
| Polarization | RHCP |
| Out of Band Rejection | |
| 698 MHz | >70 dB |
| 960 MHz | >65 dB |
| 1710 MHz | >60 dB |
| 2170 MHz | >65 dB |
| 2400 MHz | >65 dB |
| 2700 MHz | >65 dB |
| Noise Figure | <2.4 dB |
| Operating Voltage | 3.3 – 5 Vdc |
| Current Consumption | <15mA |
| | |

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

MECHANICAL SPECIFICATIONS

Overall Length Weight Antenna Color / Material Connector type Cable type Cable length 202.3mm X 88.5mm X 45mm 1.1 Kg Black or White Refer to Page 2 Refer to Page 2 Refer to Page 2

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature Storage Temperature Ingress Protection RoHS Compliant -40 ~ +85° C -40 ~ +85° C IP67 Yes

OTHER SPECIFICATIONS

| Total cable assembly loss for 5.2m (17') LMR-195 @850MHz | 2.1dB |
|---|-------|
| Total cable assembly loss for 5.2m (17') LMR-100 @1575MHz | 5.9dB |
| Total cable assembly loss for 5.2m (17') LMR-195 @1930MHz | 3.2dB |
| Total cable assembly loss for 5.2m (17') LMR-195 @2450MHz | 3.6dB |
| Total cable assembly loss for 5.2m (17') LMR-195 @2500MHz | 3.7dB |
| Total cable assembly loss for 5.2m (17') LMR-195 @5350MHz | 5.5dB |

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

MECHANICAL DRAWING



Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

MECHANICAL DRAWING



Issue: 2

or equivalent

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

KOHS COMPLIANT


7



TECHNICAL DATA SHEET Description: Vehicular Multiband Antenna with Magnetic Mount PART NUMBER: ARMXXXXMM

TEST SETUP

Antenna tested on a Φ 500mm ground plane.



Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




8




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM



Isolation (LTE)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



9




Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS Radiation Efficiency (LTE)



Peak Gain (LTE)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10




Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS VSWR (WIFI)



Isolation (WIFI)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 11




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS





Peak Gain (WIFI)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

12




Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



14




Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



15




Series: ARMADILLO


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with

TECHNICAL DATA SHEET


Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



17




Description: Vehicular Multiband Antenna with Magnetic Mount


TECHNICAL DATA SHEET

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with

TECHNICAL DATA SHEET

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



19




TECHNICAL DATA SHEET Description: Vehicular Multiband Antenna with

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with

TECHNICAL DATA SHEET

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



21




TECHNICAL DATA SHEET Description: Vehicular Multiband Antenna with

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



22




Description: Vehicular Multiband Antenna with

TECHNICAL DATA SHEET

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



23




TECHNICAL DATA SHEET Description: Vehicular Multiband Antenna with

Magnetic Mount


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 2051

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



24



TECHNICAL DATA SHEET Description: Vehicular Multiband Antenna with Magnetic Mount PART NUMBER: ARMXXXXMM

PACKAGING

Each antennas packed in Bubble Bag

- 6 bags of antennas (Total 6pcs) packed in a cardboard box
- 1 label on each box with quantity, part number, date code.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



25