т (Органија) т (Органија) то се	
A Z	4
	LAYOUT SHOWN AS EXAMPLE
	LAYOUT SHOWN AS EXAMPLE
Keying Shown as example	
CHARACTERISTICS Connector dimension	
	ninal
- Shell Material : Aluminium Z 3	Max SOURIAU shall not be liable for any non-conformity or damage
-Shell Plating : Olive drab Cadmium VV THREAD M: -Insulator : Thermoplastic	x1-6g due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party
-Contacts : Copper Alloy	(professional recommendation, technical notice.)
-Seals & Grommet : Silicon Elastomer	Country Jurisdiction & Control List
► -Contact Plating : Gold over copper Alloy 0.8µm minimum	FR Not Listed
-Durability : 500 Mating cycles	
-Delivered with Souriau contacts and Accessories	PN: 8D517W06BA
-Temperature Range : -65°C to +175°C	A 17-10-2016 First Release
-Salt Spray : 500 hours	
	ISS DATE Latest modification - by MOD N° Designed By: Date: CUSTOMER DRAWING
	TITLE Aluminium Plug 8D series
BASIC SERIES: 8D 5 - 17 W 06 B A	SCALE General linear NPRDS / PROJECT
→ SHELL TYPE : Plug with RFI Shielding	NA Tolerances: 859
	CRIENTATION A
CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 17 CONTACT TYPE	ORIENTATION : A GOCKET(500 Matings) SOURIAU SOURIAU it must not be reproduced or communicated without permission
PLATING : W = Olive drab Cadmium CO	
	0001/10000// C
H I G I F I E	D C B A

r	т	۵	г –	m	Ū	0
		Contact Layout				
4	-x ($ \overset{+Y}{\stackrel{E_{\bigoplus}}{\bigoplus}} \overset{A_{\bigoplus}}{\bigoplus} $				
		Contacts (insert arrangement 17-6)				
ω	Conta position A B C C D E F	Location X-axis Y-axis (mm) (mm) +.121 (3.07) +.209 (5.31) +241 (6.12) +.000 (0.00) -0.000 (0.00) 241 (6.12) -241 (6.12) +.000 (0.00) 121 (3.07) +.209 (5.31)				
ŭ	Shell Arrangement Nur size no. co	where of ntacts Size contacts Service rating f Contact location Supersedes 6 12 I All MtS20053-6				
	\vdash				[SOURIAU shall not be liable for an
						due to a use of the Products w the Specifications issued by either o (professional recommenda
N						PN: 8D517
					A 17-10-20	016 First Release
					ISS DATE Designed By:	Latest modification - by Date:
					SCALE	Alumir General linear
_					NA	Tolerances:
					FORMAT	
		-			A3	SOURIAU 8D517W
	Н	G	l F	E	D	C

	ω		Þ					
					4			
					3			
anyı	non-conformit	ty or damage						
which does not comply with r of the Parties or by a third party								
datio	on, technical n	otice.)						
ntry R	Jurisd	liction & Contro Not Listed	ol List		2			
7W06BA								
		CUSTOMER	DRAWING	MOD N°				
ninium Plug 8D series								
r								
	NPRDS / PROJECT 859							
.CC			ment is the pro SOURIAU		1			
			it must not be reproduced or communicated without permission					
	DRG N°			SHEET				
VVU	BBA-C		A	2/2	J			
	5	'	/ \					