






NO. OF CIRCUITS	DIM. "A"		DIM. "B"		ASSEMBLY MATERIAL NO. (STANDARD)	ASSEMBLY MATERIAL NO. (-49 OPT)	ASSEMBLY MATERIAL NO. (-10A OPT)	FRONT TERMINAL QTY.	REAR TERMINAL QTY.
	mm	in	mm	in					
03	24.8	0.98	16.00	0.630	399500103		399520103	1	2
04	32.8	1.29	24.00	0.945		399540104	399520104	2	2
05	40.8	1.61	32.00	1.260		399540105	399520105	2	3
06	48.8	1.92	40.00	1.575		399540106	399520106	3	3
07	56.8	2.24	48.00	1.890		399540107	399520107	3	4
08	64.8	2.55	56.00	2.205			399520108	4	4
09	72.8	2.87	64.00	2.520			399520109	4	5
11	88.8	3.50	80.00	3.150	399500111	399540111	399520111	5	6
13	104.8	4.13	96.00	3.780		399540113	399520113	6	7
14	112.8	4.44	104.00	4.094		399540114	399520114	7	7
15	120.8	4.76	112.00	4.409		399540115	399520115	7	8
16	128.8	5.07	120.00	4.724		399540116	399520116	8	8



AUX. VIEW
SCALE 1:1



NOTES:

- MATERIAL: SEE TABLE
- FINISHES: SEE TABLE
- INCH DIMS ARE SHOWN IN BRACKETS [XXX].
- "XX" REFER TO THE NUMBER OF CIRCUITS.
- ALL CREEP DISTANCES FOR UL 1059, CLASS C, 600V GENERAL INDUSTRIAL
- FOR USE WITH #22-#12 AWG SOLID AND STRANDED WIRES
- TORQUE RATING IS 5 IN-LB. MAX.
- PRODUCT PERFORMANCE SPECIFICATION PPS.95.001
- ASSEMBLY IS ROHS COMPLIANT.

7	"XX"	SCREW, M3 X 0.5, -49 OPTION	PHOS. BRONZE	TIN PLATE
6	"XX"	SCREW, M3 X 0.5, STD.	STEEL	ZN, CLEAR CHROMATE
5	"XX"	CAGE CLAMP	BRASS	NICKEL PLATE
4	SEE CHART	FRONT TERMINAL	RED BRASS	TIN PLATE
3	SEE CHART	REAR TERMINAL	RED BRASS	TIN PLATE
2	1	BODY	PBT	BLACK
1	1	CAP	PBT	BLACK
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS MM/IN	SCALE 3:2	CURRENT REV DESC: Obsolete part number as per pcn#512167	molex		
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 727777			
4 PLACES ±	±	DRWN: SUGEEB	2022/11/07		
3 PLACES ±	± 0.005	CHK'D: GGA	2022/11/16		
2 PLACES ±	± 0.13 ± 0.01	APPR: GGA	2022/11/16		
1 PLACE ±	± 0.3 ±	INITIAL REVISION:	PRODUCT CUSTOMER DRAWING		
0 PLACES ±	±	DRWN: GHR	1998/10/30		
ANGULAR TOL ± 2.0 °		APPR: L.ROTHAUS	1998/11/02		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
		C-SIZE	39950	SEE TABLE	GENERAL MARKET
					SHEET NUMBER
					1 OF 1