

NOTES:

1. MATERIAL AND FINISHES:

BODY - BRASS, NICKEL PLATING  
 CONTACT - BERYLLIUM COPPER, GOLD PLATING  
 INSULATOR - PTFE, NATURAL


2. ELECTRICAL:

A. IMPEDANCE: 50 OHM, NOMINAL  
 B. FREQUENCY RANGE: 0-4 GHz  
 C. D.W.V: 1500 VRMS. MIN.

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN.  
 B. TEMPERATURE RANGE: -65°C TO +165°C



THIRD ANGLE PROJ.



SCALE 2.000

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	ADD MOUNTING HOLE DIA.	07-Aug-98	-----	GRS
B	CHANGE KNURL DIMENSION AND ADD TOLERANCE ADD TOLERANCE TO MOUNTING HOLE	17-Aug-98	-----	GRS
C	REDRAWN IN PRO-E	19-Aug-14	2795	MZ



**CUSTOMER OUTLINE DRAWING**  
 ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:  
 <0.5mm ±0.05mm    0.5 - 6mm ±0.1mm    6 - 30mm ±0.2mm    30 - 120mm ±0.3mm    ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	-
REFERENCE	B87071701-NT30G
CONFIGURATION LEVEL:	
FINISH	

DRAWN	M. ZHANG	DATE	19-Aug-14
ENGINEER	S. DUAN	DATE	19-Aug-14
APPROVED	S. HSIEH	DATE	19-Aug-14
CAD FILE			

TITLE		BNC PRESS FIT RECEPT. JACK	
SCALE:	6.0:1.0	SHEET	3 OF 3
DWG SIZE	B	REV	C

Amphenol Connex	
DRAWING NO.	
ITEM NO.	
PART NO.	112579