
Chip tantalum capacitors TC series A case


Features

- 1) Small package, large capacitance chip tantalum capacitor.
- 2) Low impedance capacitors.
- 3) Screening by thermal shock.

Dimensions



Part No. Explanation



① Series name TC

2 Case style

4 Nominal capacitance

Nominal capacitance in pF in 3 digits:

2 significant figures followed by the figure representing the number of 0's.

⑤ Capacitance tolerance

③ Rated voltage

A: 3216-3216(18)size

CODE	Rated voltage(V)
0E	2.5
0G	4
OJ	6.3
1A	10
1C	16
1D	20
1E	25
1V	35
1H	50

- M : ±20%
- 6 Taping
 - 8: Tape width

R: Positive electrode on the side opposite to sprocket hole

Rated table

Impedance(Ω)

Capa	citance				Rateo	l voltage (V.DC)			
()	(µF)		4	6.3	10	16	20	25	35	50
1.0	(105)					7	7	7	7	
1.5	(155)				8.8	5.6				
2.2	(225)				5.6	4.9				
3.3	(335)			5.6	4.9	4.8		4.8		
4.7	(475)		5.6	4.9	4.2	3.9	3.9	3.4		
6.8	(685)			4.2	4	3.8				
10	(106)			4	3	3.5				
15	(156)		4	3	3.5					
22	(226)		3	3.5	3.2	2.3				
33	(336)		3.5	3.2	1.7					
47	(476)		3.2	3.2						
68	(686)		3	3						
100	(107)		3	☆3						
150	(157)									

☆Under development

Marking

The indications listed below should be given on the surface of a capacitor.

(1) Polarity: The polarity should be shown by bar. (on the anode side)

(2) Rated DC voltage: A voltage code is shown as below table.

(3) Capacitance: A capacitance code is shown as below table.


Voltage Code	Rated DC
Vollage Code	Voltage (V)
е	2.5
g	4
j	6.3
А	10
С	16
D	20
E	25
V	35
Н	50

Capacitance	Nominal	Capacitance	Nominal
Code	Capacitance (µF)	Code	Capacitance (µF)
<u>E</u>	0.15	е	15
<u>N</u>	0.33	j	22
<u>S</u>	0.47	n	33
А	1.0	S	47
E	1.5	W	68
J	2.2	a	100
N	3.3	e	150
S	S 4.7		220
W	6.8	n	330
а	10	s	470

Visual typical example

voltage code and capacitance code are variable with parts number.

[TC series A case]





Characteristics

Item		Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)					
Operating Temp	erature	-55°C~+125°C	Voltage reduction when temperature exceeds +85°C					
Maximum operat	ting	+85℃						
temperature with	no							
voltage derating								
Rated voltage (V	'.DC)	Refer to " Standard list ".	at 85℃					
Category voltage	e (V.DC)	Refer to " Standard list ".	at 125°C					
Surge voltage (V	'.DC)	Refer to " Standard list ".	at 85℃					
DC Leakage cur	rent	Shall be satisfied the value on	As per 4.9 JIS C 5101-1					
		" Standard list ".	As per 4.5.1 JIS C 5101-3					
			Voltage : Rated voltage for 1min					
Capacitance tole	erance	Shall be satisfied allowance range.	As per 4.7 JIS C 5101-1					
		±20%	As per 4.5.2 JIS C 5101-3					
			Measuring frequency :120 ± 12Hz					
			Measuring voltage :0.5Vrms + 1.5V.DC					
			Measuring circuit :DC Equivalent series circui					
Tangent of loss	angle	Shall be satisfied the value on	As per 4.8 JIS C 5101-1					
(Df,tanδ)		" Standard list ".	As per 4.5.3 JIS C 5101-3					
			Measuring frequency :120 ± 12Hz					
			Measuring voltage :0.5Vrms + 1.5V.DC					
			Measuring circuit :DC Equivalent series circui					
Impedance		Shall be satisfied the value on	As per 4.10 JIS C 5101-1					
		" Standard list ".	As per 4.5.4 JIS C 5101-3					
			Measuring frequency :100 ± 10kHz					
			Measuring voltage :0.5Vrms or less					
			Measuring circuit :DC Equivalent series circu					
Resistance to	Appe-	There should be no significant	As per 4.14 JIS C 5101-1					
Soldering	arance	abnormality.	As per 4.6 JIS C 5101-3					
heat		The indications should be clear.	Dip in the solder bath					
	L.C.	Less than 200% of initial limit.	Solder temp :260 ± 10°C					
			Duration :5 ± 0.5s					
	⊿C/C	Within ±20% of initial value.	Repetition :1					
			After the specimens, leave it at room temperature					
	DF	Less than 200% of initial limit.	for over 24h and then measure the sample.					
	(tanδ)							
Temperature	Appe-	There should be no significant	As per 4.16 JIS C 5101-1					
cycle	arance	abnormality.	As per 4.10 JIS C 5101-3					
		The indications should be clear.	Repetition : 5 cycles					
	L.C.	Less than 200% of initial limit.	(1 cycle : steps 1 to 4) without discontinuation.					
			Temp. Time					
	⊿C/C	Within ±20% of initial value.	1 -55±3℃ 30±3min					
			2 Room Temp. 3min or less					
	DF	Less than 200% of initial limit.	3 125±2°C 30±3min					
	(tanδ)		4 Room Temp. 3min or less					
			After the specimens, leave it at room temperature					
			for over 24h and then measure the sample.					
			Initial value for \angle C/C shall be the value after					
			mounted.					



	Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)			
Appe-	There should be no significant	As per 4.22 JIS C 5101-1			
	_	As per 4.12 JIS C 5101-3			
arance	-	After leaving the sample under such atmospheric			
L.C.	Less than 200% of miliar limit.	condition that the temperature and humidity are			
10/0		60±2°C and 90 to 95% RH, respectively, for			
⊿0/0	within $\pm 20\%$ of initial value.	500+12/0h leave it at room temperature for			
		over 24h and then measure the sample.			
	Less than 200% of initial limit.	Initial value for \angle C/C shall be the value after			
()		mounted.			
Temp.:-	55°C	As per 4.29 JIS C 5101-1			
⊿C/C	Within 0/-15% of initial value.	As per 4.13 JIS C 5101-3			
		Initial value for \angle C/C shall be the value after			
DF	Shall be satisfied the value on	mounted.			
(tanδ)	" Standard list "				
L.C.	-				
Temp. : -	-85°C	_			
		-			
20,0					
DF	Shall be satisfied the value on				
(tanδ)	" Standard list "				
L.C.	Less than 1000% of initial limit.				
⊿C/C	Within +20/0% of initial value.				
	Shall be satisfied the value on	-			
DF					
DF (tanδ)	" Standard list "				
	" Standard list " Less than 1250% of initial limit.	_			
(tanδ) L.C.	Less than 1250% of initial limit.	As per 4.26JIS C 5101-1			
(tanδ) L.C. Appe-	Less than 1250% of initial limit. There should be no significant	As per 4.26JIS C 5101-1 As per 4.14 IIS C 5101-3			
(tanδ) L.C.	Less than 1250% of initial limit. There should be no significant abnormality.	As per 4.14JIS C 5101-3			
(tanδ) L.C. Appe- arance	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial			
(tanδ) L.C. Appe-	Less than 1250% of initial limit. There should be no significant abnormality.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of $1k\Omega$ ever 5±0.5 min. for 30±5 s.			
(tanδ) L.C. Appe- arance L.C.	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of $1k\Omega$ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of			
(tanδ) L.C. Appe- arance	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear.	As per 4.14JIS C 5101-3Apply the specified surge voltage via the serialresistance of 1kΩ ever 5±0.5 min. for 30±5 s.each time in the atmospheric condition of85±2°C. Repeat this procedure 1,000 times.			
(tanδ) L.C. Appe- arance L.C. ⊿C/C	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ)	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ)	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe-	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. As per 4.23 JIS C 5101-1 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe-	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe- arance	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 2000+72/0 h without discontinuation via the serial resistance 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe- arance L.C.	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 2000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe- arance	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 2000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave the sample at room temperature / humidity for 			
(tanδ) L.C. Appe- arance L.C. ⊿C/C DF (tanδ) Appe- arance L.C.	Less than 1250% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 2000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave 			
	Appe- arance L.C. $\Box C/C$ DF (tan δ) Temp. : - $\Box C/C$ DF (tan δ) L.C. Temp. : - $\Box C/C$ DF (tan δ) L.C.	Appe- aranceThere should be no significant abnormality. The indications should be clear.L.C.Less than 200% of initial limit. $\Delta C/C$ Within ±20% of initial value.DFLess than 200% of initial limit.(tan δ)Temp. : -55°C $\Delta C/C$ Within 0/-15% of initial value.DFShall be satisfied the value on " Standard list "L.CTemp. : +85°C $\Delta C/C$ $\Delta C/C$ Within +15/0% of initial value.DFShall be satisfied the value on " Standard list "L.CTemp. : +85°C $\Delta C/C$ $\Delta C/C$ Within +15/0% of initial value.DFShall be satisfied the value on " Standard list "L.C.Less than 1000% of initial limit.Temp. : +125°C $\Delta C/C$ $\Delta C/C$ Within +20/0% of initial value.			



Item		Performance	Test conditions
Terminal	Capa	The measured value should be	(based on JIS C 5101-1 and JIS C 5101-3)
	Capa-	The measured value should be	As per 4.35 JIS C 5101-1
strength	citance	stable.	As per 4.9 JIS C 5101-3
	Appe-	There should be no significant	A force is applied to the terminal until it bends to
	arance	abnormality.	1mm and by a prescribed tool maintains the
			condition for 5s.
			(See the figure below)
			50 20 F(Apply force) R230 F(Apply force) thickness=1.6mm 1.0mm
Adhesiveness		The terminal should not come off.	As per 4.34 JIS C 5101-1
Autesiveness			As per 4.8 JIS C 5101-1 As per 4.8 JIS C 5101-3
			Apply force of 2N in the two directions shown in
			the figure below for 10±1s after mounting the terminal on a circuit board.
			terminal on a circuit board.
			Apply force A circuit board
Dimensions		Refer to "External dimensions".	Measure using a caliper of JIS B 7507 Class
			2 or higher grade.
Resistance to		The indication should be clear.	As per 4.32 JIS C 5101-1
solvents			As per 4.18 JIS C 5101-3
			Dip in the isopropyl alcohol for 30±5s, at room
			temperature.
Solderability		3/4 or more surface area of the	As per 4.15.2 JIS C 5101-1
		solder coated terminal dipped in	As per 4.7 JIS C 5101-3
		the soldering bath should be	Dip speed=25±2.5mm / s
		covered with the new solder.	Pre-treatment (accelerated aging):
			Leave the sample on the boiling distilled water
			for 1h.
			Solder temp. : 245±5°C
			Duration : 3±0.5s
			Solder : M705
			Flux : Rosin 25% IPA 75%
Vibration	Capa-	Measure value should not fluctuate	As per 4.17 JIS C 5101-1
	citance	during the measurement.	Frequency : 10 to 55 to 10Hz/min.
	Appe-	There should be no significant	Amplitude : 1.5mm
	arance	abnormality.	Time : 2h each in X and Y directions
			Mounting : The terminal is soldered on a print



• Standard products list


	Rated	Category	Surge	Cap.	Tole-	Leakage		tanδ		Impedance
	voltage	voltage	voltage	(00)	rance	current		120Hz		
Part No.	85°C	125°C	85°C	120Hz		25℃ 1WV	FF%	or%⊂	125°C	100kHz
Part No.						1 00 V	-55℃	25°C	125 C	
	(V)	(V)	(V)	(µF)	(%)	(µA)	(%)	(%)	(%)	(Ω)
TCA0G475M8R	4	2.5	5	4.7	±20	0.5	10	6	8	5.6
TCA0G156M8R	4	2.5	5	15	±20	0.6	12	8	10	4
TCA0G226M8R	4	2.5	5	22	±20	0.9	12	8	10	3
TCA0G336M8R	4	2.5	5	33	±20	1.3	14	10	12	3.5
TCA0G476M8R	4	2.5	5	47	±20	1.9	30	12	16	3.2
TCA0G686M8R	4	2.5	5	68	±20	2.7	34	18	24	3
TCA0G107M8R	4	2.5	5	100	±20	4.0	54	30	36	3
TCA0J335M8R	6.3	4	8	3.3	±20	0.5	10	6	8	5.6
TCA0J475M8R	6.3	4	8	4.7	±20	0.5	12	8	10	4.9
TCA0J685M8R	6.3	4	8	6.8	±20	0.5	12	8	10	4.2
TCA0J106M8R	6.3	4	8	10	±20	0.6	12	8	10	4
TCA0J156M8R	6.3	4	8	15	±20	0.9	12	8	10	3
TCA0J226M8R	6.3	4	8	22	±20	1.4	14	10	12	3.5
TCA0J336M8R	6.3	4	8	33	±20	2.1	30	12	16	3.2
TCA0J476M8R	6.3	4	8	47	±20	3.0	34	18	24	3.2
TCA0J686M8R * TCA0J107M8R	6.3 6.3	4	8 8	68 100	±20	4.3	54 54	30 30	36 36	3
TCA1A155M8R	10	4 6.3	13	1.5	±20 ±20	31.5 0.5	- 54 10	- 30 - 6	8	8.8
TCA1A225M8R	10	6.3	13	2.2	±20 ±20	0.5	10	6	8	5.6
TCA1A335M8R	10	6.3	13	3.3	±20	0.5	12	8	10	4.9
TCA1A475M8R	10	6.3	13	4.7	±20	0.5	12	8	10	4.2
TCA1A685M8R	10	6.3	13	6.8	±20	0.7	12	8	10	4
TCA1A106M8R	10	6.3	13	10	±20	1.0	12	8	10	3
TCA1A156M8R	10	6.3	13	15	±20	1.5	14	10	12	3.5
TCA1A226M8R	10	6.3	13	22	±20	2.2	30	12	16	3.2
TCA1A336M8R	10	6.3	13	33	±20	3.3	12	8	10	1.7
TCA1C105M8R	16	10	20	1	±20	0.5	10	6	8	7
TCA1C155M8R	16	10	20	1.5	±20	0.5	10	6	8	5.6
TCA1C225M8R	16	10	20	2.2	±20	0.5	10	6	8	4.9
TCA1C335M8R	16	10	20	3.3	±20	0.5	10	6	8	4.8
TCA1C475M8R	16	10	20	4.7	±20	0.8	10	6	8	3.9
TCA1C685M8R	16	10	20	6.8	±20	1.1	10	6	8	3.8
TCA1C106M8R	16	10	20	10	±20	1.6	12	8	10	3.5
TCA1C226M8R	16	10	20	22	±20	3.5	54	30	36	2.3
TCA1D105M8R	20	13	26	1	±20	0.5	10	6	8	7
TCA1D475M8R	20	13	26	4.7	±20	0.9	10	6	8	3.9
TCA1E105M8R	25	16	32	1	±20	0.5	10	6	8	7
TCA1E335M8R	25	16	32	3.3	±20	0.8	10	6	8	4.8
TCA1E475M8R	25	16	32	4.7	±20	1.2	12	8	10	3.4
TCA1V105M8R	35	22	44	1	±20	0.5	10	6	8	7

*This specification has possibility of charge, due to underdevelopment product.


Please ask for latest specification to our sales.



Packaging specifications



• Reel dimensions







	Notes
1)	The information contained herein is subject to change without notice.
2)	Before you use our Products, please contact our sales representative and verify the latest specifica- tions.
3)	Although ROHM is continuously working to improve product reliability and quality, semicon- ductors can break down and malfunction due to various factors. Therefore, in order to prevent personal injury or fire arising from failure, please take safety measures such as complying with the derating characteristics, implementing redundant and fire prevention designs, and utilizing backups and fail-safe procedures. ROHM shall have no responsibility for any damages arising out of the use of our Poducts beyond the rating specified by ROHM.
4)	Examples of application circuits, circuit constants and any other information contained herein are provided only to illustrate the standard usage and operations of the Products. The periphera conditions must be taken into account when designing circuits for mass production.
5)	The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly any license to use or exercise intellectual property or other rights held by ROHM or any other parties. ROHM shall have no responsibility whatsoever for any dispute arising out of the use of such technical information.
6)	The Products are intended for use in general electronic equipment (i.e. AV/OA devices, communi- cation, consumer systems, gaming/entertainment sets) as well as the applications indicated in this document.
7)	The Products specified in this document are not designed to be radiation tolerant.
8)	For use of our Products in applications requiring a high degree of reliability (as exemplified below), please contact and consult with a ROHM representative : transportation equipment (i.e cars, ships, trains), primary communication equipment, traffic lights, fire/crime prevention, safety equipment, medical systems, servers, solar cells, and power transmission systems.
9)	Do not use our Products in applications requiring extremely high reliability, such as aerospace equipment, nuclear power control systems, and submarine repeaters.
10)	ROHM shall have no responsibility for any damages or injury arising from non-compliance with the recommended usage conditions and specifications contained herein.
11)	ROHM has used reasonable care to ensure the accuracy of the information contained in this document. However, ROHM does not warrants that such information is error-free, and ROHM shall have no responsibility for any damages arising from any inaccuracy or misprint of such information.
12)	Please use the Products in accordance with any applicable environmental laws and regulations such as the RoHS Directive. For more details, including RoHS compatibility, please contact a ROHM sales office. ROHM shall have no responsibility for any damages or losses resulting non-compliance with any applicable laws or regulations.
13)	When providing our Products and technologies contained in this document to other countries you must abide by the procedures and provisions stipulated in all applicable export laws and regulations, including without limitation the US Export Administration Regulations and the Foreign Exchange and Foreign Trade Act.
14)	This document, in part or in whole, may not be reprinted or reproduced without prior consent o ROHM.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/

General Precaution

- 1. Before you use our Products, you are requested to carefully read this document and fully understand its contents. ROHM shall not be in any way responsible or liable for failure, malfunction or accident arising from the use of any ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this document is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sales representative.
- 3. The information contained in this document is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate and/or error-free. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.