
CPF-A-0603B100KE <

Neohm | Neohm CPF

TE Internal #: 6-2176237-1 100K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, .0625 W, ±25 ppm/°C, Solder, Height .018 in [.45 mm], Neohm CPF

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0603

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features



Product Type Features

Resistor Type	Precision Resistor
Package Size Code	0603
Element Type	Thin Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	50 V
Passive Component Tolerance	.1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	100ΚΩ
Power Rating	.0625 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

CPF-A-0603B100KE

100K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, . 0625 W, ±25 ppm/°C, Solder, Height .018 in [.45 mm], Neohm CPF



Dimensions

Product Height	.45 mm[.018 in]
Product Length	1.55 mm[.061 in]
Product Width	.8 mm[.031 in]
Usage Conditions	
Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±25 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE

2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Solder Process Capability


CPF-A-0603B100KE

100K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, . 0625 W, ±25 ppm/°C, Solder, Height .018 in [.45 mm], Neohm CPF





Also in the Series | Neohm CPF



Customers Also Bought



TE Part #5352152-1	TE Part #6116075-4	TE Part #8-1393254-1	TE Part #147873-1
Z-PACK/B22 RAF 110P	INV MJ,1X1,SHIELDED,LED (Y/G)	W92-X112-5=M6/M7/M9/W6/W7	SWITCH,TACT,SMT,J-LEAD,5.0MM
10			

TE Part #6-100525-3 TE Part #1-1462037-4 TE Part #1534531-1 TE Part #3-2176525-2 CODING DEV INSRT COLOR IM03GR=IM RELAY 140mW 5V TAB HEADER ASSY 38P 3503G 2B 12K4 1% 1K RL ORANGE VIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			
	CODING DEV INSRT COLOR		TE Part #3-2176525-2

		-
TE Part #413638-E STVH15 15 M ZD VV 3-00 LAFD * * 199 E 17	TE Part #594750-E STVH15 15 F ZD VV 2 1206 4,3 * 197 E 172	

CPF-A-0603B100KE

100K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0603, Taped & Reeled, . 0625 W, ±25 ppm/°C, Solder, Height .018 in [.45 mm], Neohm CPF



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-2176237-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6-2176237-1_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_6-2176237-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Automotive Grade Thin Film Chip Resistor - Type CPF-A Series

English