
Neohm | Neohm CRGS

TE Internal #: 2-2176251-9 220 Ω, Thick Film, General Purpose Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W, ±100 ppm/°C, Solder, Height .022 in [.55 mm], Neohm CRGS

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: General Purpose Resistor

Number of Terminations: 2

Package Size Code: 2010

Packaging Method: Taped & Reeled

Passive Component Tolerance: 5%

Features



Product Type Features

Resistor Type	General Purpose Resistor
Package Size Code	2010
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	200 V
Passive Component Tolerance	5 %
Resistance Class	Up to 1kΩ
Resistance Value	220 Ω
Power Rating	.75 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

220 Ω, Thick Film, General Purpose Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W, ±100 ppm/°C, Solder, Height .022 in [.55 mm], Neohm CRGS



Dimensions

Product Height	.55 mm[.022 in]
Product Length	5 mm[.197 in]
Product Width	2.5 mm[.098 in]
Usage Conditions	
Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	Compliant with Exemptions Restricted Materials Above Threshold

Halogen Content

Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

220 Ω, Thick Film, General Purpose Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W, ±100 ppm/°C, Solder, Height .022 in [.55 mm], Neohm CRGS







Also in the Series | Neohm CRGS



Customers Also Bought





Documents

Product Drawings CRGS2010 5% 220R

English

CAD Files

3D PDF

3D

220 Ω, Thick Film, General Purpose Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W, ±100 ppm/°C, Solder, Height .022 in [.55 mm], Neohm CRGS



Customer View Model ENG_CVM_CVM_2-2176251-9_BA.2d_dxf.zip English Customer View Model

ENG_CVM_CVM_2-2176251-9_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2176251-9_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SMD Anti-Surge Thick Film Chip Resistor - Type CRGS Series - Tyco Electronics Passives

English