
# 2406829-1 ~ ACTIVE

TE Internal #: 2406829-1 In-Series Adapter, Straight, SMP, Jack Side A, SMP, Plug Side B, 1 Position View on TE.com >



Connectors > Connector Accessories > Connector Adapters & Connector Savers



Connector Interface Adapter Type: In-Series Adapter

Body Orientation: Straight

Side A Interface: SMP

Side A Gender: Jack

Side B Interface: SMP

### Features

#### Product Type Features

Connector Interface Adapter Type	In-Series Adapter
Side A Interface	SMP
Side A Gender	Jack
Side B Interface	SMP
Side B Gender	Plug
Connector System	Cable-to-Cable
Sealable	No
Configuration Features	
Number of Positions	1
Electrical Characteristics	
Impedance	50 Ω
Contact Features	
RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper
Mechanical Attachment	

**C** For support call+1 800 522 6752

#### 2406829-1

In-Series Adapter, Straight, SMP, Jack Side A, SMP, Plug Side B, 1 Position



Compositor Mounting Turns	
Connector Mounting Type	Panel Mount
Housing Features	
Body Orientation	Straight
Jsage Conditions	
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Signal
•	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant with Exemptions
•	Compliant with Exemptions Not Yet Reviewed
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

#### D

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

#### Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**

#### 2406829-1


In-Series Adapter, Straight, SMP, Jack Side A, SMP, Plug Side B, 1 Position







## Customers Also Bought



AIVIPLIIVITTE, ASY, PLUG, STD, 90, T
--------------------------------------

### Documents

**Product Drawings** 

#### ADAPTER, SMP BULKHEAD JACK TO SMP PLUG

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_2406829-1\_1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2406829-1\_1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2406829-1\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

#### 2406829-1

In-Series Adapter, Straight, SMP, Jack Side A, SMP, Plug Side B, 1 Position



Datasheets & Catalog Pages 1307191 RF Coax Products Catalog

English

Product Specifications Product Specification

English