

RAST | RAST 5 IDC Connectors

TE Internal #: 4-1955422-3 Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Wire Number of Positions: 2

Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Keying & Polarized Rib Location	2a
Number of Positions	2
Number of Rows	1
Body Features	
Primary Product Color	Natural
Termination Features	
Termination Method to Wire & Cable	Crimp

Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



Mechanical Attachment

Strain ReliefWithoutPanel Mount FeatureWithoutPCB Mount RetentionWithoutMating Retention TypeLatchMating RetentionWithoutConnector Mounting TypeCable Mount (Free-Hanging)		
PCB Mount RetentionWithoutMating Retention TypeLatchMating RetentionWith		
Mating Retention TypeLatchMating RetentionWith		
Mating Retention With	Without	
Connector Mounting Type Cable Mount (Free-Hanging)	With	
	Cable Mount (Free-Hanging)	
Housing Features		
Housing Entry Configuration Both Ends Closed		
Housing Material PA 66	PA 66	
Centerline (Pitch) 5 mm[.197 in]	5 mm[.197 in]	
Dimensions		
Connector Length 25.5 mm[1 in]		
Connector Height 13.9 mm[.547 in]		
Usage Conditions		

-40 – 105 °C[-40 – 221 °F]

Operation/Application

Operating Temperature Range

Circuit Application	Power & Signal		
Industry Standards			
RAST Version	None		
Glow Wire Rating	Glow Wire		
UL Flammability Rating	UL 94V-0		
Packaging Features			
Packaging Quantity	3200		
Packaging Method	Box & Carton		
Product Compliance For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		

Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors








TE Part # 8-1241961-3 2POS STD-TIMER HOUSING PITCH5 MK II

Also in the Series | RAST 5 IDC Connectors

A CONTRACTOR	And		
Automotive Terminals(8)	Connector Contacts(14)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)
		Contraction of the second seco	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(33)	Standard Rectangular Connectors(63)

Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors





Customers Also Bought



Documents

Product Drawings STD TIM MK2 HSG 2P

English



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1955422-3_A_c-4-1955422-3-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-1955422-3_A_c-4-1955422-3-a.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_4-1955422-3_A_c-4-1955422-3-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

German