

MEAS | MEAS 89 Series

TE Internal #: 89BSD-006BA-A

TE Internal Description: 6 BARA 316L DIGITAL PRESSURE SENSOR

9MM DIGITAL OUTPUT PRESSURE SENSOR

View on TE.com >



Sensors > Pressure Sensors > Media Isolated Pressure Sensors > 9MM DIGITAL OUTPUT PRESSURE SENSOR



Media Isolated Pressure Sensor Type: Media Isolated Digital Output Pressure Sensors

Media Isolated Pressure Sensor Style: Absolute

Output/Span: 24 bit ADC

Media Isolated Pressure Sensor Accuracy: ±3%

Media Isolated Pressure Sensor Supply Voltage: 3V

All 9MM DIGITAL OUTPUT PRESSURE SENSOR (17)

Features

Product Type Features

Media Isolated Pressure Sensor Type	Media Isolated Digital Output Pressure Sensors
Media Isolated Pressure Sensor Style	Absolute

Configuration Features

Interface	I ² C
Pressure Port/Fitting	Weldable (5/16-32 UNEF-3A Thread)

Electrical Characteristics

Supply Current	.0125 mA
Media Isolated Pressure Sensor Supply Voltage	3 V

Dimensions

Dimensions	Dia 9.04 x 7.5 mm[Dia .356 x .29 in]

Usage Conditions

Total Error Band	± 2 %
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]

Operation/Application

Proof Pressure Ran	ge .	2X



Output/Span	24 bit ADC
Media Isolated Pressure Sensor Accuracy	± 3 %
Packaging Features	
Media Isolated Pressure Sensor Package	Threaded Process Fittings, Weldable

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | MEAS 89 Series





Customers Also Bought

















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_89BSD-006BA-A_C1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_89BSD-006BA-A_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_89BSD-006BA-A_C1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

89BSD

English

