


CGS | CGS HPCR

TE Internal #: 2-2176471-9 1.2K Ω, Ceramic Composition, Power Resistor, 10 %, 19.1 x 7.9 mm, 2 Termination, Reel/Box, 2 W, +0 / -800 ppm/°C, Copper Termination, CGS HPCR

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 19.1 x 7.9 mm

Number of Terminations: 2

Packaging Method: Reel/Box

Passive Component Tolerance: 10 %

Features



Product Type Features

Resistor Type	Power Resistor	
Element Type	Ceramic Composition	
Configuration Features		
Number of Resistors	1	
Electrical Characteristics		
Passive Component Tolerance	10 %	
Resistance Class	$1k\Omega - 1M\Omega$	
Resistance Value	1.2Κ Ω	
Power Rating	2 W	
Body Features		
Lead Type	Axial-Leaded	
Termination Features		
Number of Terminations	2	

HPCR0819AK1K2ST

1.2K Ω, Ceramic Composition, Power Resistor, 10 %, 19.1 x 7.9 mm, 2 Termination, Reel/Box, 2 W, +0 / -800 ppm/°C, Copper Termination, CGS HPCR



Termination Area Base Material	Copper
Dimensions	
Passive Component Dimensions	19.1 x 7.9 mm
Usage Conditions	
Temperature Coefficient	+0 / -800 ppm/°C
Packaging Features	
Packaging Method	Reel/Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
For compliance documentation, visit the product page on TE.com>	Compliant
·	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


HPCR0819AK1K2ST

1.2K Ω, Ceramic Composition, Power Resistor, 10 %, 19.1 x 7.9 mm, 2 Termination, Reel/Box, 2 W, +0 / -800 ppm/°C, Copper Termination, CGS HPCR





Also in the Series | CGS HPCR



Customers Also Bought



TE Part #1623720-4	TE Part #4-1437624-6	TE Part #1879026-4	TE Part #1618387-5
CCR2 1K0 10%	PKES120B1/4=KNOB PLSTC FLUTED	YR1 0.1% 10R	LEV200A4NAF=RELAY, SPST-NO



Documents

Product Drawings HPCR 0819 A 10% 1K2 Std T&R

English

CAD Files

3D PDF

3D

HPCR0819AK1K2ST

1.2K Ω, Ceramic Composition, Power Resistor, 10 %, 19.1 x 7.9 mm, 2 Termination, Reel/Box, 2 W, +0 / -800 ppm/°C, Copper Termination, CGS HPCR



Customer View Model

ENG_CVM_CVM_2-2176471-9_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2176471-9_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2176471-9_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Bulk Ceramic Resistors - Type HPCR Series - Tyco Electronics Passives

English