# 

Neohm | Neohm ROX TE Internal #: 5-1625890-0 470K Ω, Metal Oxide Film, Power Resistor, 5 %, 15 x 5 mm, 2 Termination, Ammo Packed, 2 W, ±350 ppm/°C, Copper Termination, Axial-Leaded, Neohm ROX

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Power Resistor** Passive Component Dimensions: **15 x 5 mm** 

Number of Terminations: 2

Packaging Method: Ammo Packed

Passive Component Tolerance: 5%

## Features

### **Product Type Features**

Resistor Type

Element Type

Power Resistor

1

Metal Oxide Film

### **Configuration Features**

## Number of Resistors

## **Electrical Characteristics**

| Passive Component Tolerance    | 5 %                   |
|--------------------------------|-----------------------|
| Resistance Class               | $1k\Omega - 1M\Omega$ |
| Resistance Value               | 470Κ Ω                |
| Power Rating                   | 2 W                   |
| Body Features                  |                       |
| Lead Type                      | Axial-Leaded          |
| Termination Features           |                       |
| Number of Terminations         | 2                     |
| Termination Area Base Material | Copper                |
| Dimensions                     |                       |
| Passive Component Dimensions   | 15 x 5 mm             |
| Usage Conditions               |                       |
|                                |                       |

**C** For support call+1 800 522 6752

## ROX2SJ470K

470K Ω, Metal Oxide Film, Power Resistor, 5 %, 15 x 5 mm, 2 Termination, Ammo Packed, 2 W, ±350 ppm/°C, Copper Termination, Axial-Leaded, Neohm ROX



| Operating Temperature Range  | -55 – 235 °C  |  |
|--|---|--|
| Temperature Coefficient  | ±350 ppm/°C   |  |
| Packaging Features   |   |  |
| Packaging Method   | Ammo Packed   |  |
| <b>Product Compliance</b><br>For compliance documentation, visit the product page on TE.com> |   |  |
| EU RoHS Directive 2011/65/EU   | Compliant   |  |
| EU ELV Directive 2000/53/EC  | Compliant   |  |
| China RoHS 2 Directive MIIT Order No 32, 2016  | No Restricted Materials Above Threshold   |  |
| EU REACH Regulation (EC) No. 1907/2006   | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |  |
| Halogen Content  | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |  |
| Solder Process Capability  | Wave solder capable to 265°C  |  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




## ROX2SJ470K

470K Ω, Metal Oxide Film, Power Resistor, 5 %, 15 x 5 mm, 2 Termination, Ammo Packed, 2 W, ±350 ppm/°C, Copper Termination, Axial-Leaded, Neohm ROX





## Also in the Series | Neohm ROX



# Customers Also Bought



|                              |                      |                    | = TE                 |
|------------------------------|----------------------|--------------------|----------------------|
| TE Part #1-316132-2          | TE Part #5-1393243-9 | TE Part #2176084-7 | TE Part #9-2176412-3 |
| DYNAMIC D-3200 HDR ASSY 5P V | RT424005             | EP 7W (S) 100R 5%  | 5W XSM M/OX 5% 36K   |



## Documents

Product Drawings 2W SM M/OX 5% 470K

English

**CAD** Files

3D PDF

3D

## ROX2SJ470K

470K Ω, Metal Oxide Film, Power Resistor, 5 %, 15 x 5 mm, 2 Termination, Ammo Packed, 2 W, ±350 ppm/°C, Copper Termination, Axial-Leaded, Neohm ROX



Customer View Model

ENG\_CVM\_CVM\_5-1625890-0\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_5-1625890-0\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_5-1625890-0\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

Flame Proof Power Metal Oxide Film Resistors - Type ROX Series - Tyco Electronics Passives

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English