4515DO-DS3BK004DP - ACTIVE

MEAS | MEAS MS4515DO

TE Internal #: 4515DO-DS3BK004DP Digital Pressure and Altimeter Sensor Modules, Differential, 4 inH2O, 300 psi, Output/Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > PCB MOUNTED DIGITAL PRESSURE SENSOR



Board Level Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Board Level Pressure Sensor Style: Differential

Pressure: [300 psi]

Output/Span: 14 bit ADC

Features

Product Type Features

Board Level Pressure Sensor Type

Board Level Pressure Sensor Style

Electrical Characteristics

Digital Pressure and Altimeter Sensor Modules

Differential

Board Level Pressure Sensor Supply Voltage	3.3 V
Dimensions	
Dimensions	12.5 x 9.9 mm[.49 x .39 in]
Usage Conditions	
Operating Temperature Range	-10 – 85 °C[14 – 185 °F]
Operation/Application	
	300 psi
Output/Span	14 bit ADC
Board Level Pressure Sensor Accuracy	±0.25% Span
Packaging Features	
Board Level Pressure Sensor Package	8 pin DIL
Other	
Sensor Options	No Option

4515DO-DS3BK004DP

Digital Pressure and Altimeter Sensor Modules, Differential, 4 inH2O, 300 psi, Output /Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-

reach

Compatible Parts




Also in the Series | MEAS MS4515DO

4515DO-DS3BK004DP

Digital Pressure and Altimeter Sensor Modules, Differential, 4 inH2O, 300 psi, Output /Span 14 bit ADC, ±0.25% Span, MEAS MS4515DO





Customers Also Bought



CDM-1.0



HDD-016-F

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4515DO-DS3BK004DP_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4515DO-DS3BK004DP_D.3d_igs.zip

4515DO-DS3BK004DP

Digital Pressure and Altimeter Sensor Modules, Differential, 4 in H2O, 300 psi, Output /Span 14 bit ADC, $\pm 0.25\%$ Span, MEAS MS4515DO



English

Customer View Model ENG_CVM_CVM_4515DO-DS3BK004DP_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Data sheet

English