M5254-000002-350BG ACTIVE



MEAS | MEAS M5200

TE Internal #: M5254-000002-350BG

TE Internal Description: PRESS XDCR M5254-000002-350BG

Compact Industrial Pressure Transducer

View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Compact Industrial Pressure Transducer



Pressure Transducer Sensor Type: Industrial Pressure Transducer

Pressure Range: 0 – 350 bar

Pressure Type: Gauge

Pressure Transducer Supply Voltage: 9 – 30 V

Output/Span: 4-20 mA

All Compact Industrial Pressure Transducer (12)

Features

Product Type Features

Pressure Transducer Sensor Type Industrial Pressure	e Transducer
Pressure Type Gauge	
Configuration Features	
Electrical Connection Packard	

Electrical Characteristics

Pressure Port/Fitting

Pressure Transducer Supply Voltage 9 – 30 V	
---	--

1/4 MBSPP

Dimensions

Dimensions	24 x 24 x 82 mm[.94 x .94 x 3.23 in]

Usage Conditions

Pressure	350 bar[5076.32 psi]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]

Operation/Application

Proof Pressure Range	2X Rated
Pressure Range	0 – 350 bar
Output/Span	4 – 20 mA



Pressure Accuracy ±0.25% FSO

Other

Sensor Options	Adhesive Label, No Snubber
----------------	----------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.12% in component) Dodecamethylcyclohexasiloxane (D6) (.26% in component) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | MEAS M5200





Customers Also Bought












TE Part #1761606-3
IDC LOW PRO HDR 10P VERT LG LAT
BLK











Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_M5254-000002-350BG_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_M5254-000002-350BG_K.3d_igs.zip



English

Customer View Model

ENG_CVM_CVM_M5254-000002-350BG_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M5200

English