1-1747066-4 V ACTIVE

GRACE INERTIA 2.5

TE Internal #: 1-1747066-4

Rectangular Connector Housings, Wire-to-Board, 4 Position, .098 in

[2.5 mm] Centerline, 1 Row, Nylon 66 GF, Plug, Socket, GRACE

INERTIA 2.5

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Housings > STD Temp Sig GRACE INERTIA Plug











Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 2.5 mm [.098 in]

Number of Rows: 1

Housing Material: Nylon 66 GF

All STD Temp Sig GRACE INERTIA Plug (63)

Features

Product Type Features

Connector System	Wire-to-Board
Connector & Housing Type	Plug
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Cavities	4
Number of Positions	4
Number of Rows	1
Electrical Characteristics	
Operating Voltage	50 VAC
Contact Features	
Contact Layout	Inline



Contact Type	Socket
Mechanical Attachment	

Housing Features

Connector Mounting Type

Housing Color	Red
Centerline (Pitch)	2.5 mm[.098 in]
Housing Material	Nylon 66 GF

Cable Mount (Free-Hanging)

Dimensions

Connector Height	11.3 mm[.445 in]
Product Width	7.1 mm[.279 in]
Product Length	12.1 mm[.476 in]

Usage Conditions

Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
-----------------------------	----------------------------

Operation/Application

Halogen Free	No
Circuit Application	Signal

Identification Marking

Circuit Identification Feature	Without	
--------------------------------	---------	--

Packaging Features

Packaging Quantity	600
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts












Also in the Series | GRACE INERTIA 2.5





Connector Hardware(7)




PCB Headers & Receptacles(138)



Rectangular Connector Housings(49)





Customers Also Bought



Documents

Product Drawings

GRACE INERTIA CONN 2.5 PLUG HSG 4P RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1747066-4_E1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1747066-4_E1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1747066-4_E1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English