

AMPMODU | AMPMODU LOCKING CLIP

TE Internal #: 926209-5

Housing, Receptacle, Wire-to-Board, 10 Position, .1 in [2.54 mm] Centerline, Crimp, 2 Row, Black, Wire & Cable, Signal, AMPMODU

LOCKING CLIP

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 10

Centerline (Pitch): 2.54 mm [.1 in]

Features

Product Type Features

| Connector Product Type | Housing |
|-----------------------------------|---------------|
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Board |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Foatures | |

Configuration Features

| Number of Positions | 10 |
|---------------------|----|
| Number of Rows | 2 |

Body Features

| Primary Product Color | Black | |
|-----------------------|-------|--|
| , | | |

Contact Features

| Contact Type | Socket |
|------------------------------|--------|
| Contact Current Rating (Max) | 3 A |

Termination Features

Mechanical Attachment

| Mating Retention | Without |
|-------------------------|----------------------------|
| Connector Mounting Type | Cable Mount (Free-Hanging) |



Housing Features

| Housing Entry Configuration | Both Ends Closed |
|-----------------------------|------------------|
| Housing Material | PBT GF |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Dimensions | |

Dimensions

| Connector Length | 6.8 mm |
|--------------------|----------------|
| Connector Height | 17.8 mm |
| Row-to-Row Spacing | 2.54 mm[.1 in] |

Usage Conditions

| Operating Temperature Range | -65 – 105 °C[-85 – 221 °F] |
|-----------------------------|----------------------------|
| Operating remperature range | -03 = 103 C[-03 = 221 T] |

Operation/Application

| Circuit Application | Signal | |
|---------------------|--------|--|
| | | |

Industry Standards

Packaging Features

| Packaging Quantity | 500 |
|--------------------|-----|
| Packaging Method | Box |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

























Also in the Series | AMPMODU LOCKING CLIP











Customers Also Bought















Documents

Product Drawings

LOCKING CLIP HSG.

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_926209-5_G.3d_igs.zip

English

Customer View Model

ENG_CVM_926209-5_G.3d_stp.zip

English

Customer View Model

ENG_CVM_926209-5_G.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English