

### DEUTSCH | AMPSEAL 16

TE Internal #: 2203859-2 Housing for Female Terminals, Wire-to-Wire, 16 Position, 7.5 mm Centerline, Sealable, Brown, Wire & Cable, Power & Signal, AMPSEAL 16

### View on TE.com >

Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Wire Number of Positions: 16 Connector & Housing Type: Housing for Female Terminals Centerline (Pitch): 7.5 mm

Sealable: Yes

## Features

connectivity

### Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Blank Cavity Position	0
Number of Positions	16
	10
Number of Rows	3
Number of Rows Electrical Characteristics	

**C** For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 16 Position, 7.5 mm Centerline, Sealable, Brown, Wire & Cable, Power & Signal, AMPSEAL 16



Cable Exit Angle	180°
Primary Product Color	Brown
Connector & Keying Code	В
Contact Features	
Contact Size	Size 12, Size 16
Contact Type	Socket
Mating Pin Diameter	2.37 mm
Contact Current Rating (Max)	25 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Add By Accessory
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT

## Dimensions

Connector Height	43.5 mm
Product Width	48.09 mm
Product Length	72.7 mm
Row-to-Row Spacing	7 mm
Usage Conditions	
Operating Temperature (Max)	125 °C
Operating Temperature Range	-40 – 125 °C
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Degree of Protection	IP6K9K
UL Flammability Rating	UL 94HB
Packaging Features	

**C** For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 16 Position, 7.5 mm Centerline, Sealable, Brown, Wire & Cable, Power & Signal, AMPSEAL 16



Packaging Quantity	80
Packaging Method	Box & Tray
Other	
Serviceable	No
Connector Position Assurance Capable	Yes

## **Product Compliance**

### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component part) Decamethylcyclopentasiloxane (D5) (.5% in Component part)

### in Component part)

#### Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

### Halogen Content

Solder Process Capability

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

Housing for Female Terminals, Wire-to-Wire, 16 Position, 7.5 mm Centerline, Sealable, Brown, Wire & Cable, Power & Signal, AMPSEAL 16





TE Part # 2203956-1 COVER,AMPSEAL 16 ML CONN, 180 DEG




TE Part # 2272307-1 COVER,AMPSEAL 16 ML CONN, 90 DEG



16POS,AMPSEAL 16,PIN HSG ASSY, SLD,COD B

# Also in the Series | AMPSEAL 16













Data Connectivity Housings(3)




# Customers Also Bought



Housing for Female Terminals, Wire-to-Wire, 16 Position, 7.5 mm Centerline, Sealable, Brown, Wire & Cable, Power & Signal, AMPSEAL 16





# Documents

Product Drawings 16POS,HYBRID,SOC HSG ASSY,SLD,COD B

English

CAD Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2203859-2\_2.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2203859-2\_2.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2203859-2\_2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English