


		REVISIONS			
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1		RELEASED	16MAR2020	J. HEAD	DH



## NOTES: UNLESS OTHERWISE SPECIFIED


RECEPTACLE MATERIAL:
 SHELL: ZINC ALLOY, NICKEL PLATED
 INSERT AND RETAINING RING: THERMOPLASTIC
 SEAL: SILICONE RUBBER


2. BACKSHELL MATERIAL:

SHELL: ALUMINIUM ALLOY, NICKEL PLATED; LATCH SEGMENT: ALUMINIUM ALLOY, NICKEL PLATED; SCREW AND LOCK WASHER: STAINLESS STEEL; BUSHING: EPDM.

## 3. SPECIFICATIONS:

- 3.1 OPERATING TEMPERATURE: -55°C TO +125°C.
- 3.2 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
- 3.3 INSULATION RESISTANCE: 1000 MEGOHM MIN @ 25°C.
- 3.4 MOISTURE RESISTANCE: IP67 & IP69K (MATED CONDITION).
- 3.5 MATING CYCLE DURABILITY: 100 CYCLES
- 3.6 RoHS COMPLIANT
- 4. APPLY BACKSHELL TO CABLE OD SIZE: Ø11.20-Ø19.30 . CAN BE USED WITH OR WITHOUT BUSHING.
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- 6. SEE SPECIFIC RECEPTACLE DRAWING FOR:
  - 6.1 CONTACT SIZE AND WIRE RANGE.
  - 6.2 RETAINING RING COLOR.
  - 6.3 MATING PART(S).
  - 6.4 CONTACT LAYOUT AND ALL OTHER SPECIFICATIONS.





	AHDM04-18-21SN-059		HE	D34-18-21SN-059				
	PART NUMBER			DESCRIPTION			ITEM	
QUANTITY	MA	T	ERI	<b>NLS</b>	S LI	ST		
UNLESS OTHER	WISE SPECIFIED	SIGNATURI	GNATURES DATE			$\overline{\Lambda}$	mphonol	
2) Tolerances are a 1 PL DEC ±0.30		DRAWN: J. HEAD		16MAR2020	Amphenol			
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:				Sin	ne Systems - www.amphenol-sine.com	
3) Note reference = X		ENGINEER:			44724 Morley Drive			
MATERIAL SPECIFICATIONS:		APPROVAL:					Clinton Township, MI 48036	
		CUSTOMER:			DUR		E AHDM RECEPT, SIZE 18, WI	,
PROCESS SPECIFICATIONS:  NEXT ASSY:		THIS DRAWING IS SUPPL INFORMATION ONLY, DES				KIT W	W CABLE CLAMP BACKSHELL	
		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMFASIONS ARE SUBJECT TO NORMAL		B	C-	AHDM04-18-21SN-059	A1	
		MANUFACTURING VARIA		TO T	SCALE: N	ONE	SHEET 1 C	F 1

KIT,RECPT AND BACKSHELL,SZ 18 DWG NO: AHDMO4-

59 REV: A1 SH: 1

SH: 1 OF:

## **A Series™** - Contact Size 20 Options (Works with: ATM, DuraMate and PanelMate Series)

Machined Contacts, Sockets & Pins					
Part Number	Description	Size	AWG	Туре	
AT60-010-2031	Male Contact - Pin, Gold-plated	20	16-18	Machined	
AT62-005-20141	Female Contact - Socket, Gold-plated	20	16-18	Machined	
AT60-010-20141	Male Contact - Pin, Nickel-plated	20	16-18	Machined	
AT62-005-2031	Female Contact - Socket, Nickel-plated	20	16-18	Machined	
AT60-202-2031	Male Contact - Pin, Gold-plated	20	20-22	Machined	
AT62-201-2031	Female Contact - Socket, Gold-plated	20	20-22	Machined	
AT60-202-20141	Male Contact - Pin, Nickel-plated	20	20-22	Machined	
AT62-201-20141	Female Contact - Socket, Nickel-plated	20	20-22	Machined	

Tooling - Machined Contacts				
Part Number	Part Number Description			
AUTK-20	Hand Crimp Tool, Size 20			
AUTK-100	Universal Heavy Duty Contact Crimping Tool Kit, Size 12/16/20			
CA-5D12	Universal Hand Crimp Tool, Size 12/16/20			
CA-5E12	Pneumatic Crimp Tool, Size 12/16/20			

Stamped & Formed Contacts, Sockets & Pins				
Part Number	Part Number Description		AWG	Туре
AT60-20-0144	Male Contact - Pin, Gold-plated	20	16-22	Stamped & Formed
AT62-20-0144	Female Contact - Socket, Gold-plated	20	16-22	Stamped & Formed
AT60-20-0244	Male Contact - Socket, Gold-plated	20	16-22	Stamped & Formed
AT62-20-0244	Female Contact - Socket, Gold-plated	20	16-22	Stamped & Formed
AT60-20-0122	Male Contact - Pin, Nickel-plated	20	16-22	Stamped & Formed
AT62-20-0122	Female Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed
AT60-20-0222	Male Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed
AT62-20-0222	Female Contact - Socket, Nickel-plated	20	16-22	Stamped & Formed
AT60-20-0277	Male Contact - Socket, Tin-plated	20	16-22	Stamped & Formed
AT62-20-0277	Female Contact - Socket, Tin-plated	20	16-22	Stamped & Formed
AT60-20-0422	Male Contact - Socket, Nickel-plated	20	20-22	Stamped & Formed
AT62-20-0444	Female Contact - Socket, Gold-plated	20	20-22	Stamped & Formed

Tooling - Stamped & Formed Contacts		
MFX-3974	Crimp Die - Size 20	
MFX-3976	Crimp Die - Size 20 (20-22AWG -04XX Series)	
MFX-3978	Crimp Die - Size 20 (20-22AWG -02XX Series)	
ATT-20-00	Hand Crimp Tool - Size 20 (20AWG)	

	Contact Removal Tools (For both Machined or Stamped & Formed Contacts)				
Part Number	Description				
ATRT-100	Contact and Wedgelock Extraction Tool				
AT11-240-2005	Contact Removal Tool, Plastic, Size 20				

Sealing Plugs (For both Machined or Stamped & Formed Contacts)				
Part Number	Description			
AT13-204-2005	Sealing Plug, Size 20, White			
AT13-204-2005-SR	Sealing Plug, Size 20, SR01 Series, Black			
ATM13-217-2005	Locking Sealing Plug, Size 20, Grey			
ATM13-217-2005-SR	Locking Sealing Plug, Size 20, SR01 Series, Blue			