5-2178600-2 ACTIVE

RAST | RAST 5D

TE Internal #: 5-2178600-2

Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable,

Power & Signal, RAST 5D

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings











Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 5 mm [.197 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Primary Product Color	Black
Termination Features	
Termination Method to Wire & Cable	Crimp

Mechanical Attachment



Mating Retention Type	Lock
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 6
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Row-to-Row Spacing	5 mm[.197 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts
















TE Part # 2-2178029-2 2P ST-TIMER HSG BLACK, V0











Also in the Series RAST 5D




Automotive Terminals(5)



Connector Contacts(10)




Insertion & Extraction Tools(1)



PCB Headers & Receptacles(69)






Customers Also Bought

















Documents

Product Drawings

2POS STANDARD TIMER HOUSING_BLACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-2178600-2_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-2178600-2_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-2178600-2_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Housing, Receptacle, Wire-to-Wire, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, Power & Signal, RAST 5D



Product Specifications

Product Specification

German

Agency Approvals

Agency Approval Document

English