

1-962919-1 ✓ ACTIVE

AMP | Timer Connector System


TE Internal #: 1-962919-1

Automotive Terminals, Tab, Mating Tab Width 5.8 mm [.228 in], Tab Thickness .8 mm [.031 in], 11 AWG Wire Size, 4 mm² Wire Size, Timer Connector System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Tab**

Mating Tab Width: **5.8 mm [.228 in]**

Mating Tab Thickness: **.8 mm [.031 in]**

Terminal Transmits: **25 – 40 A (Power)**

Wire Size: **11 AWG**

[All TIMER, RECEPTACLE AND TAB \(330\)](#)

Features

Product Type Features

Sealable	Yes
Primary Locking Feature	Locking Lance

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	5.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	40 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	5.8 mm[.228 in]



Mating Tab Thickness	.8 mm [.031 in]
----------------------	-----------------

Interface Plating	Tin (Sn)
-------------------	----------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Product Terminates To	Wire
-----------------------	------

Dimensions

Compatible Insulation Diameter Range	3.4 – 3.7 mm [.236 in]
--------------------------------------	------------------------

Wire Size	4 mm ²
-----------	-------------------

Wire Size Search	11 AWG
------------------	--------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
-----------------------------	--

Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]
-----------------------------	-----------------------------

Operation/Application

Conforms to KOMAX Automatic Component Insertion Guideline	Yes, per Version 5.0 (March 2018)
---	-----------------------------------

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	1500
--------------------	------

Packaging Method	Reel
------------------	------

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series Housings



TE Part # CAT-L489-CH8172
LEAVYSEAL Housings



TE Part # 4-1579007-3
EXTRACTION TOOL KIT



TE Part # 1-1579007-6
EXTRACTION TOOL



TE Part # 1897213-2
MCP 6.3 2P CAP HSG



TE Part # 2301461-1
30POS, HYBRID, TAB HSG ASSY, SLD, COD A



TE Part # 2-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. B



TE Part # 2151782-2
OCEAN_2.0_APPLICATOR-S-130F2600



TE Part # 2301461-2
30POS, HYBRID, TAB HSG ASSY, SLD, COD B



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 2837905-2
APPLICATOR TO MAKE LOOSE PIECE TERMINALS



TE Part # 7-2151782-2
OCEAN_2.0_APPLICATOR-S-130F2600




KIT

REPRESENTATION ONLY

TE Part # 7-2151782-7
OCEAN_2.0_SPARE_PART_KIT-130F2600



TE Part # 7-2837905-2
APPLICATOR TO MAKE LOOSE PIECE TERMINALS



KIT

REPRESENTATION ONLY

TE Part # 7-2837905-7
TOOLING KIT TO MAKE LOOSE PIECE TERMINAL




TE Part # 3-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. C



TE Part # 4-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. D


Also in the Series | Timer Connector System




Automotive Connector Caps & Covers (10)




Automotive Connector Locks & Position Assurance(14)




Automotive Housings(210)




Automotive Terminals(137)




Connector Seals & Cavity Plugs(31)



Crimp Terminal Housings(13)




Insertion & Extraction Tools(18)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(77)



Quick Disconnects(4)

Customers Also Bought




TE Part #60798-4
SHUR PLUG 180 RECEPTACLE 18-14 AWG TPBR



TE Part #1-964300-3
TIMER, RECEPTACLE AND TAB



TE Part #1-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, SLD



TE Part #1897214-1
MCP 6.3 2P PLUG ASSY



TE Part #1924955-3
CONTACT, FEMALE 0.64, 20-22AWG, UNSEAL



TE Part #1897792-3
RF S/L 2P TAB DIELEC AR5 HSG



TE Part #1897795-3
RF S/L 2P REC DIELEC AR5 HSG



TE Part #2035363-7
1X6 GENERATION Y ASSY KEY E



TE Part #2219078-2
CLIP FOR MCP 6.3 2P CAP HSG

Documents

Product Drawings

[TAB 5.8x0.8 CONTACT CS SWS Sn](#)

English

[TAB 5.8x0.8 CONTACT CS SWS Sn](#)

English

CAD Files

Customer View Model

[ENG_CVM_1-962919-1_A1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1-962919-1_A1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-962919-1_A1.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

Timer Interconnection System

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German

Application Specification

English

Application Specification

English