# 3430H2F3K3TDF VACTIVE

### CGS | CGS 3430

TE Internal #: 8-2176562-6 3.3K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1020, Taped & Reeled, 2 W, ±100 ppm/°C, Solder, Height .024 in [.6 mm], CGS 3430

#### View on TE.com >





Resistor Type: Power Resistor
Number of Terminations: 2
Package Size Code: 1020
Packaging Method: Taped & Reeled
Passive Component Tolerance: 1%

### Features



### Product Type Features

Resistor Type	Power Resistor
Package Size Code	1020
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	200 V
Passive Component Tolerance	1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	3.3ΚΩ
Power Rating	2 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

### 3430H2F3K3TDF

3.3K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1020, Taped & Reeled, 2 W, ±100 ppm/°C, Solder, Height .024 in [.6 mm], CGS 3430



#### Dimensions

Product Height	.6 mm[.024 in]	
Product Length	2.45 mm[.096 in]	
Product Width	5 mm[.197 in]	
Usage Conditions		
Operating Temperature Range	-55 – 155 °C	
Temperature Coefficient	±100 ppm/°C	
Packaging Features		
Packaging Method	Taped & Reeled	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Not Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE	

## 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

Solder Process Capability

### 3430H2F3K3TDF

3.3K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1020, Taped & Reeled, 2 W, ±100 ppm/°C, Solder, Height .024 in [.6 mm], CGS 3430





# Also in the Series | CGS 3430



## Customers Also Bought



TE Part #170263-2 E.I.S. CONTACT	TE Part #1-2120959-1 M8 FEMALE SOCKET WITH 0.25 SQMM	TE Part #170369-1 WIRES, LOW PROFILE EI CONN LP	TE Part #58654-1 PRO-CRIMP TL & DIE MOD II



### Documents

## Product Drawings

3430 H2 1% 3K3 100ppm 1k RL

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_8-2176562-6\_BA.3d\_igs.zip

### 3430H2F3K3TDF

3.3K Ω, Thick Film, Power Resistor, 1 %, 2 Termination, 1020, Taped & Reeled, 2 W, ±100 ppm/°C, Solder, Height .024 in [.6 mm], CGS 3430



English

Customer View Model ENG\_CVM\_CVM\_8-2176562-6\_BA.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_8-2176562-6\_BA.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Datasheet - CGS 3430 Series

English

Automotive Grade Wide Terminal Chip Resistor - Type 3430 Series

English