3503G2B2K55FTD ACTIVE

CGS | CGS 3503

TE Internal #: 6-2176527-5

2.55K Ω , Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ± 50 ppm/°C, Solder, Height .017 in [.43 mm], CGS

3503

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Power Resistor

Number of Terminations: 2

Package Size Code: 1206

Packaging Method: Taped & Reeled
Passive Component Tolerance: 1 %

Surface Mount Resistor Termination Type

Features

Product Type Features

| Resistor Type | Power Resistor |
|-----------------------------|------------------|
| Package Size Code | 1206 |
| Element Type | Thin Film |
| Configuration Features | |
| Number of Resistors | 1 |
| Electrical Characteristics | |
| Operating Voltage | 100 V |
| Passive Component Tolerance | 1 % |
| Resistance Class | $1k\Omega - 1MΩ$ |
| Resistance Value | 2.55K Ω |
| Power Rating | 2 W |
| Termination Features | |
| Number of Terminations | 2 |

Solder



Dimensions

| Product Height | .43 mm[.017 in] | |
|------------------|------------------|--|
| Product Length | 3.05 mm[.12 in] | |
| Product Width | 1.55 mm[.061 in] | |
| Usage Conditions | | |

| Operating Temperature Range | -55 – 155 °C |
|-----------------------------|--------------|
| Temperature Coefficient | ±50 ppm/°C |

Packaging Features

| | T 10 D 1 1 |
|------------------|----------------|
| Packaging Method | Taped & Reeled |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. |
| Solder Process Capability | Reflow solder capable to 260°C |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | CGS 3503




Customers Also Bought

















Documents

Product Drawings
3503G 2B 2K55 1% 5K RL

English

CAD Files

Customer View Model ENG_CVM_CVM_6-2176527-5_A.3d_igs.zip

2.55K Ω , Thin Film, Power Resistor, 1 %, 2 Termination, 1206, Taped & Reeled, 2 W, ± 50 ppm/°C, Solder, Height .017 in [.43 mm], CGS 3503



English

Customer View Model

ENG_CVM_CVM_6-2176527-5_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_6-2176527-5_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Aluminium Nitride Thin Film Power Resistor - Type 3503 Series

English