## **SIEMENS**

Data sheet 3RW5246-2TC04



SIRIUS soft starter 200-480 V 370 A, 24 V AC/DC spring-type terminals Thermistor input

| product brand name  | SIRIUS   |  |
|---|--|--|
| product category  | Hybrid switching devices   |  |
| product designation   | Soft starter   |  |
| product type designation  | 3RW52  |  |
| manufacturer's article number   |  |  |
| <ul> <li>of standard HMI module usable</li> </ul>   | 3RW5980-0HS00  |  |
| <ul> <li>of high feature HMI module usable</li> </ul>   | 3RW5980-0HF00  |  |
| <ul> <li>of communication module PROFINET standard usable</li> </ul>                              | 3RW5980-0CS00  |  |
| <ul> <li>of communication module PROFIBUS usable</li> </ul>                                       | 3RW5980-0CP00  |  |
| <ul> <li>of communication module Modbus TCP usable</li> </ul>                                     | 3RW5980-0CT00  |  |
| <ul> <li>of communication module Modbus RTU usable</li> </ul>                                     | 3RW5980-0CR00  |  |
| <ul> <li>of communication module Ethernet/IP</li> </ul>   | 3RW5980-0CE00  |  |
| <ul> <li>of circuit breaker usable at 400 V</li> </ul>  | 3VA2440-7MN32-0AA0; Type of coordination 1, Iq = 65 kA, CLASS 10 |  |
| <ul> <li>of circuit breaker usable at 500 V</li> </ul>  | 3VA2440-7MN32-0AA0; Type of coordination 1, Iq = 65 kA, CLASS 10 |  |
| <ul> <li>of circuit breaker usable at 400 V at inside-delta<br/>circuit</li> </ul>                | 3VA2580-6HN32-0AA0; Type of coordination 1, Iq = 65 kA, CLASS 10 |  |
| <ul> <li>of circuit breaker usable at 500 V at inside-delta<br/>circuit</li> </ul>                | 3VA2580-6HN32-0AA0; Type of coordination 1, Iq = 65 kA, CLASS 10 |  |
| <ul> <li>of the gG fuse usable up to 690 V</li> </ul>   | 2x3NA3365-6; Type of coordination 1, Iq = 65 kA                  |  |
| <ul> <li>of the gG fuse usable at inside-delta circuit up to<br/>500 V</li> </ul>                 | 2x3NA3365-6; Type of coordination 1, Iq = 65 kA                  |  |
| <ul> <li>of full range R fuse link for semiconductor protection<br/>usable up to 690 V</li> </ul> | 3NE1334-2; Type of coordination 2, Iq = 65 kA                    |  |
| <ul> <li>of back-up R fuse link for semiconductor protection<br/>usable up to 690 V</li> </ul>    | 3NE3336; Type of coordination 2, Iq = 65 kA                      |  |

| General technical data                           |                      |  |
|--|----------------------|--|
| starting voltage [%]                             | 30 100 %             |  |
| stopping voltage [%]                             | 50 %; non-adjustable |  |
| start-up ramp time of soft starter               | 0 20 s               |  |
| current limiting value [%] adjustable            | 130 700 %            |  |
| certificate of suitability                       |                      |  |
| <ul> <li>CE marking</li> </ul>                   | Yes                  |  |
| UL approval                                      | Yes                  |  |
| CSA approval                                     | Yes                  |  |
| product component                                |                      |  |
| HMI-High Feature                                 | No                   |  |
| <ul> <li>is supported HMI-Standard</li> </ul>    | Yes                  |  |
| is supported HMI-High Feature                    | Yes                  |  |
| product feature integrated bypass contact system | Yes                  |  |
| number of controlled phases                      | 3                    |  |

| trip class   | CLASS 10A (default) / 10E / 20E; acc. to IEC 60947-4-2  |  |
|--|---|--|
| buffering time in the event of power failure                                 |   |  |
| for main current circuit   | 100 ms  |  |
| for control circuit  | 100 ms  |  |
| insulation voltage rated value   | 600 V   |  |
| degree of pollution  | 3, acc. to IEC 60947-4-2  |  |
| impulse voltage rated value  | 6 kV  |  |
| blocking voltage of the thyristor maximum                                    | 1 600 V   |  |
| service factor   | 1   |  |
| surge voltage resistance rated value   | 6 kV  |  |
| maximum permissible voltage for safe isolation                               |   |  |
| between main and auxiliary circuit   | 600 V   |  |
| shock resistance   | 15 g / 11 ms, from 12 g / 11 ms with potential contact lifting                                    |  |
| vibration resistance   | 15 mm to 6 Hz; 2g to 500 Hz   |  |
| utilization category according to IEC 60947-4-2                              | AC 53a  |  |
| reference code according to IEC 81346-2                                      | Q   |  |
| Substance Prohibitance (Date)  | 02/15/2018  |  |
| product function   |   |  |
| <ul><li>ramp-up (soft starting)</li></ul>                                    | Yes   |  |
| <ul><li>ramp-down (soft stop)</li></ul>                                      | Yes   |  |
| Soft Torque  | Yes   |  |
| <ul> <li>adjustable current limitation</li> </ul>                            | Yes   |  |
| <ul><li>pump ramp down</li></ul>   | Yes   |  |
| <ul> <li>intrinsic device protection</li> </ul>                              | Yes   |  |
| motor overload protection  | Yes; Full motor protection (thermistor motor protection and electronic motor overload protection) |  |
| <ul> <li>evaluation of thermistor motor protection</li> </ul>                | Yes; Type A PTC or Klixon / Thermoclick   |  |
| inside-delta circuit   | Yes   |  |
| auto-RESET   | Yes   |  |
| manual RESET   | Yes   |  |
| remote reset   | Yes; By turning off the control supply voltage  |  |
| <ul> <li>communication function</li> </ul>                                   | Yes   |  |
| <ul> <li>operating measured value display</li> </ul>                         | Yes; Only in conjunction with special accessories   |  |
| <ul><li>error logbook</li></ul>  | Yes; Only in conjunction with special accessories   |  |
| <ul> <li>via software parameterizable</li> </ul>                             | No  |  |
| <ul> <li>via software configurable</li> </ul>                                | Yes   |  |
| PROFlenergy  | Yes; in connection with the PROFINET Standard communication module                                |  |
| firmware update  | Yes   |  |
| <ul> <li>removable terminal for control circuit</li> </ul>                   | Yes   |  |
| torque control   | No  |  |
| analog output  | No  |  |
| Power Electronics  |   |  |
| operational current  |   |  |
| <ul> <li>at 40 °C rated value</li> </ul>                                     | 370 A   |  |
| <ul> <li>at 50 °C rated value</li> </ul>                                     | 328 A   |  |
| at 60 °C rated value   | 300 A   |  |
| operational current at inside-delta circuit                                  |   |  |
| <ul> <li>at 40 °C rated value</li> </ul>                                     | 641 A   |  |
| <ul> <li>at 50 °C rated value</li> </ul>                                     | 568 A   |  |
| at 60 °C rated value   | 519 A   |  |
| operating voltage  |   |  |
| rated value  | 200 480 V   |  |
| at inside-delta circuit rated value  | 200 480 V   |  |
| relative negative tolerance of the operating voltage                         | -15 %   |  |
| relative positive tolerance of the operating voltage                         | 10 %  |  |
| relative negative tolerance of the operating voltage at inside-delta circuit | -15 %   |  |
| relative positive tolerance of the operating voltage at inside-delta circuit | 10 %  |  |
| operating power for 3-phase motors   |   |  |

| <ul> <li>at 230 V at 40 °C rated value</li> <li>at 230 V at inside-delta circuit at 40 °C rated value</li> <li>at 400 V at 40 °C rated value</li> <li>at 400 V at inside-delta circuit at 40 °C rated value</li> <li>355 kW</li> <li>Operating frequency 1 rated value</li> <li>50 Hz</li> <li>Operating frequency 2 rated value</li> <li>60 Hz</li> <li>relative negative tolerance of the operating frequency</li> <li>relative positive tolerance of the operating frequency</li> <li>adjustable motor current</li> <li>at rotary coding switch on switch position 1</li> <li>at rotary coding switch on switch position 2</li> <li>at rotary coding switch on switch position 3</li> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul> |
|--|
| <ul> <li>at 400 V at 40 °C rated value</li> <li>at 400 V at inside-delta circuit at 40 °C rated value</li> <li>50 Hz</li> <li>Operating frequency 1 rated value</li> <li>60 Hz</li> <li>relative negative tolerance of the operating frequency</li> <li>relative positive tolerance of the operating frequency</li> <li>at rotary coding switch on switch position 1</li> <li>at rotary coding switch on switch position 2</li> <li>at rotary coding switch on switch position 3</li> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>   |
| • at 400 V at inside-delta circuit at 40 °C rated value      Operating frequency 1 rated value     Operating frequency 2 rated value     relative negative tolerance of the operating frequency     relative positive tolerance of the operating frequency     adjustable motor current     • at rotary coding switch on switch position 1     • at rotary coding switch on switch position 3     • at rotary coding switch on switch position 4     • at rotary coding switch on switch position 5     • at rotary coding switch on switch position 6     • at rotary coding switch on switch position 7     • at rotary coding switch on switch position 7     • at rotary coding switch on switch position 8     • at rotary coding switch on switch position 9     • at rotary coding switch on switch position 10     • at rotary coding switch on switch position 10     • at rotary coding switch on switch position 10     • at rotary coding switch on switch position 11     • at rotary coding switch on switch position 12     • at rotary coding switch on switch position 12     • at rotary coding switch on switch position 13     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 14     • at rotary coding switch on switch position 15   |
| Operating frequency 1 rated value Operating frequency 2 rated value relative negative tolerance of the operating frequency relative positive tolerance of the operating frequency adjustable motor current  • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 4 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 15   |
| Operating frequency 2 rated value  relative negative tolerance of the operating frequency relative positive tolerance of the operating frequency  adjustable motor current  • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 4 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 15   |
| relative negative tolerance of the operating frequency relative positive tolerance of the operating frequency adjustable motor current  • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 4 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 15   |
| relative positive tolerance of the operating frequency  adjustable motor current  at rotary coding switch on switch position 1  at rotary coding switch on switch position 2  at rotary coding switch on switch position 3  at rotary coding switch on switch position 4  at rotary coding switch on switch position 5  at rotary coding switch on switch position 6  at rotary coding switch on switch position 7  at rotary coding switch on switch position 7  at rotary coding switch on switch position 8  at rotary coding switch on switch position 9  at rotary coding switch on switch position 10  at rotary coding switch on switch position 11  at rotary coding switch on switch position 12  at rotary coding switch on switch position 13  at rotary coding switch on switch position 13  at rotary coding switch on switch position 14  at rotary coding switch on switch position 15  356 A   |
| adjustable motor current  at rotary coding switch on switch position 1  at rotary coding switch on switch position 2  at rotary coding switch on switch position 3  at rotary coding switch on switch position 4  at rotary coding switch on switch position 5  at rotary coding switch on switch position 6  at rotary coding switch on switch position 7  at rotary coding switch on switch position 8  at rotary coding switch on switch position 8  at rotary coding switch on switch position 9  at rotary coding switch on switch position 10  at rotary coding switch on switch position 11  at rotary coding switch on switch position 12  at rotary coding switch on switch position 13  at rotary coding switch on switch position 13  at rotary coding switch on switch position 13  at rotary coding switch on switch position 14  at rotary coding switch on switch position 15  356 A  |
| <ul> <li>at rotary coding switch on switch position 1</li> <li>at rotary coding switch on switch position 2</li> <li>at rotary coding switch on switch position 3</li> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 2</li> <li>at rotary coding switch on switch position 3</li> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 3</li> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 4</li> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 5</li> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 6</li> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 7</li> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 8</li> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 9</li> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 10</li> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 11</li> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>356 A</li> </ul>  |
| <ul> <li>at rotary coding switch on switch position 12</li> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>314 A</li> <li>328 A</li> <li>342 A</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 13</li> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>328 A</li> <li>342 A</li> <li>356 A</li> </ul>   |
| <ul> <li>at rotary coding switch on switch position 14</li> <li>at rotary coding switch on switch position 15</li> <li>342 A</li> <li>356 A</li> </ul>   |
| • at rotary coding switch on switch position 15 356 A  |
|  |
| <ul> <li>at rotary coding switch on switch position 16</li> <li>370 A</li> </ul>   |
| • minimum 160 A  |
| adjustable motor current   |
| • for inside-delta circuit at rotary coding switch on switch position 1  |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 2</li> <li>301 A</li> </ul>   |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 3</li> </ul>  |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 4</li> </ul>  |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 5</li> <li>374 A</li> </ul>   |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 6</li> <li>398 A</li> </ul>   |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 7</li> </ul>  |
| <ul> <li>for inside-delta circuit at rotary coding switch on<br/>switch position 8</li> </ul>  |
| <ul> <li>for inside-delta circuit at rotary coding switch on switch position 9</li> </ul>  |
| • for inside-delta circuit at rotary coding switch on switch position 10   |
| • for inside-delta circuit at rotary coding switch on switch position 11  • for inside delta circuit at rotary coding switch on 520 A  |
| <ul> <li>for inside-delta circuit at rotary coding switch on switch position 12</li> <li>for inside-delta circuit at rotary coding switch on 568 A</li> </ul>  |
| switch position 13   |
| • for inside-delta circuit at rotary coding switch on switch position 14  • for inside delta circuit at rotary coding switch on switch on switch position 14   |
| <ul> <li>for inside-delta circuit at rotary coding switch on switch position 15</li> <li>for inside-delta circuit at rotary coding switch on 641 A</li> </ul>  |
| <ul> <li>for inside-delta circuit at rotary coding switch on switch position 16</li> <li>at inside-delta circuit minimum</li> <li>277 A</li> </ul>   |
| minimum load [%]  15 %; Relative to smallest settable le   |
| power loss [W] for rated value of the current at AC  |
| • at 40 °C after startup 123 W   |
| • at 50 °C after startup 110 W   |

| at 60 °C after startup   | 102 W  |  |
|--|--|--|
| power loss [W] at AC at current limitation 350 %                         |  |  |
| at 40 °C during startup  | 5 575 W  |  |
| at 50 °C during startup  | 4 706 W  |  |
| at 60 °C during startup  | 4 157 W  |  |
| Control circuit/ Control   |  |  |
| type of voltage of the control supply voltage                            | AC/DC  |  |
| control supply voltage at AC   |  |  |
| at 50 Hz rated value   | 24 V   |  |
| at 60 Hz rated value   | 24 V   |  |
| relative negative tolerance of the control supply voltage at AC at 50 Hz | -20 %  |  |
| relative positive tolerance of the control supply voltage at AC at 50 Hz | 20 %   |  |
| relative negative tolerance of the control supply voltage at AC at 60 Hz | -20 %  |  |
| relative positive tolerance of the control supply voltage at AC at 60 Hz | 20 %   |  |
| control supply voltage frequency   | 50 60 Hz   |  |
| relative negative tolerance of the control supply voltage frequency      | -10 %  |  |
| relative positive tolerance of the control supply voltage frequency      | 10 %   |  |
| control supply voltage   |  |  |
| at DC rated value  | 24 V   |  |
| relative negative tolerance of the control supply voltage at DC          | -20 %  |  |
| relative positive tolerance of the control supply voltage at DC          | 20 %   |  |
| control supply current in standby mode rated value                       | 160 mA   |  |
| holding current in bypass operation rated value                          | 470 mA   |  |
| locked-rotor current at close of bypass contact                          | 7.6 A  |  |
| inrush current peak at application of control supply voltage             | 3.3 A  |  |
| duration of inrush current peak at application of control supply voltage | 12.1 ms  |  |
| design of the overvoltage protection                                     | Varistor   |  |
| design of short-circuit protection for control circuit                   | 4 A gG fuse (Icu=1 kA), 6 A quick-acting fuse (Icu=1 kA), C1 miniature circuit breaker (Icu= 600 A), C6 miniature circuit breaker (Icu= 300 A); Is not part of scope of supply |  |
| Inputs/ Outputs  |  |  |
| number of digital inputs   | 1  |  |
| number of digital outputs  | 3  |  |
| not parameterizable  | 2  |  |
| digital output version   | 2 normally-open contacts (NO) / 1 changeover contact (CO)  |  |
| number of analog outputs   | 0  |  |
| switching capacity current of the relay outputs                          |  |  |
| • at AC-15 at 250 V rated value  | 3 A  |  |
| • at DC-13 at 24 V rated value   | 1 A  |  |
| Installation/ mounting/ dimensions                                       |  |  |
| mounting position  | with vertical mounting surface +/-90° rotatable, with vertical mounting surface +/- 22.5° tiltable to the front and back   |  |
| fastening method   | screw fixing   |  |
| height   | 393 mm   |  |
| width  | 210 mm   |  |
| depth  | 203 mm   |  |
| required spacing with side-by-side mounting                              |  |  |
| • forwards   | 10 mm  |  |
| backwards  | 0 mm   |  |
| ·  | 400  |  |
| • upwards  | 100 mm   |  |
| <ul><li>upwards</li><li>downwards</li></ul>                              | 75 mm  |  |

| weight without packaging  | 9.9 kg  |  |
|---|---|--|
| Connections/ Terminals  |   |  |
| type of electrical connection   |   |  |
| for main current circuit  | busbar connection   |  |
| for control circuit   | spring-loaded terminals   |  |
| width of connection bar maximum   | 45 mm   |  |
| wire length for thermistor connection   |   |  |
| <ul> <li>with conductor cross-section = 0.5 mm² maximum</li> </ul>  | 50 m  |  |
| <ul> <li>with conductor cross-section = 1.5 mm² maximum</li> </ul>  | 150 m   |  |
| • with conductor cross-section = 2.5 mm² maximum  | 250 m   |  |
| type of connectable conductor cross-sections  |   |  |
| <ul> <li>for DIN cable lug for main contacts stranded</li> </ul>  | 2x (50 240 mm²)   |  |
| for DIN cable lug for main contacts finely stranded   | 2x (70 240 mm²)   |  |
| type of connectable conductor cross-sections  |   |  |
| <ul> <li>for control circuit solid</li> </ul>   | 2x (0.25 1.5 mm²)   |  |
| for control circuit finely stranded with core end   | 2x (0.25 1.5 mm²)   |  |
| processing  ● at AWG cables for control circuit solid   | 2× (24 16)  |  |
| at AWG cables for control circuit solid     at AWG cables for control circuit finely stranded with  | 2x (24 16)<br>2x (24 16)  |  |
| core end processing   | ۵۸ (۵۲ ۱۷)  |  |
| wire length   |   |  |
| between soft starter and motor maximum  | 800 m   |  |
| <ul> <li>at the digital inputs at AC maximum</li> </ul>   | 100 m   |  |
| at the digital inputs at DC maximum   | 1 000 m   |  |
| tightening torque   |   |  |
| <ul> <li>for main contacts with screw-type terminals</li> </ul>   | 14 24 N·m   |  |
| <ul> <li>for auxiliary and control contacts with screw-type</li> </ul>  | 0.8 1.2 N·m   |  |
| terminals   |   |  |
| tightening torque [lbf·in]  | 404 040 lbs :   |  |
| for main contacts with screw-type terminals   | 124 210 lbf·in  |  |
| <ul> <li>for auxiliary and control contacts with screw-type terminals</li> </ul>  | 7 10.3 lbf·in   |  |
| Ambient conditions  |   |  |
| installation altitude at height above sea level maximum   | 5 000 m; Derating as of 1000 m, see catalog   |  |
| ambient temperature   |   |  |
| <ul><li>during operation</li></ul>  | -25 +60 °C; Please observe derating at temperatures of 40 °C or   |  |
| a division atomorphism and transport  | above   |  |
| during storage and transport  | -40 +80 °C  |  |
| environmental category  | 2V6 (no ice fermation only accessional condensation) 000 (no net  |  |
| <ul> <li>during operation according to IEC 60721</li> </ul>   | 3K6 (no ice formation, only occasional condensation), 3C3 (no salt mist), 3S2 (sand must not get into the devices), 3M6 |  |
| <ul> <li>during storage according to IEC 60721</li> </ul>   | 1K6 (only occasional condensation), 1C2 (no salt mist), 1S2 (sand must  |  |
|   | not get inside the devices), 1M4  |  |
| during transport according to IEC 60721   | 2K2, 2C1, 2S1, 2M2 (max. fall height 0.3 m)   |  |
| EMC emitted interference  | acc. to IEC 60947-4-2: Class A  |  |
| Communication/ Protocol   |   |  |
| communication module is supported   | V   |  |
| PROFINET standard   | Yes   |  |
| • EtherNet/IP   | Yes   |  |
| Modbus RTU  | Yes   |  |
| Modbus TCP     DDOCIDUS   | Yes   |  |
| PROFIBUS  | Yes   |  |
| UL/CSA ratings  |   |  |
| manufacturer's article number   |   |  |
|   |   |  |
| • of the fuse   | Type: Class 1/1 may 1200 A: Is = 10 kA  |  |
|   | Type: Class J / L, max. 1200 A; Iq = 18 kA  |  |
| <ul> <li>of the fuse         <ul> <li>usable for Standard Faults up to 575/600 V</li> <li>according to UL</li> <li>usable for High Faults up to 575/600 V</li> </ul> </li> </ul>        | Type: Class J / L, max. 1200 A; Iq = 18 kA  Type: Class J / L, max. 1200 A; Iq = 100 kA                                 |  |
| <ul> <li>of the fuse         <ul> <li>usable for Standard Faults up to 575/600 V according to UL</li> <li>usable for High Faults up to 575/600 V according to UL</li> </ul> </li> </ul> | Type: Class J / L, max. 1200 A; Iq = 100 kA   |  |
| <ul> <li>of the fuse         <ul> <li>usable for Standard Faults up to 575/600 V</li> <li>according to UL</li> <li>usable for High Faults up to 575/600 V</li> </ul> </li> </ul>        |   |  |

| to 575/600 V according to UL  |   |     |  |
|---|---|-----|--|
| operating power [hp] for 3-phase motors   |   |     |  |
| <ul> <li>at 200/208 V at 50 °C rated value</li> </ul>                             | 100 hp  |     |  |
| <ul> <li>at 220/230 V at 50 °C rated value</li> </ul>                             | 125 hp  |     |  |
| <ul> <li>at 460/480 V at 50 °C rated value</li> </ul>                             | 250 hp  |     |  |
| <ul> <li>at 200/208 V at inside-delta circuit at 50 °C rated<br/>value</li> </ul> | 200 hp  |     |  |
| <ul> <li>at 220/230 V at inside-delta circuit at 50 °C rated<br/>value</li> </ul> | 200 hp  |     |  |
| <ul> <li>at 460/480 V at inside-delta circuit at 50 °C rated<br/>value</li> </ul> | 450 hp  |     |  |
| contact rating of auxiliary contacts according to UL                              | R300-B300   |     |  |
| Safety related data   |   |     |  |
| protection class IP on the front according to IEC 60529                           | IP00; IP20 with cover                                       |     |  |
| touch protection on the front according to IEC 60529                              | finger-safe, for vertical contact from the front with cover |     |  |
| electromagnetic compatibility   | in accordance with IEC 60947-4-2                            |     |  |
| Certificates/ approvals   |   |     |  |
| General Product Approval  |   | EMC |  |





Confirmation







**Declaration of Conformity** 

**Test Certificates** 

Marine / Shipping





Type Test Certificates/Test Report







Marine / Shipping

other





Confirmation

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5246-2TC04

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5246-2TC04

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RW5246-2TC04

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3RW5246-2TC04\&lang=en}}$ 

Characteristic: Tripping characteristics, I2t, Let-through current

https://support.industry.siemens.com/cs/ww/en/ps/3RW5246-2TC04/char

Characteristic: Installation altitude

http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW5246-2TC04&objecttype=14&gridview=view1

Simulation Tool for Soft Starters (STS)

https://support.industry.siemens.com/cs/ww/en/view/101494917

last modified:

4/10/2022

