

AMP | AMP Type III+ TE Internal #: 66601-9 Socket Contact, Tin, Size 16 Contact Size, 18 – 14 AWG Wire Size, . 8 – 2 mm<sup>2</sup> Wire Size, Crimp, Brass, Power & Signal, AMP Type III+ View on TE.com >



Connectors > Contacts > Connector Contacts > Pin and Socket Contacts, Type III, LP



Contact Type: Socket

Contact Mating Area Plating Material: Tin

Wire Contact Termination Area Plating Material: Tin

Contact Retention Within Housing: With

Contact Size: Size 16

All Pin and Socket Contacts, Type III, LP (53)

### Features

#### **Contact Features**

Mating Pin Diameter	1.57 mm[.062 in]
Contact Underplating Material Thickness	.76 μm[30 μin]
Wire Contact Termination Area Plating Thickness	2.54 μm[100 μin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Mating Area Plating Material Thickness	2.54 μm[100 μin]
Contact Mating Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Tin
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Size	Size 16

Socket Contact, Tin, Size 16 Contact Size, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Crimp, Brass, Power & Signal, AMP Type III+



Contact Base Material	Brass	
Contact Current Rating (Max)	13 A	
Termination Features		
Termination Method to Wire & Cable	Crimp	
Product Terminates To	Wire & Cable	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Compatible Insulation Diameter Range	2.79 – 3.81 mm[.11 – .15 in]	
Wire Size	.8 – 2 mm <sup>2</sup>	
Usage Conditions		
Operating Temperature Range	-55 – 90 °C[-67 – 194 °F]	
Operation/Application		
Circuit Application	Power & Signal	
Packaging Features		
Packaging Quantity	1000	
Packaging Method	Carton, Loose Piece	

#### Packaging Method

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC				
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free				
Solder Process Capability	Not applicable for solder process capability				
Product Compliance Disclaimer					

Socket Contact, Tin, Size 16 Contact Size, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Crimp, Brass, Power & Signal, AMP Type III+



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # CAT-AM71-C83998C Circular Plastic Connector, CMC Series



TE Part # CAT-AM71-C83998Y One-Piece Connector, Sealed, CPC Series 1



TE Part # CAT-AM71-C83998J Cable/Panel Mount Connector, CPC Series 1



TE Part # CAT-AM71-C83998K Circular Connector, Environmentally Sealed, CPC Series 6










TE Part # 200893-2	TE Part # 91521-1	TE Part # 539972-1	TE Part # 305183	
INSERTION TOOL CONT	CCII TYPE III+ PIN SKT 18-14 ASSY	EXTRACTION TOOL	EXTRACT TOOL TYPE 2 20-16	


## Also in the Series | AMP Type III+



## Customers Also Bought

Socket Contact, Tin, Size 16 Contact Size, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Crimp, Brass, Power & Signal, AMP Type III+





TE Part #1SNA115417R0500 MB6/8.L6

TE Part #1SNS320001Z3271 RC810 CUSTOM PRINTED MARKERS

### Documents

Product Drawings III+ SKT,18-14,TIN,LP

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_66601-9\_N.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_66601-9\_N.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_66601-9\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**C** For support call+1 800 522 6752

Socket Contact, Tin, Size 16 Contact Size, 18 – 14 AWG Wire Size, .8 – 2 mm<sup>2</sup> Wire Size, Crimp, Brass, Power & Signal, AMP Type III+



AMP Circular Connectors for Commercial Signal & Power Applications

English

Signal Contacts

English

M\_SERIES\_PIN\_AND\_SOCKET\_CONNECTORS

English

Product Specifications

**Application Specification** 

English