Digital absolute pressure sensor, 20 kPa to 400 kPa

Rev. 6.3 — 3 November 2023

Product data sheet



1 General description

The FXPS7400D4 high-performance, high-precision barometric absolute pressure (BAP) sensor consists of a compact capacitive micro-electro-mechanical systems (MEMS) device coupled with a digital integrated circuit (IC) producing a fully calibrated digital output.

The sensor is based on NXP's high-precision capacitive pressure cell technology. The architecture benefits from redundant pressure transducers as an expanded quality measure. This sensor delivers highly accurate pressure and temperature readings through either a serial peripheral interface (SPI) or an inter-integrated circuit (I²C) interface. Furthermore, the sensor employs an on-demand digital self-test for the digital IC and the MEMS transducers.

The sensor operates over a pressure range of 20 kPa to 400 kPa and over a wide temperature range of -40 °C to 130 °C.

The sensor comes in an industry-leading 4 mm x 4 mm x 1.98 mm, restriction of hazardous substances (RoHS)

compliant, high power quad flat no lead (HQFN) package^[1] suitable for small PCB integration. Its AEC-Q100^[2] compliance, high accuracy, reliable performance, and high media resistivity make it ideal for use in automotive, industrial, and consumer applications.

2 Features and benefits

- Absolute pressure range: 20 kPa to 400 kPa
- Operating temperature range: –40 °C to 130 °C
- Pressure transducer and digital signal processor (DSP)
 Digital self-test
- I²C compatible serial interface
 - Client mode operation
 - Standard mode, Fast mode, and Fast-mode Plus support
- 32-bit SPI compatible serial interface
 - Sensor data transmission commands
 - 12-bit data for absolute pressure
 - 8-bit data for temperature
 - 2-bit basic status and 2-bit detailed status fields
 - 3, 4, or 8-bit configurable CRC
- · Capacitance to voltage converter with anti-aliasing filter
- Sigma delta ADC plus sinc filter
- 800 Hz or 1000 Hz low-pass filter for absolute pressure
- Lead-free, 16-pin HQFN, 4 mm x 4 mm x 1.98 mm package



Digital absolute pressure sensor, 20 kPa to 400 kPa

3 Applications

3.1 Automotive

- Engine management digital MAP and BAP
- Small engine control

3.2 Industrial

- · Compressed air
- Manufacturing line control
- Gas metering
- Weather stations

3.3 Medical/Consumer

- Blood pressure monitor
- Medicine dispensing systems
- White goods

4 Ordering information

Table 1. Ordering information

Type number	Package		
	Name	Version	
FXPS7400DI4 FXPS7400DS4	HQFN16	HQFN16, plastic, thermal enhanced quad flat pack; no leads; 16 terminals; 0.8 mm pitch; 4 mm x 4 mm x 1.98 mm body	SOT1573-1


4.1 Ordering options

Table 2. Ordering options

Device	Range [kPa]	Packing	Interface	Temperature range
FXPS7400DI4T1	20 kPa to 400 kPa	Tape and reel	l ² C	–40 °C to 130 °C
FXPS7400DS4T1	20 kPa to 400 kPa	Tape and reel	SPI	–40 °C to 130 °C


Digital absolute pressure sensor, 20 kPa to 400 kPa

5 Block diagram



6 Pinning information

6.1 Pinning



Digital absolute pressure sensor, 20 kPa to 400 kPa

6.2 Pin description

Pin	Pin name	Description
3	INT	Interrupt output The output can be configured to be active low or active high. If unused, NXP recommends pin 3 be unterminated. Optionally, pin 3 can be tied to V _{SS} .
1, 16	V _{CC}	Power supply
4, 15	V _{SS}	Supply return (ground)
2, 12	TESTx	Test pin. NXP recommends pins 2, and 12 be unterminated. Optionally, these pins can be tied to V_{SS} .
5	TESTx	Test pin. NXP recommends pin 5 be tied to V _{CC} . Optionally, this pin can be tied to V _{SS} . This pin should not be left unconnected.
6, 7, 14	NC	No connect
8	SS_B	Client / Device select In I ² C mode, input pin 8 must be connected to V _{CC} with an external pull-up resistor, as shown in the application diagram. In SPI mode, input pin 8 provides the client select for the SPI port. An internal pull-up device is connected to this pin.
9	SCLK/SCL	In I ² C mode, input pin 9 provides the serial clock. This pin must be connected to V _{CC} with an external pull-up resistor, as shown in the application diagram. In SPI mode, input pin 9 provides the serial clock. An internal pull-down device is connected to this pin.
10	MOSI	SPI data in In SPI mode, pin 10 functions as the serial data input to the SPI port. An internal pull-down device is connected to this pin.
11	MISO/SDA	SPI// ² C data out In I ² C mode, pin 11 functions as the serial data input/output. Pin 11 must be connected to V _{CC} with an external pull-up resistor, as shown in the application diagram. In SPI mode, pin 11 functions as the serial data output.
13	V _{CCIO}	I/O supply Pin 13 must be connected to V_{CC} , the device supply.
17	PAD	Die attach pad Pin 17 is the die attach flag, and must be connected to V _{SS} .


7 Functional description

7.1 Voltage regulators

The device derives its internal supply voltage from the V_{CC} and V_{SS} pins. An external filter capacitor is required for V_{CC} , as shown in Figure 23 and Figure 24.

A reference generator provides a reference voltage for the $\Sigma\Delta$ converter.

Digital absolute pressure sensor, 20 kPa to 400 kPa



7.1.1 V_{CC}, V_{REG}, V_{REGA}, undervoltage monitor

A circuit is incorporated to monitor the V_{CC} supply voltage and the internally regulated voltages V_{REG} and V_{REGA} . If any of the voltages fall below the specified undervoltage thresholds in <u>Table 104</u>, SPI and I²C transactions are terminated. Once the supply returns above the threshold, the device resumes responses.

7.2 Internal oscillator

The device includes a factory trimmed oscillator.

7.3 Pressure sensor signal path

7.3.1 Self-test functions

The device includes analog and digital self-test functions to verify the functionality of the transducer and the signal chain. The self-test functions are selected by writing to the ST_CTRL[3:0] bits in the DSP_CFG_U5 register. The ST_CTRL bits select the desired self-test connection.


Once the ENDINIT bit is set, the ST_CTRL bits are forced to '0000'. Future writes to the ST_CTRL bits are disabled until a device reset.

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.3.1.1 P_{ABS} common mode verification

When the P_{ABS} common mode self-test is selected, the ST_ACTIVE bit is set, the ST_ERROR is cleared, and the device begins an internal measurement of the common mode signal of the P-cells and compares the result against a predetermined limit. If the result exceeds the limit, the ST_ERROR bit is set. The P_{ABS} common mode self-test repeats continuously every t_{ST_INIT} when the ST_CTRL bits are set to the specified value. Once the test is disabled, the ST_ERROR bit updates with the final test result within t_{ST_INIT} of disabling the test. The ST_ACTIVE bit remains set until the final test result is reported. Figure 4 is an example of a user-controlled self-test procedure.



7.3.1.2 Startup digital self-test verification

Four unique fixed values can be forced at the output of the sinc filter by writing to the ST_CTRL bits as shown in <u>Table 4</u>. The digital self-test values result in a constant value at the output of the signal chain. After a specified time period, the SNS_DATAx register value can be verified against the specified values in the table below. The values listed below are for the P_{ABS} signal. When any of these self-test functions are selected, the ST_ACTIVE bit is set. These signals can only be selected when the ENDINIT bit is not set.

Digital absolute pressure sensor, 20 kPa to 400 kPa

ST_CTRL[3]	ST_CTRL[2]	ST_CTRL[1]	ST_CTRL[0]	Function	SNS_DATAx register contents
1	1	0	0	Digital self-test #1	8171h
1	1	0	1	Digital self-test #2	6C95h
1	1	1	0	Digital self-test #3	807Ah
1	1	1	1	Digital self-test #4	78ACh

Table 4. Self-test control register

7.3.1.3 Startup sense data fixed value verification

Four unique fixed values can be forced to the SNS_DATAX_x registers by writing to the ST_CTRL bits as shown in <u>Table 5</u>. When any of these values are selected, the ST_ACTIVE bit is set. These signals can only be selected when the ENDINIT bit is not set.

Table 5. Self-test control bits for sense data fixed value verification

ST_CTRL[3]	ST_CTRL[2]	ST_CTRL[1]	ST_CTRL[0]	Function	SNS_DATAx register contents
0	1	0	0	DSP write to SNS_DATAx_ X registers inhibited.	0000h
0	1	0	1	DSP write to SNS_DATAx_ X registers inhibited.	AAAAh
0	1	1	0	DSP write to SNS_DATAx_ X registers inhibited.	5555h
0	1	1	1	DSP write to SNS_DATAx_ X registers inhibited.	FFFFh

7.3.2 $\Sigma\Delta$ converter

A second order sigma delta modulator converts the voltage from the analog front end to a data stream that is input to the DSP. A simplified block diagram is shown in <u>Figure 5</u>.




Figure 5. $\Sigma\Delta$ converter block diagram


The sigma delta modulator operates at a frequency of 1 MHz, with the transfer function in Equation 1.

$$H(Z) = \frac{\alpha_1}{Z^2} \tag{1}$$

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.3.3 Digital signal processor (DSP)


A DSP is used to perform signal filtering and compensation. A diagram illustrating the signal processing flow within the DSP is shown in Figure 6.



7.3.3.1 Decimation sinc filter

In Equation 2, the output of the $\Sigma\Delta$ modulator is decimated and converted to a parallel value by two third-order sinc filters; the first with a decimation ratio of 24 and the second with a decimation ratio of 4.

$$H(Z) = \left(\frac{1}{24^3}\right) \times \left(\frac{1 - Z^{-24}}{1 - Z^{-1}}\right)^3 \quad H(Z) = \left(\frac{1}{4^3}\right) \times \left(\frac{1 - Z^{-4}}{1 - Z^{-1}}\right)^3 \tag{2}$$



7.3.3.2 Signal trim and compensation

The device includes digital trim to compensate for sensor offset, sensitivity, and nonlinearity over temperature.

7.3.3.3 Low-pass filter

Data from the sinc filter is processed by an infinite impulse response (IIR) low-pass filter with the transfer function and coefficients shown in Equation 3.

$$H(Z) = a_0 \times \frac{(n_{11} \times z^0) + (n_{12} \times z^{-1}) + (n_{13} \times z^{-2})}{(d_{11} \times z^0) + (d_{12} \times z^{-1}) + (d_{13} \times z^{-2})} \times \frac{(n_{21} \times z^0) + (n_{22} \times z^{-1}) + (n_{23} \times z^{-2})}{(d_{21} \times z^0) + (d_{22} \times z^{-1}) + (d_{23} \times z^{-2})}$$
(3)

Digital absolute pressure sensor, 20 kPa to 400 kPa

Filter number	Typical –3 dB frequency	Filter order		Filter coeffic	ients (24 b	it)	Group delay (µs)	Typical attenuation @ 1000 Hz (dB)
1	800 Hz	4	a ₀	0.088642612609670	-	_	418	4.95
			n ₁₁	0.029638050039039	d ₁₁	1		
			n ₁₂	0.087543281056143	d ₁₂	-1.422792640957290		
			n ₁₃	0.029695285913601	d ₁₃	0.511435253566960		
			n ₂₁	0.250241278804809	d ₂₁	1		
			n ₂₂	0.499999767379068	d ₂₂	-1.503329908017845		
			n ₂₃	0.249758953816089	d ₂₃	0.621996524706640		
2	1000 Hz	4	a ₀	0.129604264748411	_	—	333	2.99
			n ₁₁	0.043719804402508	d ₁₁	1		
			n ₁₂	0.087543281056143	d ₁₂	-1.300502656562698		
			n ₁₃	0.043823599710731	d ₁₃	0.430106921311110		
			n ₂₁	0.250296586927511	d ₂₁	1		
			n ₂₂	0.499999648540934	d ₂₂	-1.379959571988366		
			n ₂₃	0.249703764531484	d ₂₃	0.555046257157745		

Table 6. IIR low pass filter coefficients





Figure 8. 800 Hz, 4-pole, low-pass filter response


NXP Semiconductors

FXPS7400D4


Digital absolute pressure sensor, 20 kPa to 400 kPa







Digital absolute pressure sensor, 20 kPa to 400 kPa



7.3.3.4 Absolute pressure output data scaling equation

<u>Equation 4</u> is used to convert absolute pressure readings with the variables as specified in <u>Table 7</u>. Note, the specified values apply only if the P_CAL_ZERO value is set to 0000h.

$$PABS_{kPa} = \frac{PABS_{LSB} - PABSOFF_{LSB}}{PABS_{SENSE}}$$
(4)

Where:

 $PABS_{kPa}$ = The absolute pressure output in kPa.

 $PABS_{LSB}$ = The absolute pressure output in LSB.

 $PABSOFF_{LSB}$ = The internal trimmed absolute pressure output value at 0 kPa in LSB.

PABS_{SENSE} = The trimmed absolute pressure sensitivity in LSB/kPa.

Table 7. Scaling parameters

Range	Data reading	PABSOff _{LSB} (LSB)	PABS _{SENSE} (LSB/kPa)
20 kPa - 400 kPa	12-bit sensor data request ^[1]	159	7
	16-bit register/data read 62h and 63h	28990	14
	Interrupt threshold registers 46h to 49h	28990	14
	16-bit sensor data request ^[2]	2544	112

[1] See <u>Section 7.7.8.1</u> for more details.

[2] Applied scaling for <u>Section 7.7.20</u>.

7.3.4 Temperature sensor

7.3.4.1 Temperature sensor signal chain

The device includes a temperature sensor for signal compensation and user readability. <u>Figure 12</u> shows a simplified block diagram. Temperature sensor parameters are specified in <u>Table 104</u> and <u>Table 105</u>.

NXP Semiconductors

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa




Figure 12. Temperature sensor signal chain block diagram

7.3.4.2 Temperature sensor output scaling equation

Equation 5 is used to convert temperature readings with the variables specified in Table 8.

$$T_{DEGC} = \frac{T_{LSB} - TO_{LSB}}{T_{SENSE}}$$
(5)

Where:

 T_{DEGC} = The temperature output in degrees C

T_{LSB} = The temperature output in LSB

T0_{LSB} = The expected temperature output in LSB at 0 °C

 T_{SENSE} = The expected temperature sensitivity in LSB/°C

Table 8. Temperature conversion variables

Data reading	T0 _{LSB} (LSB)	T _{SENSE} LSB/C)
8-bit register read	68	1
16-bit register read	17408	256

7.3.5 Common mode error detection signal chain

The device includes a continuous pressure transducer common mode error detection. A simplified block diagram is shown in <u>Figure 13</u>. The common mode error signal is compared against the normal absolute pressure signal. If the comparison falls outside pre-determined limits, the CM_ERROR bit in the DSP_STAT register is set. Once the error condition is removed, the CM_ERROR bit is cleared as specified in <u>Section 7.7.15</u> "<u>DSP_STAT - DSP specific status register (address 60h)</u>".




Figure 13. Common mode error detection signal chain block diagram


7.4 Inter-integrated circuit (I²C) interface

The device includes an interface compliant to the NXP I²C-bus specification^[4]. The device operates in client mode and includes support for standard mode, fast mode, and fast mode plus, although the maximum practical operating frequency for I²C in a given system implementation depends on several factors including the pull-up resistor values and the total bus capacitance.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.4.1 I²C bit transmissions


The state of SDA when SCL is high determines the bit value being transmitted. SDA must be stable when SCL is high and change when SCL is low as shown in <u>Figure 14</u>. After the START signal has been transmitted by the host, the bus is considered busy. Timing for the start condition is specified in <u>Table 105</u>.



7.4.2 I²C start condition


A bus operation is always started with a start condition (START) from the host. A START is defined as a high to low transition on SDA while SCL is high as shown in <u>Figure 15</u>. After the START signal has been transmitted by the host, the bus is considered busy. Timing for the start condition is specified in <u>Table 105</u>.

A start condition (START) and a repeat START condition (rSTART) are identical.



7.4.3 I²C byte transmission

Data transfers are completed in byte increments. The number of bytes that can be transmitted per transfer is unrestricted. Each byte must be followed by an acknowledge bit (Section 7.4.4 "I2C acknowledge and not acknowledge transmissions") from the receiver. Data is transferred with the most significant bit (MSB) first (see Figure 16). The host generates all clock pulses, including the ninth clock for the acknowledge bit. Timing for the byte transmissions is specified in Section 7.4.4 "I2C acknowledge and not acknowledge transmissions". All functions for this device are completed within the acknowledge clock pulse. Clock stretching is not used.



FXPS7400D4 Product data sheet

13 / 71

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.4.4 I²C acknowledge and not acknowledge transmissions

Each byte must be followed by an acknowledge bit (ACK) from the receiver. For an ACK, the transmitter releases SDA during the acknowledge clock pulse and the receiver pulls SDA low during the high portion of the clock pulse. Set up and hold times as specified in <u>Table 105</u> must also be taken into account.

For a not acknowledge bit (NACK), SDA remains high during the entire acknowledge clock pulse. Five conditions lead to a NACK:

- 1. No receiver is present on the bus with the transmitted address.
- 2. The addressed receiver is unable to receive or transmit because it is performing some real-time function and is not ready to start communication with the host.
- 3. The receiver receives unrecognized data or commands.
- 4. The receiver cannot receive any more data bytes.
- 5. The host-receiver signals the end of the transfer to the client transmitter.

Following a NACK, the host can transmit either a STOP to terminate the transfer, or a repeated START to initiate a new transfer.

An example ACK and NACK are shown in Figure 17.





Figure 17. I²C acknowledge and not acknowledge transmission

7.4.5 I^2C stop condition

A bus operation is always terminated with a stop condition (STOP) from the host. A STOP is defined as a low to high transition on SDA while SCL is high as shown in <u>Figure 18</u>. After the STOP has been transmitted by the host, the bus is considered free. Timing for the stop condition is specified in <u>Table 105</u>.



7.4.6 I²C register transfers

7.4.6.1 Register write transfers

The device supports I²C register write data transfers. Register write data transfers are constructed as follows:

1. The host transmits a START condition.

Digital absolute pressure sensor, 20 kPa to 400 kPa

- 2. The host transmits the 7-bit client address.
- 3. The host transmits a '0' for the read/write bit to indicate a write operation.
- 4. The client transmits an ACK.
- 5. The host transmits the register address to be written.
- 6. The client transmits an ACK.
- 7. The host transmits the data byte to be written to the register address.
- 8. The client transmits an ACK.
- 9. The host transmits a STOP condition.

s	CLIENT ADDRESS	W	A	REGISTER ADDRESS	A	REGISTER DATA	A	Ρ
F	lost transmission							
C	Client transmission						a	aa-029920

The device automatically increments the register address allowing for multiple register writes to be completed in one transaction. In this case, the register write data transfers are constructed as follows:

- 1. The host transmits a START condition.
- 2. The host transmits the 7-bit client address.
- 3. The host transmits a '0' for the read/write bit to indicate a write operation.
- 4. The client transmits an ACK.
- 5. The host transmits the register address to be written.
- 6. The client transmits an ACK.
- 7. The host transmits the data byte to be written to the register address.
- 8. The client transmits an ACK.
- 9. The host transmits the data byte to be written to the register address +1.
- 10. The client transmits an ACK.
- 11. Repeat steps 9 and 10 until all registers are written.
- 12. The host transmits a STOP condition.

7.4.6.2 Register read transfers

The device supports I²C register read data transfers. Register read data transfers are constructed as follows:

- 1. The host transmits a START condition.
- 2. The host transmits the 7-bit client address.
- 3. The host transmits a '0' for the read/write bit to indicate a write operation.
- 4. The client transmits an ACK.
- 5. The host transmits the register address to be read.
- 6. The client transmits an ACK.
- 7. The host transmits a repeat START condition.
- 8. The host transmits the 7-bit client address.
- 9. The host transmits a '1' for the read/write bit to indicate a read operation.
- 10. The client transmits an ACK.
- 11. The client transmits the data from the register addressed.
- 12. The host transmits a NACK.
- 13. The host transmits a STOP condition.

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

s	CLIENT ADDRESS	₩	A	REGISTER ADDRESS	A	rSTART	CLIENT ADDRESS	R	A	REGISTER DATA	N	Ρ
н	lost transmission											
c	lient transmission										â	aa-029919


7.4.6.3 Sensor data register read wrap around

The device includes automatic sensor data register read wrap-around features to optimize the number of I^2C transactions necessary for continuous reads of sensor data. Depending on the state of the SIDx_EN bits in the SOURCEID_0 and SOURCEID_1 registers, the register address automatically wraps back to the DEVSTAT_COPY register as shown in Table 9.

Table 9. Sensor data register read wrap-around description

SID1_EN	SID0_EN	Address increment and wrap-around effect	Optimized register-read sequence
0	0	Address wraps around from FFh to 00h	None
0	1	Address wraps from 63h (SNSDATA0_H) to 61h (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H
1	0	Address wraps from 65h (SNSDATA1_H) to 61h (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H, SNSDATA1_L, SNSDATA1_H
1	1	Address wraps from 69h (SNSDATA0_TIME3) to 61h (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H, SNSDATA1_L, SNSDATA1_H, SNSDATA0_TIME0, SNSDATA0_TIME1, SNSDATA0_TIME2, SNSDATA0_ TIME3

7.4.7 I²C timing diagram




FXPS7400D4 Product data sheet

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.5 Standard 32-bit SPI protocol

The device includes a standard SPI protocol requiring 32-bit data packets. The device is a client device and requires a low base clock value (CPOL = 0) with data captured on the rising edge of the clock and data propagated on the falling edge of the clock (CPHA = 0). The most significant bit is transferred first (MSB first). SPI transfers are completed through a sequence of two phases. During the first phase, the command is transmitted from the SPI host to the device. During the second phase, response data is transmitted from the client device. MOSI and SCLK transitions are ignored when SS_B is not asserted.



7.5.1 SPI command format

There are two SPI commands as shown in <u>Table 10</u>. These are the Register Access command and the Sensor Data command.

The Register Access command is a standard SPI read and write command which access the registers and are defined by field descriptions shown in <u>Section 7.5.3.1</u> through <u>Section 7.5.3.2</u>.

The Sensor Data command provides additional information such as basic and detailed sensor status if needed as defined by field descriptions shown in <u>Section 7.5.3.3</u>.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 10. SPI command format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	Register access command																														
	Command Fixed bits: Register address must = 0h										Register data 8-bit							8-bit	CRC	;											
	C[3	3:0]		0	0	0	0			R	A[7:1	1]			RA[0]				RD[7:0]				CRC[7:0]							
														Sens	sor data c	omn	nand														
	Com	mand	I		Fixed bits: must = 0 0000h														ł	8-bit	CRC	:									
	C[3	3:0]		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				CRC	[7:0]			

Table 11. SPI command summary

	C[3	3:0]		Command type	Data source SOURCEID[2:0] = C[3:1] ^[1]
0	0	0	0	Unused Command (reserved for error response)	NA
0	0	0	1	Sensor Data Request	SOURCEID = 0h
0	0	1	0	reserved Command	NA
0	0	1	1	Sensor Data Request	SOURCEID = 1h
0	1	0	0	reserved Command	NA
0	1	0	1	Sensor Data Request	SOURCEID = 2h
0	1	1	0	reserved Command	NA
0	1	1	1	Sensor Data Request	SOURCEID = 3h
1	0	0	0	Register Write Request ^[2]	NA
1	0	0	1	Sensor Data Request	SOURCEID = 4h
1	0	1	0	reserved Command	NA
1	0	1	1	Sensor Data Request	SOURCEID = 5h
1	1	0	0	Register Read Request ^[3]	NA
1	1	0	1	Sensor Data Request	SOURCEID = 6h
1	1	1	0	Reserved Command	NA
1	1	1	1	Sensor Data Request	SOURCEID = 7h

Source identification code matching the value set in the SOURCEID_X field in register 1Ah and 1Bh for the requested sensor data. Also see <u>Section 7.5.3.3.2 "Sensor data request response message format"</u>, <u>Table 22</u> and <u>Table 24</u>. [1]

See <u>Section 7.5.3.2.1</u>. See <u>Section 7.5.3.1.1</u>. [2] [3]

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.5.2 SPI response format

Table 12. SPI response format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	7 16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
												Resp	ons	e to	Reg	ister	Requ	est										-	-1		
	Com	mand		1 -	asic atus	Da	ised ata h						onte h byt							ta: c] low						;	8-bit	t CRC	;		
	C[0],	[3:1]		S	[1:0]	0	0				RD[15:8]							RD	[7:0]							CRC	C[7:0]	I		
											Re	espo	nse	to S	Senso	r Dat	a Re	ques	t												
	Com	mand			asic atus							S	enso	or D	ata							De Sta	tail tus			1	8-bit	t CRC	;		
	C[0],	[3:1]		S	[1:0]						SD[11:0]								nal S lution		SF[1:0]				CRC	C[7:0]]		
		Error Response to Register Request														-															
	Com	mand			asic atus						U	nuse	ed Da	ata	= 000	0h						De Sta	tail tus			;	8-bit	t CRC	;	-	-
	C[0],	[3:1]		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SF[1:0]				CRC	C[7:0]	I		
								E	Error	Res	pons	se to	Sen	sor	Data	Req	uest	With	Sen	sor [Data										
	Com	mand			asic atus							S	enso	or D	ata							De Sta	tail tus			;	8-bit	t CRC	;		
	C[0],	1						SD[11:0]								nal S lution		SF[1:0]				CRC	C[7:0]]					
					Er	ror R	lesp	onse	to S	Sens	or D)ata F	leque	est W	itho	ut Se	ensor	Dat	a												
	Com	mand	asic atus	x						Unu	used	Dat	ta = 0	000h						De Sta	tail tus			1	8-bit	t CRC	;				
0	0 0 0				1	x	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SF[1:0]				CRC	C[7:0]			-

7.5.3 Command summary

7.5.3.1 Register read command

The device supports a register read command. The register read command uses the upper 7 bits of the addresses defined in <u>Section 7.6 "User-accessible data array"</u> to address 8-bit registers in the register map.

The response to a register read command is shown in <u>Section 7.5.3.1.2 "Register read response message</u> <u>format"</u>. The response is transmitted on the next SPI message if and only if all of the following conditions are met:

• No SPI error is detected (see Section 7.5.5.3 "SPI error")

• No MISO error is detected (see Section 7.5.5.4 "SPI data output verification error")

If these conditions are met, the device responds to the register read request as shown in <u>Section 7.5.3.1.2</u> <u>"Register read response message format"</u>. Otherwise, the device responds with the error response as defined in <u>Section 7.5.5.2</u> "<u>Detailed status field</u>". The register read response includes the register contents at the rising edge of SS_B for the register read command.

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.5.3.1.1 Register read command message format

Table 13. Register read command message format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
													R	legist	ter access	s com	man	d													
		mano 3:0]	ł		Fixed must					R	egist	er ac	dres	S				Re	egist	er da	ta					8	3-bit	CRC			
1	1	0	0	0	0	0	0		RA[7:1] RA[0								0	0	0	0	0	0	0				CRC	[7:0]			

Table 14. Register read command message bit field descriptions

Bit field	Definition
C[3:0]	Register read command = '1100'
RA[7:0]	RA[7:1] contains the word address of the register to be read.
CRC[7:0]	Read CRC Section

7.5.3.1.2 Register read response message format

Table 15. Register read response message format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
												R	egist	er ad	cess	com	man	d													
	Com ı C[0],			Bas Stat		Unu Data					er dat [7:1]							giste of RA								8	3-bit	CRC	;		
0 1 1 0 ST[1:0] 0 0 RD[15:8] RD[7:0] CRC[7:0]																															

Table 16. Register read response message bit field descriptions

Bit field	Definition
C[0], [3:1]	Register Read Command = '0110'
ST[1:0]	Status
RD[15:8]	The contents of the register addressed by RA[7:1] high byte (RA[0] = 1)
RD[7:0]	The contents of the register addressed by RA[7:1] low byte (RA[0] = 0)
CRC[7:0]	8-bit CRC

7.5.3.2 Register write command

The device supports a register write command. The register write command writes the value specified in RD[7:0] to the register addressed by RA[7:0].

The response to a register write command is shown in <u>Section 7.5.3.2.2 "Register write response message</u> <u>format"</u>. The register write is executed and a response is transmitted on the next SPI message if and only if all of the following conditions are met:

- No SPI error is detected (see Section 7.5.5.3 "SPI error")
- No MISO error is detected (see Section 7.5.5.4 "SPI data output verification error")
- The ENDINIT bit is cleared.
 - This applies to all registers except for the RESET[1:0] bits in the DEVLOCK_WR register
- No invalid register request is detected as described below.

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

If these conditions are met, the register write is executed and the device responds to the register write request as shown in <u>Section 7.5.3.2.2 "Register write response message format"</u>. Otherwise, no register is written and the device responds with the error response as defined in <u>Section 7.5.2 "SPI response format"</u>. The register is not written until the transfer during which the register write was requested has been completed.

A register write command to a read-only register is not executable, but results in a valid response.

7.5.3.2.1 Register write command message format

 Table 17. Register write command message format

 MSB: bit 31: LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
													R	egist	er access	com	man	d													
		man 3:0]	d		Fixed must				Register address Register data 8-bit CRC																						
1	0	0	0	0	0	0	0			R	A[7 :1]			RA[0]				RD[7:0]							CRC	[7:0]			

Table 18. Register write command message bit field descriptions

Bit field	Definition
C[3:0]	Register write command = '1000'
RA[7:0]	RA[7:1] contains the byte address of the register to be written
RD[7:0]	RD[7:0] contains the data byte to be written to address RA[7:0]
CRC[7:0]	8-bit CRC

7.5.3.2.2 Register write response message format

Table 19. Register write response message format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
									Register access command																						
	Comr C[0],			Ba Sta	sic tus		ised ata Ih					a: co high							er dat (7:1)							;	8-bit	CRC			
0	1	0	0	ST[1:0]	0	0				RD[1	5:8]							RD[7:0]							CRC	[7:0]			

Table 20. Register write response message bit field descriptions

Bit field	Definition
C[0], [3:1]	Register Read Command = '0100'
ST[1:0]	Status
RD[15:8]	The contents of the register addressed by RA[7:1] high byte (RA[0] = 1)
RD[7:0]	The contents of the register addressed by RA[7:1] low byte (RA[0] = 0)
CRC[7:0]	8-bit CRC

7.5.3.3 Sensor data request commands

The device supports standard sensor data request commands. The sensor data request command format is described in <u>Section 7.5.3.3.1</u> "Sensor data request command message format". The response to a sensor data request is shown in <u>Section 7.5.3.3.2</u> "Sensor data request response message format". The response is transmitted on the next SPI message subject to the error handling conditions specified in <u>Section 7.5.5</u>

FXPS7400D4 Product data sheet

Digital absolute pressure sensor, 20 kPa to 400 kPa

<u>"Exception handling</u>". The sensor data included in the response is the sensor data at the falling edge of SS_B for the sensor data request response.

7.5.3.3.1 Sensor data request command message format

Table 21. Sensor data request command message format

MSB: bit 31; LSB: bit 0

31	1 3	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	Сс	omn	nand	I								Fixe	d bit	s: m	ust =	0 00	00h										8	8-bit	CRC			
		C[3	8:0]		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				CRC	[7:0]			

Table 22. Sensor data request command message bit field descriptions

Bit field	Definition
C[0]	Sensor data request command = '1'
C[3:1] = SOURCEID[2:0]	Source identification code for the requested sensor data
CRC[7:0]	8-bit CRC

7.5.3.3.2 Sensor data request response message format

 Table 23. Sensor data request response message format – 12 bit data length

 MSB: bit 31; LSB: bit 0

31	3	0 29)	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	Cor	nma	nd		Bas Sta			Sensor Data							De Sta	tail 8-bit CRC tus																
	C[()], [3:	1]		ST[1:0]		SD[11:0]								nal Sl lution		SF[1:0]				CRC	[7:0]								

Table 24. Sensor data request response message bit field descriptions

Bit field	Definition
C[0]	Sensor data request command = '1'
C[3:1] = SOURCEID[2:0]	Source identification code for the requested sensor data
ST[1:0]	Basic Status
SD[11:0]	Sensor data
Optional SD resolution	Optional for 16-bit Sensor data. Refer to Section 7.3.3.4.
SF[1:0]	Detailed status
CRC[7:0]	8-bit CRC

7.5.3.4 Reserved commands

The device responds to reserved commands on the next SPI message subject to the error handling conditions specified in <u>Section 7.5.5 "Exception handling"</u>.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.5.3.4.1 Reserved command message format

Table 25. Reserved command message format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	Comr	mand	I	х	x	x	х	х	x	х	х	x	x	х	x	x	х	х	x	х	х	х	x				8-bit	CRC			
0	0	0	0	х	x	x	х	х	x	x	x	x	x	x	x	x	х	х	x	x	х	x	x				CRC	[7:0]			
0	0	1	0	х	x	x	х	x	x	x	х	x	x	x	x	x	х	х	x	x	х	x	x				CRC	[7:0]			
0	1	0	0	x	x	х	х	х	x	x	x	x	x	х	х	x	х	х	x	х	х	х	x				CRC	[7:0]			
0	1	1	0	x	x	x	х	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				CRC	[7:0]			
1	0	1	0	x	x	x	х	x	x	x	x	x	x	x	x	x	x	х	x	x	х	x	x				CRC	[7:0]			
1	1	1	0	х	x	x	х	x	x	х	х	x	x	x	x	x	х	х	x	x	х	x	x				CRC	[7:0]			

Table 26. Reserved command message bit field descriptions

Bit field	Definition
C[3:0]	Reserved command
CRC[7:0]	8-bit CRC

7.5.3.4.2 Reserved command response message format

Table 27. Reserved command response message format

MSB: bit 15; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Co	Command Echo Data													8-bit CRC																	
x	x	x	x	х	х	х	х	х	x	х	х	х	x	х	x	х	х	х	х	x	х	х	х				CRC	[7:0]			

Table 28. Reserved command response message bit field descriptions

Bit field	Definition
Command echo	Reserved command echo. Undefined
Data	Response data. Undefined
CRC[7:0]	8-bit CRC

7.5.4 Error checking

7.5.4.1 Default 8-bit CRC

7.5.4.1.1 Command error checking

The device calculates an 8-bit CRC on the entire 32 bits of each command. Message data is entered into the CRC calculator MSB first, consistent with the transmission order of the message. If the calculated CRC does not match the transmitted CRC, the command is ignored and the device responds with the SPI error response.

The CRC decoding procedure is as follows:

- 1. A seed value is preset into the LSB of the shift register.
- 2. Using a serial CRC calculation method, the receiver rotates the received message and CRC into the LSB of the shift register in the order received (MSB first).

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

- 3. When the calculation on the last bit of the CRC is rotated into the shift register, the shift register contains the CRC check result.
- 4. If the shift register contains all zeros, the CRC is correct.
- 5. If the shift register contains a value other than zero, the CRC is incorrect.

The CRC polynomial and seed are shown in Table 29.

Table 29. SPI Command Message CRC

SPICRCSEED[3:0]	Default Polynomial	Default non-direct Seed
0000	$x^{8}+x^{5}+x^{3}+x^{2}+x+1$	1111 1111
non-zero	$x^8 + x^5 + x^3 + x^2 + x + 1$	1111 SPICRCSEED[3:0]

7.5.4.1.2 Response error checking

The device calculates a CRC on the entire 32 bits of each response. Message data is entered into the CRC calculator MSB first, consistent with the transmission order of the message.

The CRC encoding procedure is as follows:

- 1. A seed value is preset into the LSB of the shift register.
- 2. Using a serial CRC calculation method, the transmitter rotates the transmitted message and CRC into the LSB of the shift register (MSB first).
- 3. Following the transmitted message, the transmitter feeds 8 zeros into the shift register, to match the length of the CRC.
- 4. When the last zero is fed into the input adder, the shift register contains the CRC.
- 5. The CRC is transmitted.

The CRC polynomial and seed are shown in <u>Table 30</u>.

Table 30. SPI Response Message CRC

SPICRCSEED[3:0]	Default Polynomial	Default non-direct Seed
0000	$x^{8}+x^{5}+x^{3}+x^{2}+x+1$	1111 1111
nonzero	$x^{8}+x^{5}+x^{3}+x^{2}+x+1$	1111 SPICRCSEED[3:0]

7.5.5 Exception handling

After POR, there a supply error flag is set. Expected initial responses with first 4 commands are shown in <u>Table 31</u>.

Table 31. Expected initial responses after t_{POR_DataValid} post POR

Command	Response
Command 1 (DEVSTAT READ)	Ignore response 1
Command 2 (DEVSTAT READ)	Ignore response 2
Command 3 (DEVSTAT READ)	Ignore response 3
Command 4 (ANY USER COMMAND)	Response 4 - 0X6080XXXX ^[1]

[1] Response 4 is 0x6080XXXX after t_{POR_DataValid} wait time from POR. Otherwise only after t_{POR_I2C/POR_SPI} wait time from POR, response would be 0x6081 XXXX due to DEVINIT bit still set to 1.

Before soft reset, write SOURCEID_0 in address 1Ah with a non-zero value. Address 1Ah is read back to check soft reset sanity.

Digital absolute pressure sensor, 20 kPa to 400 kPa

During soft reset, flash contents are reloaded into the mirror registers and during this process the supply error flag can get set based on device variation, temperature, and so forth. After 1 ms delay, the expected initial response from the first 5 commands are shown in <u>Table 32</u>.

Table 32. Expected initial responses after t_{POR DataValid} post soft reset

Command	Response
Command 1 (DEVSTAT READ)	Ignore response 1
Command 2 (DEVSTAT READ)	Ignore response 2
Command 3 (DEVSTAT READ)	Ignore response 3
Command 4 (SOURCEID_0 READ)	Response 4 - 0X6080XXXX ^[1]
Command 5 (ANY USER COMMAND)	Response 5 - valid response with reset value of SOURCEID_0

[1] Response 4 is 0x6080XXXX after t_{POR_DataValid} wait time from soft reset. Otherwise only after t_{POR_I2C/POR_SPI} wait time from soft reset, response 4 would be 0x6081XXXX due to DEVINIT bit still set to 1.

7.5.5.1 Basic status field

All responses include a status field (ST[1:0]) that includes the general status of the device and transmitted data as described below. The contents of the status field is a representation of the device status at the rising edge of SS_B for the previous SPI command.

ST[1:0]	[1:0] Status		Description	SF[1:0]		Priority				
0	0	Device in Initialization	Device in initialization (ENDINIT not set)	0	0	3				
0	1	Normal Mode	Normal mode(ENDINIT set)	0	0	4				
1	0	Self-test	Self-test(ST_CTRL[3:0] not equal to '0000')	0	0	2				
1	1	Internal Error Present	Detailed Status Field	Detailed Field	Status	1				

Table 33. Basic status field for responses to register commands

7.5.5.2 Detailed status field

The response to sensor data requests includes a detailed status field (SF[1:0]). The contents of the detailed status field is a representation of the device status at the rising edge of SS_B for the previous SPI command.

 Table 34. Detailed status bit field descriptions

SF[1:0]		Status Sources	DEVSTAT State
0	0	CM_ERROR Temperature error	Bit set in DSP_STAT Bit set in DEVSTAT2
0	1	User OTP memory error (UF2 or UF1) User R/W memory error (UF2) NXP OTP Memory error	U_OTP_ERR set in DEVSTAT2 U_RW_ERR set in DEVSTAT2 F_OTP_ERR set in DEVSTAT2
1	0	Test Mode active Supply error Reset error	TESTMODE bit set in DEVSTAT Bit set in DEVSTAT1 DEVRES set
1	1	MISO error SPI error	Bit set in DEVSTAT3 N/A

7.5.5.3 SPI error

The following external SPI conditions result in a SPI error:

• SCLK is high when SS_B is asserted.

Digital absolute pressure sensor, 20 kPa to 400 kPa

- The number of SCLK rising edges detected while SS_B is asserted is not equal to 16.
- SCLK is high when SS_B is deasserted.
- CRC error is detected (MOSI).
- A register write command to any register other than the DEVLOCK_WR register is received while ENDINIT is set.

If a SPI error is detected, the device responds with the error response as described in <u>Section 7.5.5.2 "Detailed</u> <u>status field"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u>.


7.5.5.4 SPI data output verification error

The device includes a function to verify the integrity of the data output to the MISO pin. The function compares the data transmitted on the MISO pin to the data intended to be transmitted. If any one bit does not match, a SPI MISO mismatch fault is detected and the MISO_ERR flag in the DEVSTAT2 register is set.

If a valid sensor data request message is received during the SPI transfer with the MISO mismatch failure, the request is ignored and the device responds with the error response as described in <u>Section 7.5.5.2 "Detailed</u> <u>status field"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u> during the subsequent SPI message.

If a valid register write request message is received during the SPI transfer with the MISO mismatch failure, the register write is completed as requested, but the device responds with the error response as described in <u>Section 7.5.5.2 "Detailed status field"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u> during the subsequent SPI message.


If a valid register read request message is received during the SPI transfer with the MISO mismatch failure, the register read is ignored and the device responds with the error response as described in <u>Section 7.5.5.2</u> "<u>Detailed status field</u>" with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1</u> "<u>Basic status field</u>", during the subsequent SPI message.



FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.5.6 SPI timing diagram



7.6 User-accessible data array

A user-accessible data array allows each device to be customized. The array consists of a one time programmable (OTP) factory-programmable block, an OTP user-programmable block, and read-only registers for data and device status. The OTP blocks incorporate independent data verification. In order to perform the OTP, a custom platform is typically used prior to PCB assembly since the VPP voltage required is much higher than the nominal supply as shown in <u>Table 103</u>. See application note AN12727^[3].

Table 35.	User-accessible data — sensor specific information	1
-----------	--	---

Address	Register	Type ^{['}]			В	it						
			7	6	5	4	3	2	1	0			
General d	eneral device information												
<u>00h</u>	COUNT	R				COUN	IT[7:0]						
<u>01h</u>	DEVSTAT	R	DSP_ERR	reserved	COMM_ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TESTMODE	DEVRES	DEVINIT			
<u>02h</u>	DEVSTAT1	R	VCCUV_ ERR	reserved	reserved	reserved	INTREGA_ ERR	INTREG_ ERR	INTREGF_ ERR	CONT_ERR			
<u>03h</u>	DEVSTAT2	R	F_OTP_ERR	U_OTP_ ERR	U_RW_ERR	U_W_ ACTIVE	reserved	TEMP0_ ERR	reserved	reserved			
<u>04h</u>	DEVSTAT3	R	MISO_ERR	reserved	reserved	reserved	reserved	reserved	reserved	reserved			
05h to 0Dh	reserved	R	·	reserved									
<u>0Eh</u>	TEMPERATURE	R		TEMP[7:0]									
0Fh	reserved	R				rese	rved						

Digital absolute pressure sensor, 20 kPa to 400 kPa

Address	. User-access Register	Type ^{['}					lit			
		210	7	6	5		4 3 2 1			
Communi	cation information			-			-	_		0
<u>10h</u>	DEVLOCK_WR	R/W	ENDINIT	reserved	reserved	reserved	SUP_ ERR_DIS	reserved	RESE	T[1:0]
<u>11h</u>	WRITE_OTP_EN	R/W	UOTP_ reserved EX_ EX_PADDR UOTP_REG						GION[1:0]	
12h to 13h	reserved	R/W				rese	rved			
<u>14h</u>	UF_REGION_W	R/W		REGION	LOAD[3:0]		0	0	0	0
<u>15h</u>	UF_REGION_R	R		REGION_A	ACTIVE[3:0]		0	0	0	0
16h to 19h	reserved	UF2				rese	rved			
<u>1Ah</u>	SOURCEID_0	UF2	SID0_EN		reserved			SOURCE	EID_0[3:0]	
<u>1Bh</u>	SOURCEID_1	UF2	SID1_EN		reserved			SOURCE	EID_1[3:0]	
1Ch to 3Ch	reserved	UF2		-		rese	erved			
<u>3Dh</u>	SPI_CFG	UF2	reserved	DATASIZE	SPI_CRC	_LEN[1:0]		SPICRCS	SEED[3:0]	
<u>3Eh</u>	WHO_AM_I	UF2				WHO_A	M_I[7:0]			
<u>3Fh</u>	I2C_ADDRESS	UF2				I2C_ADD	RESS[7:0]			
Sensor sp	pecific information									
<u>40h</u>	DSP_CFG_U1	UF2		LPF	[3:0]		reserved	reserved	reserved	reserved
41h	reserved	UF2				rese	rved			
<u>42h</u>	DSP_CFG_U3	UF2	reserved	DATATY	′PE0[1:0]	reserved	DATATY	PE1[1:0]	reserved	reserved
<u>43h</u>	DSP_CFG_U4	UF2	reserved	reserved	reserved	reserved	reserved	INT_OUT	reserved	reserved
<u>44h</u>	DSP_CFG_U5	UF2		ST_C1	[RL[3:0]		reserved	reserved	reserved	reserved
<u>45h</u>	INT_CFG	UF2	rese	rved	INT_F	PS[1:0]	INT_ POLARITY		reserved	
<u>46h</u>	P_INT_HI_L	UF2				P_INT_I	HI_L[7:0]			
<u>47h</u>	P_INT_HI_H	UF2				P_INT_H	II_H[15:8]			
<u>48h</u>	P_INT_LO_L	UF2				P_INT_L	.O_L[7:0]			
<u>49h</u>	P_INT_LO_H	UF2				P_INT_L	O_H[15:8]			
4Ah to 4Bh	reserved	UF2				rese	rved			
<u>4Ch</u>	P_CAL_ZERO_L	UF2				P_CAL_ZE	ERO_L[7:0]			
<u>4Dh</u>	P_CAL_ZERO_H	UF2				P_CAL_ZE	RO_H[15:8]			
4Eh to 5Eh	reserved	UF2				rese	rved			
<u>5Fh</u>	CRC_UF2	F	LOCK_UF2	0	0	0		CRC_L	JF2[3:0]	1
<u>60h</u>	DSP_STAT	R		rese	erved		ST_ INCMPLT	ST_ACTIVE	CM_ERROR	ST_ERROR
<u>61h</u>	DEVSTAT_COPY	R	DSP_ERR	reserved	COMM_ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TESTMODE	DEVRES	DEVINT
<u>62h</u>	SNSDATA0_L	R				SNSDAT	A0_L[7:0]			
<u>63h</u>	SNSDATA0_H	R				SNSDATA	A0_H[15:8]			
<u>64h^[2]</u>	SNSDATA1_L	R				SNSDAT	A1_L[7:0]			
<u>65h^[2]</u>	SNSDATA1_H	R				SNSDATA	A1_H[15:8]			
<u>66h</u>	SNSDATA0_ TIME0	R				SNSDATA	D_TIME[7:0]			
<u>67h</u>	SNSDATA0_ TIME1	R				SNSDATA0	_TIME[15:8]			

Table 35. User-accessible data — sensor specific information...continued

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa

Address	Register	Type ^{['}	Type ^[1] Bit										
			7	6	5	4	3	2	1	0			
<u>88h</u>	SNSDATA0_ TIME2	R				SNSDATA0_	_TIME[23:16]						
<u>89h</u>	SNSDATA0_ TIME3	R		SNSDATA0_TIME[31:24]									
<u>6Ah</u>	SNSDATA0_ TIME4	R		SNSDATA0_TIME[39:32]									
<u>3Bh</u>	SNSDATA0_ TIME5	R		SNSDATA0_TIME[47:40]									
<u>SCh</u>	P_MAX_L	R				P_MA	X[7:0]						
<u>6Dh</u>	P_MAX_H	R				P_MA	X[15:8]						
<u>6Eh</u>	P_MIN_L	R				P_MI	N[7:0]						
<u>ðFh</u>	P_MIN_H	R				P_MIN	N[15:8]						
70h to 77h	reserved	R				rese	erved						
78h	FRT0	R				FRT	[7:0]						
7 <u>9h</u>	FRT1	R				FRT[[15:8]						
7 <u>Ah</u>	FRT2	R				FRT[2	23:16]						
7Bh	FRT3	R				FRT[31:24]						
7 <u>Ch</u>	FRT4	R				FRT[39:32]						
7 <u>Dh</u>	FRT5	R				FRT[4	47:40]						
7Eh to 9Fh	reserved	R				rese	rved						
Sensor sp	pecific information	n - user	readable regis	ters with OTP									
A0h to AEh	reserved	F				rese	rved						
<u>AFh</u>	CRC_F_A	F	LOCK_F_A	RE	GA_BLOCKID[2	2:0]		CRC_F	A[3:0]				
B0h to BEh	reserved	F				rese	rved						
<u>BFh</u>	CRC_F_B	F	LOCK_F_B	RE	GB_BLOCKID[2	2:0]		CRC_F	=_B[3:0]				
Traceabili	ty Information						1						
<u>C0h</u>	ICTYPEID	F				ICTYPE	EID[7:0]						
<u>C1h</u>	ICREVID	F				ICREV	/ID[7:0]						
C2h	ICMFGID	F				ICMFG	GID[7:0]						
C3h	reserved	F				rese	erved						
<u>C4h</u>	PN0	F		_		PN0	[7:0]						
<u>C5h</u>	PN1	F				PN1	[7:0]						
C6h	SN0	F				SN	[7:0]			_			
C7h	SN1	F				SN[15:8]						
C8h	SN2	F				SN[2	3:16]						
C9h	SN3	F				SN[3	51:24]						
CAh	SN4	F				SN[3	9:32]						
CBh	ASICWFR#	F					FR#[7:0]						
CCh	ASICWFR_X	F					R_X[7:0]						
CDh	ASICWFR_Y	F					R_Y[7:0]						
		F											
CEh	reservea					rese	ervea						
CEh <u>CFh</u>	reserved CRC_F_C	F	LOCK_F_C	RE	GC_BLOCKID[rese 2:01		CRC F	C[3:0]				

Table 35. User-accessible data - sensor specific information...continued

FXPS7400D4

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Address	Register	Type [[]	1]			В	it						
			7	6	5	4	3	2	1	0			
D1h	ASICWLOT_H	F		ASICWLOT_H[7:0]									
D2h to DEh	reserved	F		reserved									
<u>DFh</u>	CRC_F_D	F	LOCK_F_D	RE		[2:0]		CRC_F	_D[3:0]				
E0h	USERDATA_0	UF0		1		USERDA	TA_0[7:0]						
E1h	USERDATA_1	UF0				USERDA	TA_1[7:0]						
E2h	USERDATA_2	UF0				USERDA	TA_2[7:0]						
E3h	USERDATA_3	UF0				USERDA	TA_3[7:0]						
E4h	USERDATA_4	UF0				USERDA	TA_4[7:0]						
E5h	USERDATA_5	UF0				USERDA	TA_5[7:0]						
E6h	USERDATA_6	UF0				USERDA	TA_6[7:0]						
E7h	USERDATA_7	UF0				USERDA	TA_7[7:0]						
E8h	USERDATA_8	UF0				USERDA	TA_8[7:0]						
E9h	USERDATA_9	UF0				USERDA	TA_9[7:0]						
EAh	USERDATA_A	UF0		USERDATA_A[7:0]									
EBh	USERDATA_B	UF0		USERDATA_B[7:0]									
ECh	USERDATA_C	UF0		USERDATA_C[7:0]									
EDh	USERDATA_D	UF0		USERDATA_D[7:0]									
EEh	USERDATA_E	UF0				USERDA	TA_E[7:0]						
<u>EFh</u>	CRC_UF0	F	LOCK_UF0	RE	GE_BLOCKID	[2:0]		CRC_L	JF0[3:0]				
F0h	USERDATA_10	UF1		1		USERDAT	A_10[7:0]						
F1h	USERDATA_11	UF1				USERDA	[A_11[7:0]						
F2h	USERDATA_12	UF1				USERDAT	A_12[7:0]						
F3h	USERDATA_13	UF1				USERDAT	A_13[7:0]						
F4h	USERDATA_14	UF1				USERDAT	A_14[7:0]						
F5h	USERDATA_15	UF1				USERDAT	A_15[7:0]						
F6h	USERDATA_16	UF1				USERDAT	A_16[7:0]						
F7h	USERDATA_17	UF1				USERDAT	A_17[7:0]						
F8h	USERDATA_18	UF1				USERDAT	A_18[7:0]						
F9h	USERDATA_19	UF1				USERDAT	A_19[7:0]						
FAh	USERDATA_1A	UF1				USERDAT	A_1A[7:0]						
FBh	USERDATA_1B	UF1				USERDAT	A_1B[7:0]						
FCh	USERDATA_1C	UF1				USERDAT	A_1C[7:0]						
FDh	USERDATA_1D	UF1				USERDAT	A_1D[7:0]						
FEh	USERDATA_1E	UF1				USERDAT	A_1E[7:0]						
<u>FFh</u>	CRC_UF1	F	LOCK_UF1	RE	GF_BLOCKID	[2:0]		CRC_L	JF1[3:0]				

Table 35. User-accessible data - sensor specific information ... continued

[1] Memory type codes

R — Readable register with no OTP

F — User readable register with OTP

UF2 — One time user programmable OTP location region 2
 [2] Useful for I²C read wrap around mode to support temperature data. See <u>Table 9</u> and <u>Table 67</u>.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.7 Register information

7.7.1 COUNT - rolling counter register (address 00h)

The count register is a read-only register that provides the current value of a free-running 8-bit counter derived from the primary oscillator. A 10-bit prescaler divides the primary oscillator frequency by 1000. Therefore, the value in the register increases by one count every 100 µs and the counter rolls over every 25.6 ms.

Bit 7 4 3 2 1 6 5 0 Symbol COUNT[7:0] Reset 0 0 0 0 0 0 0 0 Access R R R R R R R R

Table 36. COUNT - rolling counter register (address 00h) bit allocation

7.7.2 Device status registers

The device status registers are read-only registers that contain device status information. These registers are readable in SPI or I²C mode.

7.7.2.1 DEVSTAT - device status register (address 01h)

Bit	7	6	5	4	3	2	1	0
Symbol	DSP_ERR	reserved	COMM_ ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TES TMODE	DEVRES	DEVINIT
Reset	1	reserved	0	0	х	0	1	1
Access	R	R	R	R	R	R	R	R

Table 37. DEVSTAT - device status register (address 01h) bit allocation

Bit	Symbol	Description
7	DSP_ERR	The DSP error flag is set if a DSP-specific error is present in the pressure signal DSP: DSP_ERR = DSP_STAT[ST_INCMPLT] DSP_STAT[CM_ERROR] DSP_STAT[ST_ ERROR]
5	COMM_ERR	The communication error flag is set if any bit in DEVSTAT3 is set: COMM_ERR = MISO_ERR
4	MEMTEMP_ERR	The memory error flag is set if any bit in DEVSTAT2 is set: MEMTEMP_ERR = F_OTP_ERR U_OTP_ERR U_RW_ERR U_W_ACTIVE TEMP0_ERR
3 ^[1]	SUPPLY_ERR	The supply error flag is set if any bit in DEVSTAT1 is set: SUPPLY_ERR = VCCUV_ERR INTREG_ERR INTREGA_ERR INTREGF_ERR CONT_ERR
2	TESTMODE	The test mode bit is set if the device is in test mode. The TESTMODE bit can be cleared by a test mode operation or by a power cycle. 0 — Test mode is not active 1 — Test mode is active

Digital absolute pressure sensor, 20 kPa to 400 kPa

Bit	Symbol	Description
1	DEVRES	The device reset bit is set following a device reset. This error is cleared by a read of the DEVSTAT register through any communication interface or on a data transmission that includes the error in the status field. ^[2]
		0 — Normal operation
		1 — Device reset occurred
0	DEVINIT	The device initialization bit is set following a device reset. The bit is cleared once sensor data is valid for read through one of the device communication interfaces (t _{POR_DataValid}).
		0 — Normal operation
		1 — Device initialization in process

Table 38. DEVSTAT - device status register (address 01h) bit description ... continued

See Section 7.7.4 bit 3, supply error reporting disable bit (SUP_ERR_DIS). [1]

[2] After POR and/or soft reset, see Section 7.5.5 for initialization sequence.

7.7.2.2 DEVSTAT1 - device status register (address 02h)

Table 39.	DEVSTAT1 - device status	register (address	s 02h) bit allocation
14010 00.		rogiotoi (addioot	

Bit ^{[1][2]}	7	6	5	4	3	2	1	0
Symbol	VCCUV_ ERR	reserved	reserved	reserved	INTREGA_ ERR	INTREG_ ERR	INTREGF_ ERR	CONT_ERR
Reset	х	х	х	х	х	х	х	0
Access	R	R	R	R	R	R	R	R

During POR and soft reset ignore DEVSTAT1 error flags, refer to <u>Section 7.5.5</u>.
 A common timer is used for all error bits in the DEVSTAT1 register. If any supply error is present, the timer is reset to t_{UVOV_RCV}. This bit is cleared based on the state of the SUP_ERR_DIS bit in the DEVLOCK_WR register as shown in <u>Section 7.7.4</u>.

Bit ^{[1][2]}	Symbol	Description
7	VCCUV_ERR	The V _{CC} undervoltage error bit is set if the V _{CC} voltage falls below the voltage specified in Table 104. See Section 7.1 for details on the V _{CC} undervoltage monitor. 0 — No error detected 1 — V _{CC} voltage low
3	INTREGA_ERR	 The internal analog regulator voltage out-of-range error bit is set if the internal analog regulator voltage falls outside expected limits. 0 — No error detected 1 — Internal analog regulator voltage out of range
2	INTREG_ERR	The internal digital regulator voltage out-of-range error bit is set if the internal digital regulator voltage falls outside expected limits. 0 — No error detected 1 — Internal digital regulator voltage out of range
1	INTREGF_ERR	The internal OTP regulator voltage out-of-range error bit is set if the internal OTP regulator voltage falls outside expected limits. 0 — No error detected 1 — Internal OTP regulator voltage out of range
0	CONT_ERR	The continuity monitor passes a low current through a connection around the perimeter of the device and monitors the continuity of the connection. The error bit is set if a discontinuity is detected in the connection.

FXPS7400D4

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 40. DEVSTAT1 - device status register (address 02h) bit description...continued

Bit ^{[1][2]}	Symbol	Description
		0 — No error detected
		1 — Error detected in the continuity of the edge seal monitor circuit

[1]

During POR and soft reset ignore DEVSTAT1 error flags, refer to Section 7.5.5. A common timer is used for all error bits in the DEVSTAT1 register. If any supply error is present, the timer is reset to t_{UVOV_RCV}. This bit is cleared based [2] on the state of the SUP_ERR_DIS bit in the DEVLOCK_WR register as shown in Section 7.7.4.

7.7.2.3 DEVSTAT2 - device status register (address 03h)

Table 41.	DEVSTAT2 - device statu	s register (ad	dress 03h)	bit allocation
-----------	-------------------------	----------------	------------	----------------

Bit	7	6	5	4	3	2	1	0
Symbol	F_OTP_ ERR	U_OTP_ ERR	U_RW_ERR	U_W_ ACTIVE	reserved	TEMP0_ ERR	reserved	reserved
Reset	0	0	0	0	reserved	0	reserved	reserved
Access	R	R	R	R	R	R	R	R

Table 42. DEVSTAT2 - device status register (address 03h) bit description

Bit	Symbol	Description
7	F_OTP_ERR	The NXP factory OTP array error bit is set if a fault is detected in the factory OTP array. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field. 0 — No error detected
		1 — Error detected in the NXP factory OTP array
6	U_OTP_ERR	The user OTP array error bit is set if a fault is detected in the user OTP array. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field. 0 — No error detected 1 — Error detected in the user OTP array
5	U_RW_ERR	When ENDINIT is set, an error detection is enabled for all user writable registers. The error detection code is continuously calculated on the user writable registers and verified against a previously calculated error detection code. If a mismatch is detected in the error detection, the U_RW_ERR bit is set. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field.
		0 — No error detected
		1 — Error detected in the user read/write array
4	U_W_ACTIVE	The user OTP write in process status bit is set if a user initiated write to OTP is in process. The U_W_ACTIVE bit is automatically cleared once the write to OTP is complete. 0 — No OTP write in process 1 — OTP write in process
2	TEMP0_ERR	The temperature error bit is set if an overtemperature or undertemperature condition exists. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field. 0 — No error detected 1 — Overtemperature or undertemperature error condition detected

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.7.2.4 DEVSTAT3 - device status register (address 04h)

Table 43. DEVSTAT3 - device status register (address 04h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	MISO_ERR	reserved						
Reset	0	reserved						
Access	R	R	R	R	R	R	R	R

 Table 44. DEVSTAT3 - device status register (address 04h) bit description

Bit	Symbol	Description
7	MISO_ERR	In SPI mode, the MISO data mismatch flag is set when a MISO Data mismatch fault occurs. The MISO_ERROR bit is cleared by a read of the DEVSTAT3 register through any communication interface, or by a status transmission including the error status through the SPI.
		 0 — No error detected 1 — MISO data mismatch

7.7.3 TEMPERATURE - temperature register (address 0Eh)

The temperature register is a read-only register that provides a temperature value for the IC. The temperature value is specified in the temperature sensor signal chain section of <u>Table 104</u>.

Note: The device is only guaranteed to operate within the temperature limits specified in <u>Section 10 "Static</u> <u>characteristics "</u>.

 Table 45. TEMPERATURE - temperature register (address 0Eh) bit allocation

Bit	7	6	5	4	3	2	1	0		
Symbol	TEMP[7:0]									
Reset	0	0	0	0	0	0	0	0		
Access	R	R	R	R	R	R	R	R		

7.7.4 DEVLOCK_WR - lock register writes register (address 10h)

The lock register writes register is a read/write register that contains the ENDINIT bit and reset control bits.

Table 46. DEVLOCK_WR - lock register writes register (address 10h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	ENDINIT	reserved	reserved	reserved	SUP_ERR_DIS	reserved	RESET[1:0]	
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

FXPS7400D4 Product data sheet

Digital absolute pressure sensor, 20 kPa to 400 kPa

Bit	Symbol	Description
7	ENDINIT	The ENDINIT bit is a control bit used to indicate that the user has completed all device and system level initialization tests. Once the ENDINIT bit is set, writes to all writable register bits are inhibited except for the DEVLOCK_WR register. Once set, the ENDINIT bit can only be cleared by a device reset.
		When ENDINIT is set, the following occurs:
		• An error detection is enabled for all user writable registers. The error detection code is continuously calculated on the user writable registers and verified against a previously calculated error detection code.
		 Self-test is disabled and inhibited.
		• Register writes are inhibited except for the RESET[1:0] bits in the DEVLOCK_WR register.
3	SUP_ERR_DIS	The supply error disable bit allows the user to disable reporting of the supply errors in the SPI status fields.
		In SPI Mode:
		 0: No Response until the supply monitor timer expires. The Sensor Data Field Error Code is transmitted for one response after the supply monitor timer expires. All supply errors are cleared by a read of the DEVSTAT1 register through any communication interface or on a data transmission that includes the error in the status field if and only if the timer has reached zero.
		• 1: No Responses occur if the timer is non-zero. The error is cleared when the timer reaches zero and normal transmissions resume.
		In I ² C Mode (0 or 1):
		 No response until the supply monitor timer expires.
		 All supply errors are cleared by a read of the DEVSTAT1 register.
1 to 0	RESET[1:0]	To reset the device, three consecutive register write operations must be performed in the order shown in <u>Table 48</u> , or the device will not reset. ^[1]

Table 47. DEVLOCK_WR - lock register writes register (address 10h) bit description

[1] After POR and/or soft reset, see <u>Section 7.5.5</u> for initialization sequence.

Table 48. Device reset command sequence

Register write to DEVLOCK_WR	RESET[0]	RESET[1]	Effect
Register write 1	0	0	No effect
Register write 2	1	1	No effect
Register write 3	0	1	Device RESET

The response to a register write returns the new register value, including the values written to the RESET[1:0] bits. After the third register write command, the device initiates a reset and therefore does not transmit a response to this command or an acknowledge in I²C mode. The response to a register read returns '00' for RESET[1:0] and terminates the reset sequence. The reset control bits are not included in the read/write array error detection.

7.7.5 WRITE_OTP_EN – write OTP enable register (address 11h)

The write OTP enable register is a user programmed read/write register that allows the user to write the contents of the user programmed OTP array mirror registers to the OTP registers. This register is included in the user read/write array error detection.

This register is readable and writable in SPI and I²C modes.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Bit	7	6	5	4	3	2	1	0
Name	UOTP_WR_INIT	Reserved	Reserved	Reserved	EX_COMMTYPE	EX_PADDR	UOTP_REGION[1:0]	
Access	R/W	R/W	R/W	v	R/W	R/W	R/W	R/W
Reset	0	0	0	0	0	0	0	0

Table 49. WRITE_OTP_EN - write OTP enable register - (address 11h) bit allocation

Register writes executed by the user to the user programmed OTP array only update the mirror register contents for the OTP array, not the actual OTP registers. To copy the values to the actual OTP registers, a write must be executed to the WRITE_OTP_EN register with the UOTP_WR_INIT bit set. The state of the UOTP_REGION[1:0], the EX_COMMTYPE, and the EX_PADDR bits in the command determine which region of OTP is written to as shown in <u>Table 50</u>.

Table 50. Writes for OTP registers

EX_COMMTYPE	EX_PADDR	UOTP_REGION[1]	UOTP_REGION[0]	OTP write operation	Special conditions
x	x	0	0	Write the current contents of the UF0 registers to OTP	—
x	x	0	1	Write the current contents of the UF1 registers to OTP	—
0	0	1	0	Reserved for future use.	—
0	1	1	0	Reserved for future use.	—
1	0	1	0	Reserved for future use.	—
1	1	1	0	Write the current contents of the UF2 registers to OTP.	Excluding LPF. LPF defaults to 1000 Hz at POR.
x	x	1	1	Reserved for future use	—

The UF0 and UF1 user OTP regions as well as the NXP programmed F OTP regions share common mirror registers. For this reason, writes to the OTP for each region must be completed independently according to the procedure below.

Once a region is written using the OTP Write sequence, the LOCK_Uxxx bit in the appropriate CRC_xxx register is automatically set, locking the array from future writes. Once a region is locked, an error detection is activated to detect changes to the register values. Register values in the UF2 region can be overwritten using register write commands, but no new values can be written to the OTP.

The procedure for writing to the user OTP array UF0 and UF1 regions is listed below:

- 1. Read the appropriate CRC_UFx register and confirm the LOCK_Uxx bit is not set.
- 2. Write the desired values to the user array registers for only the region to be written using the procedures in <u>Section 7.7.6 "UF_REGION_W, UF_REGION_R UF region selection registers (address 14h, 15h)"</u>. The user must take care to ensure that the proper data is written to each region. If a register write is executed to a new region, the base address changes to the new region. The previous data written to the register block remains in the shared registers and is written to OTP if the Write OTP sequence is completed.
- 3. Execute a write to the WRITE_OTP_EN register with the appropriate bits set for the desired region to program.

Once the WRITE_OTP_EN register write is completed, a CRC is calculated for the data to be written to the region, the register values are written to OTP and the region is locked from future writes. The UOTP_WR_INIT bit remains set.

- 4. Delay 10 ms to allow the device to complete the writes to OTP.
- 5. Verify that the OTP write has successfully completed by reading back all of the OTP registers using register read commands as defined in <u>Section 7.7.6 "UF_REGION_W, UF_REGION_R UF region selection</u> registers (address 14h, 15h)".
- 6. Repeat steps 1 through 4 for all regions to be programmed.

The procedure for writing to the user OTP array UF2 region is listed below:

- 1. Read the CRC_UF2 register and confirm the LOCK_UF2 bit is not set.
- 2. Write the desired values to the user array registers.

FXPS7400D4

- Execute a write to the WRITE_OTP_EN register with region 2 selected and the EX_COMMTYPE and EX_PADDR bits set as shown in <u>Table 50</u>.
 Once the WRITE_OTP_EN register write is completed, a CRC is calculated for the data to be written to the region, the register values are written to OTP and the region is locked from future writes. The UOTP_WR_INIT bit remains set.
- 4. Delay 10 ms to allow the device to complete the writes to OTP.
- 5. Verify that the OTP write successfully completed by reading back all of the OTP registers using register read commands.

7.7.6 UF_REGION_W, UF_REGION_R - UF region selection registers (address 14h, 15h)

The UF region load register is a user read/write register that contains the control bits for the UF0 and UF1 regions to be accessed. This register is included in the user read/write array error detection. The UF region active register is a read-only register that contains the status bits for the UF0 and UF1 regions to be accessed. This register is included in the user read/write array error detection.

The UF_REGION_W register is readable and writable in SPI mode or I^2C mode. The UF_REGION_R register is readable in SPI mode or I^2C mode.

Table 51. Of _REGION_W - Of Tegion selection register (address 141) bit anocation									
Bit	7	6	5	4	3	2	1	0	
Symbol		REGION_LOAD[3:0]				0	0	0	
Factory default	1	1	1	0	0	0	0	0	
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	

Table 51. UF REGIO	I_W - UF region selection	on register (address	14h) bit allocation
		on regiotor (additooo	

Table 52. UF_REGION_R - UF region selection register (address 15h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol		REGION_ACTIVE[3:0]				0	0	0
Factory default	1	1	1	0	0	0	0	0
Access	R	R	R	R	R	R	R	R

The user OTP regions UF0, UF1, and F share a block of 16 registers. Prior to reading the registers via any communication interface, the user must ensure that the desired OTP registers are loaded into the readable registers. Below is the necessary procedure to ensure proper reading of the UF0, UF1, and F registers.

1. Write the desired address range to be read to the REGION_LOAD[3:0] bits in the UF_REGION_W register.

Table 53. REGION_LOAD Bit Definitions

RE	REGION_LOAD[3:0]			OTP register addresses loaded into the readable registers
0	0	0	0	not applicable
0	0	0	1	not applicable
00	0010 through 1001			reserved
1	0	1	0	Address Range A0h through AFh
1	0	1	1	Address Range B0h through BFh
1	1	0	0	Address Range C0h through CFh
1	1	0	1	Address Range D0h through DFh
1	1	1	0	Address Range E0h through EFh
1	1	1	1	Address Range F0h through FFh

- 2. Add a delay of minimum 50 µs.
- 3. Optional: Execute a register read of the UF_REGION_R register and confirm the REGION_ACTIVE[3:0] bits match the values written to the REGION_LOAD[3:0] bits in the UF_REGION_W register.

REC	REGION_ACTIVE[3:0]			OTP register addresses loaded into the readable registers			
0	0	0	0	Load of OTP registers is in process			
0	0	0	1	The contents of the shared registers has been over-written by the user			
00	0010 through 1001)1	ot applicable			
1	0	1	0	Address Range A0h through AFh			
1	0	1	1	Address Range B0h through BFh			
1	1	0	0	Address Range C0h through CFh			
1	1	0	1	Address Range D0h through DFh			
1	1	1	0	Address Range E0h through EFh			
1	1	1	1	Address Range F0h through FFh			

Table 54. REGION ACTIVE Bit Definitions

4. Execute a Register Read of the desired registers from the UF0, UF1 or F register section. Complete all desired Register Reads of the selected UF Region.

5. Repeat steps 1 through 4 for the next desired UF region to read.

Notes:

- The user must take care to ensure that the desired registers are addressed. For example, if the REGION_LOAD bits are set to Ah and the user executes a read of address C2h, the contents of registers A2h is transmitted. No error detection is included other than a read of the REGION_ACTIVE bits.
- In SPI and I²C modes, once the ENDINIT bit is set, writes to registers other than the RESET[1:0] bits are inhibited. For this reason, reads of the UF0, UF1, and F registers are only possible for the region selected by the REGION_ACTIVE bits at the time ENDINIT is set.

7.7.7 SOURCEID_x - source identification registers (address 1Ah, 1Bh)

The source identification registers are user programmed read/write registers that contain the source identification information used in SPI Mode. These registers are included in the read/write array error detection.

Table 55. SOURCEID_0 - source identification register (address 1Ah) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	SID0_EN	reserved	reserved	reserved	SOURCEID_0[3:0]			
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Table 56. SOURCEID_1 - source identification register (address 1Bh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	SID1_EN	reserved	reserved	reserved	SOURCEID_1[3:0]			
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

7.7.7.1 Data source enable bits (SIDx_EN)

The SIDx_EN are control bits for both I^2C and SPI modes. In I^2C mode, they configure the automatic register read wrap-around feature to optimize the number of I^2C transactions. See <u>Section 7.4.6.3</u> and <u>Table 9</u> for details.

In SPI mode, the SIDx_EN bits enable and map the data source (SNSDATA0, SNSDATA1) to the associated source identification as described in <u>Table 11</u>. Additionally, the SPI error response monitoring can be mapped to the SOURCEID_x channels. SPI error responses are detailed in <u>Section 7.5.4 "Error checking"</u>.

Table 57. Source ID enable

Source ID	Source ID Enable (SIDx_EN)	Transmitted data
SOURCEID_0	0	SPI error response
	1	SNSDATA0
SOURCEID_1	0	SPI error response
	1	SNSDATA1

In I²C mode, the SOURCEID_x registers are readable and writable but have no effect on the device. See <u>Table 11</u>, for details regarding the effect of the SIDx_EN bits.

7.7.8 SPI Configuration Control Register (SPI_CFG, Address 3Dh)

In SPI mode, the SPI configuration control register is a user programmed read/write register that contains the SPI protocol configuration information. This register is included in the read/write array error detection. This register is readable and writable in SPI mode or I²C mode

Bit	7	6	5	4	3	2	1	0
Symbol	reserved	DATASIZE	SPI_CRC	_LEN[1:0]		SPICRCS	SEED[3:0]	
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

7.7.8.1 SPI Data Field Size (DATASIZE)

The SPI data field size bit controls the size of the SPI data field as shown in <u>Table 59</u>.

Table 59. DATASIZE Bit Definition

DATASIZE	SPI Data Field Size
0	12-Bits
1	16-Bits

7.7.8.2 SPI CRC Length and Seed Bits

The SPI_CRC_LEN[1:0] bits select the CRC length for SPI Mode as shown in the table below. The SPI CRC seed bits contain the seed used for the SPI Mode. The default SPI CRC is an 8-bit. When the SPI_CRC_LEN[1:0] bits are set to a non-zero value using a Register Write command, the SPI CRC changes as defined in the table. The new polynomial value is enabled for both MISO and MOSI on the next SPI Mode command. The default seed (SPICRCSEED[3:0] = 0h) is FFh for an 8-bit CRC. When the value is changed to a non-zero value using a Register Write command, the SPI CRC seed changes to the value programmed as shown in the table. The new seed value is enabled for both MISO and MOSI on the next SPI Mode command.

Digital absolute pressure sensor, 20 kPa to 400 kPa

SPI_CRC	_LEN[1:0]	SPICRCSEED	CRC Polynomial	CRC Seed
0	0	0	$x^{8} + x^{5} + x^{3} + x^{2} + x + 1$	1111, 1111
0	0	non-zero	$x^{8} + x^{5} + x^{3} + x^{2} + x + 1$	0000, SPICRCSEED[3:0]
0	1	0	x ⁴ + 1	1010
0	1	non-zero	x ⁴ + 1	SPICRCSEED[3:0]
1	0	0	x ³ + x + 1	111
1	0	non-zero	x ³ + x + 1	SPICRCSEED[2:0]
1	1	0	x ³ + x + 1	111
1	1	non-zero	x ³ + x + 1	SPICRCSEED[2:0]

Table 60. SPI CRC Definition

7.7.9 WHO_AM_I - who am I register (address 3Eh)

The WHO_AM_I register is a user programmed read/write register that contains the unique product identifier. This register is included in the read/write array error detection.

Table 61. WHO_AM_I - device identification register (address 3Eh) bit allocation

			•	,				
Bit	7	6	5	4	3	2	1	0
Symbol	WHO_AM_[[7:0]							
Factory default (stored value)	0	0	0	0	0	0	0	0
Factory default (read value)	1	1	0	0	0	1	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The default register value is 00h. If the register value is 00h, a value of C4h is transmitted in response to a read command. For all other register values, the actual register value is transmitted in response to a read command.

Table 62. WHO_AM_I register values

WHO_AM_I register value (hex)	Response to a register read command				
00h	C4h				
01h to FFh	Actual register value				

7.7.10 I2C_ADDRESS - I²C client address register (address 3Fh)

The I²C client address register is a user programmed read/write register that contains the unique I²C client address. The register is readable in all modes. This register is included in the read/write array error detection.

Table 63.	I2C ADDRESS -	² C client address	register (address	3Fh) bit allocation

			•	,				
Bit	7	6	5	4	3	2	1	0
Symbol	I2C_ADDRESS[7:0]							
Factory Default (stored value)	0	0	0	0	0	0	0	0
Factory Default (read value)	0	1	1	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The default register value is 00h. If the register value is 00h, the I^2C client address is 60h and a value of 60h is transmitted in response to a read command. If the register is written to a value other than 00h, the I^2C client address is the lower seven bits of the actual register value and the actual register value is transmitted in response to a read command.

7.7.11 DSP Configuration Registers (DSP_CFG_Ux)

The DSP Configuration registers (DSP_CFG_Ux) are a series of registers that affect the DSP data path.

Digital absolute pressure sensor, 20 kPa to 400 kPa

There are 4 DSP Configuration registers which are DSP_CFG_U1, DSP_CFG_U3, DSP_CFG_U4, and DSP_CFG_U5.

7.7.11.1 DSP_CFG_U1 - DSP user configuration #1 register (address 40h)

The DSP user configuration register #1 is a user programmable read/write register that contains DSP-specific configuration information. This register is included in the read/write array error detection.

Changes to this register reset the DSP data path. The contents of the SNSDATA_x registers are not guaranteed until the DSP has completed initialization as specified in <u>Table 105</u>. Reads of the SNSDATA_x registers and sensor data requests should be prevented during this time.

Table 64. DSP_CFG_U1 - DSP user configuration #1 register (address 40h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	LPF[3:0]			reserved	reserved	reserved	reserved	
Factory default	0	0	1	1	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Table 65. Low-pass filter selection bits (LPF[3:0])

LPF[3]	LPF[2]	LPF[1]	LPF[0]	Low Pass Filter Type
0	0	1	0	800 Hz, 4-Pole
0	0	1	1	1000 Hz, 4-Pole ^{[1][2]}

[1] Default is 1000 Hz.

[2] In case of POR, filter reverts to the default.

Note: Using values other than those listed in <u>Table 65</u> causes an error in the DEVSTAT.

7.7.11.2 DSP_CFG_U3 - DSP user configuration #3 register (address 42h)

The DSP user configuration register #3 is a user programmable read/write register that contains DSP-specific configuration information. This register is included in the read/write array error detection.

Changes to this register reset the DSP data path. The content of the SNSDATA_x registers are not guaranteed until the DSP has completed initialization. Reads of the SNSDATA_x registers and sensor data requests should be prevented during this time.

This register is readable and writeable in SPI mode, and I²C mode.

Bit	7	6	5	4	3	2	1	0
Symbol	reserved	DATATYPE0[1:0]		reserved	DATATYPE1[1:0]		reserved	reserved
Reset	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

7.7.11.2.1 DSP data type 0 selection bits (DATATYPE0)

The DSP data type 0 selection bits select the type of data to be included in the SNSDATA0_L and SNSDATA0_H registers.

Table 67. DATATYPE0[1:0]

DATATYPE0[1]	DATATYPE0[0]	SNSDATA register contents
0	1	Absolute pressure (P _{ABS})
1	1	Temperature

7.7.11.2.2 DSP data type 1 selection bits (DATATYPE1)

The DSP data type 1 selection bits select the type of data to be included in the SNSDATA1_L and SNSDATA1_H registers.

Table 68. DATATYPE1[1:0]

DATATYPE1[1]	DATATYPE1[0]	SNSDATA register contents
0	1	Absolute pressure (P _{ABS})
1	1	Temperature

7.7.11.3 DSP_CFG_U4 - DSP user configuration #4 register (address 43h)

The DSP user configuration register #4 is a user programmable read/write register that contains DSP-specific configuration information. This register is included in the read/write array error detection.

	Table 03. Dol_of 0_04 - Dol user configuration #+ register (address 451) bit anocation								
Bit	7	6	5	4	3	2	1	0	
Symbol	reserved	reserved	reserved	reserved	reserved	INT_OUT	reserved	reserved	
Reset	0	0	0	0	0	0	0	0	
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	

Table 69. DSP CFG U4 - DSP user configuration #4 register (address 43h) bit allocation

Table 70. DSP_CFG_U4 - DSP user configuration #4 register (address 43h) bit description

Bit	Symbol	Description
2	INT_OUT	The interrupt pin configuration bit selects the mode of operation for the interrupt pin. 0 — Open drain, active high with pull-down current 1 — Open drain, active low with pullup current

7.7.11.4 DSP_CFG_U5 - DSP user configuration #5 register (address 44h)

The DSP user configuration register #5 is a read/write register that contains DSP-specific configuration information. This register is included in the read/write array error detection.

Table 71. DSP_CFG_U5 - DSP user configuration #5 register (address 44h) bit allocation

Bit	7	6	5	4	3	2	1	0		
Symbol		ST_CT	RL[3:0]		reserved					
Factory default	0	0	0	0	0	0	0	0		
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W		

Table 72. DSP_CFG_U5 - DSP user configuration #5 register (address 44h) bit description

Bit	Symbol	Description	
7 to 4	ST_CTRL[3:0]	The self-test control bits select one of the various analog and digital self-test features of the or <u>Table 73</u> . The self-test control bits are not included in the read/write array error detection.	device as shown in
3 to 0	reserved	These bits are reserved.	
FXPS7400D4		All information provided in this document is subject to legal disclaimers.	© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

ST_ CTRL[3]	ST_ CTRL[2]	ST_ CTRL[1]	ST_ CTRL[0]	Function	SNS_DATAx_X Contents (16-bit data)
0	0	0	0	Normal Pressure Signal	16-bit Absolute Pressure Data
0	0	0	1	P-Cell Common Mode Verification	16-bit Absolute Pressure Data
0	0	1	0	reserved	reserved
0	0	1	1	reserved	reserved
0	1	0	0	DSP write to SNS_DATAx_X registers inhibited.	0000h
0	1	0	1	DSP write to SNS_DATAx_X registers inhibited.	AAAAh
0	1	1	0	DSP write to SNS_DATAx_X registers inhibited.	5555h
0	1	1	1	DSP write to SNS_DATAx_X registers inhibited.	FFFFh
1	0	0	0	reserved	reserved
1	0	0	1	reserved	reserved
1	0	1	0	reserved	reserved
1	0	1	1	reserved	reserved
1	1	0	0	Digital Self-Test 0	Digital Self-Test Output
1	1	0	1	Digital Self-Test 1	Digital Self-Test Output
1	1	1	0	Digital Self-Test 2	Digital Self-Test Output
1	1	1	1	Digital Self-Test 3	Digital Self-Test Output

Table 73. Self-Test Control Bits (ST_CTRL[3:0])

7.7.12 INT_CFG - interrupt configuration register (address 45h)

The interrupt configuration register contains configuration information for the interrupt output. This register can be written during initialization but is locked once the ENDINIT bit is set (see <u>Section 7.7.4 "DEVLOCK_WR -</u><u>lock register writes register (address 10h)"</u>). The register is included in the read/write array error detection.

THE REPAIRS	050 111				N 1. 14 . 11
Iable (4. INI	CFG - interrupt	configuration	register (address 45n) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	rese	rved	INT_PS[1:0]		INT_POLARITY	reserved		
Reset	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Table 75. INT_CFG - interrupt configuration register (address 45h) bit description

Bit	Symbol	Description
5 to 4	INT_PS[1:0]	The INT_PS[1:0] bits set the programmable pulse stretch time for the interrupt output. Pulse stretch times are derived from the internal oscillator, so the tolerance on this oscillator applies. 00 — 0 ms 01 — 16.000 ms to 16.512 ms 10 — 64.000 ms to 64.512 ms 11 — 256.000 ms to 256.512 ms If the pulse stretch function is programmed to '00', the interrupt pin is asserted if and only if the interrupt condition exists after the most recent evaluated sample. The interrupt pin is deasserted if and only if an interrupt condition does not exist after the most recent evaluated sample. If the pulse stretch function is programmed to a non-zero value, the interrupt pin is controlled only by the value of the pulse stretch timer value. If the pulse stretch timer value is non-zero, the interrupt pin is asserted. If the pulse stretch is stretch timer value is non-zero, the interrupt pin is asserted. If the pulse stretch is stretch timer value is non-zero, the interrupt pin is asserted. If the pulse stretch is non-zero, the interrupt pin is asserted. If the pulse stretch is non-zero, the interrupt pin is asserted. If the pulse stretch is non-zero, the interrupt pin is asserted. If the pulse stretch is non-zero, the interrupt pin is asserted.
		timer is zero, the interrupt pin is deasserted. The pulse stretch counter continuously decrements until it reaches zero. The pulse stretch counter is reset to the programmed pulse stretch value if and only if an interrupt condition exists after the most recent evaluated sample.
3	INT_POLARITY	The interrupt polarity bit controls whether the interrupt is activated for values within or outside the window selected by the high and low threshold registers. With this bit and the programmable thresholds, a window comparator can be programmed for activation either within or outside a window.
		0 — Interrupt activated, if the value is outside the window
		1 — Interrupt activated, if the value is inside the window

7.7.13 P_INT_HI, P_INT_LO - interrupt window comparator threshold registers (address 46h to 49h)

The interrupt threshold registers contain the high and low window comparator thresholds for pressure to be used to activate and deactivate the interrupt output. These registers can be written during initialization but are locked once the ENDINIT bit is set (see <u>Section 7.7.4 "DEVLOCK_WR - lock register writes register (address 10h)"</u>). The register is included in the read/write array error detection.

Table 76. P_INT_HI, P_INT_LO - interrupt window comparator threshold registers (address 46h to 49h) bit allocation

Location		Bit								
Address	Register	8	7	6	5	4	3	2	1	0
46h	PIN_INT_HI_L				P	IN_INT_HI[7:	0]			
47h	PIN_INT_HI_H	PIN_INT_HI[15:8]								
48h	PIN_INT_LO_L				PI	N_INT_LO[7:	:0]			
49h	PIN_INT_LO_H				PI	N_INT_LO[15	i:8]			
Reset		0 0 0 0 0 0 0 0 0 0					0			
Access		R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The pressure threshold registers hold independent unsigned 16-bit values for a high and a low threshold. The window comparator threshold alignment is shown in <u>Section 7.3.3.4 "Absolute pressure output data scaling equation"</u>.

If either the high or low threshold is programmed to 0000h, comparisons are disabled for that threshold only. The interrupt comparison still functions for the opposite threshold. If both the high and low thresholds are programmed to 0000h, the interrupt output is disabled.

7.7.14 P_CAL_ZERO - pressure calibration registers (address 4Ch, 4Dh)

The pressure calibration registers contain user programmable values to adjust the offset of the absolute pressure.

These registers can be written during initialization but are locked once the ENDINIT bit is set (see <u>Section 7.7.4</u> <u>"DEVLOCK_WR - lock register writes register (address 10h)"</u>). These registers are included in the read/write array error detection. Changes to these registers reset the DSP data path. The contents of the SNSDATA_x registers are not guaranteed until the DSP has completed initialization, as specified in <u>Table 105</u>. Reads of the SNSDATA_x registers and sensor data requests should be prevented during this time.

14810 111 1										
Location			Bit							
Address	Register	7	7 6 5 4 3 2 1 0					0		
4Ch	P_CAL_ZERO_L	P_CAL_ZERO[7:0]								
4Dh	P_CAL_ZERO_H				P_CAL_ZI	ERO[15:8]				
Reset		0	0	0	0	0	0	0	0	
Access		R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	

Table 77. P	CAL ZERO	- pressure calibration	registers (addres	s 4Ch	. 4Dh) bit allocation
					,

The P_CAL_ZERO register value is a signed 16-bit value that is directly added to the internally calibrated pressure signal value as shown in <u>Equation 6</u>. The equation applies to the values in the 16-bit SNSDATA registers.

$$PABS_{LSB} = SNSDATA + User Offset$$

(6)

FXPS7400D4

© 2023 NXP B.V. All rights reserved

Note: The pressure calibration registers enable range and resolution options beyond the specified values of the device. The user must take care to ensure that the value stored in this register does not result in a compressed output range or a railed output.

7.7.15 DSP_STAT - DSP specific status register (address 60h)

The DSP status register is a read-only register that contains sensor data-specific status information.

Bit	7	6	5	4	3	2	1	0
Symbol	reserved	reserved	reserved	reserved	ST_INCMPLT	ST_ACTIVE	CM_ERROR	ST_ERROR
Factory default	0	0	0	0	1	0	0	0
Access	R	R	R	R	R	R	R	R

Table 79. DSP_STAT - DSP-specific status register (address 60h) bit description

Bit	Symbol	Description
3	ST_INCMPLT	The self-test incomplete bit is set after a device reset and is only cleared when one of the analog or digital self-test modes is enabled in the ST_CTRL register (ST_CTRL[3] = '1' ST_CTRL[2] = '1' ST_CTRL[1] = '1' ST_CTRL[0] = '1'). 0 — An analog or digital self-test has been activated since the last reset. 1 — No analog or digital self-test has been activated since the last reset.
2	ST_ACTIVE	The self-test active bit is set if any self-test mode is active. The self-test active bit is cleared when no self-test mode is active. ST_ACTIVE= ST_CTRL[3] ST_CTRL[2] ST_CTRL[1] ST_CTRL[0]
1	CM_ERROR	The absolute pressure common mode error status bit is set if the common mode value of the analog front end exceeds predetermined limits. The CM_ERROR bit is cleared on a read of the DSP_STAT register through any communication interface or on a data transmission that includes the error in the status field.
0	ST_ERROR	The self-test error flag is set if an internal self-test fails as described in <u>Section 7.3.1</u> . This bit can only be cleared by a device reset.

7.7.16 DEVSTAT_COPY - device status copy register (address 61h)

The device status copy register is a read-only register that contains a copy of the device status information contained in the DEVSTAT register. See <u>Section 7.7.2.1 "DEVSTAT - device status register (address 01h)"</u> for details regarding the DEVSTAT register contents. A read of the DEVSTAT_COPY register has the same effect as a read of the DEVSTAT register.

				• ·				
Bit	7	6	5	4	3	2	1	0
Symbol	DSP_ERR	reserved	COMM_ERR	MEMTEMP_ERR	SUPPLY_ERR	TESTMODE	DEVRES	DEVINIT
Reset	0	0	0	0	0	0	0	0
Access	R	R	R	R	R	R	R	R

For bit descriptions, see <u>Table 38</u>.

7.7.17 SNSDATA0_L, SNSDATA0_H - sensor data #0 registers (address 62h, 63h)

The sensor data #0 registers are read-only registers that contain the 16-bit sensor data. See <u>Section 7.3.3.4</u> <u>"Absolute pressure output data scaling equation"</u> for details regarding the 16-bit sensor data.

The SNSDATA0_H register value is latched on a read of the SNSDATA0_L register value until the SNSDATA0_H register is read. To avoid data mismatch, the user is always required to read the registers in sequence, SNSDATA0_L register first, followed by the SNSDATA0_H register.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Location			Bit								
Address	Symbol	7	6	5	4	3	2	1	0		
62h	SNSDATA0_L		SNSDATA0_L[7:0]								
63h	SNSDATA0_H				SNSDATA	0_H[15:8]					
Factory defa	Factory default		0	0	0	0	0	0	0		
Access		R	R	R	R	R	R	R	R		

Table 81. SNSDATA0_L, SNSDATA0_H - sensor data #0 registers (addresses 62h, 63h) bit allocation

7.7.18 SNSDATA1_L, SNSDATA1_H - sensor data #1 registers (address 64h, 65h)

The sensor data #1 registers are read-only registers that contain the 16-bit sensor data. See <u>Section 7.3.3.4</u> <u>"Absolute pressure output data scaling equation"</u> for details regarding the 16-bit sensor data. The SNSDATA1 registers are beneficial for I^2C read wrap around to reduce the number of I^2C transactions. In this case, the temperature can be selected to be put into this register. See <u>Table 9</u> and <u>Table 67</u>.

The SNSDATA1_H register value is latched on a read of the SNSDATA1_L register value until the SNSDATA1_H register is read. To avoid data mismatch, the user is always required to read the registers in sequence, SNSDATA1_L register first, followed by the SNSDATA1_H register.

Table 82. SNSDATA1_L, SNSDATA1_H - sensor data #1 registers (address 64h, 65h) bit allocation

Location		Bit									
Address	Symbol	7	6	5	4	3	2	1	0		
64h SNSDATA1_L		SNSDATA1_L[7:0]									
65h	SNSDATA1_H		SNSDATA1_H[15:8]								
Factory defau	Factory default		0	0	0	0	0	0	0		
Access	Access		R	R	R	R	R	R	R		

7.7.19 SNSDATA0_TIMEx - timestamp registers (address 66h to 6Bh)

The sensor data 0 timestamp registers are read-only registers that contain a 48-bit timestamp.

The value of the 48-bit free running timer register is copied to the sensor data 0 timestamp registers each time sensor data 0 data is latched for transmission. The timestamp is updated at the start of the sensor data 0 register value transmission for a register read of the SNSDATA0_L register.

The timestamp register is organized to allow for optimized reading of the timestamp in I^2C automatic sensor data register read wrap-around mode as documented in <u>Table 9</u>.

The sensor data 0 timestamp registers are read-only registers that contain a 48-bit timestamp.

The value of the 48-bit free running timer register is copied to the sensor data 0 timestamp registers each time sensor data 0 data is latched for transmission via SPI.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Location					В	it				
Address	Symbol	7	6	5	4	3	2	1	0	
66h	SNSDATA0_TIME0	SNSDATA0_TIME[7:0]								
67h	SNSDATA0_TIME1		SNSDATA0_TIME[15:8]							
68h SNSDATA0_TIME2		SNSDATA0_TIME[23:16]								
69h	SNSDATA0_TIME3		SNSDATA0_TIME[31:24]							
6Ah	SNSDATA0_TIME4	SNSDATA0_TIME[39:32]								
6Bh	SNSDATA0_TIME5				SNSDATA0	TIME[47:40]				
Factory default		0	0	0	0	0	0	0	0	
Access	ccess		R	R	R	R	R	R	R	

Table 83. SNSDATA0_TIMEx - timestamp register (address 66h to 6Bh) bit allocation

7.7.20 P_MAX, P_MIN - maximum and minimum absolute pressure value registers (address 6Ch to 6Fh)

The minimum and maximum absolute pressure value registers are read-only registers that contain a sampleby-sample continuously updated minimum and maximum 16-bit absolute pressure value. The value is reset to 0000h on a write to a DSP_CFG_U1 register that changes the value of the LPF[2:0] or ST CTRL[3:0].

The values of P_Max and P_Min obtained during a SPI or I²C register read might not always be the same value as the instantaneous pressure value obtained from the SNSDATA_x registers.

These registers are readable in SPI mode or I^2C mode. In I^2C mode, the P_xxx_H register value is latched on a read of the P_xxx_L register value until the P_xxx_H register is read. To avoid data mismatch, the user is always required to read the registers in sequence, P_xxx_L register first, followed by the P_xxx_H register.

Location					В	it				
Address	Symbol	7	7 6 5 4 3 2 1 0							
6Ch P_MAX_L		P_MAX[7:0]								
6Dh P_MAX_H			P_MAX[15:8]							
6Eh	P_MIN_L	P_MIN[7:0]								
6Fh	P_MIN_H	P_MIN[15:8]								
Factory default		0	0	0	0	0	0	0	0	
Access	Access		R	R	R	R	R	R	R	

Table 84. P_Max and P_Min registers (address 6Ch to 6Fh) bit allocation

7.7.21 FRT - free running timer registers (addresses 78h to 7Dh)

The free running timer registers are read-only registers that contain a 48-bit free running timer. The free running timer is clocked by the main oscillator frequency and increments every 100 ns.

Location		Bit									
Address	Symbol	7	6	5	4	3	2	1	0		
78h	FRT0		FRT[7:0]								
79h	FRT1		FRT[15:8]								
7Ah	FRT2		FRT[23:16]								
7Bh	FRT3				FRT[3	31:24]					
7Ch	FRT4				FRT[3	39:32]					
7Dh	FRT5		FRT[47:40]								
Access		R	R	R	R	R	R	R	R		

Table 85. FRT - free running timer registers (addresses 78h to 7Dh) bit allocation

© 2023 NXP B.V. All rights reserved.

7.7.22 IC type register (Address C0h)

The IC type register is a factory programmable OTP register that contains the IC type as defined below. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I²C mode when ENDINIT is not set.

Bit	7	6	5	4	3	2	1	0		
Symbol		ICTYPEID[7:0]								
Reset	0	0	0	0	0	0	1	0		
Access	R	R	R	R	R	R	R	R		

Table 86. IC TYPE REGISTER (ICTYPEID address C0h) bit allocation

7.7.23 IC manufacturer revision register (Address C1h)

The IC manufacturer revision register is a factory programmable OTP register that contains the IC revision. The upper nibble contains the main IC revision. The lower nibble contains the sub IC revision. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I²C mode when ENDINIT is not set.

Table 87. IC MANUFACTURER REVISION REGISTER (ICREVID address C1h) bit allocation

Bit	7	6	5	4	3	2	1	0		
Symbol		ICREVID[7:0]								
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Access	R	R	R	R	R	R	R	R		

7.7.24 IC manufacturer identification register (address C2h)

The IC manufacturer identification register is a factory programmable OTP register that identifies NXP as the IC manufacturer. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I²C mode when ENDINIT is not set.

Table 88. IC MANUFACTURER IDENTIFICATION REGISTER (ICMFGID address C2h) bit allocation

Bit	7	6	5	4	3	2	1	0			
Symbol		ICMFGID[7:0]									
Reset	0	0	0	0	0	0	1	0			
Access	R	R	R	R	R	R	R	R			

7.7.25 Part number register (address C4h, C5h)

The part number registers are factory programmed OTP registers that include the numeric portion of the device part number. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or I²C mode when ENDINIT is not set.

	io negister (u		Sit anocation					
Bit	7	6	5	4	3	2	1	
Symbol				PN0	[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	

Table 89. PN0 Register (address C4h) bit allocation

FXPS7400D4 Product data sheet 0

N/A R

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 50. Fix	able 50. FAT Register (address C51) bit allocation											
Bit	7	6	5	4	3	2	1	0				
Symbol		PN1[7:0]										
Reset	N/A	N/A N/A N/A N/A N/A N/A N/A N/A										
Access	R	R	R	R	R	R	R	R				

Table 90. PN1 Register (address C5h) bit allocation

7.7.26 Device serial number registers

The serial number registers are factory programmed OTP registers that include the unique serial number of the device. Serial numbers begin at 1 for all produced devices in each lot and are sequentially assigned. Lot numbers begin at 1 and are sequentially assigned. No lot contains more devices than can be uniquely identified by the 14-bit serial number. Depending on lot size and quantities, all possible lot numbers and serial numbers might not be assigned. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or I²C mode when ENDINIT is not set.

Table 91. SN0 Register (address C6h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 92. SN1 Register (address C7h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 93. SN2 Register (address C8h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 94. SN3 Register (address C9h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 95. SN4 Register (address CAh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

7.7.27 ASIC wafer ID registers

The ASIC wafer ID registers are factory programmed OTP registers that include the wafer number, wafer X and Y coordinates and the wafer lot number for the device ASIC. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or I²C mode when ENDINIT is not set.

Table 96. ASICWFR# Register (address CBh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICW	R#[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 97. ASICWFR_X Register (address CCh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICWF	R_X[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 98. ASICWFR_Y Register (address CDh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICWF	R_Y[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 99. ASICWLOT_L Register (address D0h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICWLO	DT_L[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

Table 100. ASICWLOT_H Register (address D1h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICWLO	DT_H[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

7.7.28 USERDATA_0 to USERDATA_E - user data registers

User data registers are user programmable OTP registers that contain user-specific information. These registers are included in the user programmed OTP array error detection. These registers are readable and writable in SPI mode or I²C mode when ENDINIT is not set.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.7.29 USERDATA_10 to USERDATA_1E - user data registers

User data registers are user programmable OTP registers that contain user-specific information. These registers are included in the user programmed OTP array error detection. These registers are readable and writable in SPI mode or I²C mode when ENDINIT is not set.

7.7.30 Lock and CRC Registers

The lock and CRC Registers are automatically programmed OTP registers that include the lock bit, the block identifier, and the block OTP array CRC use for error detection. These registers are automatically programmed when the corresponding data array is programmed to OTP using the Write OTP Enable register.

Location					В	lit			
Address	Register	7	6	5	4	3	2	1	0
5Fh	CRC_UF2	LOCK_UF2	0	0	0		CRC_L	JF2[3:0]	
Factory Defa	ault	0	0	0	0	0	0	0	0
AFh	CRC_F_A	LOCK_F_A	RE	GA_BLOCKID[2	2:0]		CRC_F	_A[3:0]	
Factory Defa	ault	1	0	0	1		var	ies	
BFh	CRC_F_B	LOCK_F_B	RE	GB_BLOCKID[2	2:0]		CRC_F	_B[3:0]	
Factory Defa	ault	1	0	1	0		var	ies	
CFh	CRC_F_C	LOCK_F_C	RE	GC_BLOCKID[2	2:0]		CRC_F	_C[3:0]	
Factory Defa	ault	1	0	1	1		var	ies	
DFh	CRC_F_D	LOCK_F_D	RE	GD_BLOCKID[2	2:0]		CRC_F	_D[3:0]	
Factory Defa	ault	1	1	0	1		var	ies	
EFh	CRC_F_E	LOCK_F_E	RE	GE_BLOCKID[2	2:0]		CRC_F	_E[3:0]	
Factory Defa	ault	0	0	0	0	0	0	0	0
FFh	CRC_F_F	LOCK_F_F	RE	GF_BLOCKID[2	2:0]		CRC_F	_F[3:0]	
Factory Defa	ault	0	0	0	0	0	0	0	0

Table 101. Lock and CRC Register bit definitions

7.7.31 Reserved registers

A register read command to a reserved register or a register with reserved bits results in a valid response. The data for reserved bits may be '0' or '1'.

A register write command to a reserved register or a register with reserved bits executes and results in a valid response. The data for the reserved bits may be '0' or '1'. A write to the reserved bits must always be '0' for normal device operation and performance.

7.7.32 Invalid register addresses

A register read command to a register address outside the addresses listed in <u>Section 7.6 "User-accessible</u> <u>data array"</u> results in a valid response. The data for the registers are '00h'.

A register write command to a register address outside the addresses listed in <u>Section 7.6 "User-accessible</u> <u>data array"</u> is not executable, but results in a valid response. The data for the registers are '00h'.

A register write command to a read-only register is not executable, but results in a valid response. The data for the registers is the current content of the registers.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.8 Read/write register array CRC verification

The writable registers (all registers except for the DEVLOCK_WR register) are verified by a continuous 4bit CRC that is calculated on the entire array once ENDINIT is set. The CRC verification uses a generator polynomial of $g(x) = X^4 + X^3 + 1$, with a seed value = '0000'.

8 Maximum ratings

Table 102. Maximum ratings

Absolute maximum ratings are the limits that the device can be exposed to without permanently damaging it. Absolute maximum ratings are stress ratings only; functional operation at these ratings is not guaranteed. Exposure to absolute maximum ratings conditions for extended periods might affect device reliability.

This device contains circuitry to protect against damage due to high static voltage or electrical fields. NXP advises that normal precautions be taken to avoid application of any voltages higher than maximum-rated voltages to this high-impedance circuit.

Symbol	Parameter	Conditions		Min	Max	Unit
VCC _{MAX}	Supply Voltage	V _{CC} , V _{CCIO}	[1]	_	+6.0	V
V _{IOMAX}	Input/Output Max on pins	INT, TESTx, SS_B, SCLK/SCL, MOSI , MISO/SDA	[1]	-0.3	V _{CC} + 0.3	V
h _{DROP}	Drop shock	To concrete, tile or steel surface, 10 drops, any orientation	[2]	_	1.2	m
T _{stg}	Temperature range	Storage	[2]	-40	+130	°C
TJ	-	Junction	[3]	-40	+150	°C
P _{MAX}	Maximum absolute pressure	Continuous	[3]	—	450	kPa
P _{BURST}	-	Burst (tested at 100 ms)	[2]	—	1650	kPa
P _{MIN}	Minimum absolute pressure	Continuous	[1]	_	20	kPa
f _{SEAL}	Pressure sealing force	Applied to top face of package	[1]	_	10	N
θ_{JA}	Thermal resistance		[4]	_	120	°C/W
ESD and latch-up protecti	on characteristics					
V _{ESD}	Electrostatic discharge (per	Human body model (HBM)	[2]	-2000	2000	V
V _{ESD}	AEC-Q100, Rev H)	Charge device model (CDM) [2	2] [5]	-500	500	V

[1] Parameter verified by parametric and functional validation.

[2] Parameter verified by qualification testing (Per AEC-Q100 Rev H or per NXP specification).

[3] Functionality verified by modeling, simulation and/or design verification.

^[4] Thermal resistance provided with device mounted to a two-layer, 1.6 mm FR-4 PCB as documented in AN1902^[1] with one signal layer and one ground layer.

[5] CDM tested at \pm 750 V for corner pins and \pm 500 V for all other pins.



Caution

This device is sensitive to mechanical shock. Improper handling can cause permanent damage to the part.

FXPS7400D4 Product data sheet © 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa



This is an ESD sensitive device. Improper handling can cause permanent damage to the part.

9 Operating range

Table 103. Electrical characteristics - supply and I/O

 $V_{CC_min} \leq (V_{CC} - V_{SS}) \leq V_{CC_max}, T_L \leq T_A \leq T_H, \Delta T \leq 25 \text{ °C/min, unless otherwise specified.}$

Symbol	Parameter	Conditions		Min	Max	Units
V _{CC}	Supply voltage	Measured at V _{CC}	[1]	3.10	5.25	V
T _A	Operating temperature range	V_{CC} = 5.0 V, unless otherwise stated. Production tested operating temperature range	[1]	T _L -40	Т _н +130	°C
T _A		Guaranteed operating temperature range	[1]	-40	+130	°C
V _{CC_RAMP_SPI}	Supply power on ramp rate		[2]	0.00001	10	V/µs
V _{PP}	Programming voltage (I _{PP} ≤ 5 mA, 15 °C ≤ T _A ≤ 40 °C) Applied to V _{CC}			9.0	11.0	V

Caution

[1] Parameter tested at final test.

[2] Parameter verified by parametric and functional validation.

10 Static characteristics

Table 104. Static characteristics

 $V_{CC_min} \leq (V_{CC} - V_{SS}) \leq V_{CC_max}, T_L \leq T_A \leq T_H, \Delta T \leq 25 \text{ °C/min, unless otherwise specified.}$

Symbol	Parameter	Condition		Min	Тур	Max	Units
Supply and I/O						I	
I _{IH}	Input current high	At VIH; SCLK/SCL	[1]	10	20	70	μA
IIL	Input current low	At V _{IL} ; SS_B	[1]	-70	-20	-10	μA
I _{MISO_Lkg}	MISO output leakage		[1]	-5	-	5	μA
lq	Supply current	V _{CC} = 5.0 V	[1]	—	-	8.0	mA
V _{CC_UV_F}	Low-voltage detection threshold	V _{CC} falling	[1]	2.64	2.74	2.84	V
V _{I_HYST}	Input voltage hysteresis	SCLK/SCL, SS_B, MOSI	[2]	0.125	-	0.500	V
V _{IH}	Input high voltage (at V_{CC} = 3.3 V	SCLK/SCL, SS_B, MOSI	[1]	2.0	_	_	V
V _{IL}	Input low voltage	SCLK/SCL, SS_B, MOSI	[1]	—	_	1.0	V
V _{INT_OH}	Output high voltage	Ι _{Load} = -100 μΑ	[1]	V _{CC} – 0.35	—	V _{CC}	V
V _{INT_OL}	Output low voltage	Ι _{Load} = 100 μΑ	[1]	—	-	0.1	V
V _{OH}	Output high voltage	MISO/SDA, I _{Load} = -1 mA	[1]	V _{CC} - 0.2	-	—	V
Temperature ser	nsor signal chain						
T _{RANGE}	Temperature measurement range		[3]	-50	—	+160	°C
T ₂₅	Temperature output	At 25 °C	[3]	83	93	103	LSB
T _{RANGE}	Range of output (8-bit)	Unsigned temperature	[3]	0	-	255	LSB
T _{SENSE}	Temperature output sensitivity (8-bit)		[4]	-	1.00	-	LSB/°C
T _{ACC}	Temperature output accuracy (8-bit)		[4]	-10	-	+10	°C
T _{RMS}	Temperature output noise RMS (8-bit)	Standard deviation of 50 readings, f _{Samp} = 8 kHz	[4]	-	-	+2	LSB

FXPS7400D4

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 104. Static characteristics...continued

 $V_{CC_min} \leq (V_{CC} - V_{SS}) \leq V_{CC_max}, T_L \leq T_A \leq T_H, \Delta T \leq 25 \text{ °C/min, unless otherwise specified.}$

Symbol	Parameter	Condition		Min	Тур	Мах	Units
Absolute pressure s	sensor signal chain	1					
P _{ABS}	Absolute pressure range		[1] [4]	20	_	400	kPa
P _{SENS}	Absolute pressure output sensitivity 12-bit 16-bit	$P_CAL_ZERO = 0h$ $V_{CC} = 5.0 V.$	[5]	_	7 14	—	LSB/ kPa
P _{ACC_HIT}	Absolute pressure accuracy	V _{CC} = 5.0 V. 85 °C < T _A ≤ 130 °C	[5]	-5.7	-	+5.7	kPa
P _{ACC_Typ}	Absolute pressure accuracy	$V_{CC} = 5.0 V.$ 0 °C ≤ T _A ≤ 85 °C	[5]	-3.8	—	+3.8	kPa
P _{ACC_LoT}	Absolute pressure accuracy	V _{CC} = 5.0 V. -40 °C ≤ T _A < 0 °C	[5]	-5.7	—	+5.7	kPa
P _{ABS_DErr}	Absolute pressure output range	Digital error response	[2]	—	0	_	LSB
PABS _{DNL}	Absolute pressure nonlinearity	Absolute pressure DNL, 12-bit monotonic with no missing codes	[3]	-	—	+1	LSB
PABS _{INL}	Absolute pressure nonlinearity	Absolute pressure INL, 12- bit (least squares BFSL)	[3]	-	-	+20	LSB
PABS _{Peak}	Absolute pressure noise peak (12-bit)	Temperature = -40 °C and 130 °C, V _{CC} = 5.0 V. Maximum deviation from mean, 50 readings, f _{Samp} = 1 kHz, LPF = 1000 Hz, 4- pole	[1]	-8	_	+8	LSB
PABS _{RMS}	Absolute pressure noise RMS (12-bit)	Temperature = -40 °C and 130 °C, V _{CC} = 5.0 V. Standard deviation of 50 readings, f _{Samp} = 8 kHz, LPF = 1000 Hz, 4-pole	[5]	_		+2	LSB
P _{OFF_D12} P _{OFF_D16}	Absolute pressure offset 12-Bit 16-Bit	At minimum rated pressure, P_CAL_ZERO = 0h, Temperature = -40 °C and 130 °C, V _{CC} = 5.0 V	[5]	_	299 29270	-	LSB
PSC3PSC _{SPI3}	Digital power supply coupling	$\label{eq:VCC} \begin{array}{l} C_{VCC} = 0.1 \ \mu\text{f}, \ 12\text{-bit data} \\ 1 \ \text{kHz} \leq f_n \leq 100 \ \text{MHz}, \ \text{V}_{CC} \\ = 3.3 \ \text{V} \pm 0.1 \ \text{V} \end{array}$	[3]	-	_	2	LSB
PSC5PSCSPI5	Digital power supply coupling	$C_{VCC} = 0.1 \ \mu f$, 12-bit data 1 kHz $\leq f_n \leq 100 \ MHz$, V _{CC} = 5.0 V ± 0.1 V	[3]	-	_	2	LSB

Parameter verified by pass/fail testing at final test. Functionality verified by modeling, simulation and/or design verification. Parameter verified by functional validation. [1] [2] [3] [4] [5]

Parameter verified by characterization. Parameter tested at final test.

Digital absolute pressure sensor, 20 kPa to 400 kPa

11 Dynamic characteristics

Table 105. Dynamic characteristics

 $V_{CC_min} \leq (V_{CC} - V_{SS}) \leq V_{CC_max}, \ T_L \leq T_A \leq T_H, \ \Delta T \leq 25 \ ^\circ C/min, \ unless \ otherwise \ specified.$

Symbol	Parameter	Condition		Min	Тур	Max	Units
I ² C							
t _{SCL_100} t _{SCLK_400}	Clock (SCL) period (30 % of V _{CC} to 30 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]	_	9.50 2.37 1.00	_	hs hs hs
tsclk_1000 tsclh_100 tsclh_400 tsclh_1000	Clock (SCL) high time (70 % of V _{CC} to 70 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode (not compliant with UM10204, rev.6)	[1] [1] [1]	_ _ _	4.00 0.60 0.50		ha ha ha ha
t _{SCLL_100} t _{SCLL_400} t _{SCLL_1000}	Clock (SCL) low time (30 % of V _{CC} to 30 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]		4.70 1.30 0.50		μs μs μs
t _{SRISE_100} t _{SRISE_400} t _{SRISE_1000}	Clock (SCL) and data (SDA) risetime (30 % of V_{CC} to 70 % of V_{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]	_ _ _		1000 300 120	ns ns ns
t _{SFALL_100} t _{SFALL_400} t _{SFALL_1000}	Clock (SCL) and data (SDA) fall time (70 % of V_{CC} to 30 % of $V_{CC})$	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]			300 300 120	ns ns ns
tsetup_100 tsetup_400 tsetup_1000	Data input setup time (SDA = 30/70 % of V _{CC} to SCL = 30 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]		250 100 50		ns ns ns
t _{HOLD_100} t _{HOLD_400} t _{HOLD_1000}	Data input hold time (SCL = 70 % of V_{CC} to SDA = 30/70 % of V_{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]	_ _ _	0 0 0	900 900 300	ns ns ns
tSTARTSETUP_100 tSTARTSETUP_400 tSTARTSETUP_1000	Start condition setup time (SDA = 30/70 % of V _{CC} to SCL = 30 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]		4.70 0.60 0.26		hs hs hs
t _{STARTHOLD_100} t _{STARTHOLD_400} t _{STARTHOLD_1000}	Start condition hold time (SCL = 70 % of V _{CC} to SDA = 30/70 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]	_ _ _	4.00 0.60 0.26		μs μs μs
tSTOPSETUP_100 tSTOPSETUP_400 tSTOPSETUP_1000	Stop condition setup time (SDA = 30/70 % of V_{CC} to SCL = 30 % of V_{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]	 	4.00 0.60 0.26		μs μs μs
t _{VALID_100} t _{VALID_400} t _{VALID_1000}	SCLK low to data valid (SCL = 30 % of V _{CC} to SDA = 30/70 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]			3.45 0.90 0.45	hs hs hs
t _{FREE_100} t _{FREE_400} t _{FREE_1000}	Bus free time (SDA = 70 % of V _{CC} to SDA = 70 % of V _{CC})	100 kHz mode 400 kHz mode 1000 kHz mode	[1] [1] [1]		4.00 1.30 0.50		hs hs hs
C _{BUS}	Bus capacitive load		[2]	_	_	400	pF
SPI		1					
t _{SCLK}	Serial interface timing ^[3]	Clock (SCLK) period (10 % of V_{CC} to 10 % of V_{CC})	[1]	-	90	-	ns
t _{SCLKH}	Serial interface timing ^[3]	Clock (SCLK) period (90 % of V_{CC} to 90 % of $V_{CC})$	[1]		30	-	ns
t _{SCLKL}		Clock (SCLK) period (10 % of V_{CC} to 10 % of V_{CC})	[1]	-	30	-	ns
t _{SCLKR}	Serial interface timing ^[3]	Clock (SCLK) period (10 % of V_{CC} to 90 % of V_{CC})	[1]	-	10	25	ns
t _{SCLKF}		Clock (SCLK) period (90 % of V_{CC} to 10 % of V_{CC})	[1]	-	10	25	ns

FXPS7400D4 Product data sheet

55 / 71

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 105. Dynamic characteristics...continued

 $V_{CC_min} \leq (V_{CC} - V_{SS}) \leq V_{CC_max}, T_L \leq T_A \leq T_H, \Delta T \leq 25 \text{ °C/min, unless otherwise specified.}$

Symbol	Parameter	Condition	Min	Тур	Max	Units
t _{LEAD}	Serial interface timing ^[3]	$ \begin{array}{l} \text{SS_B asserted to SCLK} \\ \text{high (SS_B = 10 \% of V_{CC})} \\ \text{to SCLK = 10 \% of V_{CC})} \end{array} $	_	50	_	ns
t _{ACCESS}	Serial interface timing ^[3]		-	_	50	ns
t _{SETUP}	Serial interface timing ^[3]	SS_B asserted to SCLK [1] high (MOSI = 10/90 % of V _{CC} to SCLK = 10 % of V _{CC}) V _{CC})	_	20	-	ns
thold_in	Serial interface timing ^[3]		_	10	-	ns
thold_out			0	—	-	ns
^t valid	Serial interface timing ^[3]	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	_	—	30	ns
tlag	Serial interface timing ^[3]	$ SCLK low to SS_B high [1] \\ (SCLK = 10 \% of V_{CC} to \\ SS_B = 90 \% of V_{CC}) $	_	60	—	ns
^t DISABLE	Serial interface timing ^[3]	SS_B high to MISO disable ^[1] (SS_B = 90 % of V _{CC} to MISO = Hi Z)	_	_	60	ns
SSN	Serial interface timing ^[3]	$ \begin{array}{l} \text{SS}_\text{B high to SS}_\text{B low} \\ \text{(SS}_\text{B} = 90 \% \text{ of } V_{\text{CC}} \text{ to} \\ \text{SS}_\text{B} = 90 \% \text{ of } V_{\text{CC}}) \end{array} $	-	500	—	ns
ts∟kss	Serial interface timing ^[3]	$ SCLK low to SS_B low [1] \\ (SCLK = 10 \% of V_{CC} to \\ SS_B = 90 \% of V_{CC}) $	_	50	—	ns
^I SSCLK	Serial interface timing ^[3]	$ SS_B high to SCLK high [1] \\ (SS_B = 90 \% of V_{CC} to \\ SCLK = 90 \% of V_{CC}) $	_	50	—	ns
LAT_SPI	Data latency		-	—	1	ns
Signal chain						•
SigChain	P _{ABS} low-pass filter	Signal chain sample time ^[4]	_	48	_	μs
f _{c0}		Cutoff frequency, filter ^[2] ^[4] option #0, 4-pole		800	_	Hz
f _{c1}		Cutoff frequency, filter ^{[2] [4]} option #1, 4-pole	-	1000	—	Hz
lSigDelay	Signal delay (sinc filter to output delay, excluding the P _{ABS} LPF)	[4]	-	-	128	μs
T _{r_800Hz_LPF}	Response time	10 % to 90 % of the final ^[4]	_	_	0.53	ms
T _{r_1kHz_LPF}		output value to input pressure step pulse.	_	_	0.42	ms
T _{TD_800Hz_LPF}	Total delay time	Total delay (settling time) ^[4] of the final output value to		_	1.2	ms
T _{TD_1kHz_LPF}		input pressure step pulse.	—	—	1.0	ms
ST_INIT	P _{ABS} startup common mode verification test time	[4]			24	ms
tst_cmcont	P _{ABS} continuous common mode verification response time P _{ABS} error equivalent to 50 kPa	[4]	-	_	4	S
t _{ST_Resp_1000_4}	Self-test response time: self-test activation/deactivation to final value	LPF = 1000 Hz, 4-pole ^[4]	-	—	2.016	ms

Digital absolute pressure sensor, 20 kPa to 400 kPa

Table 105. Dynamic characteristics...continued

 $V_{CC, min} \leq (V_{CC} - V_{SS}) \leq V_{CC, max}$, $T_1 \leq T_A \leq T_{H}$, $\Delta T \leq 25$ °C/min, unless otherwise specified.

Symbol	Parameter	Condition		Min	Тур	Max	Units
t _{ST_FP_Resp}	Fixed pattern response time: self-test activation/deactivation		[4]	-	-	100	μs
f _{Package}	Package resonance frequency		[4]	27.1	—	_	kHz
Supply and support of	sircuitry					•	
t _{VCC_POR}	Reset recovery (all modes, excluding V_{CC} voltage ramp time)	V _{CC} = V _{CCMIN} to POR release	[2]	_	-	1	ms
t _{POR_I2C/POR_SPI}		POR to first I ² C/SPI command	[4]	0.800	-	1	ms
t _{POR_DataValid}		POR to sensor data valid	[4]	-	_	7	ms
t _{RANGE_} DataValid		DSP setting change to sensor data valid	[2]	-	-	7	ms
t _{SOFT_RESET_I2C}	Soft reset activation time, command complete to reset (no ACK follows)		[4]	-	_	700	ns
t _{SOFT_RESET_SPI}	Soft reset activation time, SS_B high to reset		[4]	-	-	700	ns
t _{CC_POR}	V _{CC} undervoltage detection delay		[4]	-	_	5	μs
t _{UVOV_RCV}	Undervoltage/overvoltage recovery delay		[4]	-	100	-	μs
f _{OSC}	Internal oscillator period		[2] [4]	9.500	10.000	10.500	MhZ

Parameter verified by characterization. [1]

Parameter verified by functional evaluation. [2]

[3]

 $See \frac{Section 7.5.6}{CM_{ISO}} < S0 \ pF, R_{MISO} \geq 10 \ k\Omega$ Functionality verified by modeling, simulation and/or design verification. [4]

Media compatibility—pressure sensors only 12

For more information regarding media compatibility information, contact your local sales representative.

Note:

The devices contain a gel that protects the pressure transducer and its inter-die connection wires from corrosion, which might otherwise result in catastrophic failure modes. NXP has observed that direct exposure to materials with the same or nearly-the-same solubility can potentially result in a corruption of the protective gel. A corruption can be less than catastrophic in nature, however may result in an offset of the pressure measurement from its factory calibrated value. An offset can potentially be larger than the allowed tolerances published in this data sheet.

Further, NXP does not recommend direct exposure to strong acid or strong base compounds as they can potentially result in a similar corruption as described above, or may result in a dissolution of the protective gel and/or the metal lid adhesive and/or the plastic device body. Such a dissolution can be catastrophic in nature, damaging the transducer surfaces and/or internal wire bonds and/or the control die surfaces. A potential dissolution may result in a similar offset, or cause the device to indicate overflow/underflow status, or may cause the device to cease operating in the worst case.

For a list of compounds known to generate out-of-tolerance offsets and/or catastrophic device failure, please contact an NXP sales representative.

Application information 13

The FXPS7400D4 sensor can operate in two modes: I²C and SPI. The application diagrams in Figure 23 and Figure 24 show the modes and their respective biasing and bypass components.

The sensor can be configured to operate in SPI mode to read the user registers, self-test and diagnostics information. The application diagram in <u>Figure 24</u> shows the SPI and the respective biasing and bypass components.

Note: A gel is used to provide media protection against corrosive elements which may otherwise damage metal bond wires and/or IC surfaces. Highly pressurized gas molecules may permeate through the gel and then occupy boundaries between material surfaces within the sensor package. When decompression occurs, the gas molecules may collect, form bubbles and possibly result in delamination of the gel from the material it protects. If a bubble is located on the pressure transducer surface or on the bond wires, the sensor measurement may shift from its calibrated transfer function. In some cases, these temporary shifts could be outside the tolerances listed in the data sheet. In rare cases, the bubble may bend the bond wires and result in a permanent shift.




Table 106. External component recommendations for I²C

Name	Туре	Description	Purpose				
C1	Ceramic	0.1 μF, 10 %, 10 V minimum, X7R	V _{CC} power supply decoupling				
R1	General purpose	1000 Ω, 5 %, 200 PPM	I ² C selection pin pull-up resistor				
R2	General purpose	1000 Ω, 5 %, 200 PPM	Serial clock pull-up resistor				
R3	General purpose	1000 Ω, 5 %, 200 PPM	Serial data pull-up resistor				





Table 107. External component recommendations for SPI

Name	Туре	Description	Purpose				
C1	Ceramic	0.1 µF, 10 %, 10 V minimum, X7R	V _{CC} power supply decoupling				

Product data sheet

Digital absolute pressure sensor, 20 kPa to 400 kPa

14 Package outline




FXPS7400D4 Product data sheet © 2023 NXP B.V. All rights reserved.

NXP Semiconductors

FXPS7400D4

Digital absolute pressure sensor, 20 kPa to 400 kPa



NXP Semiconductors

FXPS7400D4


Digital absolute pressure sensor, 20 kPa to 400 kPa

H-PQFN-16 I/O 4 X 4 X 1.98 PKG, 0.8 PITCH	SOT1573-1
NOTES:	
1. ALL DIMENSIONS ARE IN MILLIMETERS.	
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.	
🖄 COPLANARITY APPLIES TO LEADS AND DIE ATTACH PAD.	
4 dimension applies only for terminals.	
5. MIN METAL GAP SHOULD BE 0.2 MM.	
© NXP B.V. ALL RIGHTS RESERVED	DATE: 19 JUN 202
MECHANICAL OUTLINE STANDARD: DRAWING	NUMBER: REVISION:
PRINT VERSION NOT TO SCALE NON JEDEC 98ASA	00893D C


Figure 27. Package outline note HQFN (SOT1573-1)

Digital absolute pressure sensor, 20 kPa to 400 kPa


15 Soldering



Digital absolute pressure sensor, 20 kPa to 400 kPa



Digital absolute pressure sensor, 20 kPa to 400 kPa



FXPS7400D4 Product data sheet © 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

16 Mounting recommendations

The package should be mounted with the pressure port pointing away from sources of debris which might otherwise plug the sensor.

A plugged port exhibits no change in pressure and can be cross checked in the user software.

Refer to NXP application note AN1902^[1] for proper printed circuit board attributes and recommendations.

17 References

- [1] **AN1902** Assembly guidelines for QFN (quad flat no-lead) and SON (small outline no-lead) packages https://www.nxp.com/docs/en/application-note/AN1902.pdf
- [2] AEC documents on Automotive Electronics Council Component Technical Committee's site: http://www.aecouncil.com/AECDocuments.html
- [3] AN12727 FXPS7xxxDI4 User method to flash UF2 https://www.nxp.com/webapp/Download?colCode=AN12727&location=null
- [4] I²C-Bus specification and user manual NXP User Manual (UM) 10204, Rev. 6 4 April 2014, 64 pages, <u>https://www.nxp.com/docs/en/user-guide/UM10204.pdf</u>

18 Revision history

Table 108. Revision history

Document ID	Release date	Data sheet status	Change notice	Supercedes
FXPS7400D4 v.6.3	20231103	Product data sheet	—	FXPS7400D4 v.6.2
Modifications:	• <u>Section 12</u> , inse	erted a new disclaimer note.		
FXPS7400D4 v.6.2	20230809	Product data sheet	—	FXPS7400D4 v.6.1
FXPS7400D4 v.6.1	20230628	Product data sheet	—	FXPS7400D4 v.6
FXPS7400D4 v.6	20220606	Product data sheet	—	FXPS7400D4 v.5
FXPS7400D4 v.5	20190715	Product data sheet	—	FXPS7400D4 v.4
FXPS7400D4 v.4	20190507	Product data sheet	—	FXPS7400D4 v.3
FXPS7400D4 v.3	20190506	Preliminary data sheet	—	FXPS7400D4 v.2
FXPS7400D4 v.2	20190408	Preliminary data sheet	—	FXPS7400D4 v.1
FXPS7400D4 v.1	20190327	Preliminary data sheet	—	—

Digital absolute pressure sensor, 20 kPa to 400 kPa

Legal information

Data sheet status

Document status ^{[1][2]}	Product status ^[3]	Definition
Objective [short] data sheet	Development	This document contains data from the objective specification for product development.
Preliminary [short] data sheet	Qualification	This document contains data from the preliminary specification.
Product [short] data sheet	Production	This document contains the product specification.

[1] Please consult the most recently issued document before initiating or completing a design.

[2] The term 'short data sheet' is explained in section "Definitions".

[3] The product status of device(s) described in this document may have changed since this document was published and may differ in case of multiple devices. The latest product status information is available on the Internet at URL <u>https://www.nxp.com</u>.

Definitions

Draft — A draft status on a document indicates that the content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included in a draft version of a document and shall have no liability for the consequences of use of such information.

Short data sheet — A short data sheet is an extract from a full data sheet with the same product type number(s) and title. A short data sheet is intended for quick reference only and should not be relied upon to contain detailed and full information. For detailed and full information see the relevant full data sheet, which is available on request via the local NXP Semiconductors sales office. In case of any inconsistency or conflict with the short data sheet, the full data sheet shall prevail.

Product specification — The information and data provided in a Product data sheet shall define the specification of the product as agreed between NXP Semiconductors and its customer, unless NXP Semiconductors and customer have explicitly agreed otherwise in writing. In no event however, shall an agreement be valid in which the NXP Semiconductors product is deemed to offer functions and qualities beyond those described in the Product data sheet.

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

Applications — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification.

Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products.

NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

Limiting values — Stress above one or more limiting values (as defined in the Absolute Maximum Ratings System of IEC 60134) will cause permanent damage to the device. Limiting values are stress ratings only and (proper) operation of the device at these or any other conditions above those given in the Recommended operating conditions section (if present) or the Characteristics sections of this document is not warranted. Constant or repeated exposure to limiting values will permanently and irreversibly affect the quality and reliability of the device.

Terms and conditions of commercial sale — NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at https://www.nxp.com/profile/terms, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

No offer to sell or license — Nothing in this document may be interpreted or construed as an offer to sell products that is open for acceptance or the grant, conveyance or implication of any license under any copyrights, patents or other industrial or intellectual property rights.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Suitability for use in automotive applications - This NXP product has been qualified for use in automotive applications. If this product is used by customer in the development of, or for incorporation into, products or services (a) used in safety critical applications or (b) in which failure could lead to death, personal injury, or severe physical or environmental damage (such products and services hereinafter referred to as "Critical Applications"), then customer makes the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, safety, and security related requirements concerning its products, regardless of any information or support that may be provided by NXP. As such, customer assumes all risk related to use of any products in Critical Applications and NXP and its suppliers shall not be liable for any such use by customer. Accordingly, customer will indemnify and hold NXP harmless from any claims, liabilities, damages and associated costs and expenses (including attorneys' fees) that NXP may incur related to customer's incorporation of any product in a Critical Application.

Quick reference data — The Quick reference data is an extract of the product data given in the Limiting values and Characteristics sections of this document, and as such is not complete, exhaustive or legally binding.

Export control — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

Translations — A non-English (translated) version of a document, including the legal information in that document, is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

Security — Customer understands that all NXP products may be subject to unidentified vulnerabilities or may support established security standards or specifications with known limitations. Customer is responsible for the design and operation of its applications and products throughout their lifecycles to reduce the effect of these vulnerabilities on customer's applications and products. Customer's responsibility also extends to other open and/or proprietary technologies supported by NXP products for use in customer's applications. NXP accepts no liability for any vulnerability. Customer should regularly check security updates from NXP and follow up appropriately. Customer shall select products with security features that best meet rules, regulations, and standards of the intended application and make the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, and security related requirements

concerning its products, regardless of any information or support that may be provided by NXP. NXP has a Product Security Incident Response Team (PSIRT) (reachable

at <u>PSIRT@nxp.com</u>) that manages the investigation, reporting, and solution release to security vulnerabilities of NXP products.

 $\ensuremath{\mathsf{NXP}}\xspace{\mathsf{B.V.}}$ — NXP B.V. is not an operating company and it does not distribute or sell products.

Trademarks

Notice: All referenced brands, product names, service names, and trademarks are the property of their respective owners. **NXP** — wordmark and logo are trademarks of NXP B.V. **I2C-bus** — logo is a trademark of NXP B.V.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Tables

Tab. 1.	Ordering information2		DEVSTA
Tab. 2.	Ordering options		01h) bit
Tab. 3.	Pin description4		DEVSTA
Tab. 4.	Self-test control register		(address
Tab. 5.	Self-test control bits for sense data fixed	Tab. 40.	DEVSTA
	value verification		(address
Tab. 6.	IIR low pass filter coefficients9		DEVSTA
Tab. 7.	Scaling parameters		(address
Tab. 8.	Temperature conversion variables 12	. Tab. 42.	DEVSTA
Tab. 9.	Sensor data register read wrap-around		(address
	description16		DEVSTA
Tab. 10.	SPI command format 18		(address
Tab. 11.	SPI command summary18		DEVSTA
Tab. 12.	SPI response format 19		(address
Tab. 13.	Register read command message format 20	Tab. 45.	TEMPER
Tab. 14.	Register read command message bit field		(address
	descriptions 20		DEVLOC
Tab. 15.	Register read response message format 20	1	register
Tab. 16.	Register read response message bit field	Tab. 47.	DEVLOC
	descriptions)	register
Tab. 17.	Register write command message format 21		Device r
Tab. 18.	Register write command message bit field	Tab. 49.	WRITE
	descriptions		register -
Tab. 19.	Register write response message format21		Writes for
Tab. 20.	Register write response message bit field	Tab. 51.	UF REG
	descriptions		register (
Tab. 21.	Sensor data request command message	Tab. 52.	UF REG
100.21.	format		register (
Tab. 22.	Sensor data request command message	Tab. 53.	REGION
140. 22.	bit field descriptions		REGION
Tab. 23.	Sensor data request response message	Tab. 55.	SOURCI
Tab. 25.	format – 12 bit data length		register
Tab 24			SOURCI
Tab. 24.	Sensor data request response message bit	Tab. 56.	
Tab 05	field descriptions		register
Tab. 25.	Reserved command message format23		Source I
Tab. 26.	Reserved command message bit field	Tab. 58.	SPI_CF
T 1 07	descriptions		allocation
Tab. 27.	Reserved command response message	Tab. 59.	DATASIZ
	format		SPI CRO
Tab. 28.	Reserved command response message bit	Tab. 61.	WHO_A
	field descriptions		(address
Tab. 29.	SPI Command Message CRC 24		WHO_A
Tab. 30.	SPI Response Message CRC24	Tab. 63.	I2C_ADI
Tab. 31.	Expected initial responses after tPOR_		register
	DataValid post POR24	Tab. 64.	DSP_CF
Tab. 32.	Expected initial responses after tPOR_		register
	DataValid post soft reset25	Tab. 65.	Low-pas
Tab. 33.	Basic status field for responses to register	Tab. 66.	DSP_CF
	commands25	i	register
Tab. 34.	Detailed status bit field descriptions25		DĂTATY
Tab. 35.	User-accessible data — sensor specific	Tab. 68.	DATATY
	information		DSP_CF
Tab. 36.	COUNT - rolling counter register (address		register (
	00h) bit allocation	Tab. 70.	DSP_CF
Tab. 37.	DEVSTAT - device status register (address	140.10.	register (
	01h) bit allocation		· sgiotor
FXPS7400D4	All information provided in this of	document is subject to leg	gal disclaimers.

Tab. 38.	DEVSTAT - device status register (address
	01h) bit description31
Tab. 39.	DEVSTAT1 - device status register
	(address 02h) bit allocation
Tab. 40.	DEVSTAT1 - device status register
Tab 44	(address 02h) bit description
Tab. 41.	DEVSTAT2 - device status register (address 03h) bit allocation
Tab. 42.	DEVSTAT2 - device status register
140. 42.	(address 03h) bit description
Tab. 43.	DEVSTAT3 - device status register
	(address 04h) bit allocation
Tab. 44.	DEVSTAT3 - device status register
	(address 04h) bit description
Tab. 45.	TEMPERATURE - temperature register
	(address 0Eh) bit allocation
Tab. 46.	DEVLOCK_WR - lock register writes
	register (address 10h) bit allocation
Tab. 47.	DEVLOCK_WR - lock register writes
	register (address 10h) bit description35
Tab. 48.	Device reset command sequence
Tab. 49.	WRITE_OTP_EN – write OTP enable
Tab EO	register – (address 11h) bit allocation
Tab. 50. Tab. 51.	UF REGION W - UF region selection
Tab. 51.	register (address 14h) bit allocation
Tab. 52.	UF REGION R - UF region selection
100. 02.	register (address 15h) bit allocation
Tab. 53.	REGION LOAD Bit Definitions
Tab. 54.	REGION ACTIVE Bit Definitions
Tab. 55.	SOURCEID_0 - source identification
	register (address 1Ah) bit allocation
Tab. 56.	SOURCEID_1 - source identification
	register (address 1Bh) bit allocation
Tab. 57.	Source ID enable
Tab. 58.	SPI_CFG Register (address 3Dh) bit
T	allocation
Tab. 59.	DATASIZE Bit Definition
Tab. 60. Tab. 61.	SPI CRC Definition
Tap. 01.	(address 3Eh) bit allocation40
Tab. 62.	WHO_AM_I register values40
Tab. 63.	I2C ADDRESS - I2C client address
140.00.	register (address 3Fh) bit allocation
Tab. 64.	DSP CFG U1 - DSP user configuration #1
	register (address 40h) bit allocation
Tab. 65.	Low-pass filter selection bits (LPF[3:0])41
Tab. 66.	DSP_CFG_U3 - DSP user configuration #3
	register (address 42h) bit allocation
Tab. 67.	DATATYPE0[1:0]
Tab. 68.	DATATYPE1[1:0]
Tab. 69.	DSP_CFG_U4 - DSP user configuration #4
	register (address 43h) bit allocation
Tab. 70.	DSP_CFG_U4 - DSP user configuration #4
	register (address 43h) bit description42

© 2023 NXP B.V. All rights reserved.

Digital absolute pressure sensor, 20 kPa to 400 kPa

Tab. 71.	DSP_CFG_U5 - DSP user configuration #5
T 1 70	register (address 44h) bit allocation
Tab. 72.	DSP_CFG_U5 - DSP user configuration #5
Tab 70	register (address 44h) bit description
Tab. 73.	Self-Test Control Bits (ST_CTRL[3:0])43
Tab. 74.	INT_CFG - interrupt configuration register
Tab 75	(address 45h) bit allocation
Tab. 75.	INT_CFG - interrupt configuration register
Tab. 76.	(address 45h) bit description43 P_INT_HI, P_INT_LO - interrupt window
Tap. 70.	comparator threshold registers (address
	46h to 49h) bit allocation44
Tab. 77.	P CAL ZERO - pressure calibration
Tab. 11.	registers (address 4Ch, 4Dh) bit allocation44
Tab. 78.	DSP STAT - DSP-specific status register
100.70.	(address 60h) bit allocation
Tab. 79.	DSP STAT - DSP-specific status register
140.10.	(address 60h) bit description
Tab. 80.	DEVSTAT_COPY - device status copy
	register (address 61h) bit allocation
Tab. 81.	SNSDATA0 L, SNSDATA0 H - sensor
	data #0 registers (addresses 62h, 63h) bit
	allocation
Tab. 82.	SNSDATA1_L, SNSDATA1_H - sensor
	data #1 registers (address 64h, 65h) bit
	allocation
Tab. 83.	SNSDATA0_TIMEx - timestamp register
	(address 66h to 6Bh) bit allocation47
Tab. 84.	P_Max and P_Min registers (address 6Ch
	to 6Fh) bit allocation47
Tab. 85.	FRT - free running timer registers
	(addresses 78h to 7Dh) bit allocation47
Tab. 86.	IC TYPE REGISTER (ICTYPEID address
	C0h) bit allocation48

Tab. 87.	IC MANUFACTURER REVISION	
	REGISTER (ICREVID address C1h) bit allocation	48
Tab. 88.	IC MANUFACTURER IDENTIFICATION	
	REGISTER (ICMFGID address C2h) bit	
	allocation	
Tab. 89.	PN0 Register (address C4h) bit allocation	
Tab. 90.	PN1 Register (address C5h) bit allocation	
Tab. 91.	SN0 Register (address C6h) bit allocation	
Tab. 92.	SN1 Register (address C7h) bit allocation	
Tab. 93.	SN2 Register (address C8h) bit allocation	
Tab. 94.	SN3 Register (address C9h) bit allocation	
Tab. 95.	SN4 Register (address CAh) bit allocation	49
Tab. 96.	ASICWFR# Register (address CBh) bit	
T 1 07	allocation	50
Tab. 97.	ASICWFR_X Register (address CCh) bit	50
T 1 00		50
Tab. 98.	ASICWFR_Y Register (address CDh) bit	50
Tab. 99.	allocation ASICWLOT_L Register (address D0h) bit	50
Tap. 99.	allocation	50
Tab. 100.		50
Tap. 100.	allocation	50
Tab 101	Lock and CRC Register bit definitions	
	Maximum ratings	
	Electrical characteristics — supply and I/O	
	Static characteristics	
Tab. 105.		
Tab. 106.		
		58
Tab. 107.	External component recommendations for	-
	SPI	58
Tab. 108.	Revision history	65
	-	

Figures

Block diagram of FXPS7400D4
User-controlled PABS common mode self- test flowchart
ΣΔ converter block diagram7
Signal chain diagram8
Sinc filter response 8
800 Hz, 4-pole, low-pass filter response9
800 Hz, 4-pole output signal delay10
1000 Hz, 4-pole, low-pass filter response 10
1000 Hz, 4-pole output signal delay11
Temperature sensor signal chain block
diagram12
Common mode error detection signal chain
block diagram12
I2C bit transmissions13
I2C start condition13
I2C byte transmissions13

Fig. 17.	I2C acknowledge and not acknowledge	
	transmission	
Fig. 18.	I2C stop condition	14
Fig. 19.	I2C timing diagram	16
Fig. 20.	Standard 32 Bit SPI protocol timing	
	diagram	17
Fig. 21.	SPI data output verification	26
Fig. 22.	SPI timing diagram	27
Fig. 23.	I2C application diagram of FXPS7400D4	58
Fig. 24.	SPI application diagram for FXPS7400D4	58
Fig. 25.	Package outline HQFN (SOT1573-1)	59
Fig. 26.	Package outline detail HQFN (SOT1573-1)	60
Fig. 27.	Package outline note HQFN (SOT1573-1)	61
Fig. 28.	SOT1573-1 PCB design guidelines - Solder	
	mask opening pattern	62
Fig. 29.	SOT1573-1 PCB design guidelines - I/O	
	pads and solderable area	63
Fig. 30.	SOT1573-1 PCB design guidelines - Solder	
-	paste stencil	64

Digital absolute pressure sensor, 20 kPa to 400 kPa

Contents

1 2 3 3.1 3.2 3.3 4 4.1	General description1Features and benefits1Applications2Automotive2Industrial2Medical/Consumer2Ordering information2Ordering options2
5 6	Block diagram
6 .1	Pinning mornation
6.2	Pin description
7	Functional description
7.1	Voltage regulators
7.1.1	VCC, VREG, VREGA, undervoltage
	monitor
7.2	Internal oscillator
7.3	Pressure sensor signal path5
7.3.1	Self-test functions
7.3.1.1	PABS common mode verification
7.3.1.2	Startup digital self-test verification
7.3.1.3	Startup sense data fixed value verification 7
7.3.2	ΣΔ converter7
7.3.3	Digital signal processor (DSP)8
7.3.3.1	Decimation sinc filter
7.3.3.2	Signal trim and compensation8
7.3.3.3	Low-pass filter8
7.3.3.4	Absolute pressure output data scaling
	equation11
7.3.4	Temperature sensor11
7.3.4.1	Temperature sensor signal chain11
7.3.4.2	Temperature sensor output scaling
	equation12
7.3.5	Common mode error detection signal chain 12
7.4	Inter-integrated circuit (I2C) interface
7.4.1	I2C bit transmissions
7.4.2	I2C start condition
7.4.3 7.4.4	I2C byte transmission13
7.4.4	I2C acknowledge and not acknowledge
7.4.5	transmissions
	I2C register transfers
7.4.6 7.4.6.1	Register write transfers
7.4.6.2	Register read transfers
7.4.6.3	Sensor data register read wrap around
7.4.7	I2C timing diagram
7.5	Standard 32-bit SPI protocol
7.5.1	SPI command format
7.5.2	SPI response format
7.5.3	Command summary 19
7.5.3.1	Register read command
7.5.3.2	Register write command20
7.5.3.3	Sensor data request commands21
7.5.3.4	Reserved commands22
7.5.4	Error checking23
7.5.4.1	Default 8-bit CRC23
FXPS7400D4	All information provided in this docum

1	7.5.5	Exception handling	
1	7.5.5.1	Basic status field	
2	7.5.5.2	Detailed status field	
2	7.5.5.3	SPI error	
2	7.5.5.4	SPI data output verification error	
2	7.5.6	SPI timing diagram	
2	7.6	User-accessible data array	
2	7.7	Register information	31
3	7.7.1	COUNT - rolling counter register (address	
3		00h)	
3	7.7.2	Device status registers	31
4	7.7.2.1	DEVSTAT - device status register (address	
4		01h)	31
4	7.7.2.2	DEVSTAT1 - device status register	
tage		(address 02h)	32
5	7.7.2.3	DEVSTAT2 - device status register	
5		(address 03h)	33
5	7.7.2.4	DEVSTAT3 - device status register	
5		(address 04h)	34
on6	7.7.3	TEMPERATURE - temperature register	
on6		(address 0Eh)	34
verification 7	7.7.4	DEVLOCK_WR - lock register writes	
7		register (address 10h)	34
8	7.7.5	WRITE_OTP_EN – write OTP enable	~ -
8	770	register (address 11h)	35
8	7.7.6	UF_REGION_W, UF_REGION_R - UF	
8		region selection registers (address 14h,	07
scaling		15h)	37
	7.7.7	SOURCEID_x - source identification	~~
		registers (address 1Ah, 1Bh)	
in11	7.7.7.1	Data source enable bits (SIDx_EN)	39
ling	7.7.8	SPI Configuration Control Register (SPI_	20
	7704	CFG, Address 3Dh)	
signal chain 12 erface 12	7.7.8.1 7.7.8.2	SPI Data Field Size (DATASIZE)	
	7.7.9	SPI CRC Length and Seed Bits WHO AM I - who am I register (address	39
	1.1.9	3Eh)	40
	7.7.10	I2C ADDRESS - I2C client address	40
owledge	1.1.10	register (address 3Fh)	40
	7.7.11	DSP Configuration Registers (DSP_CFG_	40
14	1.1.11	Ux)	40
	7.7.11.1	DSP_CFG_U1 - DSP user configuration #1	+0
14	1.1.11.1	register (address 40h)	41
	7.7.11.2	DSP_CFG_U3 - DSP user configuration #3	
around 16	1.1.11.2	register (address 42h)	41
	7.7.11.3	DSP_CFG_U4 - DSP user configuration #4	
	1.1.1.0	register (address 43h)	42
17	7.7.11.4	DSP_CFG_U5 - DSP user configuration #5	
		register (address 44h)	42
	7.7.12	INT_CFG - interrupt configuration register	
		(address 45h)	43
20	7.7.13	P_INT_HI, P_INT_LO - interrupt window	-
s21		comparator threshold registers (address	
		46h to 49h)	44
	7.7.14	P CAL ZERO - pressure calibration	
		registers (address 4Ch, 4Dh)	44
All information provided in this docum			
An information provided in this docum	ent is subject to leg	jai uisulaimers. © 2023 NXP B.V. All rights re	servea.

Digital absolute pressure sensor, 20 kPa to 400 kPa

7.7.15	DSP_STAT - DSP specific status register	
	(address 60h)	. 45
7.7.16	DEVSTAT_COPY - device status copy	45
7747	register (address 61h) SNSDATA0 L, SNSDATA0 H - sensor data	. 45
7.7.17	#0 registers (address 62h, 63h)	45
7.7.18	SNSDATA1 L, SNSDATA1 H - sensor data	45
1.1.10	#1 registers (address 64h, 65h)	46
7.7.19	SNSDATA0_TIMEx - timestamp registers	+0
1.1.10	(address 66h to 6Bh)	46
7.7.20	P MAX, P MIN - maximum and minimum	10
1.1.20	absolute pressure value registers (address	
	6Ch to 6Fh)	. 47
7.7.21	FRT - free running timer registers	
	(addresses 78h to 7Dh)	47
7.7.22	IC type register (Address C0h)	48
7.7.23	IC manufacturer revision register (Address	
	C1h)	48
7.7.24	IC manufacturer identification register	
	(address C2h)	
7.7.25	Part number register (address C4h, C5h)	
7.7.26	Device serial number registers	
7.7.27	ASIC wafer ID registers	50
7.7.28	USERDATA_0 to USERDATA_E - user data	
	registers	50
7.7.29	USERDATA_10 to USERDATA_1E - user	- 4
7700	data registers	
7.7.30	Lock and CRC Registers	
7.7.31 7.7.32	Reserved registers	
7.8	Invalid register addresses Read/write register array CRC verification	
8	Maximum ratings	
9	Operating range	
10	Static characteristics	
11	Dynamic characteristics	
12	Media compatibility—pressure sensors	
	only	57
13	Application information	
14	Package outline	
15	Soldering	
16	Mounting recommendations	
17	References	
18	Revision history	
	Legal information	66

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.

© 2023 NXP B.V.

All rights reserved.

For more information, please visit: https://www.nxp.com

Date of release: 3 November 2023 Document identifier: FXPS7400D4